California

Provider Number	Street	City	State
555421	4367 CONCORD BLVD.	CONCORD	CA

California

ZIP Code	Phone Number
94521	(925) 689-7457

California

Percent of long-stay residents given influenza vaccination during the flu season

California

Footnote-2

California

Percent of long-stay residents who were assessed and given pneumococcal vaccination

California

Footnote-3

California

Percent of long-stay residents whose need for help with daily activities has increased

California

Footnote-4

California

Percent of long-stay residents who have moderate to severe pain

California

Footnote-5

California

Percent of high-risk long-stay residents who have pressure sores

California

Footnote-6

California

Percent of low-risk long-stay residents who have pressure sores

California

Footnote-7

California

Percent of long-stay residents who were physically restrained

0%

California

Footnote-8

California

Percent of long-stay residents who are more depressed or anxious

California

Footnote-9

California

Percent of low-risk long-stay residents who lose control of their bowels or bladder

California

Footnote-10

California

Percent of long-stay residents who have/had a catheter inserted and left in their bladder

8%

California

Footnote-11

California

Percent of long-stay residents who spend most of their time in bed or in a chair

California

Footnote-12

California

Percent of long-stay residents whose ability to move about in and around their room got worse

California

Footnote-13

California

Percent of long-stay residents who had a urinary tract infection

9%

California

Footnote-14

California

Percent of long-stay residents who lose too much weight

California

Footnote-15

California

Percent of short-stay residents given influenza vaccination during the flu season

California

Footnote-16

California

Percent of short-stay residents who were assessed and given pneumococcal vaccination

California

Footnote-17

California

Percent of short-stay residents who have delirium

0%

California

Footnote-18

California

Percent of short-stay residents who had moderate to severe pain

California

Footnote-19

California

Percent of short-stay residents who have pressure sores	Footnote
42%	