nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

Provider Number	Survey Date	Date of Correction	Nursing Home Name
015009	07/07/2009	07/29/2009	BURNS NURSING HOME, INC.
015009	07/07/2009	07/29/2009	BURNS NURSING HOME, INC.
015009	09/01/2010	09/30/2010	BURNS NURSING HOME, INC.
015009	09/01/2010	09/30/2010	BURNS NURSING HOME, INC.
015009	09/01/2010	09/30/2010	BURNS NURSING HOME, INC.
015009	09/01/2010	09/30/2010	BURNS NURSING HOME, INC.
015009	09/01/2010	09/30/2010	BURNS NURSING HOME, INC.
015009	09/01/2010	09/30/2010	BURNS NURSING HOME, INC.

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

Street	City	State	Zip Code	Phone
701 MONROE STREET NW	RUSSELLVILLE	AL	35653	2563324110
701 MONROE STREET NW	RUSSELLVILLE	AL	35653	2563324110
701 MONROE STREET NW	RUSSELLVILLE	AL	35653	2563324110
701 MONROE STREET NW	RUSSELLVILLE	AL	35653	2563324110
701 MONROE STREET NW	RUSSELLVILLE	AL	35653	2563324110
701 MONROE STREET NW	RUSSELLVILLE	AL	35653	2563324110
701 MONROE STREET NW	RUSSELLVILLE	AL	35653	2563324110
701 MONROE STREET NW	RUSSELLVILLE	AL	35653	2563324110

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

Deficiency Type	Deficiency Category
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

Deficiency	Scope	Level of Harm
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
automatic sprinkler systems that have been maintained in working order.	Few	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
proper backup exit lighting.	Many	1
properly protected cooking facilities.	Few	2
exits that are free from obstructions and can be used at all times.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015009	09/01/2010	09/30/2010	BURNS NURSING HOME, INC.
015009	09/01/2010	09/30/2010	BURNS NURSING HOME, INC.
015009	08/11/2011	09/09/2011	BURNS NURSING HOME, INC.
015009	08/11/2011	09/09/2011	BURNS NURSING HOME, INC.
015009	08/11/2011	09/09/2011	BURNS NURSING HOME, INC.
015009	08/17/2011	09/21/2011	BURNS NURSING HOME, INC.
015009	08/17/2011	09/21/2011	BURNS NURSING HOME, INC.
015009	08/17/2011	09/21/2011	BURNS NURSING HOME, INC.
015009	08/17/2011	09/21/2011	BURNS NURSING HOME, INC.

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

701 MONROE STREET NW	RUSSELLVILLE	AL	35653	2563324110
701 MONROE STREET NW	RUSSELLVILLE	AL	35653	2563324110
701 MONROE STREET NW	RUSSELLVILLE	AL	35653	2563324110
701 MONROE STREET NW	RUSSELLVILLE	AL	35653	2563324110
701 MONROE STREET NW	RUSSELLVILLE	AL	35653	2563324110
701 MONROE STREET NW	RUSSELLVILLE	AL	35653	2563324110
701 MONROE STREET NW	RUSSELLVILLE	AL	35653	2563324110
701 MONROE STREET NW	RUSSELLVILLE	AL	35653	2563324110
701 MONROE STREET NW	RUSSELLVILLE	AL	35653	2563324110
701 MONROE STREET NW	RUSSELLVILLE	AL	35653	2563324110

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies

other fire safety features required by fire safety codes.	Some	2
properly installed electrical wiring and equipment.	Some	2
Hire sufficient dietary support personnel.	Many	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
exits that are accessible at all times.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
properly protected cooking facilities.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015009	08/17/2011	09/21/2011	BURNS NURSING HOME, INC.
015010	09/10/2010	10/15/2010	COOSA VALLEY NURSING FACILITY
015010	09/10/2010	10/15/2010	COOSA VALLEY NURSING FACILITY
015010	09/10/2010	10/15/2010	COOSA VALLEY NURSING FACILITY
015010	09/14/2010	10/15/2010	COOSA VALLEY NURSING FACILITY
015010	09/14/2010	10/15/2010	COOSA VALLEY NURSING FACILITY
015010	07/08/2011	07/19/2011	COOSA VALLEY NURSING FACILITY

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

NW				
701 MONROE STREET NW	RUSSELLVILLE	AL	35653	2563324110
315 WEST HICKORY STREET	SYLACAUGA	AL	35150	2562495604
315 WEST HICKORY STREET	SYLACAUGA	AL	35150	2562495604
315 WEST HICKORY STREET	SYLACAUGA	AL	35150	2562495604
315 WEST HICKORY STREET	SYLACAUGA	AL	35150	2562495604
315 WEST HICKORY STREET	SYLACAUGA	AL	35150	2562495604
315 WEST HICKORY STREET	SYLACAUGA	AL	35150	2562495604
315 WEST HICKORY STREET	SYLACAUGA	AL	35150	2562495604

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

facilities.		
a separate and independent backup electrical power source.	Some	2
Conduct initial and periodic assessments of each resident's functional capacity.	Few	2
Review or revise the resident's care plan after any major change in a resident's physical or mental health.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
automatic sprinkler systems that have been maintained in working order.	Many	1
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015010	07/13/2011	08/19/2011	COOSA VALLEY NURSING FACILITY
015010	07/13/2011	08/19/2011	COOSA VALLEY NURSING FACILITY
015010	07/13/2011	08/19/2011	COOSA VALLEY NURSING FACILITY
015010	07/13/2011	08/19/2011	COOSA VALLEY NURSING FACILITY
015010	07/13/2011	08/19/2011	COOSA VALLEY NURSING FACILITY
015010	07/13/2011	08/19/2011	COOSA VALLEY NURSING FACILITY
015010	07/13/2011	08/19/2011	COOSA VALLEY NURSING FACILITY
015010	07/26/2012	08/30/2012	COOSA VALLEY NURSING FACILITY
015010	08/08/2012	08/16/2012	COOSA VALLEY NURSING FACILITY
015010	08/08/2012	08/15/2012	COOSA VALLEY NURSING FACILITY
015010	08/08/2012	08/20/2012	COOSA VALLEY NURSING FACILITY

315 WEST HICKORY STREET	SYLACAUGA	AL	35150	2562495604
315 WEST HICKORY STREET	SYLACAUGA	AL	35150	2562495604
315 WEST HICKORY STREET	SYLACAUGA	AL	35150	2562495604
315 WEST HICKORY STREET	SYLACAUGA	AL	35150	2562495604
315 WEST HICKORY STREET	SYLACAUGA	AL	35150	2562495604
315 WEST HICKORY STREET	SYLACAUGA	AL	35150	2562495604
315 WEST HICKORY STREET	SYLACAUGA	AL	35150	2562495604
315 WEST HICKORY STREET	SYLACAUGA	AL	35150	2562495604
315 WEST HICKORY STREET	SYLACAUGA	AL	35150	2562495604
315 WEST HICKORY STREET	SYLACAUGA	AL	35150	2562495604
315 WEST HICKORY STREET	SYLACAUGA	AL	35150	2562495604
315 WEST HICKORY	SYLACAUGA	AL	35150	2562495604

FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

followed.		
a two-hour-resistant firewall in common walls.	Many	1
corridor and hallway doors that block smoke.	Some	1
signs that state that exit doors are to be kept closed.	Many	1
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
exits that are accessible at all times.	Some	2
proper backup exit lighting.	Some	2
automatic sprinkler systems that have been maintained in working order.	Many	1
Store, cook, and serve food in a safe and clean way.	Many	2
corridor and hallway doors that block smoke.	Some	2
exits that are accessible at all times.	Some	2
automatic sprinkler systems that	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015010	08/08/2012	08/08/2012	COOSA VALLEY NURSING FACILITY
015010	08/08/2012	08/17/2012	COOSA VALLEY NURSING FACILITY
015012	03/05/2010	04/09/2010	HIGHLANDS HEALTH AND REHAB
015012	03/05/2010	04/09/2010	HIGHLANDS HEALTH AND REHAB
015012	03/05/2010	04/09/2010	HIGHLANDS HEALTH AND REHAB
015012	03/05/2010	04/09/2010	HIGHLANDS HEALTH AND REHAB
015012	03/05/2010	04/09/2010	HIGHLANDS HEALTH AND REHAB

STREET				
315 WEST HICKORY STREET	SYLACAUGA	AL	35150	2562495604
315 WEST HICKORY STREET	SYLACAUGA	AL	35150	2562495604
380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708
380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708
380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708
380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708
380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708
380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Resident Assessment Deficiencies

have been maintained in working order.		
proper medical gas storage and administration areas.	Some	2
other fire safety features required by fire safety codes.	Few	2
Properly hold, secure and manage each resident's personal money which is deposited with the nursing home.	Many	2
Follow policies and procedures to convey the resident's personal funds to the appropriate party responsible after the resident's death.	Many	1
Provide proof that all residents' personal money which is deposited with the nursing home, is secure.	Many	2
Write and use policies that forbid mistreatment, neglect and abuse of residents and theft of residents' property.	Many	2
Develop a complete care plan that meets all of a resident's needs, with timetables and	Few	2

015012	03/05/2010	04/09/2010	HIGHLANDS HEALTH AND REHAB
015012	03/05/2010	04/09/2010	HIGHLANDS HEALTH AND REHAB
015012	03/10/2010	04/08/2010	HIGHLANDS HEALTH AND REHAB
015012	03/10/2010	04/08/2010	HIGHLANDS HEALTH AND REHAB
015012	03/10/2010	04/08/2010	HIGHLANDS HEALTH AND REHAB
015012	03/10/2010	04/08/2010	HIGHLANDS HEALTH AND REHAB
015012	12/15/2010	01/19/2011	HIGHLANDS HEALTH AND REHAB

380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708
380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708
380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708
380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708
380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708
380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708
380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708
380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

actions that can be measured.		
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Be administered in an acceptable way that maintains the well-being of each resident .	Many	2
corridor and hallway doors that block smoke.	Few	2
signs that state that exit doors are to be kept closed.	Many	1
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
proper construction of ducts through walls designed to prevent smoke passage.	Many	1
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015012	12/15/2010	01/19/2011	HIGHLANDS HEALTH AND REHAB
015012	12/15/2010	01/19/2011	HIGHLANDS HEALTH AND REHAB
015012	12/15/2010	01/19/2011	HIGHLANDS HEALTH AND REHAB
015012	12/15/2010	01/19/2011	HIGHLANDS HEALTH AND REHAB
015012	12/15/2010	01/19/2011	HIGHLANDS HEALTH AND REHAB
015012	12/15/2010	01/19/2011	HIGHLANDS HEALTH AND REHAB
015012	01/11/2012	02/15/2012	HIGHLANDS HEALTH AND REHAB
015012	01/11/2012	02/15/2012	HIGHLANDS HEALTH AND REHAB
015012	01/11/2012	02/15/2012	HIGHLANDS HEALTH AND REHAB
015012	01/11/2012	02/15/2012	HIGHLANDS HEALTH AND REHAB

380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708
380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708
380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708
380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708
380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708
380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708
380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708
380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708
380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708
380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708
380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies

construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2
properly constructed piped-in oxygen systems.	Few	2
a separate and independent backup electrical power source.	Some	2
properly installed electrical wiring and equipment.	Few	2
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
exits that are accessible at all times.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015012	01/11/2012	02/15/2012	HIGHLANDS HEALTH AND REHAB
015012	01/12/2012	02/16/2012	HIGHLANDS HEALTH AND REHAB
015012	01/12/2012	02/16/2012	HIGHLANDS HEALTH AND REHAB
015012	01/12/2012	02/16/2012	HIGHLANDS HEALTH AND REHAB
015012	01/12/2012	02/16/2012	HIGHLANDS HEALTH AND REHAB
015012	01/12/2012	02/16/2012	HIGHLANDS HEALTH AND REHAB
015014	10/29/2009	12/03/2009	EASTVIEW HEALTH CARE CENTER
015014	10/29/2009	12/03/2009	EASTVIEW HEALTH CARE CENTER
015014	11/03/2009	12/03/2009	EASTVIEW HEALTH CARE CENTER
015014	11/03/2009	12/03/2009	EASTVIEW HEALTH CARE CENTER

380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708
380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708
380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708
380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708
380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708
380 WOODS COVE ROAD	SCOTTSBORO	AL	35768	2562183708
7755 FOURTH AVENUE SOUTH	BIRMINGHAM	AL	35206	2058330146
7755 FOURTH AVENUE SOUTH	BIRMINGHAM	AL	35206	2058330146
7755 FOURTH AVENUE SOUTH	BIRMINGHAM	AL	35206	2058330146
7755 FOURTH	BIRMINGHAM	AL	35206	2058330146

FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

for fire alarm systems.		
exits that are free from obstructions and can be used at all times.	Some	2
Try to resolve each resident's complaints quickly.	Few	2
Provide housekeeping and maintenance services.	Some	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Provide food in a way that meets a resident's needs.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015014	11/03/2009	12/03/2009	EASTVIEW HEALTH CARE CENTER
015014	11/03/2009	12/03/2009	EASTVIEW HEALTH CARE CENTER
015014	11/03/2009	12/03/2009	EASTVIEW HEALTH CARE CENTER
015014	11/03/2009	12/03/2009	EASTVIEW HEALTH CARE CENTER
015014	10/28/2010	11/26/2010	EASTVIEW HEALTH CARE CENTER
015014	10/28/2010	11/26/2010	EASTVIEW HEALTH CARE CENTER
015014	10/28/2010	11/26/2010	EASTVIEW HEALTH CARE CENTER

AVENUE SOUTH				
7755 FOURTH AVENUE SOUTH	BIRMINGHAM	AL	35206	2058330146
7755 FOURTH AVENUE SOUTH	BIRMINGHAM	AL	35206	2058330146
7755 FOURTH AVENUE SOUTH	BIRMINGHAM	AL	35206	2058330146
7755 FOURTH AVENUE SOUTH	BIRMINGHAM	AL	35206	2058330146
7755 FOURTH AVENUE SOUTH	BIRMINGHAM	AL	35206	2058330146
7755 FOURTH AVENUE SOUTH	BIRMINGHAM	AL	35206	2058330146
7755 FOURTH AVENUE SOUTH	BIRMINGHAM	AL	35206	2058330146

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies

smoke from passing through and would resist fire for at least one hour.		
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
exits that are free from obstructions and can be used at all times.	Few	2
other fire safety features required by fire safety codes.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Safely provide drugs and other similar products available, which	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015014	11/02/2010	12/02/2010	EASTVIEW HEALTH CARE CENTER
015014	11/02/2010	12/02/2010	EASTVIEW HEALTH CARE CENTER
015014	11/02/2010	12/02/2010	EASTVIEW HEALTH CARE CENTER
015014	11/02/2010	12/02/2010	EASTVIEW HEALTH CARE CENTER
015014	11/02/2010	12/02/2010	EASTVIEW HEALTH CARE CENTER
015014	10/18/2011	11/05/2011	EASTVIEW HEALTH CARE CENTER
015014	10/18/2011	11/05/2011	EASTVIEW HEALTH CARE CENTER
015014	10/18/2011	11/05/2011	EASTVIEW HEALTH CARE CENTER
015014	10/18/2011	11/05/2011	EASTVIEW HEALTH CARE CENTER

7755 FOURTH AVENUE SOUTH	BIRMINGHAM	AL	35206	2058330146
7755 FOURTH AVENUE SOUTH	BIRMINGHAM	AL	35206	2058330146
7755 FOURTH AVENUE SOUTH	BIRMINGHAM	AL	35206	2058330146
7755 FOURTH AVENUE SOUTH	BIRMINGHAM	AL	35206	2058330146
7755 FOURTH AVENUE SOUTH	BIRMINGHAM	AL	35206	2058330146
7755 FOURTH AVENUE SOUTH	BIRMINGHAM	AL	35206	2058330146
7755 FOURTH AVENUE SOUTH	BIRMINGHAM	AL	35206	2058330146
7755 FOURTH AVENUE SOUTH	BIRMINGHAM	AL	35206	2058330146
7755 FOURTH AVENUE SOUTH	BIRMINGHAM	AL	35206	2058330146

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

are needed every day and in emergencies, by a licensed pharmacist.		
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
exits that are accessible at all times.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
proper medical gas storage and administration areas.	Many	1
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Many	1
exits that are accessible at all times.	Some	2
a fire alarm system that can be heard throughout the facility.	Few	2
automatic sprinkler systems that have been maintained in working	Some	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015015	07/16/2009	08/12/2009	PLANTATION MANOR NURSING HOME
015015	07/16/2009	08/12/2009	PLANTATION MANOR NURSING HOME
015015	07/16/2009	08/12/2009	PLANTATION MANOR NURSING HOME
015015	07/22/2009	08/12/2009	PLANTATION MANOR NURSING HOME
015015	07/22/2009	08/12/2009	PLANTATION MANOR NURSING HOME

AVENUE SOUTH				
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

have been maintained in working order.		
Follow policies and procedures to convey the resident's personal funds to the appropriate party responsible after the resident's death.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Some	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015015	07/22/2009	08/12/2009	PLANTATION MANOR NURSING HOME
015015	08/19/2010	09/23/2010	PLANTATION MANOR NURSING HOME
015015	08/19/2010	09/23/2010	PLANTATION MANOR NURSING HOME
015015	08/19/2010	09/23/2010	PLANTATION MANOR NURSING HOME
015015	08/19/2010	09/23/2010	PLANTATION MANOR NURSING HOME
015015	08/19/2010	09/23/2010	PLANTATION MANOR NURSING HOME
015015	08/19/2010	09/23/2010	PLANTATION MANOR NURSING HOME

6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA	MC CALLA	AL	35111	2054776161

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Fire Alarm Systems Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

a fire alarm system that can be heard throughout the facility.	Few	2
Keep each resident free from physical restraints, unless needed for medical treatment.	Few	2
Develop policies that prevent mistreatment, neglect, or abuse of residents or theft of resident property.	Few	2
Reasonably accommodate the needs and preferences of each resident.	Few	2
Provide housekeeping and maintenance services.	Many	1
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Assist those residents who need total help with eating/drinking,	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015015	08/19/2010	09/23/2010	PLANTATION MANOR NURSING HOME
015015	08/19/2010	09/23/2010	PLANTATION MANOR NURSING HOME
015015	08/19/2010	09/23/2010	PLANTATION MANOR NURSING HOME
015015	08/25/2010	10/25/2010	PLANTATION MANOR NURSING HOME
015015	08/25/2010	09/20/2010	PLANTATION MANOR NURSING HOME

HIGHWAY P O BOX 97				
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX	MC CALLA	AL	35111	2054776161

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

grooming and personal and oral hygiene.		
Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Many	1
Store, cook, and serve food in a safe and clean way.	Many	2
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one	Some	2

015015	08/25/2010	10/25/2010	PLANTATION MANOR NURSING HOME
015015	08/25/2010	09/20/2010	PLANTATION MANOR NURSING HOME
015015	08/25/2010	10/25/2010	PLANTATION MANOR NURSING HOME
015015	08/25/2010	11/30/2010	PLANTATION MANOR NURSING HOME
015015	08/25/2010	09/20/2010	PLANTATION MANOR NURSING HOME
015015	08/25/2010	10/25/2010	PLANTATION MANOR NURSING HOME
015015	08/25/2010	09/20/2010	PLANTATION MANOR NURSING HOME

97				
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD	MC CALLA	AL	35111	2054776161

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

hour.		
smoke barrier doors that can resist smoke for at least 20 minutes.	Many	1
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
protected exits that allow the resident to escape the building.	Many	1
exits that are accessible at all times.	Few	2
a fire alarm system that can be heard throughout the facility.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
automatic sprinkler systems that	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015015	08/25/2010	09/20/2010	PLANTATION MANOR NURSING HOME
015015	08/25/2010	09/20/2010	PLANTATION MANOR NURSING HOME
015015	05/19/2011	06/22/2011	PLANTATION MANOR NURSING HOME
015015	05/19/2011	06/22/2011	PLANTATION MANOR NURSING HOME
015015	05/19/2011	06/22/2011	PLANTATION MANOR NURSING HOME
015015	05/19/2011	06/22/2011	PLANTATION MANOR NURSING HOME

TUSCALOOSA HIGHWAY P O BOX 97				
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX	MC CALLA	AL	35111	2054776161

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

have been maintained in working order.		
restrictions on the use of flammable curtains.	Few	2
properly installed electrical wiring and equipment.	Few	2
Keep each resident free from physical restraints, unless needed for medical treatment.	Few	2
Provide housekeeping and maintenance services.	Some	2
Provide proper discharge planning and communication, of the resident's health status and summary of the resident's stay.	Some	1
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by	Many	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015015	05/19/2011	06/22/2011	PLANTATION MANOR NURSING HOME
015015	05/19/2011	06/22/2011	PLANTATION MANOR NURSING HOME
015015	05/23/2011	06/27/2011	PLANTATION MANOR NURSING HOME
015015	05/23/2011	09/01/2011	PLANTATION MANOR NURSING HOME
015015	05/23/2011	09/01/2011	PLANTATION MANOR NURSING HOME
015015	05/23/2011	06/27/2011	PLANTATION MANOR NURSING HOME

97				
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA	MC CALLA	AL	35111	2054776161

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies

which nutritious meals have been planned for the resident and followed.		
Store, cook, and serve food in a safe and clean way.	Many	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
corridor and hallway doors that block smoke.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
protected exits that allow the resident to escape the building.	Some	2
exits that are accessible at all times.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015015	05/23/2011	09/01/2011	PLANTATION MANOR NURSING HOME
015015	05/23/2011	06/27/2011	PLANTATION MANOR NURSING HOME
015015	05/23/2011	06/27/2011	PLANTATION MANOR NURSING HOME
015015	05/23/2011	09/01/2011	PLANTATION MANOR NURSING HOME
015015	05/23/2011	06/27/2011	PLANTATION MANOR NURSING HOME
015015	05/23/2011	06/27/2011	PLANTATION MANOR NURSING HOME

HIGHWAY P O BOX 97				
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies

proper backup exit lighting.	Some	1
did not have a written emergency evacuation plan.	Many	1
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
automatic sprinkler systems that have been maintained in working order.	Few	2
restrictions on the use of portable space heaters.	Some	1
exits that are free from obstructions and can be used at all times.	Many	2

015015	05/23/2011	09/01/2011	PLANTATION MANOR NURSING HOME
015015	05/23/2011	06/27/2011	PLANTATION MANOR NURSING HOME
015015	05/23/2011	06/27/2011	PLANTATION MANOR NURSING HOME
015015	05/23/2011	06/27/2011	PLANTATION MANOR NURSING HOME
015016	11/07/2009	11/27/2009	ATHENS REHABILITATION CENTER & SENIOR CARE
015016	11/07/2009	11/27/2009	ATHENS REHABILITATION CENTER & SENIOR CARE
015016	11/07/2009	11/27/2009	ATHENS REHABILITATION CENTER & SENIOR CARE
015016	11/07/2009	11/27/2009	ATHENS REHABILITATION CENTER & SENIOR CARE

6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
6450 OLD TUSCALOOSA HIGHWAY P O BOX 97	MC CALLA	AL	35111	2054776161
611 WEST MARKET STREET	ATHENS	AL	35611	2562321620
611 WEST MARKET STREET	ATHENS	AL	35611	2562321620
611 WEST MARKET STREET	ATHENS	AL	35611	2562321620
611 WEST MARKET STREET	ATHENS	AL	35611	2562321620

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies

a separate and independent backup electrical power source.	Many	1
properly installed electrical wiring and equipment.	Many	2
an approved back-up procedure for a faulty fire alarm system.	Many	1
a properly installed and maintained dumbwaiter or escalator.	Few	2
Keep each resident free from physical restraints, unless needed for medical treatment.	Few	2
Provide housekeeping and maintenance services.	Few	2
Make sure each resident receives an accurate assessment by a qualified health professional.	Few	2
Allow the resident the right to participate in the planning or	Few	2

015016	11/07/2009	11/27/2009	ATHENS REHABILITATION CENTER & SENIOR CARE
015016	11/10/2009	11/18/2009	ATHENS REHABILITATION CENTER & SENIOR CARE
015016	11/10/2009	11/18/2009	ATHENS REHABILITATION CENTER & SENIOR CARE
015016	12/14/2010	01/18/2011	ATHENS REHABILITATION CENTER & SENIOR CARE
015016	12/14/2010	01/18/2011	ATHENS REHABILITATION CENTER & SENIOR CARE
015016	12/14/2010	01/18/2011	ATHENS REHABILITATION CENTER & SENIOR CARE
015016	12/14/2010	01/18/2011	ATHENS REHABILITATION CENTER & SENIOR CARE
015016	12/14/2010	01/18/2011	ATHENS REHABILITATION CENTER &

611 WEST MARKET STREET	ATHENS	AL	35611	2562321620
611 WEST MARKET STREET	ATHENS	AL	35611	2562321620
611 WEST MARKET STREET	ATHENS	AL	35611	2562321620
611 WEST MARKET STREET	ATHENS	AL	35611	2562321620
611 WEST MARKET STREET	ATHENS	AL	35611	2562321620
611 WEST MARKET STREET	ATHENS	AL	35611	2562321620
611 WEST MARKET STREET	ATHENS	AL	35611	2562321620
611 WEST MARKET STREET	ATHENS	AL	35611	2562321620
611 WEST MARKET	ATHENS	AL	35611	2562321620

HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies

revision of the resident's care plan.		
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
approved construction type or materials.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
automatic sprinkler systems that have been maintained in working order.	Few	2
restrictions on the use of	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015016		01/18/2011	ATHENS REHABILITATION CENTER & SENIOR CARE
015016	12/14/2010	01/18/2011	ATHENS REHABILITATION CENTER & SENIOR CARE
015016	12/14/2010	01/18/2011	ATHENS REHABILITATION CENTER & SENIOR CARE
015016	01/05/2012	01/09/2012	ATHENS REHABILITATION CENTER & SENIOR CARE
015016	01/05/2012	01/09/2012	ATHENS REHABILITATION CENTER & SENIOR CARE
015016	01/05/2012	01/09/2012	ATHENS REHABILITATION CENTER & SENIOR CARE
015016	01/05/2012	01/09/2012	ATHENS REHABILITATION CENTER & SENIOR CARE
015016	01/05/2012	01/09/2012	ATHENS REHABILITATION CENTER & SENIOR CARE
015016	01/06/2012	02/10/2012	ATHENS REHABILITATION CENTER & SENIOR CARE
015016	01/06/2012	02/10/2012	ATHENS REHABILITATION CENTER & SENIOR CARE

611 WEST MARKET STREET	ATHENS	AL	35611	2562321620
611 WEST MARKET STREET	ATHENS	AL	35611	2562321620
611 WEST MARKET STREET	ATHENS	AL	35611	2562321620
611 WEST MARKET STREET	ATHENS	AL	35611	2562321620
611 WEST MARKET STREET	ATHENS	AL	35611	2562321620
611 WEST MARKET STREET	ATHENS	AL	35611	2562321620
611 WEST MARKET STREET	ATHENS	AL	35611	2562321620
611 WEST MARKET STREET	ATHENS	AL	35611	2562321620
611 WEST MARKET STREET	ATHENS	AL	35611	2562321620
611 WEST MARKET STREET	ATHENS	AL	35611	2562321620

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies

restrictions on the use of flammable curtains.	Some	2
a separate and independent backup electrical power source.	Few	2
properly installed electrical wiring and equipment.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
exits that are accessible at all times.	Some	2
proper backup exit lighting.	Many	1
record of quarterly fire drills for each shift under varying conditions.	Many	2
automatic sprinkler systems that have been maintained in working order.	Many	1
Try to resolve each resident's complaints quickly.	Many	2
Provide necessary care and services to maintain the highest well being of each resident .	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015016	01/06/2012	02/10/2012	ATHENS REHABILITATION CENTER & SENIOR CARE
015016	01/06/2012	02/10/2012	ATHENS REHABILITATION CENTER & SENIOR CARE
015016	01/06/2012	02/10/2012	ATHENS REHABILITATION CENTER & SENIOR CARE
015019	04/30/2010	05/28/2010	MERRY WOOD LODGE CARE AND REHABILITATION CENTER
015019	04/30/2010	05/28/2010	MERRY WOOD LODGE CARE AND REHABILITATION CENTER
015019	04/30/2010	05/28/2010	MERRY WOOD LODGE CARE AND REHABILITATION CENTER

611 WEST MARKET STREET	ATHENS	AL	35611	2562321620
611 WEST MARKET STREET	ATHENS	AL	35611	2562321620
611 WEST MARKET STREET	ATHENS	AL	35611	2562321620
P O BOX 130	ELMORE	AL	36025	3345678484
P O BOX 130	ELMORE	AL	36025	3345678484
P O BOX 130	ELMORE	AL	36025	3345678484

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Some	2
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Many	1
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015019	04/30/2010	05/28/2010	MERRY WOOD LODGE CARE AND REHABILITATION CENTER
015019	04/30/2010	05/28/2010	MERRY WOOD LODGE CARE AND REHABILITATION CENTER
015019	04/30/2010	05/28/2010	MERRY WOOD LODGE CARE AND REHABILITATION CENTER
015019	05/21/2010	06/21/2010	MERRY WOOD LODGE CARE AND REHABILITATION CENTER
015019	05/21/2010	06/21/2010	MERRY WOOD LODGE CARE AND REHABILITATION CENTER
015019	05/21/2010	06/21/2010	MERRY WOOD LODGE CARE AND REHABILITATION CENTER
015019	05/21/2010	06/21/2010	MERRY WOOD LODGE CARE AND REHABILITATION CENTER
015019	05/21/2010	06/21/2010	MERRY WOOD LODGE CARE AND REHABILITATION CENTER

P O BOX 130	ELMORE	AL	36025	3345678484
P O BOX 130	ELMORE	AL	36025	3345678484
P O BOX 130	ELMORE	AL	36025	3345678484
P O BOX 130	ELMORE	AL	36025	3345678484
P O BOX 130	ELMORE	AL	36025	3345678484
P O BOX 130	ELMORE	AL	36025	3345678484
P O BOX 130	ELMORE	AL	36025	3345678484
P O BOX 130	ELMORE	AL	36025	3345678484

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

followed.		
Store, cook, and serve food in a safe and clean way.	Many	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
signs that state that exit doors are to be kept closed.	Many	1
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Many	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2

015019	05/21/2010	06/21/2010	MERRY WOOD LODGE CARE AND REHABILITATION CENTER
015019	05/21/2010	07/08/2010	MERRY WOOD LODGE CARE AND REHABILITATION CENTER
015019	05/21/2010	06/21/2010	MERRY WOOD LODGE CARE AND REHABILITATION CENTER
015019	05/21/2010	06/21/2010	MERRY WOOD LODGE CARE AND REHABILITATION CENTER
015019	02/25/2011	03/27/2011	MERRY WOOD LODGE CARE AND REHABILITATION CENTER
015019	02/25/2011	03/27/2011	MERRY WOOD LODGE CARE AND REHABILITATION CENTER
015019	02/25/2011	03/27/2011	MERRY WOOD LODGE CARE AND REHABILITATION CENTER
015019	03/03/2011	03/27/2011	MERRY WOOD LODGE CARE AND REHABILITATION CENTER
015019	03/03/2011	03/27/2011	MERRY WOOD LODGE CARE AND REHABILITATION CENTER
015019	03/03/2011	03/27/2011	MERRY WOOD LODGE CARE AND REHABILITATION CENTER

P O BOX 130	ELMORE	AL	36025	3345678484
P O BOX 130	ELMORE	AL	36025	3345678484
P O BOX 130	ELMORE	AL	36025	3345678484
P O BOX 130	ELMORE	AL	36025	3345678484
P O BOX 130	ELMORE	AL	36025	3345678484
P O BOX 130	ELMORE	AL	36025	3345678484
P O BOX 130	ELMORE	AL	36025	3345678484
P O BOX 130	ELMORE	AL	36025	3345678484
P O BOX 130	ELMORE	AL	36025	3345678484
P O BOX 130	ELMORE	AL	36025	3345678484

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies

restrictions on the use of flammable curtains.	Some	1
other fire safety features required by fire safety codes.	Some	2
back-up procedures in place for a faulty automatic sprinkler system.	Many	1
an approved back-up procedure for a faulty fire alarm system.	Many	1
Immediately tell the resident, the resident's doctor and a family member of the resident of situations (injury/decline/room, etc.) that affect the resident.	Few	2
Provide special eating equipment and utensils for each resident who needs them.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
corridor and hallway doors that block smoke.	Some	2
proper exit design.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015019	03/03/2011	03/27/2011	MERRY WOOD LODGE CARE AND REHABILITATION CENTER
015019	03/03/2011	03/27/2011	MERRY WOOD LODGE CARE AND REHABILITATION CENTER
015019	03/03/2011	03/27/2011	MERRY WOOD LODGE CARE AND REHABILITATION CENTER
015019	03/03/2011	03/27/2011	MERRY WOOD LODGE CARE AND REHABILITATION CENTER
015019	11/29/2011	01/02/2012	MERRY WOOD LODGE CARE AND REHABILITATION CENTER
015019	11/29/2011	01/02/2012	MERRY WOOD LODGE CARE AND REHABILITATION CENTER
015019	11/29/2011	01/02/2012	MERRY WOOD LODGE CARE AND REHABILITATION CENTER
015019	12/02/2011	01/06/2012	MERRY WOOD LODGE CARE AND REHABILITATION CENTER
015019	12/02/2011	01/06/2012	MERRY WOOD LODGE CARE AND REHABILITATION CENTER

P O BOX 130	ELMORE	AL	36025	3345678484
P O BOX 130	ELMORE	AL	36025	3345678484
P O BOX 130	ELMORE	AL	36025	3345678484
P O BOX 130	ELMORE	AL	36025	3345678484
P O BOX 130	ELMORE	AL	36025	3345678484
P O BOX 130	ELMORE	AL	36025	3345678484
P O BOX 130	ELMORE	AL	36025	3345678484
P O BOX 130	ELMORE	AL	36025	3345678484
P O BOX 130	ELMORE	AL	36025	3345678484

FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Interior Finish Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies

for fire alarm systems.		
properly protected cooking facilities.	Few	2
exits that are free from obstructions and can be used at all times.	Many	2
restrictions on the use of flammable curtains.	Some	2
properly installed electrical wiring and equipment.	Some	2
fire-resistant room wall surfaces.	Some	2
exits that are accessible at all times.	Few	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Some	2
Provide housekeeping and maintenance services.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2

015019	12/02/2011	01/06/2012	MERRY WOOD LODGE CARE AND REHABILITATION CENTER
015023	01/11/2010	01/13/2010	HATLEY HEALTH CARE INC
015023	01/11/2010	01/27/2010	HATLEY HEALTH CARE INC
015023	01/13/2010	02/11/2010	HATLEY HEALTH CARE INC
015023	01/13/2010	02/11/2010	HATLEY HEALTH CARE INC
015023	01/13/2010	02/11/2010	HATLEY HEALTH CARE INC
015023	01/13/2010	02/11/2010	HATLEY HEALTH CARE INC

P O BOX 130	ELMORE	AL	36025	3345678484
300 MEDICAL CENTER DRIVE	CLANTON	AL	35045	2057554960
300 MEDICAL CENTER DRIVE	CLANTON	AL	35045	2057554960
300 MEDICAL CENTER DRIVE	CLANTON	AL	35045	2057554960
300 MEDICAL CENTER DRIVE	CLANTON	AL	35045	2057554960
300 MEDICAL CENTER DRIVE	CLANTON	AL	35045	2057554960
300 MEDICAL CENTER DRIVE	CLANTON	AL	35045	2057554960

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Administration Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies

accidents.		
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	4
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Some	2
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Many	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
did not have a written emergency evacuation plan.	Many	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015023	01/13/2010	02/11/2010	HATLEY HEALTH CARE INC
015023	01/13/2010	02/11/2010	HATLEY HEALTH CARE INC
015023	01/13/2010	02/11/2010	HATLEY HEALTH CARE INC
015023	01/13/2010	02/11/2010	HATLEY HEALTH CARE INC
015023	01/13/2010	02/11/2010	HATLEY HEALTH CARE INC
015023	01/13/2010	02/11/2010	HATLEY HEALTH CARE INC
015023	01/13/2010	02/11/2010	HATLEY HEALTH CARE INC
015023	02/03/2011	03/01/2011	HATLEY HEALTH CARE INC
015023	02/03/2011	03/01/2011	HATLEY HEALTH CARE INC
015023	02/03/2011	03/01/2011	HATLEY HEALTH CARE INC

300 MEDICAL CENTER DRIVE	CLANTON	AL	35045	2057554960
300 MEDICAL CENTER DRIVE	CLANTON	AL	35045	2057554960
300 MEDICAL CENTER DRIVE	CLANTON	AL	35045	2057554960
300 MEDICAL CENTER DRIVE	CLANTON	AL	35045	2057554960
300 MEDICAL CENTER DRIVE	CLANTON	AL	35045	2057554960
300 MEDICAL CENTER DRIVE	CLANTON	AL	35045	2057554960
300 MEDICAL CENTER DRIVE	CLANTON	AL	35045	2057554960
300 MEDICAL CENTER DRIVE	CLANTON	AL	35045	2057554960
300 MEDICAL CENTER DRIVE	CLANTON	AL	35045	2057554960
300 MEDICAL CENTER DRIVE	CLANTON	AL	35045	2057554960

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies

record of quarterly fire drills for each shift under varying conditions.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Few	2
other fire safety features required by fire safety codes.	Few	2
weekly inspections and monthly testing of generators.	Some	2
properly installed electrical wiring and equipment.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Dispose of garbage and refuse properly.	Many	1
Keep accurate, complete and organized clinical records on each resident that meet	Many	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015023	02/09/2011	03/16/2011	HATLEY HEALTH CARE INC
015023	02/09/2011	03/16/2011	HATLEY HEALTH CARE INC
015023	02/09/2011	03/16/2011	HATLEY HEALTH CARE INC
015023	02/09/2011	03/16/2011	HATLEY HEALTH CARE INC
015023	03/27/2012	04/09/2012	HATLEY HEALTH CARE INC
015023	03/27/2012	04/09/2012	HATLEY HEALTH CARE INC
015023	03/27/2012	04/09/2012	HATLEY HEALTH CARE INC
015023	03/27/2012	04/09/2012	HATLEY HEALTH CARE INC
015023	03/27/2012	04/09/2012	HATLEY HEALTH CARE INC

300 MEDICAL CENTER DRIVE	CLANTON	AL	35045	2057554960
300 MEDICAL CENTER DRIVE	CLANTON	AL	35045	2057554960
300 MEDICAL CENTER DRIVE	CLANTON	AL	35045	2057554960
300 MEDICAL CENTER DRIVE	CLANTON	AL	35045	2057554960
300 MEDICAL CENTER DRIVE	CLANTON	AL	35045	2057554960
300 MEDICAL CENTER DRIVE	CLANTON	AL	35045	2057554960
300 MEDICAL CENTER DRIVE	CLANTON	AL	35045	2057554960
300 MEDICAL CENTER DRIVE	CLANTON	AL	35045	2057554960
300 MEDICAL CENTER DRIVE	CLANTON	AL	35045	2057554960

FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies

each resident that meet professional standards.		
construction that can resist fire for one hour or an approved fire extinguishing system.	Many	1
a fire alarm system that can be heard throughout the facility.	Some	2
automatic sprinkler systems that have been maintained in working order.	Many	1
weekly inspections and monthly testing of generators.	Many	1
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
properly working alarms on sprinkler valves.	Some	1
automatic sprinkler systems that have been maintained in working order.	Some	1
properly protected cooking facilities.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015023	03/27/2012	04/09/2012	HATLEY HEALTH CARE INC
015024	07/30/2009	08/20/2009	LIMESTONE HEALTH FACILITY
015024	08/04/2009	08/14/2009	LIMESTONE HEALTH FACILITY
015024	08/04/2009	08/14/2009	LIMESTONE HEALTH FACILITY
015024	08/04/2009	08/14/2009	LIMESTONE HEALTH FACILITY
015024	08/04/2009	08/14/2009	LIMESTONE HEALTH FACILITY
015024	10/07/2010	11/21/2010	LIMESTONE HEALTH FACILITY
015024	10/07/2010	11/21/2010	LIMESTONE HEALTH FACILITY
015024	10/08/2010	11/05/2010	LIMESTONE HEALTH FACILITY

300 MEDICAL CENTER DRIVE	CLANTON	AL	35045	2057554960
1600 WEST HOBBS STREET	ATHENS	AL	35611	2562323461
1600 WEST HOBBS STREET	ATHENS	AL	35611	2562323461
1600 WEST HOBBS STREET	ATHENS	AL	35611	2562323461
1600 WEST HOBBS STREET	ATHENS	AL	35611	2562323461
1600 WEST HOBBS STREET	ATHENS	AL	35611	2562323461
1600 WEST HOBBS STREET	ATHENS	AL	35611	2562323461
1600 WEST HOBBS STREET	ATHENS	AL	35611	2562323461
1600 WEST HOBBS STREET	ATHENS	AL	35611	2562323461
1600 WEST HOBBS	ATHENS	AL	35611	2562323461

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies

properly installed electrical wiring and equipment.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
proper backup exit lighting.	Many	2
record of quarterly fire drills for each shift under varying conditions.	Many	1
properly maintained smoke detectors.	Some	2
automatic sprinkler systems that have been maintained in working order.	Many	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	3
Have a program that investigates, controls and keeps infection from spreading.	Few	2
corridor and hallway doors that	Few	2

015024		11/05/2010	LIMESTONE HEALTH FACILITY
015024	10/08/2010	11/05/2010	LIMESTONE HEALTH FACILITY
015024	10/08/2010	11/05/2010	LIMESTONE HEALTH FACILITY
015024	10/08/2010	11/05/2010	LIMESTONE HEALTH FACILITY
015024	10/19/2011	11/15/2011	LIMESTONE HEALTH FACILITY
015024	10/19/2011	11/15/2011	LIMESTONE HEALTH FACILITY
015024	10/19/2011	11/15/2011	LIMESTONE HEALTH FACILITY
015027	08/27/2009	09/30/2009	WETUMPKA HEALTH AND REHABILITATION,

1600 WEST HOBBS STREET	ATHENS	AL	35611	2562323461
1600 WEST HOBBS STREET	ATHENS	AL	35611	2562323461
1600 WEST HOBBS STREET	ATHENS	AL	35611	2562323461
1600 WEST HOBBS STREET	ATHENS	AL	35611	2562323461
1600 WEST HOBBS STREET	ATHENS	AL	35611	2562323461
1600 WEST HOBBS STREET	ATHENS	AL	35611	2562323461
1600 WEST HOBBS STREET	ATHENS	AL	35611	2562323461
1825 HOLTVILLE	WETUMPKA	AL	36092	3345675131

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Quality Care Deficiencies

corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Many	1
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
properly installed electrical wiring and equipment.	Many	1
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Some	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Many	2
Give residents proper treatment	Few	2

			LLC
015027	08/27/2009	09/30/2009	WETUMPKA HEALTH AND REHABILITATION, LLC
015027	09/01/2009	09/30/2009	WETUMPKA HEALTH AND REHABILITATION, LLC
015027	09/01/2009	09/30/2009	WETUMPKA HEALTH AND REHABILITATION, LLC
015027	09/23/2010	10/28/2010	WETUMPKA HEALTH AND REHABILITATION, LLC
015027	09/23/2010	10/22/2010	WETUMPKA HEALTH AND REHABILITATION, LLC
015027	09/23/2010	10/22/2010	WETUMPKA HEALTH AND REHABILITATION, LLC
015027	08/30/2011	10/03/2011	WETUMPKA HEALTH AND REHABILITATION,

ROAD				
1825 HOLTVILLE ROAD	WETUMPKA	AL	36092	3345675131
1825 HOLTVILLE ROAD	WETUMPKA	AL	36092	3345675131
1825 HOLTVILLE ROAD	WETUMPKA	AL	36092	3345675131
1825 HOLTVILLE ROAD	WETUMPKA	AL	36092	3345675131
1825 HOLTVILLE ROAD	WETUMPKA	AL	36092	3345675131
1825 HOLTVILLE ROAD	WETUMPKA	AL	36092	3345675131
1825 HOLTVILLE	WETUMPKA	AL	36092	3345675131

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

to prevent new bed (pressure) sores or heal existing bed sores.		
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
a fire alarm system that can be heard throughout the facility.	Few	2
automatic sprinkler systems that have been maintained in working order.	Some	2
Provide housekeeping and maintenance services.	Few	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
Store, cook, and serve food in a	Some	2

			LLC
015027	09/06/2011	10/10/2011	WETUMPKA HEALTH AND REHABILITATION, LLC
015027	09/06/2011	10/10/2011	WETUMPKA HEALTH AND REHABILITATION, LLC
015027	09/06/2011	10/10/2011	WETUMPKA HEALTH AND REHABILITATION, LLC
015027	09/06/2011	10/10/2011	WETUMPKA HEALTH AND REHABILITATION, LLC
015028	03/05/2009	04/09/2009	KELLER LANDING CARE AND REHABILITATION CENTER
015028	03/05/2009	04/09/2009	KELLER LANDING CARE AND REHABILITATION CENTER
015028	03/05/2009	04/09/2009	KELLER LANDING CARE AND REHABILITATION CENTER
015028	03/10/2009	03/11/2009	KELLER LANDING CARE AND REHABILITATION CENTER
015028	06/24/2010	07/26/2010	KELLER LANDING CARE AND REHABILITATION CENTER

ROAD				
1825 HOLTVILLE ROAD	WETUMPKA	AL	36092	3345675131
1825 HOLTVILLE ROAD	WETUMPKA	AL	36092	3345675131
1825 HOLTVILLE ROAD	WETUMPKA	AL	36092	3345675131
1825 HOLTVILLE ROAD	WETUMPKA	AL	36092	3345675131
813 KELLER LANE	TUSCUMBIA	AL	35674	2563831535
813 KELLER LANE	TUSCUMBIA	AL	35674	2563831535
813 KELLER LANE	TUSCUMBIA	AL	35674	2563831535
813 KELLER LANE	TUSCUMBIA	AL	35674	2563831535
813 KELLER LANE	TUSCUMBIA	AL	35674	2563831535

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
HEALTH	Resident Assessment Deficiencies

safe and clean way.		
corridor and hallway doors that block smoke.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
portable fire extinguishers.	Few	2
a separate and independent backup electrical power source.	Many	2
Allow residents to easily view the results of the nursing home's most recent survey.	Some	1
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Provide care by qualified persons according to each resident's written plan of care.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
Allow the resident the right to participate in the planning or revision of the resident's care	Some	1

015028	06/24/2010	07/26/2010	KELLER LANDING CARE AND REHABILITATION CENTER
015028	06/24/2010	07/26/2010	KELLER LANDING CARE AND REHABILITATION CENTER
015028	06/24/2010	07/26/2010	KELLER LANDING CARE AND REHABILITATION CENTER
015028	06/24/2010	07/26/2010	KELLER LANDING CARE AND REHABILITATION CENTER
015028	06/30/2010	07/29/2010	KELLER LANDING CARE AND REHABILITATION CENTER
015028	06/30/2010	07/29/2010	KELLER LANDING CARE AND REHABILITATION CENTER
015028	06/30/2010	07/29/2010	KELLER LANDING CARE AND REHABILITATION CENTER

813 KELLER LANE	TUSCUMBIA	AL	35674	2563831535
813 KELLER LANE	TUSCUMBIA	AL	35674	2563831535
813 KELLER LANE	TUSCUMBIA	AL	35674	2563831535
813 KELLER LANE	TUSCUMBIA	AL	35674	2563831535
813 KELLER LANE	TUSCUMBIA	AL	35674	2563831535
813 KELLER LANE	TUSCUMBIA	AL	35674	2563831535
813 KELLER LANE	TUSCUMBIA	AL	35674	2563831535
813 KELLER LANE	TUSCUMBIA	AL	35674	2563831535

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Pharmacy Service Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

revision of the resident's care plan.		
Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Few	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Make sure there is a pest control program to prevent/deal with mice, insects, or other pests.	Many	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Many	1
automatic sprinkler systems that have been maintained in working order.	Few	2

015028	06/30/2010	10/04/2010	KELLER LANDING CARE AND REHABILITATION CENTER
015028	07/14/2011	07/22/2011	KELLER LANDING CARE AND REHABILITATION CENTER
015028	07/14/2011	07/22/2011	KELLER LANDING CARE AND REHABILITATION CENTER
015028	07/14/2011	07/22/2011	KELLER LANDING CARE AND REHABILITATION CENTER
015028	07/20/2011	09/08/2011	KELLER LANDING CARE AND REHABILITATION CENTER
015028	07/20/2011	09/08/2011	KELLER LANDING CARE AND REHABILITATION CENTER
015028	07/20/2011	09/08/2011	KELLER LANDING CARE AND REHABILITATION CENTER
015028	07/20/2011	09/08/2011	KELLER LANDING CARE AND REHABILITATION CENTER

813 KELLER LANE	TUSCUMBIA	AL	35674	2563831535
813 KELLER LANE	TUSCUMBIA	AL	35674	2563831535
813 KELLER LANE	TUSCUMBIA	AL	35674	2563831535
813 KELLER LANE	TUSCUMBIA	AL	35674	2563831535
813 KELLER LANE	TUSCUMBIA	AL	35674	2563831535
813 KELLER LANE	TUSCUMBIA	AL	35674	2563831535
813 KELLER LANE	TUSCUMBIA	AL	35674	2563831535
813 KELLER LANE	TUSCUMBIA	AL	35674	2563831535
813 KELLER LANE	TUSCUMBIA	AL	35674	2563831535

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Miscellaneous Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies

other fire safety features required by fire safety codes.	Some	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Some	2
Store, cook, and serve food in a safe and clean way.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Few	2
a fire alarm system that can be heard throughout the facility.	Few	2

015028	07/20/2011	09/08/2011	KELLER LANDING CARE AND REHABILITATION CENTER
015028	07/20/2011	09/08/2011	KELLER LANDING CARE AND REHABILITATION CENTER
015031	08/27/2009	10/01/2009	MITCHELL-HOLLINGSWORTH NURSING & REHABILITATION
015031	08/27/2009	10/01/2009	MITCHELL-HOLLINGSWORTH NURSING & REHABILITATION
015031	08/27/2009	10/01/2009	MITCHELL-HOLLINGSWORTH NURSING & REHABILITATION
015031	08/27/2009	10/01/2009	MITCHELL-HOLLINGSWORTH NURSING & REHABILITATION
015031	09/02/2009	10/01/2009	MITCHELL-HOLLINGSWORTH NURSING & REHABILITATION
015031	09/02/2009	10/01/2009	MITCHELL-HOLLINGSWORTH NURSING & REHABILITATION

813 KELLER LANE	TUSCUMBIA	AL	35674	2563831535
813 KELLER LANE	TUSCUMBIA	AL	35674	2563831535
805 FLAGG CIRCLE	FLORENCE	AL	35631	2567405400
805 FLAGG CIRCLE	FLORENCE	AL	35631	2567405400
805 FLAGG CIRCLE	FLORENCE	AL	35631	2567405400
805 FLAGG CIRCLE	FLORENCE	AL	35631	2567405400
805 FLAGG CIRCLE	FLORENCE	AL	35631	2567405400
805 FLAGG CIRCLE	FLORENCE	AL	35631	2567405400

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

exits that are free from obstructions and can be used at all times.	Many	2
restrictions on the use of flammable curtains.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Some	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Dispose of garbage and refuse properly.	Many	1
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
automatic sprinkler systems that have been maintained in working	Many	1

015031	09/02/2009	10/01/2009	MITCHELL-HOLLINGSWORTH NURSING & REHABILITATION
015031	09/02/2009	10/01/2009	MITCHELL-HOLLINGSWORTH NURSING & REHABILITATION
015031	09/02/2009	10/01/2009	MITCHELL-HOLLINGSWORTH NURSING & REHABILITATION
015031	11/11/2010	12/16/2010	MITCHELL-HOLLINGSWORTH NURSING & REHABILITATION
015031	11/11/2010	12/16/2010	MITCHELL-HOLLINGSWORTH NURSING & REHABILITATION
015031	11/18/2010	12/16/2010	MITCHELL-HOLLINGSWORTH NURSING & REHABILITATION
015031	11/18/2010	12/16/2010	MITCHELL-HOLLINGSWORTH NURSING & REHABILITATION
015031	11/18/2010	12/16/2010	MITCHELL-HOLLINGSWORTH NURSING & REHABILITATION
015031	11/18/2010	12/16/2010	MITCHELL-HOLLINGSWORTH NURSING & REHABILITATION

805 FLAGG CIRCLE	FLORENCE	AL	35631	2567405400
805 FLAGG CIRCLE	FLORENCE	AL	35631	2567405400
805 FLAGG CIRCLE	FLORENCE	AL	35631	2567405400
805 FLAGG CIRCLE	FLORENCE	AL	35631	2567405400
805 FLAGG CIRCLE	FLORENCE	AL	35631	2567405400
805 FLAGG CIRCLE	FLORENCE	AL	35631	2567405400
805 FLAGG CIRCLE	FLORENCE	AL	35631	2567405400
805 FLAGG CIRCLE	FLORENCE	AL	35631	2567405400
805 FLAGG CIRCLE	FLORENCE	AL	35631	2567405400
805 FLAGG CIRCLE	FLORENCE	AL	35631	2567405400

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

order.		
portable fire extinguishers.	Many	1
other fire safety features required by fire safety codes.	Few	2
properly installed electrical wiring and equipment.	Many	1
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Few	2
Provide housekeeping and maintenance services.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
automatic sprinkler systems that have been maintained in working order.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015031	11/18/2010	12/16/2010	MITCHELL-HOLLINGSWORTH NURSING & REHABILITATION
015031	11/18/2010	12/16/2010	MITCHELL-HOLLINGSWORTH NURSING & REHABILITATION
015031	11/18/2010	12/16/2010	MITCHELL-HOLLINGSWORTH NURSING & REHABILITATION
015031	11/18/2010	12/16/2010	MITCHELL-HOLLINGSWORTH NURSING & REHABILITATION
015031	01/06/2012	02/03/2012	MITCHELL-HOLLINGSWORTH NURSING & REHABILITATION
015031	01/06/2012	02/03/2012	MITCHELL-HOLLINGSWORTH NURSING & REHABILITATION
015031	01/06/2012	02/03/2012	MITCHELL-HOLLINGSWORTH NURSING & REHABILITATION
015031	01/11/2012	01/26/2012	MITCHELL-HOLLINGSWORTH NURSING & REHABILITATION
015031	01/11/2012	01/26/2012	MITCHELL-HOLLINGSWORTH NURSING & REHABILITATION
015031	01/11/2012	01/26/2012	MITCHELL-HOLLINGSWORTH NURSING &

805 FLAGG CIRCLE	FLORENCE	AL	35631	2567405400
805 FLAGG CIRCLE	FLORENCE	AL	35631	2567405400
805 FLAGG CIRCLE	FLORENCE	AL	35631	2567405400
805 FLAGG CIRCLE	FLORENCE	AL	35631	2567405400
805 FLAGG CIRCLE	FLORENCE	AL	35631	2567405400
805 FLAGG CIRCLE	FLORENCE	AL	35631	2567405400
805 FLAGG CIRCLE	FLORENCE	AL	35631	2567405400
805 FLAGG CIRCLE	FLORENCE	AL	35631	2567405400
805 FLAGG CIRCLE	FLORENCE	AL	35631	2567405400
805 FLAGG CIRCLE	FLORENCE	AL	35631	2567405400

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies

order.		
portable fire extinguishers.	Some	2
exits that are free from obstructions and can be used at all times.	Some	2
restrictions on the use of flammable curtains.	Few	2
properly installed electrical wiring and equipment.	Few	2
Keep each resident free from physical restraints, unless needed for medical treatment.	Few	2
Provide necessary care and services to maintain the highest well being of each resident .	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
exits that are accessible at all times.	Some	2
proper backup exit lighting.	Few	2

			REHABILITATION
015031	01/11/2012	01/26/2012	MITCHELL-HOLLINGSWORTH NURSING & REHABILITATION
015031	01/11/2012	01/26/2012	MITCHELL-HOLLINGSWORTH NURSING & REHABILITATION
015032	05/20/2010	06/10/2010	GOLDEN LIVING CENTER - FOLEY
015032	05/20/2010	06/10/2010	GOLDEN LIVING CENTER - FOLEY
015032	05/20/2010	06/10/2010	GOLDEN LIVING CENTER - FOLEY
015032	05/20/2010	06/10/2010	GOLDEN LIVING CENTER - FOLEY
015032	05/20/2010	06/10/2010	GOLDEN LIVING CENTER - FOLEY
015032	05/20/2010	06/18/2010	GOLDEN LIVING CENTER - FOLEY
015032	05/20/2010	06/10/2010	GOLDEN LIVING CENTER - FOLEY

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

805 FLAGG CIRCLE	FLORENCE	AL	35631	2567405400
805 FLAGG CIRCLE	FLORENCE	AL	35631	2567405400
1701 NORTH ALSTON STREET	FOLEY	AL	36535	2519432781
1701 NORTH ALSTON STREET	FOLEY	AL	36535	2519432781
1701 NORTH ALSTON STREET	FOLEY	AL	36535	2519432781
1701 NORTH ALSTON STREET	FOLEY	AL	36535	2519432781
1701 NORTH ALSTON STREET	FOLEY	AL	36535	2519432781
1701 NORTH ALSTON STREET	FOLEY	AL	36535	2519432781
1701 NORTH ALSTON STREET	FOLEY	AL	36535	2519432781

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

a fire alarm system that can be heard throughout the facility.	Some	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Some	2
corridor and hallway doors that block smoke.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Few	2
proper exit design.	Many	2
did not have a written emergency evacuation plan.	Many	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
automatic sprinkler systems that have been maintained in working order.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015032	05/20/2010	06/10/2010	GOLDEN LIVING CENTER - FOLEY
015032	05/20/2010	06/10/2010	GOLDEN LIVING CENTER - FOLEY
015032	03/05/2011	03/25/2011	GOLDEN LIVING CENTER - FOLEY
015032	03/05/2011	04/22/2011	GOLDEN LIVING CENTER - FOLEY
015032	03/08/2011	04/12/2011	GOLDEN LIVING CENTER - FOLEY
015032	03/08/2011	04/12/2011	GOLDEN LIVING CENTER - FOLEY
015032	03/08/2011	04/12/2011	GOLDEN LIVING CENTER - FOLEY
015032	03/08/2011	04/12/2011	GOLDEN LIVING CENTER - FOLEY
015032	03/08/2011	04/12/2011	GOLDEN LIVING CENTER - FOLEY

1701 NORTH ALSTON STREET	FOLEY	AL	36535	2519432781
1701 NORTH ALSTON STREET	FOLEY	AL	36535	2519432781
1701 NORTH ALSTON STREET	FOLEY	AL	36535	2519432781
1701 NORTH ALSTON STREET	FOLEY	AL	36535	2519432781
1701 NORTH ALSTON STREET	FOLEY	AL	36535	2519432781
1701 NORTH ALSTON STREET	FOLEY	AL	36535	2519432781
1701 NORTH ALSTON STREET	FOLEY	AL	36535	2519432781
1701 NORTH ALSTON STREET	FOLEY	AL	36535	2519432781
1701 NORTH ALSTON STREET	FOLEY	AL	36535	2519432781
1701 NORTH ALSTON STREET	FOLEY	AL	36535	2519432781

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

restrictions on the use of flammable curtains.	Many	2
properly installed electrical wiring and equipment.	Few	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	4
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Many	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Many	2
exits that are accessible at all times.	Few	2
automatic sprinkler systems that have been maintained in working	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015032	03/08/2011	04/12/2011	GOLDEN LIVING CENTER - FOLEY
015032	03/08/2011	04/12/2011	GOLDEN LIVING CENTER - FOLEY
015032	04/03/2012	05/08/2012	GOLDEN LIVING CENTER - FOLEY
015032	04/03/2012	05/08/2012	GOLDEN LIVING CENTER - FOLEY
015032	04/03/2012	05/08/2012	GOLDEN LIVING CENTER - FOLEY
015032	04/03/2012	05/08/2012	GOLDEN LIVING CENTER - FOLEY
015032	04/03/2012	05/08/2012	GOLDEN LIVING CENTER - FOLEY
015032	04/03/2012	05/08/2012	GOLDEN LIVING CENTER - FOLEY
015032	04/03/2012	05/08/2012	GOLDEN LIVING CENTER - FOLEY
015032	04/03/2012	05/08/2012	GOLDEN LIVING CENTER - FOLEY

STREET				
1701 NORTH ALSTON STREET	FOLEY	AL	36535	2519432781
1701 NORTH ALSTON STREET	FOLEY	AL	36535	2519432781
1701 NORTH ALSTON STREET	FOLEY	AL	36535	2519432781
1701 NORTH ALSTON STREET	FOLEY	AL	36535	2519432781
1701 NORTH ALSTON STREET	FOLEY	AL	36535	2519432781
1701 NORTH ALSTON STREET	FOLEY	AL	36535	2519432781
1701 NORTH ALSTON STREET	FOLEY	AL	36535	2519432781
1701 NORTH ALSTON STREET	FOLEY	AL	36535	2519432781
1701 NORTH ALSTON STREET	FOLEY	AL	36535	2519432781
1701 NORTH ALSTON	FOLEY	AL	36535	2519432781

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies

have been maintained in working order.		
other fire safety features required by fire safety codes.	Few	2
properly installed electrical wiring and equipment.	Many	2
corridor and hallway doors that block smoke.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Few	2
proper exit design.	Some	2
record of quarterly fire drills for each shift under varying conditions.	Many	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
automatic sprinkler systems that have been maintained in working order.	Few	2
heating and ventilation systems	Some	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015032	04/03/2012	05/08/2012	GOLDEN LIVING CENTER - FOLEY
015032	04/03/2012	05/08/2012	GOLDEN LIVING CENTER - FOLEY
015034	05/21/2009	06/25/2009	HUNTER CREEK HEALTH AND REHABILITATION, LLC
015034	05/21/2009	06/25/2009	HUNTER CREEK HEALTH AND REHABILITATION, LLC
015034	05/21/2009	06/25/2009	HUNTER CREEK HEALTH AND REHABILITATION, LLC
015034	05/21/2009	06/25/2009	HUNTER CREEK HEALTH AND REHABILITATION, LLC

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

STREET				
1701 NORTH ALSTON STREET	FOLEY	AL	36535	2519432781
1701 NORTH ALSTON STREET	FOLEY	AL	36535	2519432781
600 34TH ST	NORTHPORT	AL	35473	2053395900
600 34TH ST	NORTHPORT	AL	35473	2053395900
600 34TH ST	NORTHPORT	AL	35473	2053395900
600 34TH ST	NORTHPORT	AL	35473	2053395900

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies

that have been properly installed according to the manufacturer's instructions.		
restrictions on the use of flammable curtains.	Some	2
properly installed electrical wiring and equipment.	Some	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2

015034	06/03/2009	07/14/2009	HUNTER CREEK HEALTH AND REHABILITATION, LLC
015034	06/03/2009	07/14/2009	HUNTER CREEK HEALTH AND REHABILITATION, LLC
015034	06/03/2009	07/02/2009	HUNTER CREEK HEALTH AND REHABILITATION, LLC
015034	06/03/2009	07/29/2009	HUNTER CREEK HEALTH AND REHABILITATION, LLC
015034	06/03/2009	07/02/2009	HUNTER CREEK HEALTH AND REHABILITATION, LLC
015034	06/03/2009	07/29/2009	HUNTER CREEK HEALTH AND REHABILITATION, LLC
015034	06/03/2009	07/02/2009	HUNTER CREEK HEALTH AND REHABILITATION, LLC
015034	07/15/2010	08/19/2010	HUNTER CREEK HEALTH AND REHABILITATION, LLC
015034	07/15/2010	08/19/2010	HUNTER CREEK HEALTH AND REHABILITATION, LLC

600 34TH ST	NORTHPORT	AL	35473	2053395900
600 34TH ST	NORTHPORT	AL	35473	2053395900
600 34TH ST	NORTHPORT	AL	35473	2053395900
600 34TH ST	NORTHPORT	AL	35473	2053395900
600 34TH ST	NORTHPORT	AL	35473	2053395900
600 34TH ST	NORTHPORT	AL	35473	2053395900
600 34TH ST	NORTHPORT	AL	35473	2053395900
600 34TH ST	NORTHPORT	AL	35473	2053395900
600 34TH ST	NORTHPORT	AL	35473	2053395900
600 34TH ST	NORTHPORT	AL	35473	2053395900

FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
record of quarterly fire drills for each shift under varying conditions.	Few	2
a fire alarm system that can be heard throughout the facility.	Many	1
automatic sprinkler systems that have been maintained in working order.	Many	1
other fire safety features required by fire safety codes.	Many	1
weekly inspections and monthly testing of generators.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015034	07/15/2010	08/19/2010	HUNTER CREEK HEALTH AND REHABILITATION, LLC
015034	07/15/2010	08/19/2010	HUNTER CREEK HEALTH AND REHABILITATION, LLC
015034	07/15/2010	08/19/2010	HUNTER CREEK HEALTH AND REHABILITATION, LLC
015034	07/20/2010	08/19/2010	HUNTER CREEK HEALTH AND REHABILITATION, LLC
015034	07/20/2010	08/19/2010	HUNTER CREEK HEALTH AND REHABILITATION, LLC
015034	07/20/2010	08/19/2010	HUNTER CREEK HEALTH AND REHABILITATION, LLC
015034	07/20/2010	08/19/2010	HUNTER CREEK HEALTH AND REHABILITATION, LLC
015034	06/30/2011	08/04/2011	HUNTER CREEK HEALTH AND REHABILITATION, LLC

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

600 34TH ST	NORTHPORT	AL	35473	2053395900
600 34TH ST	NORTHPORT	AL	35473	2053395900
600 34TH ST	NORTHPORT	AL	35473	2053395900
600 34TH ST	NORTHPORT	AL	35473	2053395900
600 34TH ST	NORTHPORT	AL	35473	2053395900
600 34TH ST	NORTHPORT	AL	35473	2053395900
600 34TH ST	NORTHPORT	AL	35473	2053395900
600 34TH ST	NORTHPORT	AL	35473	2053395900
600 34TH ST	NORTHPORT	AL	35473	2053395900

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies

vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.		
1) Provide 3 meals at regular times; 2) serve breakfast within 14 hours after dinner; or 3) offer a snack at bedtime each day.	Some	2
Store, cook, and serve food in a safe and clean way.	Many	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
signs that state that exit doors are to be kept closed.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Many	2
properly installed electrical wiring and equipment.	Some	2
Provide care by qualified persons according to each resident's	Few	2

			REHABILITATION, LLC
015034	06/30/2011	08/04/2011	HUNTER CREEK HEALTH AND REHABILITATION, LLC
015034	06/30/2011	08/04/2011	HUNTER CREEK HEALTH AND REHABILITATION, LLC
015034	06/30/2011	08/04/2011	HUNTER CREEK HEALTH AND REHABILITATION, LLC
015034	06/30/2011	08/04/2011	HUNTER CREEK HEALTH AND REHABILITATION, LLC
015034	07/06/2011	08/04/2011	HUNTER CREEK HEALTH AND REHABILITATION, LLC
015034	07/06/2011	08/04/2011	HUNTER CREEK HEALTH AND REHABILITATION, LLC
015034	07/06/2011	08/04/2011	HUNTER CREEK HEALTH AND REHABILITATION, LLC
015034	07/06/2011	08/04/2011	HUNTER CREEK HEALTH AND REHABILITATION, LLC
015034	07/06/2011	08/04/2011	HUNTER CREEK HEALTH AND REHABILITATION, LLC

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

600 34TH ST	NORTHPORT	AL	35473	2053395900
600 34TH ST	NORTHPORT	AL	35473	2053395900
600 34TH ST	NORTHPORT	AL	35473	2053395900
600 34TH ST	NORTHPORT	AL	35473	2053395900
600 34TH ST	NORTHPORT	AL	35473	2053395900
600 34TH ST	NORTHPORT	AL	35473	2053395900
600 34TH ST	NORTHPORT	AL	35473	2053395900
600 34TH ST	NORTHPORT	AL	35473	2053395900
600 34TH ST	NORTHPORT	AL	35473	2053395900
600 34TH ST	NORTHPORT	AL	35473	2053395900

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

according to each resident's written plan of care.		
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Few	2
Store, cook, and serve food in a safe and clean way.	Some	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
corridor and hallway doors that block smoke.	Many	1
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
automatic sprinkler systems that have been maintained in working order.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015034	07/06/2011	08/04/2011	HUNTER CREEK HEALTH AND REHABILITATION, LLC
015034	07/06/2011	08/04/2011	HUNTER CREEK HEALTH AND REHABILITATION, LLC
015035	12/22/2009	01/28/2010	WEST GATE VILLAGE
015035	12/22/2009	01/28/2010	WEST GATE VILLAGE
015035	12/22/2009	01/28/2010	WEST GATE VILLAGE
015035	01/28/2011	03/04/2011	WEST GATE VILLAGE
015035	01/28/2011	03/04/2011	WEST GATE VILLAGE
015035	03/27/2012	05/01/2012	WEST GATE VILLAGE
015035	03/27/2012	05/01/2012	WEST GATE VILLAGE
015035	03/27/2012	05/01/2012	WEST GATE VILLAGE

600 34TH ST	NORTHPORT	AL	35473	2053395900
600 34TH ST	NORTHPORT	AL	35473	2053395900
100 PINEVIEW AND THIRD P.O. BOX 49	BREWTON	AL	36427	2518676077
100 PINEVIEW AND THIRD P.O. BOX 49	BREWTON	AL	36427	2518676077
100 PINEVIEW AND THIRD P.O. BOX 49	BREWTON	AL	36427	2518676077
100 PINEVIEW AND THIRD P.O. BOX 49	BREWTON	AL	36427	2518676077
100 PINEVIEW AND THIRD P.O. BOX 49	BREWTON	AL	36427	2518676077
100 PINEVIEW AND THIRD P.O. BOX 49	BREWTON	AL	36427	2518676077
100 PINEVIEW AND THIRD P.O. BOX 49	BREWTON	AL	36427	2518676077
100 PINEVIEW AND THIRD P.O. BOX 49	BREWTON	AL	36427	2518676077

FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies

order.		
properly protected cooking facilities.	Some	2
properly installed electrical wiring and equipment.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
automatic sprinkler systems that have been maintained in working order.	Few	2
weekly inspections and monthly testing of generators.	Many	1
exits that are accessible at all times.	Few	2
properly installed electrical wiring and equipment.	Few	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
proper backup exit lighting.	Few	2

015035	03/27/2012	05/01/2012	WEST GATE VILLAGE
015037	03/18/2010	04/09/2010	WOODLEY MANOR HEALTH & REHABILITATION
015037	03/18/2010	04/09/2010	WOODLEY MANOR HEALTH & REHABILITATION
015037	03/18/2010	04/09/2010	WOODLEY MANOR HEALTH & REHABILITATION
015037	03/18/2010	04/09/2010	WOODLEY MANOR HEALTH & REHABILITATION
015037	03/18/2010	04/09/2010	WOODLEY MANOR HEALTH & REHABILITATION
015037	03/18/2010	04/09/2010	WOODLEY MANOR HEALTH & REHABILITATION
015037	03/18/2010	04/09/2010	WOODLEY MANOR HEALTH & REHABILITATION
015037	03/18/2010	04/09/2010	WOODLEY MANOR HEALTH & REHABILITATION
015037	03/18/2010	04/09/2010	WOODLEY MANOR HEALTH & REHABILITATION

100 PINEVIEW AND THIRD P.O. BOX 49	BREWTON	AL	36427	2518676077
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780

FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies

properly installed electrical wiring and equipment.	Few	2
a two-hour-resistant firewall in common walls.	Some	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
proper exit design.	Some	2
proper backup exit lighting.	Few	2
record of quarterly fire drills for each shift under varying conditions.	Few	2
automatic sprinkler systems that have been maintained in working order.	Some	2
properly installed electrical wiring and equipment.	Few	2

015037	01/06/2011	02/10/2011	WOODLEY MANOR HEALTH & REHABILITATION
015037	01/06/2011	02/10/2011	WOODLEY MANOR HEALTH & REHABILITATION
015037	01/06/2011	02/10/2011	WOODLEY MANOR HEALTH & REHABILITATION
015037	01/06/2011	02/10/2011	WOODLEY MANOR HEALTH & REHABILITATION
015037	01/06/2011	02/10/2011	WOODLEY MANOR HEALTH & REHABILITATION

3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
Post nurse staffing information/data on a daily basis.	Many	1
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Some	2
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015037	01/12/2011	01/28/2011	WOODLEY MANOR HEALTH & REHABILITATION
015037	12/08/2011	01/12/2012	WOODLEY MANOR HEALTH & REHABILITATION
015037	12/08/2011	01/12/2012	WOODLEY MANOR HEALTH & REHABILITATION
015037	12/08/2011	03/05/2012	WOODLEY MANOR HEALTH & REHABILITATION
015037	12/08/2011	01/12/2012	WOODLEY MANOR HEALTH & REHABILITATION
015037	12/08/2011	03/05/2012	WOODLEY MANOR HEALTH &

3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

temperature.		
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
Provide necessary care and services to maintain the highest well being of each resident .	Few	2
Assist those residents who need total help with eating/drinking, grooming and personal and oral hygiene.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Some	2
1) Make sure that each resident's drug regimen is free from unnecessary drugs; 2) Each resident's entire drug/medication is managed and monitored to achieve highest well being.	Few	2
Make sure that special or	Few	2

			REHABILITATION
015037	12/08/2011	01/12/2012	WOODLEY MANOR HEALTH & REHABILITATION
015037	12/08/2011	01/12/2012	WOODLEY MANOR HEALTH & REHABILITATION
015037	12/08/2011	01/12/2012	WOODLEY MANOR HEALTH & REHABILITATION
015037	12/08/2011	03/05/2012	WOODLEY MANOR HEALTH & REHABILITATION
015037	12/13/2011	01/17/2012	WOODLEY MANOR HEALTH & REHABILITATION
015037	12/13/2011	01/17/2012	WOODLEY MANOR HEALTH & REHABILITATION
015037	12/13/2011	01/17/2012	WOODLEY MANOR HEALTH & REHABILITATION
015037	12/13/2011	01/17/2012	WOODLEY MANOR HEALTH &

3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Interior Finish Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies

therapeutic diets are ordered by the attending doctor.		
Store, cook, and serve food in a safe and clean way.	Many	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Some	1
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
fire-resistant interior walls.	Some	2
corridor and hallway doors that block smoke.	Some	1
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015037		01/17/2012	WOODLEY MANOR HEALTH & REHABILITATION
015037	12/13/2011	01/17/2012	WOODLEY MANOR HEALTH & REHABILITATION
015037	12/13/2011	01/17/2012	WOODLEY MANOR HEALTH & REHABILITATION
015037	12/13/2011	01/17/2012	WOODLEY MANOR HEALTH & REHABILITATION
015037	12/13/2011	01/17/2012	WOODLEY MANOR HEALTH & REHABILITATION
015037	12/13/2011	01/17/2012	WOODLEY MANOR HEALTH & REHABILITATION
015037	12/13/2011	01/17/2012	WOODLEY MANOR HEALTH & REHABILITATION
015037	12/13/2011	01/17/2012	WOODLEY MANOR HEALTH & REHABILITATION
015040	07/01/2010	08/05/2010	GOLDEN LIVING CENTER - MONTGOMERY

3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
3312 WOODLEY ROAD	MONTGOMERY	AL	36116	3342882780
2020 NORTH COUNTRY CLUB DRIVE	MONTGOMERY	AL	36106	3342631643

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies

construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
portable fire extinguishers.	Few	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Some	2
exits that are free from obstructions and can be used at all times.	Some	2
restrictions on the use of flammable curtains.	Many	2
properly installed electrical wiring and equipment.	Few	2
Let the resident refuse treatment or refuse to take part in an experiment and formulate advance directives.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015040	07/01/2010	08/05/2010	GOLDEN LIVING CENTER - MONTGOMERY
015040	07/01/2010	08/05/2010	GOLDEN LIVING CENTER - MONTGOMERY
015040	07/01/2010	08/05/2010	GOLDEN LIVING CENTER - MONTGOMERY
015040	07/08/2010	08/05/2010	GOLDEN LIVING CENTER - MONTGOMERY
015040	07/08/2010	08/05/2010	GOLDEN LIVING CENTER - MONTGOMERY
015040	07/08/2010	08/05/2010	GOLDEN LIVING CENTER - MONTGOMERY
015040	04/29/2011	06/03/2011	GOLDEN LIVING CENTER - MONTGOMERY

nh_quality_deficiency_survey
Based on Nursing Home Compare - Survey Deficiency

2020 NORTH COUNTRY CLUB DRIVE	MONTGOMERY	AL	36106	3342631643
2020 NORTH COUNTRY CLUB DRIVE	MONTGOMERY	AL	36106	3342631643
2020 NORTH COUNTRY CLUB DRIVE	MONTGOMERY	AL	36106	3342631643
2020 NORTH COUNTRY CLUB DRIVE	MONTGOMERY	AL	36106	3342631643
2020 NORTH COUNTRY CLUB DRIVE	MONTGOMERY	AL	36106	3342631643
2020 NORTH COUNTRY CLUB DRIVE	MONTGOMERY	AL	36106	3342631643
2020 NORTH	MONTGOMERY	AL	36106	3342631643

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Mistreatment Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Resident Rights Deficiencies

advance directives.		
Develop policies that prevent mistreatment, neglect, or abuse of residents or theft of resident property.	Few	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Few	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
automatic sprinkler systems that have been maintained in working order.	Many	1
Reasonably accommodate the	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015040	04/29/2011	06/03/2011	GOLDEN LIVING CENTER - MONTGOMERY
015040	04/29/2011	06/03/2011	GOLDEN LIVING CENTER - MONTGOMERY
015040	04/29/2011	06/03/2011	GOLDEN LIVING CENTER - MONTGOMERY
015040	04/29/2011	06/03/2011	GOLDEN LIVING CENTER - MONTGOMERY
015040	04/29/2011	06/03/2011	GOLDEN LIVING CENTER - MONTGOMERY
015040	04/29/2011	06/03/2011	GOLDEN LIVING CENTER - MONTGOMERY
015040	05/05/2011	06/09/2011	GOLDEN LIVING CENTER - MONTGOMERY

COUNTRY CLUB DRIVE				
2020 NORTH COUNTRY CLUB DRIVE	MONTGOMERY	AL	36106	3342631643
2020 NORTH COUNTRY CLUB DRIVE	MONTGOMERY	AL	36106	3342631643
2020 NORTH COUNTRY CLUB DRIVE	MONTGOMERY	AL	36106	3342631643
2020 NORTH COUNTRY CLUB DRIVE	MONTGOMERY	AL	36106	3342631643
2020 NORTH COUNTRY CLUB DRIVE	MONTGOMERY	AL	36106	3342631643
2020 NORTH COUNTRY CLUB DRIVE	MONTGOMERY	AL	36106	3342631643
2020 NORTH COUNTRY CLUB DRIVE	MONTGOMERY	AL	36106	3342631643
2020 NORTH COUNTRY CLUB	MONTGOMERY	AL	36106	3342631643

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies

needs and preferences of each resident.		
Provide necessary care and services to maintain the highest well being of each resident .	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Hire sufficient dietary support personnel.	Many	2
Keep all essential equipment working safely.	Few	2
Put firmly secured handrails on each side of hallways.	Few	2
construction that can resist fire for one hour or an approved fire	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015040	05/05/2011	06/09/2011	GOLDEN LIVING CENTER - MONTGOMERY
015040	05/05/2011	06/09/2011	GOLDEN LIVING CENTER - MONTGOMERY
015040	05/05/2011	06/09/2011	GOLDEN LIVING CENTER - MONTGOMERY
015040	05/05/2011	06/09/2011	GOLDEN LIVING CENTER - MONTGOMERY
015040	05/05/2011	06/09/2011	GOLDEN LIVING CENTER - MONTGOMERY
015040	05/05/2011	06/09/2011	GOLDEN LIVING CENTER - MONTGOMERY
015040	02/02/2012	04/19/2012	GOLDEN LIVING CENTER - MONTGOMERY
015040	02/02/2012	03/08/2012	GOLDEN LIVING CENTER - MONTGOMERY

DRIVE				
2020 NORTH COUNTRY CLUB DRIVE	MONTGOMERY	AL	36106	3342631643
2020 NORTH COUNTRY CLUB DRIVE	MONTGOMERY	AL	36106	3342631643
2020 NORTH COUNTRY CLUB DRIVE	MONTGOMERY	AL	36106	3342631643
2020 NORTH COUNTRY CLUB DRIVE	MONTGOMERY	AL	36106	3342631643
2020 NORTH COUNTRY CLUB DRIVE	MONTGOMERY	AL	36106	3342631643
2020 NORTH COUNTRY CLUB DRIVE	MONTGOMERY	AL	36106	3342631643
2020 NORTH COUNTRY CLUB DRIVE	MONTGOMERY	AL	36106	3342631643
2020 NORTH COUNTRY CLUB DRIVE	MONTGOMERY	AL	36106	3342631643

FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies

extinguishing system.		
exits that are accessible at all times.	Some	2
properly working alarms on sprinkler valves.	Many	2
automatic sprinkler systems that have been maintained in working order.	Few	2
exits that are free from obstructions and can be used at all times.	Some	2
restrictions on the use of flammable curtains.	Some	2
properly installed electrical wiring and equipment.	Many	2
Provide housekeeping and maintenance services.	Some	2
Provide clean bed and bath linens that are in good condition.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015040	02/02/2012	03/08/2012	GOLDEN LIVING CENTER - MONTGOMERY
015040	02/02/2012	03/08/2012	GOLDEN LIVING CENTER - MONTGOMERY
015040	02/02/2012	03/08/2012	GOLDEN LIVING CENTER - MONTGOMERY
015040	02/02/2012	03/08/2012	GOLDEN LIVING CENTER - MONTGOMERY
015040	02/02/2012	04/19/2012	GOLDEN LIVING CENTER - MONTGOMERY

nh_quality_deficiency_survey
Based on Nursing Home Compare - Survey Deficiency

2020 NORTH COUNTRY CLUB DRIVE	MONTGOMERY	AL	36106	3342631643
2020 NORTH COUNTRY CLUB DRIVE	MONTGOMERY	AL	36106	3342631643
2020 NORTH COUNTRY CLUB DRIVE	MONTGOMERY	AL	36106	3342631643
2020 NORTH COUNTRY CLUB DRIVE	MONTGOMERY	AL	36106	3342631643
2020 NORTH COUNTRY CLUB DRIVE	MONTGOMERY	AL	36106	3342631643

Page 210 of 2489 10/08/2012

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies

Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015040	02/02/2012	03/08/2012	GOLDEN LIVING CENTER - MONTGOMERY
015040	02/09/2012	03/15/2012	GOLDEN LIVING CENTER - MONTGOMERY
015042	03/12/2009	04/16/2009	SUMTER HEALTH AND REHABILITATION, L L C
015042	03/12/2009	04/16/2009	SUMTER HEALTH AND REHABILITATION, L L C
015042	03/12/2009	04/16/2009	SUMTER HEALTH AND REHABILITATION, L L C
015042	03/12/2009	04/16/2009	SUMTER HEALTH AND REHABILITATION, L L C
015042	03/24/2009	04/16/2009	SUMTER HEALTH AND REHABILITATION, L L C

nh_quality_deficiency_survey
Based on Nursing Home Compare - Survey Deficiency

2020 NORTH COUNTRY CLUB DRIVE	MONTGOMERY	AL	36106	3342631643
2020 NORTH COUNTRY CLUB DRIVE	MONTGOMERY	AL	36106	3342631643
1505 EAST 4TH AVENUE	YORK	AL	36925	2053925281
1505 EAST 4TH AVENUE	YORK	AL	36925	2053925281
1505 EAST 4TH AVENUE	YORK	AL	36925	2053925281
1505 EAST 4TH AVENUE	YORK	AL	36925	2053925281
1505 EAST 4TH AVENUE	YORK	AL	36925	2053925281

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

Make sure there is a pest control program to prevent/deal with mice, insects, or other pests.	Few	2
signs that state that exit doors are to be kept closed.	Few	2
Determine if it is safe for the resident to self-administer drugs.	Few	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
walls or barriers that prevent smoke from passing through and	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015042	03/24/2009	04/16/2009	SUMTER HEALTH AND REHABILITATION, L L C
015042	07/01/2010	08/05/2010	SUMTER HEALTH AND REHABILITATION, L L C
015042	07/01/2010	08/05/2010	SUMTER HEALTH AND REHABILITATION, L L C
015042	07/01/2010	08/05/2010	SUMTER HEALTH AND REHABILITATION, L L C
015042	07/01/2010	08/05/2010	SUMTER HEALTH AND REHABILITATION, L L C
015042	07/01/2010	08/05/2010	SUMTER HEALTH AND REHABILITATION, L L C
015042	07/01/2010	08/05/2010	SUMTER HEALTH AND REHABILITATION, L L C

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

1505 EAST 4TH AVENUE	YORK	AL	36925	2053925281
1505 EAST 4TH AVENUE	YORK	AL	36925	2053925281
1505 EAST 4TH AVENUE	YORK	AL	36925	2053925281
1505 EAST 4TH AVENUE	YORK	AL	36925	2053925281
1505 EAST 4TH AVENUE	YORK	AL	36925	2053925281
1505 EAST 4TH AVENUE	YORK	AL	36925	2053925281
1505 EAST 4TH AVENUE	YORK	AL	36925	2053925281

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies

would resist fire for at least one hour.		
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
Keep each resident's personal and medical records private and confidential.	Some	2
Try to resolve each resident's complaints quickly.	Few	2
Make sure each resident has the right to have a choice over activities, their schedules and health care according to his or her interests, assessment, and plan of care.	Some	2
Reasonably accommodate the needs and preferences of each resident.	Some	2
Review or revise the resident's care plan after any major change in a resident's physical or mental health.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015042	07/07/2010	08/06/2010	SUMTER HEALTH AND REHABILITATION, L L C
015042	07/07/2010	08/06/2010	SUMTER HEALTH AND REHABILITATION, L L C
015042	07/07/2010	08/06/2010	SUMTER HEALTH AND REHABILITATION, L L C
015042	07/07/2010	08/06/2010	SUMTER HEALTH AND REHABILITATION, L L C
015042	07/07/2010	09/24/2010	SUMTER HEALTH AND REHABILITATION, L L C
015042	07/21/2011	08/25/2011	SUMTER HEALTH AND REHABILITATION, L L C
015042	07/21/2011	08/25/2011	SUMTER HEALTH AND REHABILITATION, L L C
015042	07/21/2011	08/25/2011	SUMTER HEALTH AND REHABILITATION, L L C
015042	07/27/2011	08/31/2011	SUMTER HEALTH AND REHABILITATION, L L

1505 EAST 4TH AVENUE	YORK	AL	36925	2053925281
1505 EAST 4TH AVENUE	YORK	AL	36925	2053925281
1505 EAST 4TH AVENUE	YORK	AL	36925	2053925281
1505 EAST 4TH AVENUE	YORK	AL	36925	2053925281
1505 EAST 4TH AVENUE	YORK	AL	36925	2053925281
1505 EAST 4TH AVENUE	YORK	AL	36925	2053925281
1505 EAST 4TH AVENUE	YORK	AL	36925	2053925281
1505 EAST 4TH AVENUE	YORK	AL	36925	2053925281
1505 EAST 4TH	YORK	AL	36925	2053925281

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

corridor and hallway doors that block smoke.	Few	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Some	2
automatic sprinkler systems that have been maintained in working order.	Few	2
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Few	2
other fire safety features required by fire safety codes.	Some	2
Conduct initial and periodic assessments of each resident's functional capacity.	Few	2
Make sure that residents with reduced range of motion get proper treatment and services to increase range of motion.	Few	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
walls or barriers that prevent	Many	1

015042		08/31/2011	SUMTER HEALTH AND REHABILITATION, L L C
015042	07/27/2011	08/31/2011	SUMTER HEALTH AND REHABILITATION, L L C
015042	07/27/2011	08/31/2011	SUMTER HEALTH AND REHABILITATION, L L C
015042	07/27/2011	08/31/2011	SUMTER HEALTH AND REHABILITATION, L L C
015042	07/27/2011	08/31/2011	SUMTER HEALTH AND REHABILITATION, L L C
015042	07/27/2011	08/31/2011	SUMTER HEALTH AND REHABILITATION, L L C
015043	02/17/2011	03/21/2011	SOUTH HAVEN HEALTH AND REHABILITATION CENTER
015043	02/17/2011	03/21/2011	SOUTH HAVEN HEALTH AND REHABILITATION CENTER
015043	02/17/2011	03/21/2011	SOUTH HAVEN HEALTH AND REHABILITATION CENTER

1505 EAST 4TH AVENUE	YORK	AL	36925	2053925281
1505 EAST 4TH AVENUE	YORK	AL	36925	2053925281
1505 EAST 4TH AVENUE	YORK	AL	36925	2053925281
1505 EAST 4TH AVENUE	YORK	AL	36925	2053925281
1505 EAST 4TH AVENUE	YORK	AL	36925	2053925281
1505 EAST 4TH AVENUE	YORK	AL	36925	2053925281
1300 EAST SOUTH BOULEVARD	MONTGOMERY	AL	36116	3342880122
1300 EAST SOUTH BOULEVARD	MONTGOMERY	AL	36116	3342880122
1300 EAST SOUTH BOULEVARD	MONTGOMERY	AL	36116	3342880122

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Many	1
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Some	2
portable fire extinguishers.	Some	1
properly installed electrical wiring and equipment.	Some	2
a properly installed and maintained dumbwaiter or escalator.	Some	2
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2

015043	02/17/2011	03/21/2011	SOUTH HAVEN HEALTH AND REHABILITATION CENTER
015043	02/17/2011	03/21/2011	SOUTH HAVEN HEALTH AND REHABILITATION CENTER
015043	02/17/2011	03/21/2011	SOUTH HAVEN HEALTH AND REHABILITATION CENTER
015043	02/17/2011	03/23/2011	SOUTH HAVEN HEALTH AND REHABILITATION CENTER
015043	02/17/2011	03/23/2011	SOUTH HAVEN HEALTH AND REHABILITATION CENTER
015043	02/17/2011	03/23/2011	SOUTH HAVEN HEALTH AND REHABILITATION CENTER
015043	02/17/2011	03/23/2011	SOUTH HAVEN HEALTH AND REHABILITATION CENTER
015043	02/17/2011	03/23/2011	SOUTH HAVEN HEALTH AND REHABILITATION CENTER
015043	02/17/2011	03/23/2011	SOUTH HAVEN HEALTH AND REHABILITATION CENTER

1300 EAST SOUTH BOULEVARD	MONTGOMERY	AL	36116	3342880122
1300 EAST SOUTH BOULEVARD	MONTGOMERY	AL	36116	3342880122
1300 EAST SOUTH BOULEVARD	MONTGOMERY	AL	36116	3342880122
1300 EAST SOUTH BOULEVARD	MONTGOMERY	AL	36116	3342880122
1300 EAST SOUTH BOULEVARD	MONTGOMERY	AL	36116	3342880122
1300 EAST SOUTH BOULEVARD	MONTGOMERY	AL	36116	3342880122
1300 EAST SOUTH BOULEVARD	MONTGOMERY	AL	36116	3342880122
1300 EAST SOUTH BOULEVARD	MONTGOMERY	AL	36116	3342880122
1300 EAST SOUTH BOULEVARD	MONTGOMERY	AL	36116	3342880122

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies

automatic sprinkler systems that have been maintained in working order.	Some	2
properly protected cooking facilities.	Some	2
other fire safety features required by fire safety codes.	Some	2
Allow the resident the right to participate in the planning or revision of the resident's care plan.	Few	2
Give each resident enough fluids to keep them healthy and prevent dehydration.	Few	2
Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Some	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Some	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2

015043	02/17/2011	03/23/2011	SOUTH HAVEN HEALTH AND REHABILITATION CENTER
015043	08/11/2011	09/21/2011	SOUTH HAVEN HEALTH AND REHABILITATION CENTER
015043	08/11/2011	09/21/2011	SOUTH HAVEN HEALTH AND REHABILITATION CENTER
015043	08/11/2011	10/26/2011	SOUTH HAVEN HEALTH AND REHABILITATION CENTER
015043	08/11/2011	09/21/2011	SOUTH HAVEN HEALTH AND REHABILITATION CENTER
015043	08/16/2011	09/14/2011	SOUTH HAVEN HEALTH AND REHABILITATION CENTER
015043	08/16/2011	09/14/2011	SOUTH HAVEN HEALTH AND REHABILITATION CENTER

1300 EAST SOUTH BOULEVARD	MONTGOMERY	AL	36116	3342880122
1300 EAST SOUTH BOULEVARD	MONTGOMERY	AL	36116	3342880122
1300 EAST SOUTH BOULEVARD	MONTGOMERY	AL	36116	3342880122
1300 EAST SOUTH BOULEVARD	MONTGOMERY	AL	36116	3342880122
1300 EAST SOUTH BOULEVARD	MONTGOMERY	AL	36116	3342880122
1300 EAST SOUTH BOULEVARD	MONTGOMERY	AL	36116	3342880122
1300 EAST SOUTH BOULEVARD	MONTGOMERY	AL	36116	3342880122

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Administration Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

Make sure that nurse aides show they have the skills and techniques to be able to care for residents' needs.	Few	2
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that residents with reduced range of motion get proper treatment and services to increase range of motion.	Few	2
signs that state that exit doors are to be kept closed.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015043	02/15/2012	03/21/2012	SOUTH HAVEN HEALTH AND REHABILITATION CENTER
015043	02/15/2012	03/21/2012	SOUTH HAVEN HEALTH AND REHABILITATION CENTER
015043	02/15/2012	03/21/2012	SOUTH HAVEN HEALTH AND REHABILITATION CENTER
015043	02/15/2012	03/21/2012	SOUTH HAVEN HEALTH AND REHABILITATION CENTER
015044	09/10/2010	10/15/2010	CAREGIVERS OF PLEASANT GROVE, INC
015044	09/10/2010	10/15/2010	CAREGIVERS OF PLEASANT GROVE, INC
015044	09/10/2010	10/15/2010	CAREGIVERS OF PLEASANT GROVE, INC
015044	09/10/2010	10/15/2010	CAREGIVERS OF PLEASANT GROVE, INC

1300 EAST SOUTH BOULEVARD	MONTGOMERY	AL	36116	3342880122
1300 EAST SOUTH BOULEVARD	MONTGOMERY	AL	36116	3342880122
1300 EAST SOUTH BOULEVARD	MONTGOMERY	AL	36116	3342880122
1300 EAST SOUTH BOULEVARD	MONTGOMERY	AL	36116	3342880122
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Interior Finish Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies

hour.		
fire-resistant room wall surfaces.	Some	1
exits that are accessible at all times.	Many	1
a fire alarm system that can be heard throughout the facility.	Some	2
weekly inspections and monthly testing of generators.	Few	2
Follow policies and procedures to convey the resident's personal funds to the appropriate party responsible after the resident's death.	Few	2
Provide proof that all residents' personal money which is deposited with the nursing home, is secure.	Many	2
Store, cook, and serve food in a safe and clean way.	Many	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2

015044	09/10/2010	10/15/2010	CAREGIVERS OF PLEASANT GROVE, INC
015044	09/15/2010	10/15/2010	CAREGIVERS OF PLEASANT GROVE, INC
015044	09/15/2010	10/15/2010	CAREGIVERS OF PLEASANT GROVE, INC
015044	06/04/2011	07/09/2011	CAREGIVERS OF PLEASANT GROVE, INC
015044	06/04/2011	07/09/2011	CAREGIVERS OF PLEASANT GROVE, INC
015044	06/04/2011	07/09/2011	CAREGIVERS OF PLEASANT GROVE, INC
015044	06/04/2011	07/09/2011	CAREGIVERS OF PLEASANT GROVE, INC
015044	06/04/2011	07/09/2011	CAREGIVERS OF PLEASANT GROVE, INC
015044	06/04/2011	07/09/2011	CAREGIVERS OF PLEASANT GROVE, INC

700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies

Keep all essential equipment working safely.	Many	2
automatic sprinkler systems that have been maintained in working order.	Many	1
weekly inspections and monthly testing of generators.	Few	2
Immediately tell the resident, the resident's doctor and a family member of the resident of situations (injury/decline/room, etc.) that affect the resident.	Few	2
Keep each resident's personal and medical records private and confidential.	Few	2
Try to resolve each resident's complaints quickly.	Few	2
Provide access to a telephone for resident to use in private.	Some	1
Provide medically-related social services to help each resident achieve the highest possible quality of life.	Few	2
Provide housekeeping and maintenance services.	Some	2

015044	06/04/2011	07/09/2011	CAREGIVERS OF PLEASANT GROVE, INC
015044	06/04/2011	07/09/2011	CAREGIVERS OF PLEASANT GROVE, INC
015044	06/04/2011	07/09/2011	CAREGIVERS OF PLEASANT GROVE, INC
015044	06/04/2011	07/09/2011	CAREGIVERS OF PLEASANT GROVE, INC
015044	06/04/2011	07/09/2011	CAREGIVERS OF PLEASANT GROVE, INC

700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies

Coordinate assessments with the pre-admission screening and resident review program for mentally-ill and mentally-retarded patients.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015044	06/04/2011	07/09/2011	CAREGIVERS OF PLEASANT GROVE, INC
015044	06/04/2011	07/09/2011	CAREGIVERS OF PLEASANT GROVE, INC
015044	06/04/2011	07/09/2011	CAREGIVERS OF PLEASANT GROVE, INC
015044	06/04/2011	07/09/2011	CAREGIVERS OF PLEASANT GROVE, INC
015044	06/09/2011	07/14/2011	CAREGIVERS OF PLEASANT GROVE, INC
015044	06/09/2011	07/14/2011	CAREGIVERS OF PLEASANT GROVE, INC
015044	06/09/2011	07/14/2011	CAREGIVERS OF PLEASANT GROVE, INC
015044	06/09/2011	07/14/2011	CAREGIVERS OF PLEASANT GROVE, INC

700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT	AL	35127	2057448120

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

supervision to prevent avoidable accidents.		
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Make sure that the nursing home area is safe, easy to use, clean and comfortable for residents, staff and the public.	Many	2
Operate and provide services according to Federal, State, and local laws and professional standards.	Few	2
exits that are accessible at all times.	Some	2
a fire alarm system that can be heard throughout the facility.	Many	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
automatic sprinkler systems that	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015044		07/14/2011	CAREGIVERS OF PLEASANT GROVE, INC
015044	06/09/2011	07/14/2011	CAREGIVERS OF PLEASANT GROVE, INC
015044	06/09/2011	07/14/2011	CAREGIVERS OF PLEASANT GROVE, INC
015044	04/14/2012	05/18/2012	CAREGIVERS OF PLEASANT GROVE, INC
015044	04/14/2012	05/18/2012	CAREGIVERS OF PLEASANT GROVE, INC
015044	04/14/2012	05/18/2012	CAREGIVERS OF PLEASANT GROVE, INC
015044	04/14/2012	06/15/2012	CAREGIVERS OF PLEASANT GROVE, INC
015044	04/14/2012	06/15/2012	CAREGIVERS OF PLEASANT GROVE, INC

700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

automatic sprinkler systems that have been maintained in working order.	Some	2
properly protected cooking facilities.	Few	2
restrictions on the use of flammable curtains.	Many	1
Properly hold, secure and manage each resident's personal money which is deposited with the nursing home.	Few	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Some	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Some	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract	Few	2

015044	04/14/2012	05/18/2012	CAREGIVERS OF PLEASANT GROVE, INC
015044	04/14/2012	05/18/2012	CAREGIVERS OF PLEASANT GROVE, INC
015044	04/14/2012	05/18/2012	CAREGIVERS OF PLEASANT GROVE, INC
015044	04/17/2012	05/21/2012	CAREGIVERS OF PLEASANT GROVE, INC
015044	04/17/2012	05/21/2012	CAREGIVERS OF PLEASANT GROVE, INC
015045	06/17/2010	07/22/2010	GEORGE H LANIER MEMORIAL NURSING HOME
015045	06/17/2010	07/22/2010	GEORGE H LANIER MEMORIAL NURSING HOME
015045	06/23/2010	07/09/2010	GEORGE H LANIER MEMORIAL NURSING HOME

700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
700 FIRST AVENUE	PLEASANT GROVE	AL	35127	2057448120
4800 48TH ST	VALLEY	AL	36854	3347561401
4800 48TH ST	VALLEY	AL	36854	3347561401
4800 48TH ST	VALLEY	AL	36854	3347561401

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

infections and restore normal bladder function.		
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Make sure that a working call system is available in each resident's room or bathroom and bathing area.	Many	2
signs that state that exit doors are to be kept closed.	Some	1
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
Review or revise the resident's care plan after any major change in a resident's physical or mental health.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015045	06/23/2010	07/08/2010	GEORGE H LANIER MEMORIAL NURSING HOME
015045	06/23/2010	07/22/2010	GEORGE H LANIER MEMORIAL NURSING HOME
015045	06/23/2010	07/08/2010	GEORGE H LANIER MEMORIAL NURSING HOME
015045	05/05/2011	06/09/2011	GEORGE H LANIER MEMORIAL NURSING HOME
015045	05/05/2011	06/09/2011	GEORGE H LANIER MEMORIAL NURSING HOME
015045	05/05/2011	06/09/2011	GEORGE H LANIER MEMORIAL NURSING HOME
015045	05/10/2011	06/10/2011	GEORGE H LANIER MEMORIAL NURSING HOME
015045	05/10/2011	06/10/2011	GEORGE H LANIER MEMORIAL NURSING HOME
015045	05/10/2011	06/10/2011	GEORGE H LANIER MEMORIAL NURSING HOME
015045	05/10/2011	06/10/2011	GEORGE H LANIER MEMORIAL NURSING

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

4800 48TH ST	VALLEY	AL	36854	3347561401
4800 48TH ST	VALLEY	AL	36854	3347561401
4800 48TH ST	VALLEY	AL	36854	3347561401
4800 48TH ST	VALLEY	AL	36854	3347561401
4800 48TH ST	VALLEY	AL	36854	3347561401
4800 48TH ST	VALLEY	AL	36854	3347561401
4800 48TH ST	VALLEY	AL	36854	3347561401
4800 48TH ST	VALLEY	AL	36854	3347561401
4800 48TH ST	VALLEY	AL	36854	3347561401
4800 48TH ST	VALLEY	AL	36854	3347561401

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies

would resist fire for at least one hour.		
a fire alarm system that can be heard throughout the facility.	Many	1
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Few	2
weekly inspections and monthly testing of generators.	Few	2
Provide housekeeping and maintenance services.	Few	2
Provide necessary care and services to maintain the highest well being of each resident .	Few	3
Store, cook, and serve food in a safe and clean way.	Many	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Many	2
proper exit design.	Few	2
proper backup exit lighting.	Many	1

			HOME
015045	05/10/2011	06/10/2011	GEORGE H LANIER MEMORIAL NURSING HOME
015045	05/10/2011	Not Available	GEORGE H LANIER MEMORIAL NURSING HOME
015045	05/10/2011	06/10/2011	GEORGE H LANIER MEMORIAL NURSING HOME
015045	05/10/2011	06/10/2011	GEORGE H LANIER MEMORIAL NURSING HOME
015045	05/10/2011	06/10/2011	GEORGE H LANIER MEMORIAL NURSING HOME
015045	05/10/2011	Not Available	GEORGE H LANIER MEMORIAL NURSING HOME
015045	05/10/2011	06/10/2011	GEORGE H LANIER MEMORIAL NURSING HOME
015045	06/21/2012	07/26/2012	GEORGE H LANIER MEMORIAL NURSING HOME
015045	06/21/2012	07/26/2012	GEORGE H LANIER MEMORIAL NURSING HOME
015045	06/21/2012	07/26/2012	GEORGE H LANIER MEMORIAL NURSING HOME

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

4800 48TH ST	VALLEY	AL	36854	3347561401
4800 48TH ST	VALLEY	AL	36854	3347561401
4800 48TH ST	VALLEY	AL	36854	3347561401
4800 48TH ST	VALLEY	AL	36854	3347561401
4800 48TH ST	VALLEY	AL	36854	3347561401
4800 48TH ST	VALLEY	AL	36854	3347561401
4800 48TH ST	VALLEY	AL	36854	3347561401
4800 48TH ST	VALLEY	AL	36854	3347561401
4800 48TH ST	VALLEY	AL	36854	3347561401
4800 48TH ST	VALLEY	AL	36854	3347561401

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

properly located and lighted "Exit" signs.	Many	1
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
restrictions on the use of portable space heaters.	Few	2
exits that are free from obstructions and can be used at all times.	Few	2
restrictions on the use of flammable curtains.	Some	1
a separate and independent backup electrical power source.	Some	2
properly installed electrical wiring and equipment.	Many	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that each resident who enters the nursing home	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015045	06/21/2012	07/26/2012	GEORGE H LANIER MEMORIAL NURSING HOME
015045	06/21/2012	07/26/2012	GEORGE H LANIER MEMORIAL NURSING HOME
015045	06/21/2012	07/26/2012	GEORGE H LANIER MEMORIAL NURSING HOME
015045	06/21/2012	07/26/2012	GEORGE H LANIER MEMORIAL NURSING HOME
015045	06/26/2012	07/06/2012	GEORGE H LANIER MEMORIAL NURSING HOME

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

4800 48TH ST	VALLEY	AL	36854	3347561401
4800 48TH ST	VALLEY	AL	36854	3347561401
4800 48TH ST	VALLEY	AL	36854	3347561401
4800 48TH ST	VALLEY	AL	36854	3347561401
4800 48TH ST	VALLEY	AL	36854	3347561401

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies

without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.		
Make sure that residents with reduced range of motion get proper treatment and services to increase range of motion.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Some	2
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Some	2
Make sure that the nursing home area is safe, easy to use, clean and comfortable for residents, staff and the public.	Some	2
corridors that are separated from common areas by walls constructed to limit the passage	Few	2

015045	06/26/2012	07/06/2012	GEORGE H LANIER MEMORIAL NURSING HOME
015045	06/26/2012	07/06/2012	GEORGE H LANIER MEMORIAL NURSING HOME
015045	06/26/2012	07/06/2012	GEORGE H LANIER MEMORIAL NURSING HOME
015045	06/26/2012	07/06/2012	GEORGE H LANIER MEMORIAL NURSING HOME
015047	09/10/2010	10/15/2010	NORTHWAY HEALTH AND REHABILITATION, LLC
015047	09/10/2010	10/15/2010	NORTHWAY HEALTH AND REHABILITATION, LLC
015047	09/10/2010	10/15/2010	NORTHWAY HEALTH AND REHABILITATION, LLC
015047	09/16/2010	10/15/2010	NORTHWAY HEALTH AND REHABILITATION, LLC

4800 48TH ST	VALLEY	AL	36854	3347561401
4800 48TH ST	VALLEY	AL	36854	3347561401
4800 48TH ST	VALLEY	AL	36854	3347561401
4800 48TH ST	VALLEY	AL	36854	3347561401
1424 NORTH 25TH STREET	BIRMINGHAM	AL	35234	2053285870
1424 NORTH 25TH STREET	BIRMINGHAM	AL	35234	2053285870
1424 NORTH 25TH STREET	BIRMINGHAM	AL	35234	2053285870
1424 NORTH 25TH STREET	BIRMINGHAM	AL	35234	2053285870

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Resident Assessment Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

of smoke.		
corridor and hallway doors that block smoke.	Few	2
proper stairway enclosures and vertical shafts.	Few	2
record of quarterly fire drills for each shift under varying conditions.	Many	1
automatic sprinkler systems that have been maintained in working order.	Many	2
Give each resident a notice of rights, rules, services and charges. Tell each resident who can get Medicaid benefits about 1) which items and services Medicaid covers and which the resident must pay for.	Some	2
Provide housekeeping and maintenance services.	Some	2
Allow the resident the right to participate in the planning or revision of the resident's care plan.	Few	2
automatic sprinkler systems that have been maintained in working	Many	1

			LLC
015047	09/16/2010	10/04/2010	NORTHWAY HEALTH AND REHABILITATION, LLC
015047	06/30/2011	08/04/2011	NORTHWAY HEALTH AND REHABILITATION, LLC
015047	06/30/2011	08/04/2011	NORTHWAY HEALTH AND REHABILITATION, LLC
015047	06/30/2011	08/04/2011	NORTHWAY HEALTH AND REHABILITATION, LLC
015047	06/30/2011	08/04/2011	NORTHWAY HEALTH AND REHABILITATION, LLC
015047	06/30/2011	08/04/2011	NORTHWAY HEALTH AND REHABILITATION, LLC
015047	07/07/2011	08/11/2011	NORTHWAY HEALTH AND REHABILITATION, LLC
015047	07/07/2011	08/11/2011	NORTHWAY HEALTH AND REHABILITATION, LLC

STREET				
1424 NORTH 25TH STREET	BIRMINGHAM	AL	35234	2053285870
1424 NORTH 25TH STREET	BIRMINGHAM	AL	35234	2053285870
1424 NORTH 25TH STREET	BIRMINGHAM	AL	35234	2053285870
1424 NORTH 25TH STREET	BIRMINGHAM	AL	35234	2053285870
1424 NORTH 25TH STREET	BIRMINGHAM	AL	35234	2053285870
1424 NORTH 25TH STREET	BIRMINGHAM	AL	35234	2053285870
1424 NORTH 25TH STREET	BIRMINGHAM	AL	35234	2053285870
1424 NORTH 25TH STREET	BIRMINGHAM	AL	35234	2053285870

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

have been maintained in working order.		
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Some	2
Properly hold, secure and manage each resident's personal money which is deposited with the nursing home.	Few	2
Keep each resident's personal and medical records private and confidential.	Few	2
Provide access to a telephone for resident to use in private.	Many	1
Coordinate assessments with the pre-admission screening and resident review program for mentally-ill and mentally-retarded patients.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and	Some	2

			LLC
015047	07/07/2011	08/11/2011	NORTHWAY HEALTH AND REHABILITATION, LLC
015047	07/07/2011	08/11/2011	NORTHWAY HEALTH AND REHABILITATION, LLC
015047	07/07/2011	08/11/2011	NORTHWAY HEALTH AND REHABILITATION, LLC
015047	07/07/2011	08/11/2011	NORTHWAY HEALTH AND REHABILITATION, LLC
015047	07/07/2011	08/11/2011	NORTHWAY HEALTH AND REHABILITATION, LLC
015047	05/03/2012	06/07/2012	NORTHWAY HEALTH AND REHABILITATION, LLC
015047	05/03/2012	06/07/2012	NORTHWAY HEALTH AND REHABILITATION, LLC
015047	05/03/2012	06/07/2012	NORTHWAY HEALTH AND REHABILITATION, LLC

STREET				
1424 NORTH 25TH STREET	BIRMINGHAM	AL	35234	2053285870
1424 NORTH 25TH STREET	BIRMINGHAM	AL	35234	2053285870
1424 NORTH 25TH STREET	BIRMINGHAM	AL	35234	2053285870
1424 NORTH 25TH STREET	BIRMINGHAM	AL	35234	2053285870
1424 NORTH 25TH STREET	BIRMINGHAM	AL	35234	2053285870
1424 NORTH 25TH STREET	BIRMINGHAM	AL	35234	2053285870
1424 NORTH 25TH STREET	BIRMINGHAM	AL	35234	2053285870
1424 NORTH 25TH STREET	BIRMINGHAM	AL	35234	2053285870

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Pharmacy Service Deficiencies

smoke from passing through and would resist fire for at least one hour.		
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
rooms that can be unlocked from inside without a key.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
proper medical gas storage and administration areas.	Some	2
properly installed electrical wiring and equipment.	Some	2
Properly hold, secure and manage each resident's personal money which is deposited with the nursing home.	Few	2
Provide housekeeping and maintenance services.	Some	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015047	05/03/2012	06/07/2012	NORTHWAY HEALTH AND REHABILITATION, LLC
015047	05/09/2012	06/13/2012	NORTHWAY HEALTH AND REHABILITATION, LLC
015047	05/09/2012	06/13/2012	NORTHWAY HEALTH AND REHABILITATION, LLC
015047	05/09/2012	06/13/2012	NORTHWAY HEALTH AND REHABILITATION, LLC
015047	05/09/2012	06/13/2012	NORTHWAY HEALTH AND REHABILITATION, LLC
015047	05/09/2012	06/13/2012	NORTHWAY HEALTH AND REHABILITATION, LLC
015047	05/09/2012	06/13/2012	NORTHWAY HEALTH AND REHABILITATION, LLC
015047	05/09/2012	06/13/2012	NORTHWAY HEALTH AND REHABILITATION, LLC

1424 NORTH 25TH STREET	BIRMINGHAM	AL	35234	2053285870
1424 NORTH 25TH STREET	BIRMINGHAM	AL	35234	2053285870
1424 NORTH 25TH STREET	BIRMINGHAM	AL	35234	2053285870
1424 NORTH 25TH STREET	BIRMINGHAM	AL	35234	2053285870
1424 NORTH 25TH STREET	BIRMINGHAM	AL	35234	2053285870
1424 NORTH 25TH STREET	BIRMINGHAM	AL	35234	2053285870
1424 NORTH 25TH STREET	BIRMINGHAM	AL	35234	2053285870
1424 NORTH 25TH STREET	BIRMINGHAM	AL	35234	2053285870

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies

pharmacist.		
Have a program that investigates, controls and keeps infection from spreading.	Few	2
corridors that are separated from common areas by walls constructed to limit the passage of smoke.	Few	2
corridor and hallway doors that block smoke.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Many	2
automatic sprinkler systems that have been maintained in working order.	Many	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Few	2
other fire safety features required by fire safety codes.	Few	2

015047	05/09/2012	06/13/2012	NORTHWAY HEALTH AND REHABILITATION, LLC
015047	05/09/2012	06/13/2012	NORTHWAY HEALTH AND REHABILITATION, LLC
015048	11/05/2009	12/01/2009	CULLMAN HEALTH CARE CENTER
015048	11/05/2009	12/01/2009	CULLMAN HEALTH CARE CENTER
015048	11/05/2009	12/01/2009	CULLMAN HEALTH CARE CENTER
015048	11/05/2009	12/01/2009	CULLMAN HEALTH CARE CENTER
015048	11/05/2009	12/01/2009	CULLMAN HEALTH CARE CENTER
015048	11/10/2009	11/24/2009	CULLMAN HEALTH CARE CENTER
015048	11/10/2009	11/24/2009	CULLMAN HEALTH CARE CENTER

1424 NORTH 25TH STREET	BIRMINGHAM	AL	35234	2053285870
1424 NORTH 25TH STREET	BIRMINGHAM	AL	35234	2053285870
1607 MAIN AVE NE	CULLMAN	AL	35055	2567348745
1607 MAIN AVE NE	CULLMAN	AL	35055	2567348745
1607 MAIN AVE NE	CULLMAN	AL	35055	2567348745
1607 MAIN AVE NE	CULLMAN	AL	35055	2567348745
1607 MAIN AVE NE	CULLMAN	AL	35055	2567348745
1607 MAIN AVE NE	CULLMAN	AL	35055	2567348745
1607 MAIN AVE NE	CULLMAN	AL	35055	2567348745

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

a separate and independent backup electrical power source.	Few	2
properly installed electrical wiring and equipment.	Few	2
Conduct initial and periodic assessments of each resident's functional capacity.	Few	2
Review or revise the resident's care plan after any major change in a resident's physical or mental health.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015048	11/10/2009	11/24/2009	CULLMAN HEALTH CARE CENTER
015048	11/10/2009	11/24/2009	CULLMAN HEALTH CARE CENTER
015048	11/10/2009	11/24/2009	CULLMAN HEALTH CARE CENTER
015048	11/10/2009	11/24/2009	CULLMAN HEALTH CARE CENTER
015048	11/10/2009	11/24/2009	CULLMAN HEALTH CARE CENTER
015048	11/10/2009	11/10/2009	CULLMAN HEALTH CARE CENTER
015048	12/02/2010	12/22/2010	CULLMAN HEALTH CARE CENTER
015048	12/07/2010	12/15/2010	CULLMAN HEALTH CARE CENTER
015048	12/07/2010	12/15/2010	CULLMAN HEALTH CARE CENTER

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

1607 MAIN AVE NE	CULLMAN	AL	35055	2567348745
1607 MAIN AVE NE	CULLMAN	AL	35055	2567348745
1607 MAIN AVE NE	CULLMAN	AL	35055	2567348745
1607 MAIN AVE NE	CULLMAN	AL	35055	2567348745
1607 MAIN AVE NE	CULLMAN	AL	35055	2567348745
1607 MAIN AVE NE	CULLMAN	AL	35055	2567348745
1607 MAIN AVE NE	CULLMAN	AL	35055	2567348745
1607 MAIN AVE NE	CULLMAN	AL	35055	2567348745
1607 MAIN AVE NE	CULLMAN	AL	35055	2567348745

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

hour.		
smoke barrier doors that can resist smoke for at least 20 minutes.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
record of quarterly fire drills for each shift under varying conditions.	Some	2
automatic sprinkler systems that have been maintained in working order.	Many	2
other fire safety features required by fire safety codes.	Some	2
properly installed electrical wiring and equipment.	Some	2
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Some	2
proper stairway enclosures and vertical shafts.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2

015048	12/07/2010	12/15/2010	CULLMAN HEALTH CARE CENTER
015048	01/12/2012	01/23/2012	CULLMAN HEALTH CARE CENTER
015048	01/12/2012	01/23/2012	CULLMAN HEALTH CARE CENTER
015048	01/12/2012	01/23/2012	CULLMAN HEALTH CARE CENTER
015048	01/12/2012	01/23/2012	CULLMAN HEALTH CARE CENTER
015048	01/12/2012	01/23/2012	CULLMAN HEALTH CARE CENTER
015049	10/08/2009	11/10/2009	EASTERN SHORE REHABILITATION AND HEALTH CENTER

1607 MAIN AVE NE	CULLMAN	AL	35055	2567348745
1607 MAIN AVE NE	CULLMAN	AL	35055	2567348745
1607 MAIN AVE NE	CULLMAN	AL	35055	2567348745
1607 MAIN AVE NE	CULLMAN	AL	35055	2567348745
1607 MAIN AVE NE	CULLMAN	AL	35055	2567348745
1607 MAIN AVE NE	CULLMAN	AL	35055	2567348745
1607 MAIN AVE NE	CULLMAN	AL	35055	2567348745
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200

FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
HEALTH	Quality Care Deficiencies

alarm system.		
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Few	2
proper stairway enclosures and vertical shafts.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
exits that are accessible at all times.	Some	2
a fire alarm system that can be heard throughout the facility.	Some	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Some	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015049	10/08/2009	11/10/2009	EASTERN SHORE REHABILITATION AND HEALTH CENTER
015049	10/08/2009	11/10/2009	EASTERN SHORE REHABILITATION AND HEALTH CENTER
015049	10/08/2009	11/10/2009	EASTERN SHORE REHABILITATION AND HEALTH CENTER
015049	10/15/2009	11/06/2009	EASTERN SHORE REHABILITATION AND HEALTH CENTER
015049	10/15/2009	11/06/2009	EASTERN SHORE REHABILITATION AND HEALTH CENTER
015049	10/15/2010	11/19/2010	EASTERN SHORE REHABILITATION AND HEALTH CENTER

101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
HEALTH	Quality Care Deficiencies

infections and restore normal bladder function.		
Make sure that special or therapeutic diets are ordered by the attending doctor.	Few	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
record of quarterly fire drills for each shift under varying conditions.	Some	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2

015049	10/15/2010	11/19/2010	EASTERN SHORE REHABILITATION AND HEALTH CENTER
015049	10/22/2010	12/17/2010	EASTERN SHORE REHABILITATION AND HEALTH CENTER
015049	10/22/2010	11/19/2010	EASTERN SHORE REHABILITATION AND HEALTH CENTER
015049	10/22/2010	12/17/2010	EASTERN SHORE REHABILITATION AND HEALTH CENTER
015049	10/06/2011	11/09/2011	EASTERN SHORE REHABILITATION AND HEALTH CENTER
015049	10/06/2011	11/09/2011	EASTERN SHORE REHABILITATION AND HEALTH CENTER
015049	10/06/2011	11/09/2011	EASTERN SHORE REHABILITATION AND HEALTH CENTER
015049	10/06/2011	11/09/2011	EASTERN SHORE REHABILITATION AND HEALTH CENTER

101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Mistreatment Deficiencies

Have a program that investigates, controls and keeps infection from spreading.	Few	2
corridor and hallway doors that block smoke.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
properly protected cooking facilities.	Many	1
Immediately tell the resident, the resident's doctor and a family member of the resident of situations (injury/decline/room, etc.) that affect the resident.	Some	2
Keep each resident's personal and medical records private and confidential.	Few	2
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Few	2
Develop policies that prevent mistreatment, neglect, or abuse	Few	2

015049	10/06/2011	11/09/2011	EASTERN SHORE REHABILITATION AND HEALTH CENTER
015049	10/06/2011	11/09/2011	EASTERN SHORE REHABILITATION AND HEALTH CENTER
015049	10/06/2011	11/09/2011	EASTERN SHORE REHABILITATION AND HEALTH CENTER
015049	10/06/2011	11/09/2011	EASTERN SHORE REHABILITATION AND HEALTH CENTER
015049	10/06/2011	11/09/2011	EASTERN SHORE REHABILITATION AND HEALTH CENTER
015049	10/06/2011	11/09/2011	EASTERN SHORE REHABILITATION AND HEALTH CENTER
015049	10/06/2011	11/09/2011	EASTERN SHORE REHABILITATION AND HEALTH CENTER

101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200

HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Environmental Deficiencies

of residents or theft of resident property.		
Review or revise the resident's care plan after any major change in a resident's physical or mental health.	Few	2
Completely assess the resident at least every twelve months.	Few	2
Check and assess each resident's assessment at least every 3 months.	Few	2
Make sure each resident receives an accurate assessment by a qualified health professional.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Some	2
Allow the resident the right to participate in the planning or revision of the resident's care plan.	Some	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable	Few	2

015049	10/06/2011	11/09/2011	EASTERN SHORE REHABILITATION AND HEALTH CENTER
015049	10/06/2011	11/09/2011	EASTERN SHORE REHABILITATION AND HEALTH CENTER
015049	10/06/2011	11/09/2011	EASTERN SHORE REHABILITATION AND HEALTH CENTER
015049	10/11/2011	11/15/2011	EASTERN SHORE REHABILITATION AND HEALTH CENTER
015049	10/11/2011	11/15/2011	EASTERN SHORE REHABILITATION AND HEALTH CENTER
015049	10/11/2011	11/15/2011	EASTERN SHORE REHABILITATION AND HEALTH CENTER
015049	10/11/2011	11/15/2011	EASTERN SHORE REHABILITATION AND HEALTH CENTER
015049	10/11/2011	11/15/2011	EASTERN SHORE REHABILITATION AND HEALTH CENTER

101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies

accidents.		
1) Make sure that each resident's drug regimen is free from unnecessary drugs; 2) Each resident's entire drug/medication is managed and monitored to achieve highest well being.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Some	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Some	2
automatic sprinkler systems that have been maintained in working order.	Many	2
properly protected cooking facilities.	Few	2
restrictions on the use of portable space heaters.	Many	1

			HEALTH CENTER
015049	10/11/2011	11/15/2011	EASTERN SHORE REHABILITATION AND HEALTH CENTER
015049	10/11/2011	11/15/2011	EASTERN SHORE REHABILITATION AND HEALTH CENTER
015049	10/11/2011	11/15/2011	EASTERN SHORE REHABILITATION AND HEALTH CENTER
015049	10/11/2011	11/15/2011	EASTERN SHORE REHABILITATION AND HEALTH CENTER
015049	10/11/2011	11/15/2011	EASTERN SHORE REHABILITATION AND HEALTH CENTER
015050	07/09/2010	08/12/2010	OAK TRACE CARE & REHABILITATION CENTER
015050	07/09/2010	08/12/2010	OAK TRACE CARE & REHABILITATION CENTER
015050	07/09/2010	08/12/2010	OAK TRACE CARE & REHABILITATION CENTER
015050	07/09/2010	08/12/2010	OAK TRACE CARE & REHABILITATION CENTER
015050	07/09/2010	08/12/2010	OAK TRACE CARE & REHABILITATION CENTER

BOX 1090				
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
101 VILLA DRIVE P O BOX 1090	DAPHNE	AL	36526	2516214200
325 SELMA ROAD	BESSEMER	AL	35020	2054289383
325 SELMA ROAD	BESSEMER	AL	35020	2054289383
325 SELMA ROAD	BESSEMER	AL	35020	2054289383
325 SELMA ROAD	BESSEMER	AL	35020	2054289383
325 SELMA ROAD	BESSEMER	AL	35020	2054289383

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

space heaters.		
restrictions on the use of highly flammable materials.	Many	1
proper medical gas storage and administration areas.	Many	1
properly constructed piped-in oxygen systems.	Few	2
weekly inspections and monthly testing of generators.	Few	2
properly installed electrical wiring and equipment.	Some	2
Send and promptly deliver unopened mail to residents.	Some	2
Determine if it is safe for the resident to self-administer drugs.	Few	2
Provide housekeeping and maintenance services.	Few	2
Assist those residents who need total help with eating/drinking, grooming and personal and oral hygiene.	Few	2
Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy,	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015050	07/09/2010	08/12/2010	OAK TRACE CARE & REHABILITATION CENTER
015050	07/15/2010	08/13/2010	OAK TRACE CARE & REHABILITATION CENTER
015050	07/15/2010	08/13/2010	OAK TRACE CARE & REHABILITATION CENTER
015050	07/15/2010	08/13/2010	OAK TRACE CARE & REHABILITATION CENTER
015050	07/15/2010	08/13/2010	OAK TRACE CARE & REHABILITATION CENTER
015050	07/15/2010	08/13/2010	OAK TRACE CARE & REHABILITATION CENTER
015050	04/21/2011	07/09/2011	OAK TRACE CARE & REHABILITATION CENTER
015050	04/21/2011	05/26/2011	OAK TRACE CARE & REHABILITATION CENTER

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

325 SELMA ROAD	BESSEMER	AL	35020	2054289383
325 SELMA ROAD	BESSEMER	AL	35020	2054289383
325 SELMA ROAD	BESSEMER	AL	35020	2054289383
325 SELMA ROAD	BESSEMER	AL	35020	2054289383
325 SELMA ROAD	BESSEMER	AL	35020	2054289383
325 SELMA ROAD	BESSEMER	AL	35020	2054289383
325 SELMA ROAD	BESSEMER	AL	35020	2054289383
325 SELMA ROAD	BESSEMER	AL	35020	2054289383

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Resident Assessment Deficiencies

tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.		
Have a program that investigates, controls and keeps infection from spreading.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
exits that are accessible at all times.	Some	2
automatic sprinkler systems that have been maintained in working order.	Few	2
restrictions on the use of flammable curtains.	Few	2
properly installed electrical wiring and equipment.	Few	2
Provide housekeeping and maintenance services.	Some	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2

015050	04/21/2011	05/26/2011	OAK TRACE CARE & REHABILITATION CENTER
015050	04/21/2011	07/09/2011	OAK TRACE CARE & REHABILITATION CENTER
015050	04/21/2011	07/09/2011	OAK TRACE CARE & REHABILITATION CENTER
015050	05/11/2011	07/09/2011	OAK TRACE CARE & REHABILITATION CENTER
015050	05/11/2011	07/09/2011	OAK TRACE CARE & REHABILITATION CENTER
015050	05/11/2011	07/09/2011	OAK TRACE CARE & REHABILITATION CENTER
015050	05/11/2011	07/09/2011	OAK TRACE CARE & REHABILITATION CENTER
015050	05/11/2011	07/09/2011	OAK TRACE CARE & REHABILITATION CENTER

325 SELMA ROAD	BESSEMER	AL	35020	2054289383
325 SELMA ROAD	BESSEMER	AL	35020	2054289383
325 SELMA ROAD	BESSEMER	AL	35020	2054289383
325 SELMA ROAD	BESSEMER	AL	35020	2054289383
325 SELMA ROAD	BESSEMER	AL	35020	2054289383
325 SELMA ROAD	BESSEMER	AL	35020	2054289383
325 SELMA ROAD	BESSEMER	AL	35020	2054289383
325 SELMA ROAD	BESSEMER	AL	35020	2054289383
325 SELMA ROAD	BESSEMER	AL	35020	2054289383

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Electrical Deficiencies

Make sure that each residents' abilities in activities of daily living do not decline, unless unavoidable.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Put firmly secured handrails on each side of hallways.	Few	2
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
exits that are accessible at all times.	Some	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Some	2
a separate and independent backup electrical power source.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015050	04/04/2012	05/09/2012	OAK TRACE CARE & REHABILITATION CENTER
015050	04/04/2012	05/09/2012	OAK TRACE CARE & REHABILITATION CENTER
015050	04/04/2012	05/09/2012	OAK TRACE CARE & REHABILITATION CENTER
015050	04/10/2012	05/15/2012	OAK TRACE CARE & REHABILITATION CENTER
015050	04/10/2012	05/15/2012	OAK TRACE CARE & REHABILITATION CENTER
015053	05/19/2010	05/21/2010	CLEBURNE COUNTY NURSING HOME
015053	05/19/2010	05/29/2010	CLEBURNE COUNTY NURSING HOME
015053	05/19/2010	06/02/2010	CLEBURNE COUNTY NURSING HOME
015053	05/19/2010	06/02/2010	CLEBURNE COUNTY NURSING HOME

325 SELMA ROAD	BESSEMER	AL	35020	2054289383
325 SELMA ROAD	BESSEMER	AL	35020	2054289383
325 SELMA ROAD	BESSEMER	AL	35020	2054289383
325 SELMA ROAD	BESSEMER	AL	35020	2054289383
325 SELMA ROAD	BESSEMER	AL	35020	2054289383
122 BROCKFORD ROAD	HEFLIN	AL	36264	2564632121
122 BROCKFORD ROAD	HEFLIN	AL	36264	2564632121
122 BROCKFORD ROAD	HEFLIN	AL	36264	2564632121
122 BROCKFORD ROAD	HEFLIN	AL	36264	2564632121

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

Provide a safe, clean, comfortable and homelike environment.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
corridors that are separated from common areas by walls constructed to limit the passage of smoke.	Some	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Some	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
did not have a written emergency evacuation plan.	Some	2
automatic sprinkler systems that have been maintained in working order.	Many	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015053	03/17/2011	04/20/2011	CLEBURNE COUNTY NURSING HOME
015053	03/17/2011	04/20/2011	CLEBURNE COUNTY NURSING HOME
015053	03/17/2011	04/20/2011	CLEBURNE COUNTY NURSING HOME
015053	03/22/2011	04/26/2011	CLEBURNE COUNTY NURSING HOME
015053	03/15/2012	04/20/2012	CLEBURNE COUNTY NURSING HOME
015053	03/15/2012	04/20/2012	CLEBURNE COUNTY NURSING HOME

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

122 BROCKFORD ROAD	HEFLIN	AL	36264	2564632121
122 BROCKFORD ROAD	HEFLIN	AL	36264	2564632121
122 BROCKFORD ROAD	HEFLIN	AL	36264	2564632121
122 BROCKFORD ROAD	HEFLIN	AL	36264	2564632121
122 BROCKFORD ROAD	HEFLIN	AL	36264	2564632121
122 BROCKFORD ROAD	HEFLIN	AL	36264	2564632121

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Quality Care Deficiencies

order.		
Give each resident a notice of rights, rules, services and charges. Tell each resident who can get Medicaid benefits about 1) which items and services Medicaid covers and which the resident must pay for.	Some	1
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Some	2
Store, cook, and serve food in a safe and clean way.	Many	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
Write and use policies that forbid mistreatment, neglect and abuse of residents and theft of residents' property.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2

015053	03/16/2012	04/20/2012	CLEBURNE COUNTY NURSING HOME
015053	03/16/2012	04/20/2012	CLEBURNE COUNTY NURSING HOME
015053	03/16/2012	04/20/2012	CLEBURNE COUNTY NURSING HOME
015053	03/16/2012	04/20/2012	CLEBURNE COUNTY NURSING HOME
015053	03/16/2012	04/20/2012	CLEBURNE COUNTY NURSING HOME
015053	03/16/2012	04/20/2012	CLEBURNE COUNTY NURSING HOME
015053	03/16/2012	04/20/2012	CLEBURNE COUNTY NURSING HOME
015053	03/16/2012	04/20/2012	CLEBURNE COUNTY NURSING HOME
015053	03/16/2012	04/20/2012	CLEBURNE COUNTY NURSING HOME
015060	05/13/2010	06/10/2010	TERRACE OAKS CARE & REHABILITATION CENTER

122 BROCKFORD ROAD	HEFLIN	AL	36264	2564632121
122 BROCKFORD ROAD	HEFLIN	AL	36264	2564632121
122 BROCKFORD ROAD	HEFLIN	AL	36264	2564632121
122 BROCKFORD ROAD	HEFLIN	AL	36264	2564632121
122 BROCKFORD ROAD	HEFLIN	AL	36264	2564632121
122 BROCKFORD ROAD	HEFLIN	AL	36264	2564632121
122 BROCKFORD ROAD	HEFLIN	AL	36264	2564632121
122 BROCKFORD ROAD	HEFLIN	AL	36264	2564632121
122 BROCKFORD ROAD	HEFLIN	AL	36264	2564632121
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249

FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies

approved construction type or materials.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
a fire alarm system that can be heard throughout the facility.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Few	2
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Many	1
restrictions on the use of portable space heaters.	Some	2
properly installed electrical wiring and equipment.	Few	2
Provide care for residents in a way that keeps or builds each	Some	2

			CENTER
015060	05/13/2010	06/10/2010	TERRACE OAKS CARE & REHABILITATION CENTER
015060	05/13/2010	06/10/2010	TERRACE OAKS CARE & REHABILITATION CENTER
015060	05/13/2010	06/10/2010	TERRACE OAKS CARE & REHABILITATION CENTER
015060	05/13/2010	06/10/2010	TERRACE OAKS CARE & REHABILITATION CENTER
015060	05/13/2010	06/10/2010	TERRACE OAKS CARE & REHABILITATION CENTER
015060	05/13/2010	06/10/2010	TERRACE OAKS CARE & REHABILITATION CENTER
015060	05/13/2010	06/10/2010	TERRACE OAKS CARE & REHABILITATION CENTER
015060	05/13/2010	06/10/2010	TERRACE OAKS CARE & REHABILITATION CENTER

HIGHWAY				
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies

way that keeps or builds each resident's dignity and respect of individuality.		
Provide housekeeping and maintenance services.	Some	2
Provide doctors orders for the resident's immediate care, at the time the resident was admitted.	Few	2
Review or revise the resident's care plan after any major change in a resident's physical or mental health.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Provide care by qualified persons according to each resident's written plan of care.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Some	2
Provide bedrooms that don't allow residents to see each other when privacy is needed.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015060	05/13/2010	06/10/2010	TERRACE OAKS CARE & REHABILITATION CENTER
015060	05/28/2010	06/18/2010	TERRACE OAKS CARE & REHABILITATION CENTER
015060	05/28/2010	06/18/2010	TERRACE OAKS CARE & REHABILITATION CENTER
015060	05/28/2010	06/18/2010	TERRACE OAKS CARE & REHABILITATION CENTER
015060	05/28/2010	06/18/2010	TERRACE OAKS CARE & REHABILITATION CENTER
015060	05/28/2010	06/18/2010	TERRACE OAKS CARE & REHABILITATION CENTER
015060	05/28/2010	06/18/2010	TERRACE OAKS CARE & REHABILITATION CENTER
015060	05/28/2010	06/18/2010	TERRACE OAKS CARE & REHABILITATION CENTER
015060	05/28/2010	06/18/2010	TERRACE OAKS CARE & REHABILITATION CENTER

4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies

when privacy is needed.		
Put firmly secured handrails on each side of hallways.	Many	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Some	2
record of quarterly fire drills for each shift under varying conditions.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
automatic sprinkler systems that have been maintained in working order.	Few	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide	Few	2

015060	05/28/2010	06/18/2010	TERRACE OAKS CARE & REHABILITATION CENTER
015060	05/28/2010	06/18/2010	TERRACE OAKS CARE & REHABILITATION CENTER
015060	03/10/2011	04/30/2011	TERRACE OAKS CARE & REHABILITATION CENTER
015060	03/10/2011	04/30/2011	TERRACE OAKS CARE & REHABILITATION CENTER
015060	03/10/2011	04/30/2011	TERRACE OAKS CARE & REHABILITATION CENTER
015060	03/10/2011	04/30/2011	TERRACE OAKS CARE & REHABILITATION CENTER

4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Pharmacy Service Deficiencies

permitted or did not provide ashtrays where smoking was allowed.		
exits that are free from obstructions and can be used at all times.	Some	2
properly installed electrical wiring and equipment.	Some	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
1) Make sure that each resident's drug regimen is free from unnecessary drugs; 2) Each	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015060	03/10/2011	04/30/2011	TERRACE OAKS CARE & REHABILITATION CENTER
015060	03/17/2011	04/15/2011	TERRACE OAKS CARE & REHABILITATION CENTER
015060	03/17/2011	04/15/2011	TERRACE OAKS CARE & REHABILITATION CENTER
015060	03/17/2011	04/15/2011	TERRACE OAKS CARE & REHABILITATION CENTER
015060	03/17/2011	04/15/2011	TERRACE OAKS CARE & REHABILITATION CENTER
015060	03/17/2011	04/15/2011	TERRACE OAKS CARE & REHABILITATION CENTER
015060	03/17/2011	04/15/2011	TERRACE OAKS CARE & REHABILITATION CENTER
015060	03/17/2011	04/15/2011	TERRACE OAKS CARE & REHABILITATION CENTER
015060	04/12/2012	05/05/2012	TERRACE OAKS CARE & REHABILITATION CENTER

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies

resident's entire drug/medication is managed and monitored to achieve highest well being.		
Store, cook, and serve food in a safe and clean way.	Many	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2
portable fire extinguishers.	Few	2
exits that are free from obstructions and can be used at all times.	Some	2
proper medical gas storage and administration areas.	Few	2
properly installed electrical wiring and equipment.	Many	1
corridor and hallway doors that block smoke.	Some	2

015060	04/12/2012	05/05/2012	TERRACE OAKS CARE & REHABILITATION CENTER
015060	04/12/2012	05/05/2012	TERRACE OAKS CARE & REHABILITATION CENTER
015060	04/12/2012	05/05/2012	TERRACE OAKS CARE & REHABILITATION CENTER
015060	04/12/2012	05/05/2012	TERRACE OAKS CARE & REHABILITATION CENTER
015060	04/12/2012	05/05/2012	TERRACE OAKS CARE & REHABILITATION CENTER
015060	04/12/2012	05/05/2012	TERRACE OAKS CARE & REHABILITATION CENTER
015063	11/06/2009	12/11/2009	GOLDEN LIVING CENTER - BOAZ
015063	11/06/2009	12/11/2009	GOLDEN LIVING CENTER - BOAZ
015063	11/06/2009	12/11/2009	GOLDEN LIVING CENTER - BOAZ

4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
4201 BESSEMER HIGHWAY	BESSEMER	AL	35021	2054283249
600 CORLEY AVENUE	BOAZ	AL	35957	2565938380
600 CORLEY AVENUE	BOAZ	AL	35957	2565938380
600 CORLEY AVENUE	BOAZ	AL	35957	2565938380

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
portable fire extinguishers.	Few	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Some	2
properly protected cooking facilities.	Some	2
a separate and independent backup electrical power source.	Few	2
Make sure each resident receives an accurate assessment by a qualified health professional.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Give residents proper treatment to prevent new bed (pressure)	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015063	11/06/2009	12/11/2009	GOLDEN LIVING CENTER - BOAZ
015063	11/11/2009	12/10/2009	GOLDEN LIVING CENTER - BOAZ
015063	11/11/2009	12/10/2009	GOLDEN LIVING CENTER - BOAZ
015063	07/15/2010	08/19/2010	GOLDEN LIVING CENTER - BOAZ
015063	07/15/2010	08/19/2010	GOLDEN LIVING CENTER - BOAZ
015063	07/15/2010	08/19/2010	GOLDEN LIVING CENTER - BOAZ
015063	07/15/2010	08/19/2010	GOLDEN LIVING CENTER - BOAZ

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

600 CORLEY AVENUE	BOAZ	AL	35957	2565938380
600 CORLEY AVENUE	BOAZ	AL	35957	2565938380
600 CORLEY AVENUE	BOAZ	AL	35957	2565938380
600 CORLEY AVENUE	BOAZ	AL	35957	2565938380
600 CORLEY AVENUE	BOAZ	AL	35957	2565938380
600 CORLEY AVENUE	BOAZ	AL	35957	2565938380
600 CORLEY AVENUE	BOAZ	AL	35957	2565938380

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Administration Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies

to prevent new bed (pressure) sores or heal existing bed sores.		
Keep complete, dated lab records in the resident's file.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
automatic sprinkler systems that have been maintained in working order.	Few	2
Follow policies and procedures to convey the resident's personal funds to the appropriate party responsible after the resident's death.	Few	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	3
Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015063	07/28/2010	08/19/2010	GOLDEN LIVING CENTER - BOAZ
015063	07/28/2010	08/19/2010	GOLDEN LIVING CENTER - BOAZ
015063	07/28/2010	08/19/2010	GOLDEN LIVING CENTER - BOAZ
015063	07/28/2010	08/19/2010	GOLDEN LIVING CENTER - BOAZ
015063	07/28/2010	08/19/2010	GOLDEN LIVING CENTER - BOAZ
015063	09/15/2011	10/07/2011	GOLDEN LIVING CENTER - BOAZ
015063	09/21/2011	10/26/2011	GOLDEN LIVING CENTER - BOAZ
015063	09/21/2011	10/26/2011	GOLDEN LIVING CENTER - BOAZ
015063	09/21/2011	10/26/2011	GOLDEN LIVING CENTER - BOAZ

600 CORLEY AVENUE	BOAZ	AL	35957	2565938380
600 CORLEY AVENUE	BOAZ	AL	35957	2565938380
600 CORLEY AVENUE	BOAZ	AL	35957	2565938380
600 CORLEY AVENUE	BOAZ	AL	35957	2565938380
600 CORLEY AVENUE	BOAZ	AL	35957	2565938380
600 CORLEY AVENUE	BOAZ	AL	35957	2565938380
600 CORLEY AVENUE	BOAZ	AL	35957	2565938380
600 CORLEY AVENUE	BOAZ	AL	35957	2565938380
600 CORLEY AVENUE	BOAZ	AL	35957	2565938380

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies

walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
a fire alarm system that can be heard throughout the facility.	Many	1
automatic sprinkler systems that have been maintained in working order.	Few	2
properly protected cooking facilities.	Many	1
Make sure that the nursing home area is safe, easy to use, clean and comfortable for residents, staff and the public.	Many	2
exits that are accessible at all times.	Few	2
record of quarterly fire drills for each shift under varying conditions.	Many	1
an approved installation, maintenance and testing program for fire alarm systems.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015063	09/21/2011	10/26/2011	GOLDEN LIVING CENTER - BOAZ
015063	09/21/2011	10/26/2011	GOLDEN LIVING CENTER - BOAZ
015063	09/21/2011	10/26/2011	GOLDEN LIVING CENTER - BOAZ
015063	09/21/2011	10/26/2011	GOLDEN LIVING CENTER - BOAZ
015063	09/21/2011	10/26/2011	GOLDEN LIVING CENTER - BOAZ
015065	03/04/2010	04/08/2010	PRATTVILLE HEALTH AND REHABILITATION, LLC
015065	03/09/2010	04/08/2010	PRATTVILLE HEALTH AND REHABILITATION, LLC
015065	03/09/2010	04/08/2010	PRATTVILLE HEALTH AND REHABILITATION, LLC
015065	03/09/2010	04/08/2010	PRATTVILLE HEALTH AND REHABILITATION, LLC

600 CORLEY AVENUE	BOAZ	AL	35957	2565938380
600 CORLEY AVENUE	BOAZ	AL	35957	2565938380
600 CORLEY AVENUE	BOAZ	AL	35957	2565938380
600 CORLEY AVENUE	BOAZ	AL	35957	2565938380
600 CORLEY AVENUE	BOAZ	AL	35957	2565938380
601 JASMINE TRAIL	PRATTVILLE	AL	36066	3343652241
601 JASMINE TRAIL	PRATTVILLE	AL	36066	3343652241
601 JASMINE TRAIL	PRATTVILLE	AL	36066	3343652241
601 JASMINE TRAIL	PRATTVILLE	AL	36066	3343652241

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies

for fire alarm systems.		
automatic sprinkler systems that have been maintained in working order.	Some	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Few	2
proper medical gas storage and administration areas.	Few	2
a separate and independent backup electrical power source.	Few	2
properly installed electrical wiring and equipment.	Some	2
Store, cook, and serve food in a safe and clean way.	Many	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Few	2
construction that can resist fire for one hour or an approved fire	Some	2

			LLC
015065	03/09/2010	04/08/2010	PRATTVILLE HEALTH AND REHABILITATION, LLC
015065	03/09/2010	04/08/2010	PRATTVILLE HEALTH AND REHABILITATION, LLC
015065	03/09/2010	04/08/2010	PRATTVILLE HEALTH AND REHABILITATION, LLC
015065	03/09/2010	04/08/2010	PRATTVILLE HEALTH AND REHABILITATION, LLC
015065	01/21/2011	02/21/2011	PRATTVILLE HEALTH AND REHABILITATION, LLC
015065	01/21/2011	02/21/2011	PRATTVILLE HEALTH AND REHABILITATION, LLC
015065	01/21/2011	02/21/2011	PRATTVILLE HEALTH AND REHABILITATION, LLC

601 JASMINE TRAIL	PRATTVILLE	AL	36066	3343652241
601 JASMINE TRAIL	PRATTVILLE	AL	36066	3343652241
601 JASMINE TRAIL	PRATTVILLE	AL	36066	3343652241
601 JASMINE TRAIL	PRATTVILLE	AL	36066	3343652241
601 JASMINE TRAIL	PRATTVILLE	AL	36066	3343652241
601 JASMINE TRAIL	PRATTVILLE	AL	36066	3343652241
601 JASMINE TRAIL	PRATTVILLE	AL	36066	3343652241
601 JASMINE TRAIL	PRATTVILLE	AL	36066	3343652241

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies

for one hour or an approved fire extinguishing system.		
automatic sprinkler systems that have been maintained in working order.	Few	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Some	2
other fire safety features required by fire safety codes.	Few	2
weekly inspections and monthly testing of generators.	Some	2
Follow policies and procedures to convey the resident's personal funds to the appropriate party responsible after the resident's death.	Few	2
Provide proof that all residents' personal money which is deposited with the nursing home, is secure.	Many	2
Provide care by qualified persons according to each resident's written plan of care.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015065	01/21/2011	02/21/2011	PRATTVILLE HEALTH AND REHABILITATION, LLC
015065	01/24/2011	02/21/2011	PRATTVILLE HEALTH AND REHABILITATION, LLC
015065	01/24/2011	02/21/2011	PRATTVILLE HEALTH AND REHABILITATION, LLC
015065	01/24/2011	02/21/2011	PRATTVILLE HEALTH AND REHABILITATION, LLC
015065	12/08/2011	01/05/2012	PRATTVILLE HEALTH AND REHABILITATION, LLC
015065	12/08/2011	01/05/2012	PRATTVILLE HEALTH AND REHABILITATION, LLC
015065	12/08/2011	01/05/2012	PRATTVILLE HEALTH AND REHABILITATION, LLC
015065	12/08/2011	01/31/2012	PRATTVILLE HEALTH AND REHABILITATION, LLC
015065	12/08/2011	01/31/2012	PRATTVILLE HEALTH AND REHABILITATION, LLC
015065	12/08/2011	01/05/2012	PRATTVILLE HEALTH AND REHABILITATION, LLC

601 JASMINE TRAIL	PRATTVILLE	AL	36066	3343652241
601 JASMINE TRAIL	PRATTVILLE	AL	36066	3343652241
601 JASMINE TRAIL	PRATTVILLE	AL	36066	3343652241
601 JASMINE TRAIL	PRATTVILLE	AL	36066	3343652241
601 JASMINE TRAIL	PRATTVILLE	AL	36066	3343652241
601 JASMINE TRAIL	PRATTVILLE	AL	36066	3343652241
601 JASMINE TRAIL	PRATTVILLE	AL	36066	3343652241
601 JASMINE TRAIL	PRATTVILLE	AL	36066	3343652241
601 JASMINE TRAIL	PRATTVILLE	AL	36066	3343652241
601 JASMINE TRAIL	PRATTVILLE	AL	36066	3343652241

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

Store, cook, and serve food in a safe and clean way.	Many	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
a separate and independent backup electrical power source.	Many	2
corridor and hallway doors that block smoke.	Some	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
automatic sprinkler systems that have been maintained in working order.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015065	12/08/2011	01/05/2012	PRATTVILLE HEALTH AND REHABILITATION, LLC
015065	12/08/2011	01/05/2012	PRATTVILLE HEALTH AND REHABILITATION, LLC
015065	12/08/2011	01/05/2012	PRATTVILLE HEALTH AND REHABILITATION, LLC
015065	12/08/2011	01/05/2012	PRATTVILLE HEALTH AND REHABILITATION, LLC
015065	12/08/2011	01/12/2012	PRATTVILLE HEALTH AND REHABILITATION, LLC
015065	12/08/2011	01/12/2012	PRATTVILLE HEALTH AND REHABILITATION, LLC
015065	12/08/2011	01/12/2012	PRATTVILLE HEALTH AND REHABILITATION, LLC

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

601 JASMINE TRAIL	PRATTVILLE	AL	36066	3343652241
601 JASMINE TRAIL	PRATTVILLE	AL	36066	3343652241
601 JASMINE TRAIL	PRATTVILLE	AL	36066	3343652241
601 JASMINE TRAIL	PRATTVILLE	AL	36066	3343652241
601 JASMINE TRAIL	PRATTVILLE	AL	36066	3343652241
601 JASMINE TRAIL	PRATTVILLE	AL	36066	3343652241
601 JASMINE TRAIL	PRATTVILLE	AL	36066	3343652241

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies

order.		
restrictions on the use of portable space heaters.	Few	2
proper medical gas storage and administration areas.	Few	2
other fire safety features required by fire safety codes.	Few	2
properly installed electrical wiring and equipment.	Many	1
Allow the resident the right to participate in the planning or revision of the resident's care plan.	Some	1
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2

015065	12/08/2011	02/13/2012	PRATTVILLE HEALTH AND REHABILITATION, LLC
015066	03/11/2010	04/15/2010	TERRACE MANOR NURSING & REHABILITATION CENTER, INC
015066	03/11/2010	04/15/2010	TERRACE MANOR NURSING & REHABILITATION CENTER, INC
015066	03/11/2010	04/15/2010	TERRACE MANOR NURSING & REHABILITATION CENTER, INC
015066	03/11/2010	04/15/2010	TERRACE MANOR NURSING & REHABILITATION CENTER, INC
015066	03/17/2010	04/01/2010	TERRACE MANOR NURSING & REHABILITATION CENTER, INC
015066	03/17/2010	04/01/2010	TERRACE MANOR NURSING &

601 JASMINE TRAIL	PRATTVILLE	AL	36066	3343652241
390 UNDERWOOD ROAD	RUSSELLVILLE	AL	35653	2563323826
390 UNDERWOOD ROAD	RUSSELLVILLE	AL	35653	2563323826
390 UNDERWOOD ROAD	RUSSELLVILLE	AL	35653	2563323826
390 UNDERWOOD ROAD	RUSSELLVILLE	AL	35653	2563323826
390 UNDERWOOD ROAD	RUSSELLVILLE	AL	35653	2563323826
390 UNDERWOOD	RUSSELLVILLE	AL	35653	2563323826

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies

Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Some	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Some	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Dispose of garbage and refuse properly.	Many	1
Have a program that investigates, controls and keeps infection from spreading.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire	Few	2

			REHABILITATION CENTER, INC
015066	03/17/2010	04/01/2010	TERRACE MANOR NURSING & REHABILITATION CENTER, INC
015066	03/17/2010	04/15/2010	TERRACE MANOR NURSING & REHABILITATION CENTER, INC
015066	02/24/2011	03/14/2011	TERRACE MANOR NURSING & REHABILITATION CENTER, INC
015066	03/01/2011	03/10/2011	TERRACE MANOR NURSING & REHABILITATION CENTER, INC
015066	03/01/2011	03/10/2011	TERRACE MANOR NURSING & REHABILITATION CENTER, INC
015066	03/15/2012	04/19/2012	TERRACE MANOR NURSING & REHABILITATION CENTER, INC
015066	03/15/2012	04/19/2012	TERRACE MANOR NURSING & REHABILITATION CENTER, INC
015066	03/15/2012	04/19/2012	TERRACE MANOR NURSING & REHABILITATION CENTER, INC

ROAD				
390 UNDERWOOD ROAD	RUSSELLVILLE	AL	35653	2563323826
390 UNDERWOOD ROAD	RUSSELLVILLE	AL	35653	2563323826
390 UNDERWOOD ROAD	RUSSELLVILLE	AL	35653	2563323826
390 UNDERWOOD ROAD	RUSSELLVILLE	AL	35653	2563323826
390 UNDERWOOD ROAD	RUSSELLVILLE	AL	35653	2563323826
390 UNDERWOOD ROAD	RUSSELLVILLE	AL	35653	2563323826
390 UNDERWOOD ROAD	RUSSELLVILLE	AL	35653	2563323826
390 UNDERWOOD ROAD	RUSSELLVILLE	AL	35653	2563323826
390 UNDERWOOD ROAD	RUSSELLVILLE	AL	35653	2563323826

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies

for one hour or an approved fire extinguishing system.		
properly protected cooking facilities.	Few	2
weekly inspections and monthly testing of generators.	Few	2
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
a separate and independent backup electrical power source.	Many	1
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Review or revise the resident's care plan after any major change in a resident's physical or mental health.	Few	2
Provide care by qualified persons according to each resident's written plan of care.	Few	2

015066	03/15/2012	04/19/2012	TERRACE MANOR NURSING & REHABILITATION CENTER, INC
015066	03/15/2012	04/19/2012	TERRACE MANOR NURSING & REHABILITATION CENTER, INC
015066	03/20/2012	04/23/2012	TERRACE MANOR NURSING & REHABILITATION CENTER, INC
015066	03/20/2012	04/23/2012	TERRACE MANOR NURSING & REHABILITATION CENTER, INC
015066	03/20/2012	04/23/2012	TERRACE MANOR NURSING & REHABILITATION CENTER, INC
015066	03/20/2012	04/23/2012	TERRACE MANOR NURSING & REHABILITATION CENTER, INC
015066	03/20/2012	04/23/2012	TERRACE MANOR NURSING & REHABILITATION CENTER, INC
015067	06/24/2010	07/23/2010	COTTAGE OF THE SHOALS CARE & REHABILITATION CENTER

390 UNDERWOOD ROAD	RUSSELLVILLE	AL	35653	2563323826
390 UNDERWOOD ROAD	RUSSELLVILLE	AL	35653	2563323826
390 UNDERWOOD ROAD	RUSSELLVILLE	AL	35653	2563323826
390 UNDERWOOD ROAD	RUSSELLVILLE	AL	35653	2563323826
390 UNDERWOOD ROAD	RUSSELLVILLE	AL	35653	2563323826
390 UNDERWOOD ROAD	RUSSELLVILLE	AL	35653	2563323826
390 UNDERWOOD ROAD	RUSSELLVILLE	AL	35653	2563323826
500 JOHN ALDRIDGE DRIVE	TUSCUMBIA	AL	35674	2563834541

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Quality Care Deficiencies

written plan of care.		
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Some	2
corridors that are separated from common areas by walls constructed to limit the passage of smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
exits that are accessible at all times.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Many	1
Make sure that each resident who enters the nursing home without a catheter is not given a	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015067	06/24/2010	07/23/2010	COTTAGE OF THE SHOALS CARE & REHABILITATION CENTER
015067	07/01/2010	07/29/2010	COTTAGE OF THE SHOALS CARE & REHABILITATION CENTER
015067	07/01/2010	07/29/2010	COTTAGE OF THE SHOALS CARE & REHABILITATION CENTER
015067	07/01/2010	07/29/2010	COTTAGE OF THE SHOALS CARE & REHABILITATION CENTER
015067	05/26/2011	06/08/2011	COTTAGE OF THE SHOALS CARE & REHABILITATION CENTER
015067	05/26/2011	05/12/2011	COTTAGE OF THE SHOALS CARE & REHABILITATION CENTER

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

500 JOHN ALDRIDGE DRIVE	TUSCUMBIA	AL	35674	2563834541
500 JOHN ALDRIDGE DRIVE	TUSCUMBIA	AL	35674	2563834541
500 JOHN ALDRIDGE DRIVE	TUSCUMBIA	AL	35674	2563834541
500 JOHN ALDRIDGE DRIVE	TUSCUMBIA	AL	35674	2563834541
500 JOHN ALDRIDGE DRIVE	TUSCUMBIA	AL	35674	2563834541
500 JOHN ALDRIDGE DRIVE	TUSCUMBIA	AL	35674	2563834541

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies

without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.		
Have a program that investigates, controls and keeps infection from spreading.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
Immediately tell the resident, the resident's doctor and a family member of the resident of situations (injury/decline/room, etc.) that affect the resident.	Few	4
Make sure services provided by the nursing facility meet professional standards of quality.	Few	4

015067	05/26/2011	06/08/2011	COTTAGE OF THE SHOALS CARE & REHABILITATION CENTER
015067	06/08/2011	06/30/2011	COTTAGE OF THE SHOALS CARE & REHABILITATION CENTER
015067	06/08/2011	06/30/2011	COTTAGE OF THE SHOALS CARE & REHABILITATION CENTER
015067	03/19/2012	04/25/2012	COTTAGE OF THE SHOALS CARE & REHABILITATION CENTER
015067	03/19/2012	04/25/2012	COTTAGE OF THE SHOALS CARE & REHABILITATION CENTER
015067	03/19/2012	04/25/2012	COTTAGE OF THE SHOALS CARE & REHABILITATION CENTER
015067	03/19/2012	04/25/2012	COTTAGE OF THE SHOALS CARE & REHABILITATION CENTER
015071	07/30/2009	08/06/2009	RUSSELLVILLE HEALTH CARE INC
015071	07/30/2009	10/16/2009	RUSSELLVILLE HEALTH CARE INC

500 JOHN ALDRIDGE DRIVE	TUSCUMBIA	AL	35674	2563834541
500 JOHN ALDRIDGE DRIVE	TUSCUMBIA	AL	35674	2563834541
500 JOHN ALDRIDGE DRIVE	TUSCUMBIA	AL	35674	2563834541
500 JOHN ALDRIDGE DRIVE	TUSCUMBIA	AL	35674	2563834541
500 JOHN ALDRIDGE DRIVE	TUSCUMBIA	AL	35674	2563834541
500 JOHN ALDRIDGE DRIVE	TUSCUMBIA	AL	35674	2563834541
500 JOHN ALDRIDGE DRIVE	TUSCUMBIA	AL	35674	2563834541
705 NORTHEAST GANDY STREET	RUSSELLVILLE	AL	35653	2563323773
705 NORTHEAST GANDY STREET	RUSSELLVILLE	AL	35653	2563323773

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

Provide necessary care and services to maintain the highest well being of each resident .	Few	4
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
portable fire extinguishers.	Many	1
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
exits that are free from obstructions and can be used at all times.	Few	2
Make sure that private space is available in the nursing home for resident groups or residents' families to meet.	Some	2
Store, cook, and serve food in a safe and clean way.	Many	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015071	08/03/2009	08/25/2009	RUSSELLVILLE HEALTH CARE INC
015071	08/26/2010	09/30/2010	RUSSELLVILLE HEALTH CARE INC
015071	08/26/2010	09/30/2010	RUSSELLVILLE HEALTH CARE INC
015071	08/26/2010	09/30/2010	RUSSELLVILLE HEALTH CARE INC
015071	08/26/2010	09/30/2010	RUSSELLVILLE HEALTH CARE INC
015071	08/26/2010	09/30/2010	RUSSELLVILLE HEALTH CARE INC
015071	08/26/2010	09/30/2010	RUSSELLVILLE HEALTH CARE INC
015071	09/01/2010	09/30/2010	RUSSELLVILLE HEALTH CARE INC

705 NORTHEAST GANDY STREET	RUSSELLVILLE	AL	35653	2563323773
705 NORTHEAST GANDY STREET	RUSSELLVILLE	AL	35653	2563323773
705 NORTHEAST GANDY STREET	RUSSELLVILLE	AL	35653	2563323773
705 NORTHEAST GANDY STREET	RUSSELLVILLE	AL	35653	2563323773
705 NORTHEAST GANDY STREET	RUSSELLVILLE	AL	35653	2563323773
705 NORTHEAST GANDY STREET	RUSSELLVILLE	AL	35653	2563323773
705 NORTHEAST GANDY STREET	RUSSELLVILLE	AL	35653	2563323773

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies

automatic sprinkler systems that have been maintained in working order.	Many	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Some	2
Have a program that investigates, controls and keeps infection from spreading.	Some	2
Make sure that nurse aides show they have the skills and techniques to be able to care for residents' needs.	Few	2
construction that can resist fire for one hour or an approved fire	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015071	09/01/2010	09/30/2010	RUSSELLVILLE HEALTH CARE INC
015071	09/01/2010	09/30/2010	RUSSELLVILLE HEALTH CARE INC
015071	09/01/2010	09/30/2010	RUSSELLVILLE HEALTH CARE INC
015071	09/01/2010	09/30/2010	RUSSELLVILLE HEALTH CARE INC
015071	08/16/2011	09/20/2011	RUSSELLVILLE HEALTH CARE INC
015071	08/16/2011	09/20/2011	RUSSELLVILLE HEALTH CARE INC
015071	08/16/2011	09/20/2011	RUSSELLVILLE HEALTH CARE INC
015073	04/22/2010	05/24/2010	HANCEVILLE NURSING & REHAB CENTER, INC
015073	04/22/2010	05/24/2010	HANCEVILLE NURSING & REHAB CENTER, INC

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

705 NORTHEAST GANDY STREET	RUSSELLVILLE	AL	35653	2563323773
705 NORTHEAST GANDY STREET	RUSSELLVILLE	AL	35653	2563323773
705 NORTHEAST GANDY STREET	RUSSELLVILLE	AL	35653	2563323773
705 NORTHEAST GANDY STREET	RUSSELLVILLE	AL	35653	2563323773
705 NORTHEAST GANDY STREET	RUSSELLVILLE	AL	35653	2563323773
705 NORTHEAST GANDY STREET	RUSSELLVILLE	AL	35653	2563323773
705 NORTHEAST GANDY STREET	RUSSELLVILLE	AL	35653	2563323773
420 MAIN STREET NE	HANCEVILLE	AL	35077	2563526481
420 MAIN STREET NE	HANCEVILLE	AL	35077	2563526481

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies

extinguishing system.		
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
properly protected cooking facilities.	Few	2
exits that are free from obstructions and can be used at all times.	Many	1
properly installed electrical wiring and equipment.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
properly protected cooking facilities.	Some	2
weekly inspections and monthly testing of generators.	Some	2
Provide proof that all residents' personal money which is deposited with the nursing home, is secure.	Some	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015073	04/22/2010	05/24/2010	HANCEVILLE NURSING & REHAB CENTER, INC
015073	04/22/2010	05/24/2010	HANCEVILLE NURSING & REHAB CENTER, INC
015073	04/28/2010	05/13/2010	HANCEVILLE NURSING & REHAB CENTER, INC
015073	04/28/2010	05/13/2010	HANCEVILLE NURSING & REHAB CENTER, INC
015073	03/10/2011	04/08/2011	HANCEVILLE NURSING & REHAB CENTER, INC
015073	03/10/2011	04/08/2011	HANCEVILLE NURSING & REHAB CENTER, INC
015073	03/10/2011	04/08/2011	HANCEVILLE NURSING & REHAB CENTER, INC

420 MAIN STREET NE	HANCEVILLE	AL	35077	2563526481
420 MAIN STREET NE	HANCEVILLE	AL	35077	2563526481
420 MAIN STREET NE	HANCEVILLE	AL	35077	2563526481
420 MAIN STREET NE	HANCEVILLE	AL	35077	2563526481
420 MAIN STREET NE	HANCEVILLE	AL	35077	2563526481
420 MAIN STREET NE	HANCEVILLE	AL	35077	2563526481
420 MAIN STREET NE	HANCEVILLE	AL	35077	2563526481

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Pharmacy Service Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
a fire alarm system that can be heard throughout the facility.	Some	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Make sure that residents with reduced range of motion get proper treatment and services to increase range of motion.	Few	2
Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy,	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015073	03/16/2011	04/15/2011	HANCEVILLE NURSING & REHAB CENTER, INC
015073	03/16/2011	04/15/2011	HANCEVILLE NURSING & REHAB CENTER, INC
015073	03/16/2011	04/15/2011	HANCEVILLE NURSING & REHAB CENTER, INC
015073	03/08/2012	04/12/2012	HANCEVILLE NURSING & REHAB CENTER, INC
015073	03/08/2012	04/12/2012	HANCEVILLE NURSING & REHAB CENTER, INC
015073	03/08/2012	04/12/2012	HANCEVILLE NURSING & REHAB CENTER, INC

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

420 MAIN STREET NE	HANCEVILLE	AL	35077	2563526481
420 MAIN STREET NE	HANCEVILLE	AL	35077	2563526481
420 MAIN STREET NE	HANCEVILLE	AL	35077	2563526481
420 MAIN STREET NE	HANCEVILLE	AL	35077	2563526481
420 MAIN STREET NE	HANCEVILLE	AL	35077	2563526481
420 MAIN STREET NE	HANCEVILLE	AL	35077	2563526481

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Quality Care Deficiencies

tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.		
smoke barrier doors that can resist smoke for at least 20 minutes.	Few	2
properly protected cooking facilities.	Few	2
weekly inspections and monthly testing of generators.	Some	1
Immediately tell the resident, the resident's doctor and a family member of the resident of situations (injury/decline/room, etc.) that affect the resident.	Few	2
Develop policies that prevent mistreatment, neglect, or abuse of residents or theft of resident property.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2

015073	03/08/2012	04/12/2012	HANCEVILLE NURSING & REHAB CENTER, INC
015073	03/08/2012	04/12/2012	HANCEVILLE NURSING & REHAB CENTER, INC
015073	03/13/2012	04/06/2012	HANCEVILLE NURSING & REHAB CENTER, INC
015073	03/13/2012	04/06/2012	HANCEVILLE NURSING & REHAB CENTER, INC
015073	03/13/2012	04/06/2012	HANCEVILLE NURSING & REHAB CENTER, INC
015073	03/13/2012	04/06/2012	HANCEVILLE NURSING & REHAB CENTER, INC
015073	03/13/2012	04/06/2012	HANCEVILLE NURSING & REHAB CENTER, INC
015073	03/13/2012	04/06/2012	HANCEVILLE NURSING & REHAB CENTER, INC

420 MAIN STREET NE	HANCEVILLE	AL	35077	2563526481
420 MAIN STREET NE	HANCEVILLE	AL	35077	2563526481
420 MAIN STREET NE	HANCEVILLE	AL	35077	2563526481
420 MAIN STREET NE	HANCEVILLE	AL	35077	2563526481
420 MAIN STREET NE	HANCEVILLE	AL	35077	2563526481
420 MAIN STREET NE	HANCEVILLE	AL	35077	2563526481
420 MAIN STREET NE	HANCEVILLE	AL	35077	2563526481
420 MAIN STREET NE	HANCEVILLE	AL	35077	2563526481
420 MAIN STREET NE	HANCEVILLE	AL	35077	2563526481

HEALTH	Pharmacy Service Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies

Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Some	2
properly protected cooking facilities.	Few	2

015073	03/13/2012	04/06/2012	HANCEVILLE NURSING & REHAB CENTER, INC
015073	03/13/2012	04/06/2012	HANCEVILLE NURSING & REHAB CENTER, INC
015075	03/26/2009	04/09/2009	SUMMERFORD NURSING HOME INC
015075	03/26/2009	04/09/2009	SUMMERFORD NURSING HOME INC
015075	03/26/2009	04/09/2009	SUMMERFORD NURSING HOME INC
015075	03/31/2009	03/31/2009	SUMMERFORD NURSING HOME INC
015075	03/31/2009	03/31/2009	SUMMERFORD NURSING HOME INC
015075	03/31/2009	05/05/2009	SUMMERFORD NURSING HOME INC

420 MAIN STREET NE	HANCEVILLE	AL	35077	2563526481
420 MAIN STREET NE	HANCEVILLE	AL	35077	2563526481
4087 HIGHWAY 31 SOUTHWEST	FALKVILLE	AL	35622	2567845275
4087 HIGHWAY 31 SOUTHWEST	FALKVILLE	AL	35622	2567845275
4087 HIGHWAY 31 SOUTHWEST	FALKVILLE	AL	35622	2567845275
4087 HIGHWAY 31 SOUTHWEST	FALKVILLE	AL	35622	2567845275
4087 HIGHWAY 31 SOUTHWEST	FALKVILLE	AL	35622	2567845275
4087 HIGHWAY 31 SOUTHWEST	FALKVILLE	AL	35622	2567845275
4087 HIGHWAY 31	FALKVILLE	AL	35622	2567845275

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

restrictions on the use of flammable curtains.	Some	2
properly installed electrical wiring and equipment.	Some	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Many	1
Give or get quality lab services/tests in a timely manner to meet the needs of residents.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Many	1
a fire alarm system that can be heard throughout the facility.	Many	2
an approved automatic sprinkler	Few	2

015075	07/09/2010	08/09/2010	SUMMERFORD NURSING HOME INC
015075	07/09/2010	08/09/2010	SUMMERFORD NURSING HOME INC
015075	07/09/2010	08/09/2010	SUMMERFORD NURSING HOME INC
015075	07/13/2010	08/13/2010	SUMMERFORD NURSING HOME INC
015075	07/13/2010	08/13/2010	SUMMERFORD NURSING HOME INC
015075	07/13/2010	08/13/2010	SUMMERFORD NURSING HOME INC
015075	07/13/2010	08/13/2010	SUMMERFORD NURSING HOME INC
015075	07/13/2010	08/13/2010	SUMMERFORD NURSING HOME INC

SOUTHWEST				
4087 HIGHWAY 31 SOUTHWEST	FALKVILLE	AL	35622	2567845275
4087 HIGHWAY 31 SOUTHWEST	FALKVILLE	AL	35622	2567845275
4087 HIGHWAY 31 SOUTHWEST	FALKVILLE	AL	35622	2567845275
4087 HIGHWAY 31 SOUTHWEST	FALKVILLE	AL	35622	2567845275
4087 HIGHWAY 31 SOUTHWEST	FALKVILLE	AL	35622	2567845275
4087 HIGHWAY 31 SOUTHWEST	FALKVILLE	AL	35622	2567845275
4087 HIGHWAY 31 SOUTHWEST	FALKVILLE	AL	35622	2567845275
4087 HIGHWAY 31 SOUTHWEST	FALKVILLE	AL	35622	2567845275
4087 HIGHWAY 31 SOUTHWEST	FALKVILLE	AL	35622	2567845275

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies

system connected to the fire alarm system.		
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Many	1
Make sure that special or therapeutic diets are ordered by the attending doctor.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
corridor and hallway doors that block smoke.	Few	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Few	2
did not have a written emergency evacuation plan.	Many	1

015075	07/13/2010	08/13/2010	SUMMERFORD NURSING HOME INC
015075	07/13/2010	08/13/2010	SUMMERFORD NURSING HOME INC
015075	07/13/2010	08/13/2010	SUMMERFORD NURSING HOME INC
015075	07/13/2010	08/13/2010	SUMMERFORD NURSING HOME INC
015075	07/13/2010	08/13/2010	SUMMERFORD NURSING HOME INC
015075	06/22/2011	07/27/2011	SUMMERFORD NURSING HOME INC
015075	06/22/2011	07/27/2011	SUMMERFORD NURSING HOME INC
015075	06/22/2011	07/27/2011	SUMMERFORD NURSING HOME INC
015075	06/22/2011	07/27/2011	SUMMERFORD NURSING HOME INC
015075	06/22/2011	07/27/2011	SUMMERFORD NURSING HOME INC

4087 HIGHWAY 31 SOUTHWEST	FALKVILLE	AL	35622	2567845275
4087 HIGHWAY 31 SOUTHWEST	FALKVILLE	AL	35622	2567845275
4087 HIGHWAY 31 SOUTHWEST	FALKVILLE	AL	35622	2567845275
4087 HIGHWAY 31 SOUTHWEST	FALKVILLE	AL	35622	2567845275
4087 HIGHWAY 31 SOUTHWEST	FALKVILLE	AL	35622	2567845275
4087 HIGHWAY 31 SOUTHWEST	FALKVILLE	AL	35622	2567845275
4087 HIGHWAY 31 SOUTHWEST	FALKVILLE	AL	35622	2567845275
4087 HIGHWAY 31 SOUTHWEST	FALKVILLE	AL	35622	2567845275
4087 HIGHWAY 31 SOUTHWEST	FALKVILLE	AL	35622	2567845275
4087 HIGHWAY 31 SOUTHWEST	FALKVILLE	AL	35622	2567845275

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

an approved installation, maintenance and testing program for fire alarm systems.	Some	2
properly maintained smoke detectors.	Many	1
properly protected cooking facilities.	Few	2
restrictions on the use of flammable curtains.	Many	1
properly installed electrical wiring and equipment.	Many	1
Provide access to a telephone for resident to use in private.	Many	1
Listen to the resident or family groups or act on their complaints or suggestions.	Few	2
Provide care by qualified persons according to each resident's written plan of care.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015075	06/22/2011	07/27/2011	SUMMERFORD NURSING HOME INC
015075	06/28/2011	06/28/2011	SUMMERFORD NURSING HOME INC
015075	06/28/2011	07/12/2011	SUMMERFORD NURSING HOME INC
015075	06/28/2011	07/01/2011	SUMMERFORD NURSING HOME INC
015075	06/28/2011	06/28/2011	SUMMERFORD NURSING HOME INC
015076	08/21/2009	10/01/2009	FAIR HAVEN RETIREMENT CENTER
015076	08/21/2009	10/01/2009	FAIR HAVEN RETIREMENT CENTER

4087 HIGHWAY 31 SOUTHWEST	FALKVILLE	AL	35622	2567845275
4087 HIGHWAY 31 SOUTHWEST	FALKVILLE	AL	35622	2567845275
4087 HIGHWAY 31 SOUTHWEST	FALKVILLE	AL	35622	2567845275
4087 HIGHWAY 31 SOUTHWEST	FALKVILLE	AL	35622	2567845275
4087 HIGHWAY 31 SOUTHWEST	FALKVILLE	AL	35622	2567845275
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Mistreatment Deficiencies

catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.		
Store, cook, and serve food in a safe and clean way.	Many	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
properly protected cooking facilities.	Some	2
a separate and independent backup electrical power source.	Some	2
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Few	2
Develop policies that prevent mistreatment, neglect, or abuse of residents or theft of resident	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015076	08/21/2009	10/01/2009	FAIR HAVEN RETIREMENT CENTER
015076	08/21/2009	10/01/2009	FAIR HAVEN RETIREMENT CENTER
015076	08/21/2009	10/01/2009	FAIR HAVEN RETIREMENT CENTER
015076	08/21/2009	10/01/2009	FAIR HAVEN RETIREMENT CENTER
015076	09/01/2009	09/28/2009	FAIR HAVEN RETIREMENT CENTER
015076	09/01/2009	09/28/2009	FAIR HAVEN RETIREMENT CENTER

1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies

property.		
Provide medically-related social services to help each resident achieve the highest possible quality of life.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Some	2
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Many	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Many	1
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015076	09/01/2009	09/28/2009	FAIR HAVEN RETIREMENT CENTER
015076	09/01/2009	09/28/2009	FAIR HAVEN RETIREMENT CENTER
015076	09/01/2009	09/28/2009	FAIR HAVEN RETIREMENT CENTER
015076	10/22/2010	11/24/2010	FAIR HAVEN RETIREMENT CENTER
015076	10/22/2010	11/24/2010	FAIR HAVEN RETIREMENT CENTER
015076	10/22/2010	11/24/2010	FAIR HAVEN RETIREMENT CENTER
015076	10/22/2010	11/24/2010	FAIR HAVEN RETIREMENT CENTER
015076	10/22/2010	11/24/2010	FAIR HAVEN RETIREMENT CENTER
015076	10/22/2010	11/24/2010	FAIR HAVEN RETIREMENT CENTER

1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150

FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies

a fire alarm system that can be heard throughout the facility.	Few	2
automatic sprinkler systems that have been maintained in working order.	Many	1
properly installed electrical wiring and equipment.	Some	1
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Few	2
Develop policies that prevent mistreatment, neglect, or abuse of residents or theft of resident property.	Few	2
Make sure each resident receives an accurate assessment by a qualified health professional.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Provide care by qualified persons according to each resident's	Few	2

015076	10/22/2010	11/24/2010	FAIR HAVEN RETIREMENT CENTER
015076	10/22/2010	11/24/2010	FAIR HAVEN RETIREMENT CENTER
015076	10/22/2010	11/24/2010	FAIR HAVEN RETIREMENT CENTER
015076	10/27/2010	11/25/2010	FAIR HAVEN RETIREMENT CENTER
015076	10/27/2010	11/25/2010	FAIR HAVEN RETIREMENT CENTER
015076	10/27/2010	11/25/2010	FAIR HAVEN RETIREMENT CENTER
015076	10/27/2010	11/25/2010	FAIR HAVEN RETIREMENT CENTER
015076	10/27/2010	11/25/2010	FAIR HAVEN RETIREMENT CENTER
015076	10/27/2010	11/25/2010	FAIR HAVEN RETIREMENT CENTER

1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies

written plan of care.		
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
corridor and hallway doors that block smoke.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Few	2
proper exit design.	Few	2
properly protected cooking facilities.	Few	2
proper medical gas storage and administration areas.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015076	10/27/2010	11/25/2010	FAIR HAVEN RETIREMENT CENTER
015076	10/27/2010	11/25/2010	FAIR HAVEN RETIREMENT CENTER
015076	10/20/2011	11/23/2011	FAIR HAVEN RETIREMENT CENTER
015076	10/20/2011	11/23/2011	FAIR HAVEN RETIREMENT CENTER
015076	10/20/2011	11/23/2011	FAIR HAVEN RETIREMENT CENTER
015076	10/20/2011	11/23/2011	FAIR HAVEN RETIREMENT CENTER
015076	10/20/2011	11/23/2011	FAIR HAVEN RETIREMENT CENTER
015076	10/20/2011	11/23/2011	FAIR HAVEN RETIREMENT CENTER

1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies

a separate and independent backup electrical power source.	Few	2
properly installed electrical wiring and equipment.	Some	2
Keep each resident's personal and medical records private and confidential.	Few	2
Try to resolve each resident's complaints quickly.	Some	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Dispose of garbage and refuse properly.	Many	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015076	10/20/2011	11/23/2011	FAIR HAVEN RETIREMENT CENTER
015076	10/20/2011	11/23/2011	FAIR HAVEN RETIREMENT CENTER
015076	10/26/2011	Not Available	FAIR HAVEN RETIREMENT CENTER
015076	10/26/2011	11/30/2011	FAIR HAVEN RETIREMENT CENTER
015076	10/26/2011	11/30/2011	FAIR HAVEN RETIREMENT CENTER
015083	01/28/2010	02/27/2010	ELBA NURSING HOME
015083	01/28/2010	02/27/2010	ELBA NURSING HOME
015083	02/02/2010	03/09/2010	ELBA NURSING HOME

1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
1424 MONTCLAIR ROAD	BIRMINGHAM	AL	35210	2059564150
987 DRAYTON STREET	ELBA	AL	36323	3348972257
987 DRAYTON STREET	ELBA	AL	36323	3348972257
987 DRAYTON	ELBA	AL	36323	3348972257

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Some	2
proper stairway enclosures and vertical shafts.	Many	1
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
weekly inspections and monthly testing of generators.	Many	1
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Some	2
walls or barriers that prevent	Few	2

015083	02/02/2010	03/09/2010	ELBA NURSING HOME
015083	02/02/2010	03/09/2010	ELBA NURSING HOME
015083	02/02/2010	03/09/2010	ELBA NURSING HOME
015083	02/02/2010	03/09/2010	ELBA NURSING HOME
015083	02/10/2011	03/08/2011	ELBA NURSING HOME
015083	02/10/2011	03/08/2011	ELBA NURSING HOME
015083	02/10/2011	03/08/2011	ELBA NURSING HOME
015083	02/10/2011	03/08/2011	ELBA NURSING HOME

STREET				
987 DRAYTON STREET	ELBA	AL	36323	3348972257
987 DRAYTON STREET	ELBA	AL	36323	3348972257
987 DRAYTON STREET	ELBA	AL	36323	3348972257
987 DRAYTON STREET	ELBA	AL	36323	3348972257
987 DRAYTON STREET	ELBA	AL	36323	3348972257
987 DRAYTON STREET	ELBA	AL	36323	3348972257
987 DRAYTON STREET	ELBA	AL	36323	3348972257
987 DRAYTON STREET	ELBA	AL	36323	3348972257
987 DRAYTON STREET	ELBA	AL	36323	3348972257

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Pharmacy Service Deficiencies

smoke from passing through and would resist fire for at least one hour.		
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
exits that are free from obstructions and can be used at all times.	Few	2
restrictions on the use of flammable curtains.	Some	2
weekly inspections and monthly testing of generators.	Many	2
Give each resident a notice of rights, rules, services and charges. Tell each resident who can get Medicaid benefits about 1) which items and services Medicaid covers and which the resident must pay for.	Many	2
Provide access to a telephone for resident to use in private.	Many	1
Provide housekeeping and maintenance services.	Few	2
Maintain drug records and properly mark/label drugs and	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015083	02/14/2011	03/21/2011	ELBA NURSING HOME
015083	02/14/2011	03/21/2011	ELBA NURSING HOME
015083	02/14/2011	03/21/2011	ELBA NURSING HOME
015083	02/14/2011	03/21/2011	ELBA NURSING HOME
015083	02/14/2011	03/21/2011	ELBA NURSING HOME
015083	02/14/2011	03/21/2011	ELBA NURSING HOME
015083	02/14/2011	03/21/2011	ELBA NURSING HOME
015083	02/14/2011	03/21/2011	ELBA NURSING HOME
015083	02/01/2012	02/17/2012	ELBA NURSING HOME

STREET				
987 DRAYTON STREET	ELBA	AL	36323	3348972257
987 DRAYTON STREET	ELBA	AL	36323	3348972257
987 DRAYTON STREET	ELBA	AL	36323	3348972257
987 DRAYTON STREET	ELBA	AL	36323	3348972257
987 DRAYTON STREET	ELBA	AL	36323	3348972257
987 DRAYTON STREET	ELBA	AL	36323	3348972257
987 DRAYTON STREET	ELBA	AL	36323	3348972257
987 DRAYTON STREET	ELBA	AL	36323	3348972257

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies

properly mark/label drugs and other similar products according to accepted professional standards.		
a two-hour-resistant firewall in common walls.	Few	2
corridors that are separated from common areas by walls constructed to limit the passage of smoke.	Few	2
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
automatic sprinkler systems that have been maintained in working order.	Few	2
a separate and independent backup electrical power source.	Some	2
properly installed electrical wiring and equipment.	Some	2
exits that are accessible at all times.	Few	2

015083	02/01/2012	02/17/2012	ELBA NURSING HOME
015083	02/01/2012	02/17/2012	ELBA NURSING HOME
015083	02/02/2012	02/23/2012	ELBA NURSING HOME
015083	02/02/2012	02/23/2012	ELBA NURSING HOME
015083	02/02/2012	02/23/2012	ELBA NURSING HOME
015083	02/02/2012	02/23/2012	ELBA NURSING HOME
015083	02/02/2012	02/23/2012	ELBA NURSING HOME
015083	02/02/2012	02/23/2012	ELBA NURSING HOME
015083	02/02/2012	02/23/2012	ELBA NURSING HOME
015084	09/11/2009	10/01/2009	PARK PLACE NURSING AND REHABILITATION CENTER, LLC

987 DRAYTON STREET	ELBA	AL	36323	3348972257
987 DRAYTON STREET	ELBA	AL	36323	3348972257
987 DRAYTON STREET	ELBA	AL	36323	3348972257
987 DRAYTON STREET	ELBA	AL	36323	3348972257
987 DRAYTON STREET	ELBA	AL	36323	3348972257
987 DRAYTON STREET	ELBA	AL	36323	3348972257
987 DRAYTON STREET	ELBA	AL	36323	3348972257
987 DRAYTON STREET	ELBA	AL	36323	3348972257
987 DRAYTON STREET	ELBA	AL	36323	3348972257
100 PARK PLACE	SELMA	AL	36701	3348723471

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

proper exit design.	Some	2
a separate and independent backup electrical power source.	Few	2
Provide proof that all residents' personal money which is deposited with the nursing home, is secure.	Some	2
Keep each resident free from physical restraints, unless needed for medical treatment.	Few	2
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Few	2
Reasonably accommodate the needs and preferences of each resident.	Few	2
Post nurse staffing information/data on a daily basis.	Many	1
Store, cook, and serve food in a safe and clean way.	Many	2
Store, cook, and serve food in a safe and clean way.	Many	2

			REHABILITATION CENTER, LLC
015084	09/16/2009	09/30/2009	PARK PLACE NURSING AND REHABILITATION CENTER, LLC
015084	09/16/2009	09/24/2009	PARK PLACE NURSING AND REHABILITATION CENTER, LLC
015084	09/22/2010	09/23/2010	PARK PLACE NURSING AND REHABILITATION CENTER, LLC
015084	09/22/2010	09/22/2010	PARK PLACE NURSING AND REHABILITATION CENTER, LLC
015084	09/22/2010	09/27/2010	PARK PLACE NURSING AND REHABILITATION CENTER, LLC
015084	09/22/2010	09/30/2010	PARK PLACE NURSING AND REHABILITATION CENTER, LLC
015084	09/01/2011	10/01/2011	PARK PLACE NURSING AND REHABILITATION CENTER, LLC
015084	09/01/2011	10/01/2011	PARK PLACE NURSING AND REHABILITATION CENTER, LLC
015084	09/06/2011	09/06/2011	PARK PLACE NURSING AND REHABILITATION CENTER, LLC

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

100 PARK PLACE	SELMA	AL	36701	3348723471
100 PARK PLACE	SELMA	AL	36701	3348723471
100 PARK PLACE	SELMA	AL	36701	3348723471
100 PARK PLACE	SELMA	AL	36701	3348723471
100 PARK PLACE	SELMA	AL	36701	3348723471
100 PARK PLACE	SELMA	AL	36701	3348723471
100 PARK PLACE	SELMA	AL	36701	3348723471
100 PARK PLACE	SELMA	AL	36701	3348723471
100 PARK PLACE	SELMA	AL	36701	3348723471

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Resident Assessment Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

safe and clean way.		
exits that are accessible at all times.	Many	1
a fire alarm system that can be heard throughout the facility.	Few	2
a two-hour-resistant firewall in common walls.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
automatic sprinkler systems that have been maintained in working order.	Few	2
Keep each resident free from physical restraints, unless needed for medical treatment.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
portable fire extinguishers.	Many	1

015089	09/16/2010	10/22/2010	EVERGREEN NURSING HOME
015089	09/16/2010	10/22/2010	EVERGREEN NURSING HOME
015089	09/16/2010	10/21/2010	EVERGREEN NURSING HOME
015089	07/21/2011	08/25/2011	EVERGREEN NURSING HOME
015089	07/21/2011	08/25/2011	EVERGREEN NURSING HOME
015089	07/21/2011	08/25/2011	EVERGREEN NURSING HOME
015089	07/28/2011	09/01/2011	EVERGREEN NURSING HOME
015089	07/28/2011	09/01/2011	EVERGREEN NURSING HOME

100 SANDERS DRIVE	EVERGREEN	AL	36401	2515783783
100 SANDERS DRIVE	EVERGREEN	AL	36401	2515783783
100 SANDERS DRIVE	EVERGREEN	AL	36401	2515783783
100 SANDERS DRIVE	EVERGREEN	AL	36401	2515783783
100 SANDERS DRIVE	EVERGREEN	AL	36401	2515783783
100 SANDERS DRIVE	EVERGREEN	AL	36401	2515783783
100 SANDERS DRIVE	EVERGREEN	AL	36401	2515783783
100 SANDERS DRIVE	EVERGREEN	AL	36401	2515783783

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies

walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
Make sure each resident receives an accurate assessment by a qualified health professional.	Few	2
Keep each resident's personal and medical records private and confidential.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
an approved installation,	Many	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015089	07/28/2011	09/01/2011	EVERGREEN NURSING HOME
015089	07/28/2011	09/01/2011	EVERGREEN NURSING HOME
015089	05/03/2012	06/07/2012	EVERGREEN NURSING HOME
015089	05/03/2012	06/07/2012	EVERGREEN NURSING HOME
015091	04/22/2010	05/27/2010	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	04/22/2010	05/27/2010	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	04/22/2010	05/27/2010	FAIRFIELD NURSING AND REHABILITATION CENTER

100 SANDERS DRIVE	EVERGREEN	AL	36401	2515783783
100 SANDERS DRIVE	EVERGREEN	AL	36401	2515783783
100 SANDERS DRIVE	EVERGREEN	AL	36401	2515783783
100 SANDERS DRIVE	EVERGREEN	AL	36401	2515783783
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies

maintenance and testing program for fire alarm systems.		
portable fire extinguishers.	Many	1
properly installed electrical wiring and equipment.	Few	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Few	2
weekly inspections and monthly testing of generators.	Few	2
Make sure each resident receives an accurate assessment by a qualified health professional.	Few	2
Provide proper discharge planning and communication, of the resident's health status and summary of the resident's stay.	Few	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating	Few	2

015091	04/22/2010	05/27/2010	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	04/22/2010	05/27/2010	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	04/22/2010	05/27/2010	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	04/28/2010	05/27/2010	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	04/28/2010	05/27/2010	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	04/28/2010	05/27/2010	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	04/28/2010	05/27/2010	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	04/28/2010	05/27/2010	FAIRFIELD NURSING AND REHABILITATION CENTER

6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies

skills, if possible.		
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Many	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Many	2

			CENTER
015091	04/28/2010	05/27/2010	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	01/21/2011	02/23/2011	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	01/21/2011	02/23/2011	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	01/25/2011	03/01/2011	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	01/25/2011	03/01/2011	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	01/25/2011	03/01/2011	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	01/25/2011	03/01/2011	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	01/25/2011	03/01/2011	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	01/25/2011	03/01/2011	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	01/25/2011	03/01/2011	FAIRFIELD NURSING AND REHABILITATION CENTER

ROAD				
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies

times.		
properly installed electrical wiring and equipment.	Some	2
Try to resolve each resident's complaints quickly.	Some	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
corridor and hallway doors that block smoke.	Some	2
a fire alarm system that can be heard throughout the facility.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
automatic sprinkler systems that have been maintained in working order.	Many	2
properly protected cooking facilities.	Some	2
properly installed electrical wiring and equipment.	Few	2

015091	03/01/2012	04/05/2012	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	03/01/2012	04/05/2012	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	03/01/2012	04/05/2012	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	03/01/2012	04/05/2012	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	03/01/2012	04/05/2012	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	03/01/2012	04/05/2012	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	03/01/2012	04/05/2012	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	03/01/2012	04/05/2012	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	03/01/2012	04/05/2012	FAIRFIELD NURSING AND REHABILITATION CENTER

6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920

FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies

corridor and hallway doors that block smoke.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Some	2
properly protected cooking facilities.	Some	2
exits that are free from obstructions and can be used at all times.	Some	2
weekly inspections and monthly testing of generators.	Some	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015091	03/01/2012	04/05/2012	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	03/01/2012	04/05/2012	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	03/01/2012	04/05/2012	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	03/01/2012	04/05/2012	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	03/01/2012	04/05/2012	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	03/01/2012	04/05/2012	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	03/01/2012	04/05/2012	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	03/01/2012	04/05/2012	FAIRFIELD NURSING AND REHABILITATION CENTER

6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies

a separate and independent backup electrical power source.	Some	2
properly installed electrical wiring and equipment.	Some	2
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Few	2
Develop policies that prevent mistreatment, neglect, or abuse of residents or theft of resident property.	Few	2
Provide housekeeping and maintenance services.	Few	2
Review or revise the resident's care plan after any major change in a resident's physical or mental health.	Few	2
Allow the resident the right to participate in the planning or revision of the resident's care plan.	Few	2
Assist those residents who need total help with eating/drinking,	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015091	03/01/2012	04/05/2012	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	03/01/2012	04/05/2012	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	03/01/2012	04/05/2012	FAIRFIELD NURSING AND REHABILITATION CENTER
015091	03/01/2012	04/05/2012	FAIRFIELD NURSING AND REHABILITATION CENTER
015097	05/07/2010	06/04/2010	SOUTH HEALTH AND REHABILITATION, LLC

6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
6825 GRASSELLI ROAD	FAIRFIELD	AL	35064	2057803920
1220 SOUTH 17TH STREET	BIRMINGHAM	AL	35205	2059332180

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies

grooming and personal and oral hygiene.		
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.	Few	2
Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable	Few	4

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015097	05/07/2010	06/04/2010	SOUTH HEALTH AND REHABILITATION, LLC
015097	05/07/2010	06/04/2010	SOUTH HEALTH AND REHABILITATION, LLC
015097	05/20/2010	06/10/2010	SOUTH HEALTH AND REHABILITATION, LLC
015097	05/20/2010	06/10/2010	SOUTH HEALTH AND REHABILITATION, LLC
015097	05/20/2010	06/10/2010	SOUTH HEALTH AND REHABILITATION, LLC
015097	05/20/2010	06/10/2010	SOUTH HEALTH AND REHABILITATION, LLC
015097	03/10/2011	04/14/2011	SOUTH HEALTH AND REHABILITATION, LLC
015097	03/15/2011	04/19/2011	SOUTH HEALTH AND REHABILITATION, LLC

1220 SOUTH 17TH STREET	BIRMINGHAM	AL	35205	2059332180
1220 SOUTH 17TH STREET	BIRMINGHAM	AL	35205	2059332180
1220 SOUTH 17TH STREET	BIRMINGHAM	AL	35205	2059332180
1220 SOUTH 17TH STREET	BIRMINGHAM	AL	35205	2059332180
1220 SOUTH 17TH STREET	BIRMINGHAM	AL	35205	2059332180
1220 SOUTH 17TH STREET	BIRMINGHAM	AL	35205	2059332180
1220 SOUTH 17TH STREET	BIRMINGHAM	AL	35205	2059332180
1220 SOUTH 17TH STREET	BIRMINGHAM	AL	35205	2059332180

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies

accidents.		
Store, cook, and serve food in a safe and clean way.	Many	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Few	2
corridor and hallway doors that block smoke.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
a separate and independent backup electrical power source.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
corridors that are separated from common areas by walls constructed to limit the passage of smoke.	Some	1

015097	03/15/2011	04/19/2011	SOUTH HEALTH AND REHABILITATION, LLC
015097	03/15/2011	04/19/2011	SOUTH HEALTH AND REHABILITATION, LLC
015097	03/15/2011	04/19/2011	SOUTH HEALTH AND REHABILITATION, LLC
015097	03/15/2011	04/19/2011	SOUTH HEALTH AND REHABILITATION, LLC
015097	03/15/2011	04/19/2011	SOUTH HEALTH AND REHABILITATION, LLC
015097	03/15/2011	04/19/2011	SOUTH HEALTH AND REHABILITATION, LLC
015097	03/15/2011	04/19/2011	SOUTH HEALTH AND REHABILITATION, LLC
015097	03/15/2011	04/19/2011	SOUTH HEALTH AND REHABILITATION, LLC
015097	03/08/2012	04/12/2012	SOUTH HEALTH AND REHABILITATION, LLC

1220 SOUTH 17TH STREET	BIRMINGHAM	AL	35205	2059332180
1220 SOUTH 17TH STREET	BIRMINGHAM	AL	35205	2059332180
1220 SOUTH 17TH STREET	BIRMINGHAM	AL	35205	2059332180
1220 SOUTH 17TH STREET	BIRMINGHAM	AL	35205	2059332180
1220 SOUTH 17TH STREET	BIRMINGHAM	AL	35205	2059332180
1220 SOUTH 17TH STREET	BIRMINGHAM	AL	35205	2059332180
1220 SOUTH 17TH STREET	BIRMINGHAM	AL	35205	2059332180
1220 SOUTH 17TH STREET	BIRMINGHAM	AL	35205	2059332180
1220 SOUTH 17TH STREET	BIRMINGHAM	AL	35205	2059332180
1220 SOUTH 17TH STREET	BIRMINGHAM	AL	35205	2059332180

FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies

corridor and hallway doors that block smoke.	Few	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Some	1
an approved installation, maintenance and testing program for fire alarm systems.	Many	1
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Some	2
exits that are free from obstructions and can be used at all times.	Few	2
properly installed electrical wiring and equipment.	Some	2
Make sure that each resident has the right to join in social, religious, and community	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015097	03/08/2012	04/12/2012	SOUTH HEALTH AND REHABILITATION, LLC
015097	03/14/2012	04/18/2012	SOUTH HEALTH AND REHABILITATION, LLC
015097	03/14/2012	04/18/2012	SOUTH HEALTH AND REHABILITATION, LLC
015097	03/14/2012	04/18/2012	SOUTH HEALTH AND REHABILITATION, LLC
015097	03/14/2012	04/18/2012	SOUTH HEALTH AND REHABILITATION, LLC
015097	03/14/2012	04/18/2012	SOUTH HEALTH AND REHABILITATION, LLC
015097	03/14/2012	04/18/2012	SOUTH HEALTH AND REHABILITATION, LLC
015098	11/19/2009	11/23/2009	ALLEN MEMORIAL HOME

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

1220 SOUTH 17TH STREET	BIRMINGHAM	AL	35205	2059332180
1220 SOUTH 17TH STREET	BIRMINGHAM	AL	35205	2059332180
1220 SOUTH 17TH STREET	BIRMINGHAM	AL	35205	2059332180
1220 SOUTH 17TH STREET	BIRMINGHAM	AL	35205	2059332180
1220 SOUTH 17TH STREET	BIRMINGHAM	AL	35205	2059332180
1220 SOUTH 17TH STREET	BIRMINGHAM	AL	35205	2059332180
1220 SOUTH 17TH STREET	BIRMINGHAM	AL	35205	2059332180
735 SOUTH WASHINGTON AVENUE	MOBILE	AL	36603	2514332642

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

religious, and community activities.		
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
portable fire extinguishers.	Many	1
properly protected cooking facilities.	Few	2
properly installed electrical wiring and equipment.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Many	1

015098	11/19/2009	11/23/2009	ALLEN MEMORIAL HOME
015098	11/19/2009	11/23/2009	ALLEN MEMORIAL HOME
015098	10/27/2010	11/01/2010	ALLEN MEMORIAL HOME
015098	12/01/2011	12/07/2011	ALLEN MEMORIAL HOME
015098	12/01/2011	12/07/2011	ALLEN MEMORIAL HOME
015098	12/01/2011	12/07/2011	ALLEN MEMORIAL HOME
015098	12/01/2011	01/04/2012	ALLEN MEMORIAL HOME
015098	12/01/2011	01/04/2012	ALLEN MEMORIAL HOME
015098	12/01/2011	01/04/2012	ALLEN MEMORIAL HOME

735 SOUTH WASHINGTON AVENUE	MOBILE	AL	36603	2514332642
735 SOUTH WASHINGTON AVENUE	MOBILE	AL	36603	2514332642
735 SOUTH WASHINGTON AVENUE	MOBILE	AL	36603	2514332642
735 SOUTH WASHINGTON AVENUE	MOBILE	AL	36603	2514332642
735 SOUTH WASHINGTON AVENUE	MOBILE	AL	36603	2514332642
735 SOUTH WASHINGTON AVENUE	MOBILE	AL	36603	2514332642
735 SOUTH WASHINGTON AVENUE	MOBILE	AL	36603	2514332642
735 SOUTH WASHINGTON AVENUE	MOBILE	AL	36603	2514332642
735 SOUTH WASHINGTON AVENUE	MOBILE	AL	36603	2514332642
735 SOUTH	MOBILE	AL	36603	2514332642

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Environmental Deficiencies

construction that can resist fire for one hour or an approved fire extinguishing system.	Some	1
properly maintained smoke detectors.	Some	1
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2
proper medical gas storage and administration areas.	Some	2
Try to resolve each resident's complaints quickly.	Some	2
Develop policies that prevent mistreatment, neglect, or abuse of residents or theft of resident property.	Few	2
Provide housekeeping and	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015098		01/04/2012	ALLEN MEMORIAL HOME
015098	12/01/2011	01/04/2012	ALLEN MEMORIAL HOME
015098	12/01/2011	01/04/2012	ALLEN MEMORIAL HOME
015098	12/01/2011	01/04/2012	ALLEN MEMORIAL HOME
015098	12/01/2011	01/04/2012	ALLEN MEMORIAL HOME
015100	08/13/2009	09/17/2009	CROWNE HEALTH CARE OF MOBILE

735 SOUTH WASHINGTON AVENUE	MOBILE	AL	36603	2514332642
735 SOUTH WASHINGTON AVENUE	MOBILE	AL	36603	2514332642
735 SOUTH WASHINGTON AVENUE	MOBILE	AL	36603	2514332642
735 SOUTH WASHINGTON AVENUE	MOBILE	AL	36603	2514332642
735 SOUTH WASHINGTON AVENUE	MOBILE	AL	36603	2514332642
954 NAVCO ROAD	MOBILE	AL	36605	2514738684

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies

Provide housekeeping and maintenance services.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2

015100	08/13/2009	09/17/2009	CROWNE HEALTH CARE OF MOBILE
015100	08/13/2009	09/17/2009	CROWNE HEALTH CARE OF MOBILE
015100	08/13/2009	09/17/2009	CROWNE HEALTH CARE OF MOBILE
015100	08/13/2009	09/17/2009	CROWNE HEALTH CARE OF MOBILE
015100	08/26/2009	09/27/2009	CROWNE HEALTH CARE OF MOBILE
015100	08/26/2009	09/27/2009	CROWNE HEALTH CARE OF MOBILE
015100	08/26/2009	09/27/2009	CROWNE HEALTH CARE OF MOBILE
015100	08/26/2009	09/27/2009	CROWNE HEALTH CARE OF MOBILE

954 NAVCO ROAD	MOBILE	AL	36605	2514738684
954 NAVCO ROAD	MOBILE	AL	36605	2514738684
954 NAVCO ROAD	MOBILE	AL	36605	2514738684
954 NAVCO ROAD	MOBILE	AL	36605	2514738684
954 NAVCO ROAD	MOBILE	AL	36605	2514738684
954 NAVCO ROAD	MOBILE	AL	36605	2514738684
954 NAVCO ROAD	MOBILE	AL	36605	2514738684
954 NAVCO ROAD	MOBILE	AL	36605	2514738684
954 NAVCO ROAD	MOBILE	AL	36605	2514738684

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies

Store, cook, and serve food in a safe and clean way.	Some	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Some	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
other fire safety features required	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015100	08/17/2010	09/23/2010	CROWNE HEALTH CARE OF MOBILE
015100	08/17/2010	09/23/2010	CROWNE HEALTH CARE OF MOBILE
015100	08/17/2010	09/23/2010	CROWNE HEALTH CARE OF MOBILE
015100	08/17/2010	09/23/2010	CROWNE HEALTH CARE OF MOBILE
015100	08/18/2010	09/22/2010	CROWNE HEALTH CARE OF MOBILE
015100	08/18/2010	09/22/2010	CROWNE HEALTH CARE OF MOBILE
015100	08/18/2011	09/22/2011	CROWNE HEALTH CARE OF MOBILE
015100	08/24/2011	09/28/2011	CROWNE HEALTH CARE OF MOBILE

954 NAVCO ROAD	MOBILE	AL	36605	2514738684
954 NAVCO ROAD	MOBILE	AL	36605	2514738684
954 NAVCO ROAD	MOBILE	AL	36605	2514738684
954 NAVCO ROAD	MOBILE	AL	36605	2514738684
954 NAVCO ROAD	MOBILE	AL	36605	2514738684
954 NAVCO ROAD	MOBILE	AL	36605	2514738684
954 NAVCO ROAD	MOBILE	AL	36605	2514738684
954 NAVCO ROAD	MOBILE	AL	36605	2514738684

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Resident Assessment Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

by fire safety codes.		
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	1
restrictions on the use of flammable curtains.	Many	1
Provide special eating equipment and utensils for each resident who needs them.	Few	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Few	2
Completely assess the resident at least every twelve months.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015100	08/24/2011	09/28/2011	CROWNE HEALTH CARE OF MOBILE
015100	08/24/2011	09/28/2011	CROWNE HEALTH CARE OF MOBILE
015100	08/24/2011	09/28/2011	CROWNE HEALTH CARE OF MOBILE
015101	10/08/2009	12/24/2009	ALTOONA HEALTH & REHAB
015101	10/08/2009	12/24/2009	ALTOONA HEALTH & REHAB
015101	10/08/2009	12/24/2009	ALTOONA HEALTH & REHAB
015101	10/20/2009	11/01/2009	ALTOONA HEALTH & REHAB
015101	10/15/2010	11/06/2010	ALTOONA HEALTH & REHAB

954 NAVCO ROAD	MOBILE	AL	36605	2514738684
954 NAVCO ROAD	MOBILE	AL	36605	2514738684
954 NAVCO ROAD	MOBILE	AL	36605	2514738684
6532 WALNUT GROVE ROAD	ALTOONA	AL	35952	2055896394
6532 WALNUT GROVE ROAD	ALTOONA	AL	35952	2055896394
6532 WALNUT GROVE ROAD	ALTOONA	AL	35952	2055896394
6532 WALNUT GROVE ROAD	ALTOONA	AL	35952	2055896394
6532 WALNUT GROVE ROAD	ALTOONA	AL	35952	2055896394

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
HEALTH	Quality Care Deficiencies

hour.		
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
exits that are free from obstructions and can be used at all times.	Many	2
restrictions on the use of flammable curtains.	Few	2
Try to resolve each resident's complaints quickly.	Few	2
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
record of quarterly fire drills for each shift under varying conditions.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2

015101	10/15/2010	11/06/2010	ALTOONA HEALTH & REHAB
015101	10/15/2010	11/06/2010	ALTOONA HEALTH & REHAB
015101	10/15/2010	11/06/2010	ALTOONA HEALTH & REHAB
015101	10/21/2010	11/19/2010	ALTOONA HEALTH & REHAB
015101	10/21/2010	11/19/2010	ALTOONA HEALTH & REHAB
015101	10/21/2010	11/19/2010	ALTOONA HEALTH & REHAB

6532 WALNUT GROVE ROAD	ALTOONA	AL	35952	2055896394
6532 WALNUT GROVE ROAD	ALTOONA	AL	35952	2055896394
6532 WALNUT GROVE ROAD	ALTOONA	AL	35952	2055896394
6532 WALNUT GROVE ROAD	ALTOONA	AL	35952	2055896394
6532 WALNUT GROVE ROAD	ALTOONA	AL	35952	2055896394
6532 WALNUT GROVE ROAD	ALTOONA	AL	35952	2055896394
6532 WALNUT GROVE ROAD	ALTOONA	AL	35952	2055896394

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
a fire alarm system that can be heard throughout the facility.	Some	2
an approved automatic sprinkler system connected to the fire	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015101	10/21/2010	11/19/2010	ALTOONA HEALTH & REHAB
015101	10/21/2010	11/19/2010	ALTOONA HEALTH & REHAB
015101	10/21/2010	11/19/2010	ALTOONA HEALTH & REHAB
015101	10/18/2011	11/22/2011	ALTOONA HEALTH & REHAB
015101	10/18/2011	11/22/2011	ALTOONA HEALTH & REHAB
015103	08/26/2010	09/30/2010	COGBURN HEALTH AND REHABILITATION, INC
015103	08/26/2010	09/30/2010	COGBURN HEALTH AND REHABILITATION, INC

6532 WALNUT GROVE ROAD	ALTOONA	AL	35952	2055896394
6532 WALNUT GROVE ROAD	ALTOONA	AL	35952	2055896394
6532 WALNUT GROVE ROAD	ALTOONA	AL	35952	2055896394
6532 WALNUT GROVE ROAD	ALTOONA	AL	35952	2055896394
6532 WALNUT GROVE ROAD	ALTOONA	AL	35952	2055896394
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies

alarm system.		
automatic sprinkler systems that have been maintained in working order.	Some	2
properly protected cooking facilities.	Some	2
properly installed electrical wiring and equipment.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Some	2
Keep each resident's personal and medical records private and confidential.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2

015103	08/26/2010	09/30/2010	COGBURN HEALTH AND REHABILITATION, INC
015103	08/26/2010	09/30/2010	COGBURN HEALTH AND REHABILITATION, INC
015103	08/26/2010	09/30/2010	COGBURN HEALTH AND REHABILITATION, INC
015103	09/09/2010	09/30/2010	COGBURN HEALTH AND REHABILITATION, INC
015103	09/09/2010	10/26/2010	COGBURN HEALTH AND REHABILITATION, INC
015103	09/09/2010	09/30/2010	COGBURN HEALTH AND REHABILITATION, INC
015103	09/09/2010	09/30/2010	COGBURN HEALTH AND REHABILITATION, INC
015103	09/09/2010	09/30/2010	COGBURN HEALTH AND REHABILITATION, INC
015103	09/09/2010	09/30/2010	COGBURN HEALTH AND REHABILITATION, INC

148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies

Dispose of garbage and refuse properly.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015103	09/09/2010	01/26/2011	COGBURN HEALTH AND REHABILITATION, INC
015103	09/09/2010	09/30/2010	COGBURN HEALTH AND REHABILITATION, INC
015103	09/09/2010	09/30/2010	COGBURN HEALTH AND REHABILITATION, INC
015103	09/17/2011	10/22/2011	COGBURN HEALTH AND REHABILITATION, INC
015103	09/17/2011	10/22/2011	COGBURN HEALTH AND REHABILITATION, INC
015103	09/17/2011	10/22/2011	COGBURN HEALTH AND REHABILITATION, INC
015103	09/17/2011	10/22/2011	COGBURN HEALTH AND REHABILITATION, INC
015103	09/17/2011	10/22/2011	COGBURN HEALTH AND REHABILITATION, INC
015103	09/17/2011	10/22/2011	COGBURN HEALTH AND REHABILITATION, INC

148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

for fire alarm systems.		
automatic sprinkler systems that have been maintained in working order.	Many	1
properly protected cooking facilities.	Many	1
other fire safety features required by fire safety codes.	Few	2
Provide proof that all residents' personal money which is deposited with the nursing home, is secure.	Few	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Provide necessary care and services to maintain the highest well being of each resident .	Few	2
Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Few	2
Hire sufficient dietary support personnel.	Many	2
Store, cook, and serve food in a safe and clean way.	Many	2

nh_quality_deficiency_survey
Based on Nursing Home Compare - Survey Deficiency | | | | |
|---|---|---|---|
| | | | INC |
| 015103 | 09/17/2011 | 10/22/2011 | COGBURN HEALTH AND REHABILITATION, INC |
| 015103 | 09/17/2011 | 10/22/2011 | COGBURN HEALTH AND REHABILITATION, INC |
| 015103 | 09/17/2011 | 10/22/2011 | COGBURN HEALTH AND REHABILITATION, INC |
| 015103 | 09/17/2011 | Not Available | COGBURN HEALTH AND REHABILITATION, INC |
| 015103 | 09/17/2011 | 10/22/2011 | COGBURN HEALTH AND REHABILITATION, INC |
| 015103 | 09/21/2011 | 10/26/2011 | COGBURN HEALTH AND REHABILITATION, INC |
| 015103 | 09/21/2011 | 10/26/2011 | COGBURN HEALTH AND REHABILITATION, INC |
| 015103 | 09/21/2011 | 10/26/2011 | COGBURN HEALTH AND REHABILITATION, INC |

148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

safe and clean way.		
Dispose of garbage and refuse properly.	Many	1
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Provide bedrooms that don't allow residents to see each other when privacy is needed.	Some	1
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Many	2
smoke barrier doors that can resist smoke for at least 20	Some	2

			INC
015103	09/21/2011	10/26/2011	COGBURN HEALTH AND REHABILITATION, INC
015103	09/21/2011	10/26/2011	COGBURN HEALTH AND REHABILITATION, INC
015103	09/21/2011	10/26/2011	COGBURN HEALTH AND REHABILITATION, INC
015103	06/22/2012	07/27/2012	COGBURN HEALTH AND REHABILITATION, INC
015103	06/22/2012	07/27/2012	COGBURN HEALTH AND REHABILITATION, INC
015103	06/22/2012	07/27/2012	COGBURN HEALTH AND REHABILITATION, INC
015103	06/22/2012	07/27/2012	COGBURN HEALTH AND REHABILITATION, INC
015103	06/22/2012	07/27/2012	COGBURN HEALTH AND REHABILITATION, INC

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies

resist smoke for at least 20 minutes.		
exits that are accessible at all times.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
a separate and independent backup electrical power source.	Few	2
Try to resolve each resident's complaints quickly.	Some	2
Keep each resident free from physical restraints, unless needed for medical treatment.	Few	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Make sure each resident has the right to have a choice over activities, their schedules and health care according to his or her interests, assessment, and plan of care.	Few	2
Provide medically-related social services to help each resident	Few	2

			INC
015103	06/22/2012	07/27/2012	COGBURN HEALTH AND REHABILITATION, INC
015103	06/22/2012	07/27/2012	COGBURN HEALTH AND REHABILITATION, INC
015103	06/22/2012	07/27/2012	COGBURN HEALTH AND REHABILITATION, INC
015103	06/22/2012	07/27/2012	COGBURN HEALTH AND REHABILITATION, INC
015103	06/22/2012	07/27/2012	COGBURN HEALTH AND REHABILITATION, INC

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies

services to help each resident achieve the highest possible quality of life.		
Provide housekeeping and maintenance services.	Some	2
Coordinate assessments with the pre-admission screening and resident review program for mentally-ill and mentally-retarded patients.	Few	2
Assist those residents who need total help with eating/drinking, grooming and personal and oral hygiene.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015103	06/22/2012	07/27/2012	COGBURN HEALTH AND REHABILITATION, INC
015103	06/22/2012	07/27/2012	COGBURN HEALTH AND REHABILITATION, INC
015103	06/22/2012	07/27/2012	COGBURN HEALTH AND REHABILITATION, INC
015103	06/22/2012	07/27/2012	COGBURN HEALTH AND REHABILITATION, INC
015103	06/22/2012	07/27/2012	COGBURN HEALTH AND REHABILITATION, INC
015103	06/22/2012	07/27/2012	COGBURN HEALTH AND REHABILITATION, INC
015103	06/22/2012	07/27/2012	COGBURN HEALTH AND REHABILITATION, INC
015103	07/05/2012	08/09/2012	COGBURN HEALTH AND REHABILITATION, INC

148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Pharmacy Service Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

Make sure that residents are safe from serious medication errors.	Few	2
Provide food in a way that meets a resident's needs.	Few	2
1) Provide 3 meals at regular times; 2) serve breakfast within 14 hours after dinner; or 3) offer a snack at bedtime each day.	Some	2
Store, cook, and serve food in a safe and clean way.	Many	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Make sure that the nursing home area is safe, easy to use, clean and comfortable for residents, staff and the public.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015103	07/05/2012	08/09/2012	COGBURN HEALTH AND REHABILITATION, INC
015103	07/05/2012	08/09/2012	COGBURN HEALTH AND REHABILITATION, INC
015103	07/05/2012	08/09/2012	COGBURN HEALTH AND REHABILITATION, INC
015104	04/09/2010	04/16/2010	SOUTHLAND NURSING HOME
015104	04/09/2010	04/14/2010	SOUTHLAND NURSING HOME
015104	04/09/2010	04/16/2010	SOUTHLAND NURSING HOME
015104	04/09/2010	04/16/2010	SOUTHLAND NURSING HOME

148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
148 TUSCALOOSA ST	MOBILE	AL	36607	2514715431
500 SHIVERS TERRACE	MARION	AL	36756	3346836141
500 SHIVERS TERRACE	MARION	AL	36756	3346836141
500 SHIVERS TERRACE	MARION	AL	36756	3346836141
500 SHIVERS TERRACE	MARION	AL	36756	3346836141

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Pharmacy Service Deficiencies

construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Some	2
properly installed electrical wiring and equipment.	Some	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015104	04/09/2010	04/16/2010	SOUTHLAND NURSING HOME
015104	04/09/2010	04/16/2010	SOUTHLAND NURSING HOME
015104	04/14/2010	05/05/2010	SOUTHLAND NURSING HOME
015104	04/14/2010	05/05/2010	SOUTHLAND NURSING HOME
015104	03/03/2011	03/25/2011	SOUTHLAND NURSING HOME
015104	03/03/2011	03/25/2011	SOUTHLAND NURSING HOME
015104	03/03/2011	03/25/2011	SOUTHLAND NURSING HOME

500 SHIVERS TERRACE	MARION	AL	36756	3346836141
500 SHIVERS TERRACE	MARION	AL	36756	3346836141
500 SHIVERS TERRACE	MARION	AL	36756	3346836141
500 SHIVERS TERRACE	MARION	AL	36756	3346836141
500 SHIVERS TERRACE	MARION	AL	36756	3346836141
500 SHIVERS TERRACE	MARION	AL	36756	3346836141
500 SHIVERS TERRACE	MARION	AL	36756	3346836141

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Pharmacy Service Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

pharmacist.		
At least once a month, have a licensed pharmacist review each resident's medication(s) and report any irregularities to the attending doctor.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
approved construction type or materials.	Some	2
properly installed electrical wiring and equipment.	Few	2
Keep each resident's personal and medical records private and confidential.	Few	2
Provide care by qualified persons according to each resident's written plan of care.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal	Few	2

015104	03/03/2011	03/25/2011	SOUTHLAND NURSING HOME
015104	03/03/2011	03/25/2011	SOUTHLAND NURSING HOME
015104	03/03/2011	03/25/2011	SOUTHLAND NURSING HOME
015104	03/03/2011	03/25/2011	SOUTHLAND NURSING HOME
015104	03/10/2011	04/12/2011	SOUTHLAND NURSING HOME
015104	03/10/2011	04/12/2011	SOUTHLAND NURSING HOME
015104	03/10/2011	04/12/2011	SOUTHLAND NURSING HOME
015104	03/21/2012	04/10/2012	SOUTHLAND NURSING HOME

500 SHIVERS TERRACE	MARION	AL	36756	3346836141
500 SHIVERS TERRACE	MARION	AL	36756	3346836141
500 SHIVERS TERRACE	MARION	AL	36756	3346836141
500 SHIVERS TERRACE	MARION	AL	36756	3346836141
500 SHIVERS TERRACE	MARION	AL	36756	3346836141
500 SHIVERS TERRACE	MARION	AL	36756	3346836141
500 SHIVERS TERRACE	MARION	AL	36756	3346836141
500 SHIVERS TERRACE	MARION	AL	36756	3346836141

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies

bladder function.		
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Make sure that nurse aides show they have the skills and techniques to be able to care for residents' needs.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Many	1
a separate and independent backup electrical power source.	Some	2
Make sure that each resident who enters the nursing home	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015104	03/21/2012	04/10/2012	SOUTHLAND NURSING HOME
015104	03/29/2012	05/03/2012	SOUTHLAND NURSING HOME
015104	03/29/2012	05/03/2012	SOUTHLAND NURSING HOME
015109	01/22/2010	02/26/2010	CIVIC CENTER HEALTH AND REHABILITATION, LLC
015109	01/22/2010	02/26/2010	CIVIC CENTER HEALTH AND REHABILITATION, LLC
015109	01/22/2010	02/26/2010	CIVIC CENTER HEALTH AND REHABILITATION, LLC
015109	01/25/2010	02/26/2010	CIVIC CENTER HEALTH AND

500 SHIVERS TERRACE	MARION	AL	36756	3346836141
500 SHIVERS TERRACE	MARION	AL	36756	3346836141
500 SHIVERS TERRACE	MARION	AL	36756	3346836141
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
1201 22ND STREET	BIRMINGHAM	AL	35234	2052515271

HEALTH	Environmental Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies

without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.		
Have a program that investigates, controls and keeps infection from spreading.	Few	2
automatic sprinkler systems that have been maintained in working order.	Some	1
portable fire extinguishers.	Some	1
Follow policies and procedures to convey the resident's personal funds to the appropriate party responsible after the resident's death.	Some	1
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Give or get quality lab services/tests in a timely manner to meet the needs of residents.	Few	2
corridor and hallway doors that	Few	2

			REHABILITATION, LLC
015109	01/25/2010	02/26/2010	CIVIC CENTER HEALTH AND REHABILITATION, LLC
015109	01/25/2010	02/26/2010	CIVIC CENTER HEALTH AND REHABILITATION, LLC
015109	01/25/2010	02/26/2010	CIVIC CENTER HEALTH AND REHABILITATION, LLC
015109	01/25/2010	02/26/2010	CIVIC CENTER HEALTH AND REHABILITATION, LLC
015109	01/25/2010	02/26/2010	CIVIC CENTER HEALTH AND REHABILITATION, LLC
015109	01/25/2010	02/26/2010	CIVIC CENTER HEALTH AND REHABILITATION, LLC
015109	11/18/2010	12/23/2010	CIVIC CENTER HEALTH AND REHABILITATION, LLC
015109	11/18/2010	12/23/2010	CIVIC CENTER HEALTH AND REHABILITATION, LLC
015109	11/18/2010	12/23/2010	CIVIC CENTER HEALTH AND REHABILITATION, LLC

NORTH				
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies

block smoke.		
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Many	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
a fire alarm system that can be heard throughout the facility.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
exits that are free from obstructions and can be used at all times.	Some	2
proper medical gas storage and administration areas.	Few	2
Try to resolve each resident's complaints quickly.	Many	1
Allow residents to easily view the results of the nursing home's most recent survey.	Many	1
Provide housekeeping and maintenance services.	Some	2

015109	11/18/2010	12/23/2010	CIVIC CENTER HEALTH AND REHABILITATION, LLC
015109	11/23/2010	12/23/2010	CIVIC CENTER HEALTH AND REHABILITATION, LLC
015109	11/23/2010	12/23/2010	CIVIC CENTER HEALTH AND REHABILITATION, LLC
015109	11/23/2010	12/23/2010	CIVIC CENTER HEALTH AND REHABILITATION, LLC
015109	11/23/2010	12/23/2010	CIVIC CENTER HEALTH AND REHABILITATION, LLC
015109	11/23/2010	12/23/2010	CIVIC CENTER HEALTH AND REHABILITATION, LLC
015109	11/23/2010	12/23/2010	CIVIC CENTER HEALTH AND REHABILITATION, LLC
015109	11/23/2010	12/23/2010	CIVIC CENTER HEALTH AND REHABILITATION, LLC
015109	11/23/2010	12/23/2010	CIVIC CENTER HEALTH AND REHABILITATION, LLC
015109	10/26/2011	11/30/2011	CIVIC CENTER HEALTH AND REHABILITATION, LLC

1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Assessment Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Mistreatment Deficiencies

Conduct initial and periodic assessments of each resident's functional capacity.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Many	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
emergency lighting that can last at least 1 1/2 hours.	Few	2
a fire alarm system that can be heard throughout the facility.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
properly maintained smoke detectors.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
properly protected cooking facilities.	Few	2
Keep each resident free from physical restraints, unless	Few	2

nh_quality_deficiency_survey
Based on Nursing Home Compare - Survey Deficiency

			REHABILITATION, LLC
015109	10/26/2011	11/30/2011	CIVIC CENTER HEALTH AND REHABILITATION, LLC
015109	10/26/2011	11/30/2011	CIVIC CENTER HEALTH AND REHABILITATION, LLC
015109	10/26/2011	11/30/2011	CIVIC CENTER HEALTH AND REHABILITATION, LLC
015109	10/26/2011	11/30/2011	CIVIC CENTER HEALTH AND REHABILITATION, LLC
015109	11/03/2011	12/08/2011	CIVIC CENTER HEALTH AND REHABILITATION, LLC
015109	11/03/2011	12/08/2011	CIVIC CENTER HEALTH AND REHABILITATION, LLC
015109	11/03/2011	12/08/2011	CIVIC CENTER HEALTH AND REHABILITATION, LLC
015109	11/03/2011	12/08/2011	CIVIC CENTER HEALTH AND

NORTH				
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
1201 22ND STREET	BIRMINGHAM	AL	35234	2052515271

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies

physical restraints, unless needed for medical treatment.		
Reasonably accommodate the needs and preferences of each resident.	Few	2
Provide necessary care and services to maintain the highest well being of each resident .	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Give or get quality lab services/tests in a timely manner to meet the needs of residents.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
a fire alarm system that can be heard throughout the facility.	Some	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Some	2
properly protected cooking	Some	2

015109		12/08/2011	CIVIC CENTER HEALTH AND REHABILITATION, LLC
015109	11/03/2011	12/08/2011	CIVIC CENTER HEALTH AND REHABILITATION, LLC
015109	11/03/2011	12/08/2011	CIVIC CENTER HEALTH AND REHABILITATION, LLC
015111	06/25/2009	07/30/2009	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS
015111	06/25/2009	07/30/2009	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS
015111	07/01/2009	07/30/2009	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS
015111	07/01/2009	07/30/2009	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS
015111	07/01/2009	07/30/2009	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
1201 22ND STREET NORTH	BIRMINGHAM	AL	35234	2052515271
500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111
500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111
500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111
500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111
500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111
500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies

properly protected cooking facilities.	Some	2
proper medical gas storage and administration areas.	Few	2
properly installed electrical wiring and equipment.	Some	2
Provide proper discharge planning and communication, of the resident's health status and summary of the resident's stay.	Many	1
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Many	2
record of quarterly fire drills for each shift under varying conditions.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015111	08/30/2010	10/01/2010	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS
015111	08/30/2010	10/01/2010	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS
015111	08/30/2010	10/01/2010	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS
015111	08/30/2010	10/01/2010	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS
015111	08/30/2010	10/01/2010	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS
015111	09/02/2010	10/01/2010	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS
015111	09/02/2010	10/19/2010	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS

nh_quality_deficiency_survey
Based on Nursing Home Compare - Survey Deficiency

500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111
500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111
500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111
500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111
500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111
500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111
500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

Properly hold, secure and manage each resident's personal money which is deposited with the nursing home.	Many	1
Allow residents to easily view the results of the nursing home's most recent survey.	Many	1
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Provide food in a way that meets a resident's needs.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2

015111	09/02/2010	10/19/2010	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS
015111	09/02/2010	10/01/2010	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS
015111	09/02/2010	10/01/2010	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS
015111	08/25/2011	09/26/2011	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS
015111	08/25/2011	09/26/2011	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS
015111	08/25/2011	09/26/2011	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS
015111	08/25/2011	09/26/2011	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS
015111	08/25/2011	09/26/2011	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS
015111	08/25/2011	09/26/2011	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS

500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111
500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111
500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111
500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111
500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111
500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111
500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111
500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111
500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

properly working alarms on sprinkler valves.	Many	1
properly protected cooking facilities.	Few	2
weekly inspections and monthly testing of generators.	Few	2
Properly hold, secure and manage each resident's personal money which is deposited with the nursing home.	Few	2
Provide access to a telephone for resident to use in private.	Many	1
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
1) Provide 3 meals at regular times; 2) serve breakfast within	Many	2

015111	08/25/2011	09/26/2011	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS
015111	08/25/2011	09/26/2011	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS
015111	08/31/2011	09/26/2011	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS
015111	08/31/2011	09/26/2011	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS
015111	08/31/2011	09/26/2011	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS
015111	08/31/2011	09/26/2011	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS
015111	08/31/2011	09/26/2011	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS
015111	08/31/2011	09/26/2011	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS
015111	08/31/2011	09/26/2011	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS

500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111
500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111
500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111
500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111
500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111
500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111
500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111
500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies

14 hours after dinner; or 3) offer a snack at bedtime each day.		
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015111	08/31/2011	09/26/2011	KINDRED TRANSITIONAL CARE & REHAB-BIG SPRINGS
015112	11/23/2009	11/25/2009	MAGNOLIA HAVEN HEALTH AND REHABILITATION CENTER
015112	09/29/2010	10/20/2010	MAGNOLIA HAVEN HEALTH AND REHABILITATION CENTER
015112	09/30/2010	11/04/2010	MAGNOLIA HAVEN HEALTH AND REHABILITATION CENTER
015112	09/30/2010	11/04/2010	MAGNOLIA HAVEN HEALTH AND REHABILITATION CENTER
015112	09/30/2010	11/04/2010	MAGNOLIA HAVEN HEALTH AND REHABILITATION CENTER
015112	09/15/2011	10/20/2011	MAGNOLIA HAVEN HEALTH AND REHABILITATION CENTER
015112	09/15/2011	10/20/2011	MAGNOLIA HAVEN HEALTH AND

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

500 ST. CLAIR AVENUE SOUTHWEST	HUNTSVILLE	AL	35801	2565395111
603 WRIGHT STREET	TUSKEGEE	AL	36083	3347274960
603 WRIGHT STREET	TUSKEGEE	AL	36083	3347274960
603 WRIGHT STREET	TUSKEGEE	AL	36083	3347274960
603 WRIGHT STREET	TUSKEGEE	AL	36083	3347274960
603 WRIGHT STREET	TUSKEGEE	AL	36083	3347274960
603 WRIGHT STREET	TUSKEGEE	AL	36083	3347274960
603 WRIGHT STREET	TUSKEGEE	AL	36083	3347274960

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies

ashtrays where smoking was allowed.		
properly installed electrical wiring and equipment.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Few	2
Reasonably accommodate the needs and preferences of each resident.	Few	2
Coordinate assessments with the pre-admission screening and resident review program for mentally-ill and mentally-retarded patients.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Make sure each resident receives an accurate assessment by a qualified health professional.	Few	2
Provide necessary care and	Few	2

015112		10/20/2011	MAGNOLIA HAVEN HEALTH AND REHABILITATION CENTER
015112	09/15/2011	10/20/2011	MAGNOLIA HAVEN HEALTH AND REHABILITATION CENTER
015112	09/21/2011	10/26/2011	MAGNOLIA HAVEN HEALTH AND REHABILITATION CENTER
015112	09/21/2011	10/26/2011	MAGNOLIA HAVEN HEALTH AND REHABILITATION CENTER
015112	09/21/2011	10/26/2011	MAGNOLIA HAVEN HEALTH AND REHABILITATION CENTER
015112	09/21/2011	10/26/2011	MAGNOLIA HAVEN HEALTH AND REHABILITATION CENTER
015112	09/21/2011	10/26/2011	MAGNOLIA HAVEN HEALTH AND REHABILITATION CENTER
015112	09/21/2011	10/26/2011	MAGNOLIA HAVEN HEALTH AND REHABILITATION CENTER
015113	09/11/2009	10/16/2009	RIVER CITY CARE & REHABILITATION CENTER
015113	09/11/2009	10/16/2009	RIVER CITY CARE & REHABILITATION CENTER

603 WRIGHT STREET	TUSKEGEE	AL	36083	3347274960
603 WRIGHT STREET	TUSKEGEE	AL	36083	3347274960
603 WRIGHT STREET	TUSKEGEE	AL	36083	3347274960
603 WRIGHT STREET	TUSKEGEE	AL	36083	3347274960
603 WRIGHT STREET	TUSKEGEE	AL	36083	3347274960
603 WRIGHT STREET	TUSKEGEE	AL	36083	3347274960
603 WRIGHT STREET	TUSKEGEE	AL	36083	3347274960
603 WRIGHT STREET	TUSKEGEE	AL	36083	3347274960
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Resident Rights Deficiencies

Provide necessary care and services to maintain the highest well being of each resident .	Few	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
corridor and hallway doors that block smoke.	Some	2
exits that are accessible at all times.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
portable fire extinguishers.	Few	2
restrictions on the use of flammable curtains.	Some	2
proper medical gas storage and administration areas.	Few	2
Write and use policies that forbid mistreatment, neglect and abuse of residents and theft of residents' property.	Few	2
Listen to the resident or family groups or act on their complaints	Few	2

			CENTER
015113	09/11/2009	10/16/2009	RIVER CITY CARE & REHABILITATION CENTER
015113	09/11/2009	10/16/2009	RIVER CITY CARE & REHABILITATION CENTER
015113	09/11/2009	10/16/2009	RIVER CITY CARE & REHABILITATION CENTER
015113	09/11/2009	10/16/2009	RIVER CITY CARE & REHABILITATION CENTER
015113	09/11/2009	10/16/2009	RIVER CITY CARE & REHABILITATION CENTER
015113	09/11/2009	10/16/2009	RIVER CITY CARE & REHABILITATION CENTER

AVENUE SOUTHEAST				
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies

groups or act on their complaints or suggestions.		
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Provide proper discharge planning and communication, of the resident's health status and summary of the resident's stay.	Few	2
Assist those residents who need total help with eating/drinking, grooming and personal and oral hygiene.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Make sure that the nursing home area is free from accident	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015113	09/11/2009	10/16/2009	RIVER CITY CARE & REHABILITATION CENTER
015113	09/11/2009	10/16/2009	RIVER CITY CARE & REHABILITATION CENTER
015113	09/11/2009	10/16/2009	RIVER CITY CARE & REHABILITATION CENTER
015113	09/11/2009	10/16/2009	RIVER CITY CARE & REHABILITATION CENTER
015113	09/11/2009	10/16/2009	RIVER CITY CARE & REHABILITATION CENTER
015113	09/16/2009	10/15/2009	RIVER CITY CARE & REHABILITATION CENTER

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

hazards and risks and provides supervision to prevent avoidable accidents.		
Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.	Some	2
Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Few	2
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
smoke barrier doors that can resist smoke for at least 20	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015113	09/16/2009	10/15/2009	RIVER CITY CARE & REHABILITATION CENTER
015113	09/02/2010	09/28/2010	RIVER CITY CARE & REHABILITATION CENTER
015113	09/02/2010	09/28/2010	RIVER CITY CARE & REHABILITATION CENTER
015113	09/03/2010	09/27/2010	RIVER CITY CARE & REHABILITATION CENTER
015113	09/03/2010	09/27/2010	RIVER CITY CARE & REHABILITATION CENTER
015113	09/03/2010	09/27/2010	RIVER CITY CARE & REHABILITATION CENTER
015113	09/03/2010	09/27/2010	RIVER CITY CARE & REHABILITATION CENTER

1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies

minutes.		
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Few	2
Immediately tell the resident, the resident's doctor and a family member of the resident of situations (injury/decline/room, etc.) that affect the resident.	Few	2
Keep each resident's personal and medical records private and confidential.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Safely provide drugs and other similar products available, which are needed every day and in	Few	2

015113	09/03/2010	09/27/2010	RIVER CITY CARE & REHABILITATION CENTER
015113	09/03/2010	09/27/2010	RIVER CITY CARE & REHABILITATION CENTER
015113	08/04/2011	08/28/2011	RIVER CITY CARE & REHABILITATION CENTER
015113	08/04/2011	08/28/2011	RIVER CITY CARE & REHABILITATION CENTER
015113	08/04/2011	08/28/2011	RIVER CITY CARE & REHABILITATION CENTER
015113	08/04/2011	08/28/2011	RIVER CITY CARE & REHABILITATION CENTER
015113	08/04/2011	08/28/2011	RIVER CITY CARE & REHABILITATION CENTER
015113	08/04/2011	08/28/2011	RIVER CITY CARE & REHABILITATION CENTER
015113	08/10/2011	08/29/2011	RIVER CITY CARE & REHABILITATION

1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH	DECATUR	AL	35601	2563556911

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies

emergencies, by a licensed pharmacist.		
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
Immediately tell the resident, the resident's doctor and a family member of the resident of situations (injury/decline/room, etc.) that affect the resident.	Few	2
Provide access to a telephone for resident to use in private.	Few	2
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Some	2
Dispose of garbage and refuse properly.	Many	1
Have a program that investigates, controls and keeps infection from spreading.	Few	2
corridor and hallway doors that	Some	2

015113		08/29/2011	RIVER CITY CARE & REHABILITATION CENTER
015113	08/10/2011	08/29/2011	RIVER CITY CARE & REHABILITATION CENTER
015113	08/10/2011	08/29/2011	RIVER CITY CARE & REHABILITATION CENTER
015113	08/10/2011	08/29/2011	RIVER CITY CARE & REHABILITATION CENTER
015113	08/10/2011	08/29/2011	RIVER CITY CARE & REHABILITATION CENTER
015113	08/10/2011	08/29/2011	RIVER CITY CARE & REHABILITATION CENTER
015113	08/10/2011	08/29/2011	RIVER CITY CARE & REHABILITATION CENTER
015113	08/10/2011	08/29/2011	RIVER CITY CARE & REHABILITATION CENTER
015113	08/10/2011	08/29/2011	RIVER CITY CARE & REHABILITATION CENTER
015113	08/10/2011	08/29/2011	RIVER CITY CARE & REHABILITATION CENTER

1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911

FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies

corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Many	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Some	2
record of quarterly fire drills for each shift under varying conditions.	Many	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2
portable fire extinguishers.	Some	2
properly protected cooking facilities.	Few	2
restrictions on the use of flammable curtains.	Some	2

			CENTER
015113	08/10/2011	08/29/2011	RIVER CITY CARE & REHABILITATION CENTER
015114	01/22/2010	02/26/2010	SHADESCREST HEALTH CARE CENTER
015114	01/22/2010	02/26/2010	SHADESCREST HEALTH CARE CENTER
015114	01/22/2010	02/26/2010	SHADESCREST HEALTH CARE CENTER
015114	01/22/2010	02/26/2010	SHADESCREST HEALTH CARE CENTER
015114	01/22/2010	02/26/2010	SHADESCREST HEALTH CARE CENTER
015114	01/25/2010	02/19/2010	SHADESCREST HEALTH CARE CENTER
015114	01/25/2010	02/19/2010	SHADESCREST HEALTH CARE CENTER

AVENUE SOUTHEAST				
1350 FOURTEENTH AVENUE SOUTHEAST	DECATUR	AL	35601	2563556911
331 WEST 25TH STREET	JASPER	AL	35502	2053849086
331 WEST 25TH STREET	JASPER	AL	35502	2053849086
331 WEST 25TH STREET	JASPER	AL	35502	2053849086
331 WEST 25TH STREET	JASPER	AL	35502	2053849086
331 WEST 25TH STREET	JASPER	AL	35502	2053849086
331 WEST 25TH STREET	JASPER	AL	35502	2053849086
331 WEST 25TH STREET	JASPER	AL	35502	2053849086

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies

flammable curtains.		
properly installed electrical wiring and equipment.	Few	2
Make sure each resident receives an accurate assessment by a qualified health professional.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Employ or obtain outside professional resources providing services in the nursing home that meet professional standards.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015114	01/25/2010	02/19/2010	SHADESCREST HEALTH CARE CENTER
015114	12/18/2010	02/07/2011	SHADESCREST HEALTH CARE CENTER
015114	12/18/2010	02/07/2011	SHADESCREST HEALTH CARE CENTER
015114	12/18/2010	02/07/2011	SHADESCREST HEALTH CARE CENTER
015114	12/18/2010	02/07/2011	SHADESCREST HEALTH CARE CENTER

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

331 WEST 25TH STREET	JASPER	AL	35502	2053849086
331 WEST 25TH STREET	JASPER	AL	35502	2053849086
331 WEST 25TH STREET	JASPER	AL	35502	2053849086
331 WEST 25TH STREET	JASPER	AL	35502	2053849086
331 WEST 25TH STREET	JASPER	AL	35502	2053849086

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Fire Alarm Systems Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

extinguishing system.		
a fire alarm system that can be heard throughout the facility.	Few	2
Send and promptly deliver unopened mail to residents.	Many	1
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Some	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015114	12/18/2010	02/07/2011	SHADESCREST HEALTH CARE CENTER
015114	12/18/2010	02/07/2011	SHADESCREST HEALTH CARE CENTER
015114	12/18/2010	02/07/2011	SHADESCREST HEALTH CARE CENTER
015114	12/18/2010	02/07/2011	SHADESCREST HEALTH CARE CENTER
015114	12/21/2010	01/25/2011	SHADESCREST HEALTH CARE CENTER
015114	12/21/2010	01/25/2011	SHADESCREST HEALTH CARE CENTER
015114	12/21/2010	01/25/2011	SHADESCREST HEALTH CARE CENTER
015114	12/21/2010	01/25/2011	SHADESCREST HEALTH CARE CENTER

331 WEST 25TH STREET	JASPER	AL	35502	2053849086
331 WEST 25TH STREET	JASPER	AL	35502	2053849086
331 WEST 25TH STREET	JASPER	AL	35502	2053849086
331 WEST 25TH STREET	JASPER	AL	35502	2053849086
331 WEST 25TH STREET	JASPER	AL	35502	2053849086
331 WEST 25TH STREET	JASPER	AL	35502	2053849086
331 WEST 25TH STREET	JASPER	AL	35502	2053849086
331 WEST 25TH STREET	JASPER	AL	35502	2053849086

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies

Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Some	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Some	2
exits that are accessible at all times.	Some	2
portable fire extinguishers.	Few	2
restrictions on the use of flammable curtains.	Few	2
other fire safety features required by fire safety codes.	Many	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015114	11/09/2011	02/10/2012	SHADESCREST HEALTH CARE CENTER
015114	11/09/2011	02/10/2012	SHADESCREST HEALTH CARE CENTER
015114	11/09/2011	02/10/2012	SHADESCREST HEALTH CARE CENTER
015114	11/09/2011	02/10/2012	SHADESCREST HEALTH CARE CENTER
015114	11/09/2011	02/10/2012	SHADESCREST HEALTH CARE CENTER
015114	11/09/2011	02/10/2012	SHADESCREST HEALTH CARE CENTER
015114	11/10/2011	12/15/2011	SHADESCREST HEALTH CARE CENTER
015114	11/10/2011	12/15/2011	SHADESCREST HEALTH CARE CENTER
015114	11/10/2011	12/15/2011	SHADESCREST HEALTH CARE CENTER

331 WEST 25TH STREET	JASPER	AL	35502	2053849086
331 WEST 25TH STREET	JASPER	AL	35502	2053849086
331 WEST 25TH STREET	JASPER	AL	35502	2053849086
331 WEST 25TH STREET	JASPER	AL	35502	2053849086
331 WEST 25TH STREET	JASPER	AL	35502	2053849086
331 WEST 25TH STREET	JASPER	AL	35502	2053849086
331 WEST 25TH STREET	JASPER	AL	35502	2053849086
331 WEST 25TH STREET	JASPER	AL	35502	2053849086
331 WEST 25TH STREET	JASPER	AL	35502	2053849086

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Mistreatment Deficiencies

exits that are accessible at all times.	Some	2
automatic sprinkler systems that have been maintained in working order.	Few	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Few	2
properly protected cooking facilities.	Some	1
other fire safety features required by fire safety codes.	Some	2
properly installed electrical wiring and equipment.	Many	2
Keep each resident's personal and medical records private and confidential.	Few	2
Try to resolve each resident's complaints quickly.	Few	2
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015114	11/10/2011	12/15/2011	SHADESCREST HEALTH CARE CENTER
015114	11/10/2011	12/15/2011	SHADESCREST HEALTH CARE CENTER
015114	11/10/2011	12/15/2011	SHADESCREST HEALTH CARE CENTER
015114	11/10/2011	12/15/2011	SHADESCREST HEALTH CARE CENTER
015115	07/09/2009	08/13/2009	CORDOVA HEALTH AND REHABILITATION, LLC
015115	07/09/2009	08/13/2009	CORDOVA HEALTH AND REHABILITATION, LLC
015115	07/09/2009	08/13/2009	CORDOVA HEALTH AND REHABILITATION, LLC

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

331 WEST 25TH STREET	JASPER	AL	35502	2053849086
331 WEST 25TH STREET	JASPER	AL	35502	2053849086
331 WEST 25TH STREET	JASPER	AL	35502	2053849086
331 WEST 25TH STREET	JASPER	AL	35502	2053849086
70 HIGHLAND STREET WEST	CORDOVA	AL	35550	2054839282
70 HIGHLAND STREET WEST	CORDOVA	AL	35550	2054839282
70 HIGHLAND STREET WEST	CORDOVA	AL	35550	2054839282

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

reports of abuse, neglect or mistreatment of residents.		
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Send and promptly deliver unopened mail to residents.	Many	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a	Few	2

015115	07/09/2009	08/13/2009	CORDOVA HEALTH AND REHABILITATION, LLC
015115	07/14/2009	08/05/2009	CORDOVA HEALTH AND REHABILITATION, LLC
015115	07/14/2009	08/05/2009	CORDOVA HEALTH AND REHABILITATION, LLC
015115	08/16/2010	09/20/2010	CORDOVA HEALTH AND REHABILITATION, LLC
015115	08/16/2010	09/20/2010	CORDOVA HEALTH AND REHABILITATION, LLC
015115	08/16/2010	09/20/2010	CORDOVA HEALTH AND REHABILITATION,

70 HIGHLAND STREET WEST	CORDOVA	AL	35550	2054839282
70 HIGHLAND STREET WEST	CORDOVA	AL	35550	2054839282
70 HIGHLAND STREET WEST	CORDOVA	AL	35550	2054839282
70 HIGHLAND STREET WEST	CORDOVA	AL	35550	2054839282
70 HIGHLAND STREET WEST	CORDOVA	AL	35550	2054839282
70 HIGHLAND STREET	CORDOVA	AL	35550	2054839282

HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.		
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
a fire alarm system that can be heard throughout the facility.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Many	1
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Some	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Store, cook, and serve food in a	Many	2

			LLC
015115	08/16/2010	09/20/2010	CORDOVA HEALTH AND REHABILITATION, LLC
015115	08/16/2010	09/20/2010	CORDOVA HEALTH AND REHABILITATION, LLC
015115	08/17/2010	09/16/2010	CORDOVA HEALTH AND REHABILITATION, LLC
015115	08/17/2010	09/16/2010	CORDOVA HEALTH AND REHABILITATION, LLC
015115	08/17/2010	09/16/2010	CORDOVA HEALTH AND REHABILITATION, LLC
015115	08/17/2010	09/16/2010	CORDOVA HEALTH AND REHABILITATION, LLC
015115	08/17/2010	09/16/2010	CORDOVA HEALTH AND REHABILITATION, LLC
015115	08/17/2010	09/16/2010	CORDOVA HEALTH AND REHABILITATION, LLC
015115	08/17/2010	09/16/2010	CORDOVA HEALTH AND REHABILITATION, LLC

WEST				
70 HIGHLAND STREET WEST	CORDOVA	AL	35550	2054839282
70 HIGHLAND STREET WEST	CORDOVA	AL	35550	2054839282
70 HIGHLAND STREET WEST	CORDOVA	AL	35550	2054839282
70 HIGHLAND STREET WEST	CORDOVA	AL	35550	2054839282
70 HIGHLAND STREET WEST	CORDOVA	AL	35550	2054839282
70 HIGHLAND STREET WEST	CORDOVA	AL	35550	2054839282
70 HIGHLAND STREET WEST	CORDOVA	AL	35550	2054839282
70 HIGHLAND STREET WEST	CORDOVA	AL	35550	2054839282
70 HIGHLAND STREET WEST	CORDOVA	AL	35550	2054839282

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

safe and clean way.		
Provide routine and 24-hour emergency dental care for each resident.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
a two-hour-resistant firewall in common walls.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Some	2
proper exit design.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
automatic sprinkler systems that have been maintained in working	Some	2

			LLC
015115	08/17/2010	09/16/2010	CORDOVA HEALTH AND REHABILITATION, LLC
015115	08/17/2010	09/16/2010	CORDOVA HEALTH AND REHABILITATION, LLC
015115	08/17/2010	09/16/2010	CORDOVA HEALTH AND REHABILITATION, LLC
015115	07/08/2011	08/12/2011	CORDOVA HEALTH AND REHABILITATION, LLC
015115	07/12/2011	08/16/2011	CORDOVA HEALTH AND REHABILITATION, LLC
015115	07/12/2011	08/16/2011	CORDOVA HEALTH AND REHABILITATION, LLC
015115	07/12/2011	08/16/2011	CORDOVA HEALTH AND REHABILITATION, LLC
015115	07/12/2011	08/16/2011	CORDOVA HEALTH AND REHABILITATION, LLC
015115	07/12/2011	08/16/2011	CORDOVA HEALTH AND REHABILITATION, LLC

WEST				
70 HIGHLAND STREET WEST	CORDOVA	AL	35550	2054839282
70 HIGHLAND STREET WEST	CORDOVA	AL	35550	2054839282
70 HIGHLAND STREET WEST	CORDOVA	AL	35550	2054839282
70 HIGHLAND STREET WEST	CORDOVA	AL	35550	2054839282
70 HIGHLAND STREET WEST	CORDOVA	AL	35550	2054839282
70 HIGHLAND STREET WEST	CORDOVA	AL	35550	2054839282
70 HIGHLAND STREET WEST	CORDOVA	AL	35550	2054839282
70 HIGHLAND STREET WEST	CORDOVA	AL	35550	2054839282
70 HIGHLAND STREET WEST	CORDOVA	AL	35550	2054839282

FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Assessment Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies

have been maintained in working order.		
properly protected cooking facilities.	Few	2
other fire safety features required by fire safety codes.	Few	2
properly installed electrical wiring and equipment.	Few	2
Make sure that doctors see a resident's plan of care at every visit and make notes about progress and orders in writing.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
restrictions on the use of portable space heaters.	Some	2

			LLC
015115	07/12/2011	08/16/2011	CORDOVA HEALTH AND REHABILITATION, LLC
015116	03/23/2010	04/22/2010	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	03/23/2010	04/22/2010	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	03/23/2010	04/22/2010	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	03/23/2010	04/22/2010	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	03/23/2010	04/22/2010	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	03/23/2010	04/22/2010	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	03/23/2010	04/22/2010	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	03/23/2010	04/22/2010	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	03/23/2010	04/27/2010	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	03/23/2010	04/27/2010	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS

WEST				
70 HIGHLAND STREET WEST	CORDOVA	AL	35550	2054839282
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Assessment Deficiencies

space heaters.		
properly installed electrical wiring and equipment.	Some	2
corridor and hallway doors that block smoke.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
automatic sprinkler systems that have been maintained in working order.	Few	2
properly protected cooking facilities.	Few	2
exits that are free from obstructions and can be used at all times.	Few	2
properly installed electrical wiring and equipment.	Few	2
Determine if it is safe for the resident to self-administer drugs.	Few	2
Develop a complete care plan that meets all of a resident's	Some	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015116	03/23/2010	04/27/2010	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	03/23/2010	04/27/2010	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	03/23/2010	04/27/2010	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	03/23/2010	04/27/2010	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	03/23/2010	04/27/2010	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	03/23/2010	04/27/2010	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	03/23/2010	04/27/2010	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS

105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Pharmacy Service Deficiencies

needs, with timetables and actions that can be measured.		
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Coordinate assessments with the pre-admission screening and resident review program for mentally-ill and mentally-retarded patients.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	3
Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Few	2
Maintain drug records and properly mark/label drugs and other similar products according	Few	2

015116	03/23/2010	04/27/2010	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	03/23/2010	04/27/2010	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	03/31/2011	05/03/2011	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	03/31/2011	05/03/2011	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	03/31/2011	05/03/2011	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	03/31/2011	05/03/2011	KINDRED TRANSITIONAL CARE&REHAB-

105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD	HUNTSVILLE	AL	35801	2568815000

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies

to accepted professional standards.		
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Some	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates,	Some	2

			WHITESBURG GARDENS
015116	04/05/2011	05/03/2011	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	04/05/2011	05/03/2011	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	04/12/2012	05/10/2012	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	04/12/2012	05/10/2012	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	04/12/2012	05/10/2012	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	04/26/2012	05/29/2012	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	04/26/2012	05/29/2012	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	04/26/2012	05/29/2012	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	04/26/2012	05/29/2012	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	04/26/2012	05/29/2012	KINDRED TRANSITIONAL CARE&REHAB-

DRIVE				
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD	HUNTSVILLE	AL	35801	2568815000

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Interior Finish Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

controls and keeps infection from spreading.		
exits that are accessible at all times.	Some	2
record of quarterly fire drills for each shift under varying conditions.	Many	2
Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
fire-resistant room wall surfaces.	Few	2
corridor and hallway doors that block smoke.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Some	2
automatic sprinkler systems that	Some	2

			WHITESBURG GARDENS
015116	04/26/2012	05/29/2012	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	04/26/2012	05/29/2012	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015116	04/26/2012	05/29/2012	KINDRED TRANSITIONAL CARE&REHAB-WHITESBURG GARDENS
015117	11/05/2009	12/10/2009	OAK KNOLL HEALTH AND REHABILITATION, LLC
015117	11/05/2009	12/10/2009	OAK KNOLL HEALTH AND REHABILITATION, LLC
015117	11/05/2009	12/10/2009	OAK KNOLL HEALTH AND REHABILITATION, LLC
015117	11/05/2009	12/10/2009	OAK KNOLL HEALTH AND REHABILITATION, LLC
015117	11/12/2009	12/10/2009	OAK KNOLL HEALTH AND REHABILITATION, LLC

DRIVE				
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
105 TEAKWOOD DRIVE	HUNTSVILLE	AL	35801	2568815000
824 SIXTH AVENUE WEST	BIRMINGHAM	AL	35204	2057872619
824 SIXTH AVENUE WEST	BIRMINGHAM	AL	35204	2057872619
824 SIXTH AVENUE WEST	BIRMINGHAM	AL	35204	2057872619
824 SIXTH AVENUE WEST	BIRMINGHAM	AL	35204	2057872619
824 SIXTH AVENUE WEST	BIRMINGHAM	AL	35204	2057872619
824 SIXTH AVENUE WEST	BIRMINGHAM	AL	35204	2057872619

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies

have been maintained in working order.		
proper medical gas storage and administration areas.	Some	2
properly constructed piped-in oxygen systems.	Some	2
properly installed electrical wiring and equipment.	Some	2
Coordinate assessments with the pre-admission screening and resident review program for mentally-ill and mentally-retarded patients.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Some	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
construction that can resist fire for one hour or an approved fire	Few	2

			LLC
015117	11/12/2009	12/10/2009	OAK KNOLL HEALTH AND REHABILITATION, LLC
015117	12/02/2010	01/06/2011	OAK KNOLL HEALTH AND REHABILITATION, LLC
015117	12/02/2010	01/06/2011	OAK KNOLL HEALTH AND REHABILITATION, LLC
015117	12/02/2010	01/06/2011	OAK KNOLL HEALTH AND REHABILITATION, LLC
015117	12/02/2010	01/06/2011	OAK KNOLL HEALTH AND REHABILITATION, LLC
015117	12/02/2010	01/06/2011	OAK KNOLL HEALTH AND REHABILITATION, LLC

WEST				
824 SIXTH AVENUE WEST	BIRMINGHAM	AL	35204	2057872619
824 SIXTH AVENUE WEST	BIRMINGHAM	AL	35204	2057872619
824 SIXTH AVENUE WEST	BIRMINGHAM	AL	35204	2057872619
824 SIXTH AVENUE WEST	BIRMINGHAM	AL	35204	2057872619
824 SIXTH AVENUE WEST	BIRMINGHAM	AL	35204	2057872619
824 SIXTH AVENUE WEST	BIRMINGHAM	AL	35204	2057872619

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

for one hour or an approved fire extinguishing system.		
automatic sprinkler systems that have been maintained in working order.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Some	2
Store, cook, and serve food in a safe and clean way.	Many	2

015117	12/02/2010	01/06/2011	OAK KNOLL HEALTH AND REHABILITATION, LLC
015117	12/02/2010	01/06/2011	OAK KNOLL HEALTH AND REHABILITATION, LLC
015117	12/02/2010	01/06/2011	OAK KNOLL HEALTH AND REHABILITATION, LLC
015117	12/08/2010	01/06/2011	OAK KNOLL HEALTH AND REHABILITATION, LLC
015117	12/08/2010	01/06/2011	OAK KNOLL HEALTH AND REHABILITATION, LLC
015117	12/08/2010	01/06/2011	OAK KNOLL HEALTH AND REHABILITATION, LLC
015117	12/08/2010	01/06/2011	OAK KNOLL HEALTH AND REHABILITATION, LLC
015117	11/03/2011	12/08/2011	OAK KNOLL HEALTH AND REHABILITATION, LLC
015117	11/03/2011	12/08/2011	OAK KNOLL HEALTH AND REHABILITATION, LLC

824 SIXTH AVENUE WEST	BIRMINGHAM	AL	35204	2057872619
824 SIXTH AVENUE WEST	BIRMINGHAM	AL	35204	2057872619
824 SIXTH AVENUE WEST	BIRMINGHAM	AL	35204	2057872619
824 SIXTH AVENUE WEST	BIRMINGHAM	AL	35204	2057872619
824 SIXTH AVENUE WEST	BIRMINGHAM	AL	35204	2057872619
824 SIXTH AVENUE WEST	BIRMINGHAM	AL	35204	2057872619
824 SIXTH AVENUE WEST	BIRMINGHAM	AL	35204	2057872619
824 SIXTH AVENUE WEST	BIRMINGHAM	AL	35204	2057872619
824 SIXTH AVENUE WEST	BIRMINGHAM	AL	35204	2057872619
824 SIXTH AVENUE WEST	BIRMINGHAM	AL	35204	2057872619

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies

Dispose of garbage and refuse properly.	Many	1
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Many	2
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
a separate and independent backup electrical power source.	Many	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Make sure that residents receive treatment/services to not only	Few	2

			LLC
015117	11/03/2011	12/08/2011	OAK KNOLL HEALTH AND REHABILITATION, LLC
015117	11/03/2011	12/08/2011	OAK KNOLL HEALTH AND REHABILITATION, LLC
015117	11/09/2011	12/14/2011	OAK KNOLL HEALTH AND REHABILITATION, LLC
015117	11/09/2011	12/14/2011	OAK KNOLL HEALTH AND REHABILITATION, LLC
015119	12/02/2009	01/07/2010	WARREN MANOR HEALTH AND REHABILITATION CENTER
015119	12/02/2009	01/07/2010	WARREN MANOR HEALTH AND REHABILITATION CENTER
015119	12/02/2009	01/07/2010	WARREN MANOR HEALTH AND REHABILITATION CENTER
015119	12/02/2009	01/07/2010	WARREN MANOR HEALTH AND REHABILITATION CENTER
015119	12/03/2009	01/07/2010	WARREN MANOR HEALTH AND REHABILITATION CENTER

WEST				
824 SIXTH AVENUE WEST	BIRMINGHAM	AL	35204	2057872619
824 SIXTH AVENUE WEST	BIRMINGHAM	AL	35204	2057872619
824 SIXTH AVENUE WEST	BIRMINGHAM	AL	35204	2057872619
824 SIXTH AVENUE WEST	BIRMINGHAM	AL	35204	2057872619
11 BELL ROAD	SELMA	AL	36701	3348747425
11 BELL ROAD	SELMA	AL	36701	3348747425
11 BELL ROAD	SELMA	AL	36701	3348747425
11 BELL ROAD	SELMA	AL	36701	3348747425
11 BELL ROAD	SELMA	AL	36701	3348747425
11 BELL ROAD	SELMA	AL	36701	3348747425

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Pharmacy Service Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
HEALTH	Environmental Deficiencies

treatment/services to not only continue, but improve the ability to care for themselves.		
Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
a fire alarm system that can be heard throughout the facility.	Many	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
properly protected cooking facilities.	Few	2
exits that are free from obstructions and can be used at all times.	Some	2
other fire safety features required by fire safety codes.	Few	2
Provide a safe, clean, comfortable and homelike	Some	2

			REHABILITATION CENTER
015119	12/03/2009	01/07/2010	WARREN MANOR HEALTH AND REHABILITATION CENTER
015119	09/29/2010	10/29/2010	WARREN MANOR HEALTH AND REHABILITATION CENTER
015119	09/29/2010	10/29/2010	WARREN MANOR HEALTH AND REHABILITATION CENTER
015119	09/29/2010	10/29/2010	WARREN MANOR HEALTH AND REHABILITATION CENTER
015119	09/30/2010	11/04/2010	WARREN MANOR HEALTH AND REHABILITATION CENTER
015119	09/30/2010	11/04/2010	WARREN MANOR HEALTH AND REHABILITATION CENTER
015119	09/30/2010	11/04/2010	WARREN MANOR HEALTH AND REHABILITATION CENTER

11 BELL ROAD	SELMA	AL	36701	3348747425
11 BELL ROAD	SELMA	AL	36701	3348747425
11 BELL ROAD	SELMA	AL	36701	3348747425
11 BELL ROAD	SELMA	AL	36701	3348747425
11 BELL ROAD	SELMA	AL	36701	3348747425
11 BELL ROAD	SELMA	AL	36701	3348747425
11 BELL ROAD	SELMA	AL	36701	3348747425

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

comfortable and homelike environment.		
Provide housekeeping and maintenance services.	Few	2
a two-hour-resistant firewall in common walls.	Some	2
a fire alarm system that can be heard throughout the facility.	Few	2
automatic sprinkler systems that have been maintained in working order.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015119	09/30/2010	11/04/2010	WARREN MANOR HEALTH AND REHABILITATION CENTER
015119	09/30/2010	11/04/2010	WARREN MANOR HEALTH AND REHABILITATION CENTER
015119	09/30/2010	11/04/2010	WARREN MANOR HEALTH AND REHABILITATION CENTER
015119	09/15/2011	10/19/2011	WARREN MANOR HEALTH AND REHABILITATION CENTER
015119	09/15/2011	10/19/2011	WARREN MANOR HEALTH AND REHABILITATION CENTER

11 BELL ROAD	SELMA	AL	36701	3348747425
11 BELL ROAD	SELMA	AL	36701	3348747425
11 BELL ROAD	SELMA	AL	36701	3348747425
11 BELL ROAD	SELMA	AL	36701	3348747425
11 BELL ROAD	SELMA	AL	36701	3348747425

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Quality Care Deficiencies

abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.		
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Few	2
Make sure services provided by the nursing facility meet	Few	2

015119	09/15/2011	10/19/2011	WARREN MANOR HEALTH AND REHABILITATION CENTER
015119	09/15/2011	10/19/2011	WARREN MANOR HEALTH AND REHABILITATION CENTER
015119	09/15/2011	10/19/2011	WARREN MANOR HEALTH AND REHABILITATION CENTER
015119	09/15/2011	10/19/2011	WARREN MANOR HEALTH AND REHABILITATION CENTER
015119	09/15/2011	10/19/2011	WARREN MANOR HEALTH AND REHABILITATION CENTER
015119	09/15/2011	10/19/2011	WARREN MANOR HEALTH AND REHABILITATION CENTER

11 BELL ROAD	SELMA	AL	36701	3348747425
11 BELL ROAD	SELMA	AL	36701	3348747425
11 BELL ROAD	SELMA	AL	36701	3348747425
11 BELL ROAD	SELMA	AL	36701	3348747425
11 BELL ROAD	SELMA	AL	36701	3348747425
11 BELL ROAD	SELMA	AL	36701	3348747425
11 BELL ROAD	SELMA	AL	36701	3348747425

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies

professional standards of quality.		
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Some	2
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Some	2
Store, cook, and serve food in a safe and clean way.	Many	2
Make sure that the nursing home area is safe, easy to use, clean	Some	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015119	09/15/2011	10/19/2011	WARREN MANOR HEALTH AND REHABILITATION CENTER
015119	09/20/2011	10/03/2011	WARREN MANOR HEALTH AND REHABILITATION CENTER
015119	09/20/2011	10/25/2011	WARREN MANOR HEALTH AND REHABILITATION CENTER
015119	09/20/2011	10/25/2011	WARREN MANOR HEALTH AND REHABILITATION CENTER
015120	09/16/2010	10/21/2010	NHC HEALTHCARE, ANNISTON
015120	09/16/2010	10/21/2010	NHC HEALTHCARE, ANNISTON
015120	09/16/2010	10/21/2010	NHC HEALTHCARE, ANNISTON
015120	09/16/2010	10/21/2010	NHC HEALTHCARE, ANNISTON

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

11 BELL ROAD	SELMA	AL	36701	3348747425
11 BELL ROAD	SELMA	AL	36701	3348747425
11 BELL ROAD	SELMA	AL	36701	3348747425
11 BELL ROAD	SELMA	AL	36701	3348747425
2300 COLEMAN RD	ANNISTON	AL	36207	2568315730
2300 COLEMAN RD	ANNISTON	AL	36207	2568315730
2300 COLEMAN RD	ANNISTON	AL	36207	2568315730
2300 COLEMAN RD	ANNISTON	AL	36207	2568315730

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Administration Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies

and comfortable for residents, staff and the public.		
Keep clinical record information safe, so that it will not be lost, destroyed or used by the wrong person.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
automatic sprinkler systems that have been maintained in working order.	Few	2
an externally vented heating system.	Few	2
Provide care by qualified persons according to each resident's written plan of care.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015120	09/21/2010	10/21/2010	NHC HEALTHCARE, ANNISTON
015120	09/21/2010	10/21/2010	NHC HEALTHCARE, ANNISTON
015120	09/21/2010	10/21/2010	NHC HEALTHCARE, ANNISTON
015120	09/21/2010	10/21/2010	NHC HEALTHCARE, ANNISTON
015120	09/21/2010	10/21/2010	NHC HEALTHCARE, ANNISTON
015120	09/21/2010	10/21/2010	NHC HEALTHCARE, ANNISTON
015120	09/21/2010	10/21/2010	NHC HEALTHCARE, ANNISTON
015120	09/21/2010	10/21/2010	NHC HEALTHCARE, ANNISTON
015120	05/26/2011	06/24/2011	NHC HEALTHCARE, ANNISTON

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

2300 COLEMAN RD	ANNISTON	AL	36207	2568315730
2300 COLEMAN RD	ANNISTON	AL	36207	2568315730
2300 COLEMAN RD	ANNISTON	AL	36207	2568315730
2300 COLEMAN RD	ANNISTON	AL	36207	2568315730
2300 COLEMAN RD	ANNISTON	AL	36207	2568315730
2300 COLEMAN RD	ANNISTON	AL	36207	2568315730
2300 COLEMAN RD	ANNISTON	AL	36207	2568315730
2300 COLEMAN RD	ANNISTON	AL	36207	2568315730
2300 COLEMAN RD	ANNISTON	AL	36207	2568315730
2300 COLEMAN RD	ANNISTON	AL	36207	2568315730

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Mistreatment Deficiencies

controls and keeps infection from spreading.		
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
exits that are free from obstructions and can be used at all times.	Some	2
other fire safety features required by fire safety codes.	Few	2
a separate and independent backup electrical power source.	Some	2
properly installed electrical wiring and equipment.	Few	2
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015120	05/26/2011	06/24/2011	NHC HEALTHCARE, ANNISTON
015120	05/26/2011	06/24/2011	NHC HEALTHCARE, ANNISTON
015120	06/02/2011	07/03/2011	NHC HEALTHCARE, ANNISTON
015120	06/02/2011	07/03/2011	NHC HEALTHCARE, ANNISTON
015120	06/21/2012	07/20/2012	NHC HEALTHCARE, ANNISTON
015120	06/21/2012	07/20/2012	NHC HEALTHCARE, ANNISTON
015120	06/21/2012	07/20/2012	NHC HEALTHCARE, ANNISTON
015120	06/21/2012	07/20/2012	NHC HEALTHCARE, ANNISTON

2300 COLEMAN RD	ANNISTON	AL	36207	2568315730
2300 COLEMAN RD	ANNISTON	AL	36207	2568315730
2300 COLEMAN RD	ANNISTON	AL	36207	2568315730
2300 COLEMAN RD	ANNISTON	AL	36207	2568315730
2300 COLEMAN RD	ANNISTON	AL	36207	2568315730
2300 COLEMAN RD	ANNISTON	AL	36207	2568315730
2300 COLEMAN RD	ANNISTON	AL	36207	2568315730
2300 COLEMAN RD	ANNISTON	AL	36207	2568315730
2300 COLEMAN RD	ANNISTON	AL	36207	2568315730

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Rights Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies

mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.		
Reasonably accommodate the needs and preferences of each resident.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
corridor and hallway doors that block smoke.	Few	2
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Many	1
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Provide necessary care and services to maintain the highest well being of each resident .	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Some	2
Keep accurate, complete and	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015120		07/20/2012	NHC HEALTHCARE, ANNISTON
015120	06/28/2012	07/27/2012	NHC HEALTHCARE, ANNISTON
015120	06/28/2012	07/27/2012	NHC HEALTHCARE, ANNISTON
015120	06/28/2012	07/27/2012	NHC HEALTHCARE, ANNISTON
015121	06/11/2010	07/09/2010	CITRONELLE CONVALESCENT CENTER
015121	06/11/2010	07/09/2010	CITRONELLE CONVALESCENT CENTER
015121	06/11/2010	07/09/2010	CITRONELLE CONVALESCENT CENTER
015121	06/11/2010	07/09/2010	CITRONELLE CONVALESCENT CENTER
015121	06/11/2010	07/09/2010	CITRONELLE CONVALESCENT CENTER

2300 COLEMAN RD	ANNISTON	AL	36207	2568315730
2300 COLEMAN RD	ANNISTON	AL	36207	2568315730
2300 COLEMAN RD	ANNISTON	AL	36207	2568315730
2300 COLEMAN RD	ANNISTON	AL	36207	2568315730
19225 NORTH 4TH STREET	CITRONELLE	AL	36522	2518665509
19225 NORTH 4TH STREET	CITRONELLE	AL	36522	2518665509
19225 NORTH 4TH STREET	CITRONELLE	AL	36522	2518665509
19225 NORTH 4TH STREET	CITRONELLE	AL	36522	2518665509
19225 NORTH 4TH	CITRONELLE	AL	36522	2518665509

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Administration Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Few	2
properly protected cooking facilities.	Many	1
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
record of quarterly fire drills for each shift under varying conditions.	Some	1
automatic sprinkler systems that	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015121		07/09/2010	CITRONELLE CONVALESCENT CENTER
015121	06/11/2010	07/09/2010	CITRONELLE CONVALESCENT CENTER
015121	06/11/2010	07/09/2010	CITRONELLE CONVALESCENT CENTER
015121	04/21/2011	05/13/2011	CITRONELLE CONVALESCENT CENTER
015121	04/25/2011	05/25/2011	CITRONELLE CONVALESCENT CENTER
015121	04/25/2011	05/25/2011	CITRONELLE CONVALESCENT CENTER
015121	04/25/2011	05/18/2011	CITRONELLE CONVALESCENT CENTER
015121	04/25/2011	05/30/2011	CITRONELLE CONVALESCENT CENTER
015121	04/25/2011	05/20/2011	CITRONELLE CONVALESCENT CENTER
015121	04/25/2011	05/20/2011	CITRONELLE CONVALESCENT CENTER

19225 NORTH 4TH STREET	CITRONELLE	AL	36522	2518665509
19225 NORTH 4TH STREET	CITRONELLE	AL	36522	2518665509
19225 NORTH 4TH STREET	CITRONELLE	AL	36522	2518665509
19225 NORTH 4TH STREET	CITRONELLE	AL	36522	2518665509
19225 NORTH 4TH STREET	CITRONELLE	AL	36522	2518665509
19225 NORTH 4TH STREET	CITRONELLE	AL	36522	2518665509
19225 NORTH 4TH STREET	CITRONELLE	AL	36522	2518665509
19225 NORTH 4TH STREET	CITRONELLE	AL	36522	2518665509
19225 NORTH 4TH STREET	CITRONELLE	AL	36522	2518665509
19225 NORTH 4TH STREET	CITRONELLE	AL	36522	2518665509
19225 NORTH 4TH STREET	CITRONELLE	AL	36522	2518665509

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies

automatic sprinkler systems that have been maintained in working order.	Some	2
restrictions on the use of flammable curtains.	Some	2
properly installed electrical wiring and equipment.	Some	2
Store, cook, and serve food in a safe and clean way.	Many	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Some	1
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
restrictions on the use of portable space heaters.	Few	2
properly installed electrical wiring and equipment.	Many	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015121	06/08/2012	06/26/2012	CITRONELLE CONVALESCENT CENTER
015121	06/08/2012	06/26/2012	CITRONELLE CONVALESCENT CENTER
015121	06/08/2012	06/26/2012	CITRONELLE CONVALESCENT CENTER
015121	06/08/2012	06/26/2012	CITRONELLE CONVALESCENT CENTER
015121	06/12/2012	07/17/2012	CITRONELLE CONVALESCENT CENTER
015121	06/12/2012	07/17/2012	CITRONELLE CONVALESCENT CENTER
015121	06/12/2012	07/17/2012	CITRONELLE CONVALESCENT CENTER
015121	06/12/2012	07/17/2012	CITRONELLE CONVALESCENT CENTER

19225 NORTH 4TH STREET	CITRONELLE	AL	36522	2518665509
19225 NORTH 4TH STREET	CITRONELLE	AL	36522	2518665509
19225 NORTH 4TH STREET	CITRONELLE	AL	36522	2518665509
19225 NORTH 4TH STREET	CITRONELLE	AL	36522	2518665509
19225 NORTH 4TH STREET	CITRONELLE	AL	36522	2518665509
19225 NORTH 4TH STREET	CITRONELLE	AL	36522	2518665509
19225 NORTH 4TH STREET	CITRONELLE	AL	36522	2518665509
19225 NORTH 4TH STREET	CITRONELLE	AL	36522	2518665509

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Assessment Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies

Review or revise the resident's care plan after any major change in a resident's physical or mental health.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Many	2
exits that are accessible at all times.	Some	2
properly working alarms on sprinkler valves.	Few	2
automatic sprinkler systems that have been maintained in working order.	Few	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015121	06/12/2012	07/17/2012	CITRONELLE CONVALESCENT CENTER
015123	07/22/2010	08/26/2010	WASHINGTON COUNTY NURSING HOME
015123	07/22/2010	08/26/2010	WASHINGTON COUNTY NURSING HOME
015123	07/22/2010	08/26/2010	WASHINGTON COUNTY NURSING HOME
015123	07/26/2010	08/12/2010	WASHINGTON COUNTY NURSING HOME
015123	07/26/2010	08/12/2010	WASHINGTON COUNTY NURSING HOME
015123	07/26/2010	10/08/2010	WASHINGTON COUNTY NURSING HOME
015123	05/18/2011	06/01/2011	WASHINGTON COUNTY NURSING HOME

19225 NORTH 4TH STREET	CITRONELLE	AL	36522	2518665509
14600 ST STEPHENS AVENUE	CHATOM	AL	36518	2518476412
14600 ST STEPHENS AVENUE	CHATOM	AL	36518	2518476412
14600 ST STEPHENS AVENUE	CHATOM	AL	36518	2518476412
14600 ST STEPHENS AVENUE	CHATOM	AL	36518	2518476412
14600 ST STEPHENS AVENUE	CHATOM	AL	36518	2518476412
14600 ST STEPHENS AVENUE	CHATOM	AL	36518	2518476412
14600 ST STEPHENS AVENUE	CHATOM	AL	36518	2518476412

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Administration Deficiencies

ashtrays where smoking was allowed.		
properly installed electrical wiring and equipment.	Few	2
Try to resolve each resident's complaints quickly.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
exits that are free from obstructions and can be used at all times.	Many	1
Give or get quality lab services/tests in a timely manner	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015123	05/31/2011	06/13/2011	WASHINGTON COUNTY NURSING HOME
015123	05/31/2011	06/20/2011	WASHINGTON COUNTY NURSING HOME
015123	05/31/2011	06/14/2011	WASHINGTON COUNTY NURSING HOME
015123	05/31/2011	06/07/2011	WASHINGTON COUNTY NURSING HOME
015123	04/27/2012	05/22/2012	WASHINGTON COUNTY NURSING HOME
015123	04/27/2012	05/22/2012	WASHINGTON COUNTY NURSING HOME
015123	04/27/2012	05/22/2012	WASHINGTON COUNTY NURSING HOME

AVENUE				
14600 ST STEPHENS AVENUE	CHATOM	AL	36518	2518476412
14600 ST STEPHENS AVENUE	CHATOM	AL	36518	2518476412
14600 ST STEPHENS AVENUE	CHATOM	AL	36518	2518476412
14600 ST STEPHENS AVENUE	CHATOM	AL	36518	2518476412
14600 ST STEPHENS AVENUE	CHATOM	AL	36518	2518476412
14600 ST STEPHENS AVENUE	CHATOM	AL	36518	2518476412
14600 ST STEPHENS AVENUE	CHATOM	AL	36518	2518476412

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Quality Care Deficiencies

services/tests in a timely manner to meet the needs of residents.		
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
automatic sprinkler systems that have been maintained in working order.	Some	2
properly installed electrical wiring and equipment.	Some	2
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Few	2
Develop policies that prevent mistreatment, neglect, or abuse of residents or theft of resident property.	Few	2
Make sure that each resident who enters the nursing home	Few	2

015124	07/09/2010	08/13/2010	CLAY COUNTY NURSING HOME
015124	07/09/2010	08/13/2010	CLAY COUNTY NURSING HOME
015124	07/09/2010	08/13/2010	CLAY COUNTY NURSING HOME
015124	07/09/2010	08/13/2010	CLAY COUNTY NURSING HOME
015124	07/09/2010	08/13/2010	CLAY COUNTY NURSING HOME
015124	07/09/2010	08/13/2010	CLAY COUNTY NURSING HOME
015124	07/14/2010	10/15/2010	CLAY COUNTY NURSING HOME
015124	07/14/2010	08/13/2010	CLAY COUNTY NURSING HOME

83825 HIGHWAY 9 O BOX 1270	P	ASHLAND	AL	36251	2563542131
83825 HIGHWAY 9 O BOX 1270	P	ASHLAND	AL	36251	2563542131
83825 HIGHWAY 9 O BOX 1270	P	ASHLAND	AL	36251	2563542131
83825 HIGHWAY 9 O BOX 1270	P	ASHLAND	AL	36251	2563542131
83825 HIGHWAY 9 O BOX 1270	P	ASHLAND	AL	36251	2563542131
83825 HIGHWAY 9 O BOX 1270	P	ASHLAND	AL	36251	2563542131
83825 HIGHWAY 9 O BOX 1270	P	ASHLAND	AL	36251	2563542131
83825 HIGHWAY 9	P	ASHLAND	AL	36251	2563542131

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.		
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Many	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Some	2
Make sure that the nursing home area is safe, easy to use, clean and comfortable for residents, staff and the public.	Many	1
Make sure there is a pest control program to prevent/deal with mice, insects, or other pests.	Many	2
a fire alarm system that can be heard throughout the facility.	Few	2
automatic sprinkler systems that	Few	2

015124	07/14/2010	08/13/2010	CLAY COUNTY NURSING HOME
015124	05/05/2011	06/09/2011	CLAY COUNTY NURSING HOME
015124	05/05/2011	06/09/2011	CLAY COUNTY NURSING HOME
015124	05/10/2011	06/14/2011	CLAY COUNTY NURSING HOME
015124	05/10/2011	06/22/2011	CLAY COUNTY NURSING HOME
015124	05/10/2011	06/14/2011	CLAY COUNTY NURSING HOME
015124	05/10/2011	06/14/2011	CLAY COUNTY NURSING HOME
015124	05/10/2011	06/14/2011	CLAY COUNTY NURSING HOME

O BOX 1270					
83825 HIGHWAY 9 O BOX 1270	P	ASHLAND	AL	36251	2563542131
83825 HIGHWAY 9 O BOX 1270	P	ASHLAND	AL	36251	2563542131
83825 HIGHWAY 9 O BOX 1270	P	ASHLAND	AL	36251	2563542131
83825 HIGHWAY 9 O BOX 1270	P	ASHLAND	AL	36251	2563542131
83825 HIGHWAY 9 O BOX 1270	P	ASHLAND	AL	36251	2563542131
83825 HIGHWAY 9 O BOX 1270	P	ASHLAND	AL	36251	2563542131
83825 HIGHWAY 9 O BOX 1270	P	ASHLAND	AL	36251	2563542131
83825 HIGHWAY 9 O BOX 1270	P	ASHLAND	AL	36251	2563542131
83825 HIGHWAY 9 O BOX 1270	P	ASHLAND	AL	36251	2563542131

FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies

have been maintained in working order.		
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Few	2
Keep all essential equipment working safely.	Few	2
Make sure that the nursing home area is safe, easy to use, clean and comfortable for residents, staff and the public.	Few	2
corridor and hallway doors that block smoke.	Few	2
exit doors that are held open by devices that will automatically close on the activation of a fire alarm or smoke detectors.	Some	1
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Many	2
proper backup exit lighting.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015124	05/10/2011	06/22/2011	CLAY COUNTY NURSING HOME
015124	05/10/2011	06/14/2011	CLAY COUNTY NURSING HOME
015124	06/08/2012	07/13/2012	CLAY COUNTY NURSING HOME
015124	06/12/2012	06/19/2012	CLAY COUNTY NURSING HOME
015124	06/12/2012	06/19/2012	CLAY COUNTY NURSING HOME
015124	06/12/2012	06/19/2012	CLAY COUNTY NURSING HOME
015126	06/11/2010	07/16/2010	TRAYLOR RETIREMENT COMMUNITY
015126	06/11/2010	07/16/2010	TRAYLOR RETIREMENT COMMUNITY
015126	06/11/2010	07/16/2010	TRAYLOR RETIREMENT COMMUNITY

83825 HIGHWAY 9 O BOX 1270	P	ASHLAND	AL	36251	2563542131
83825 HIGHWAY 9 O BOX 1270	P	ASHLAND	AL	36251	2563542131
83825 HIGHWAY 9 O BOX 1270	P	ASHLAND	AL	36251	2563542131
83825 HIGHWAY 9 O BOX 1270	P	ASHLAND	AL	36251	2563542131
83825 HIGHWAY 9 O BOX 1270	P	ASHLAND	AL	36251	2563542131
83825 HIGHWAY 9 O BOX 1270	P	ASHLAND	AL	36251	2563542131
1235 YANCEY STREET P O BOX 467		ROANOKE	AL	36274	3348633500
1235 YANCEY STREET P O BOX 467		ROANOKE	AL	36274	3348633500
1235 YANCEY STREET P O BOX 467		ROANOKE	AL	36274	3348633500

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

an approved installation, maintenance and testing program for fire alarm systems.	Few	2
properly installed electrical wiring and equipment.	Some	2
Store, cook, and serve food in a safe and clean way.	Few	2
corridors that are separated from common areas by walls constructed to limit the passage of smoke.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
properly installed electrical wiring and equipment.	Few	2
Properly hold, secure and manage each resident's personal money which is deposited with the nursing home.	Many	1
Make sure that residents receive treatment/services to not only continue, but improve the ability to care for themselves.	Few	2
Provide food in a way that meets a resident's needs.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015126	06/11/2010	07/16/2010	TRAYLOR RETIREMENT COMMUNITY
015126	06/11/2010	07/16/2010	TRAYLOR RETIREMENT COMMUNITY
015126	06/16/2010	07/16/2010	TRAYLOR RETIREMENT COMMUNITY
015126	06/16/2010	07/16/2010	TRAYLOR RETIREMENT COMMUNITY
015126	06/16/2010	07/16/2010	TRAYLOR RETIREMENT COMMUNITY
015126	06/16/2010	07/16/2010	TRAYLOR RETIREMENT COMMUNITY
015126	06/16/2010	07/16/2010	TRAYLOR RETIREMENT COMMUNITY

P O BOX 467				
1235 YANCEY STREET P O BOX 467	ROANOKE	AL	36274	3348633500
1235 YANCEY STREET P O BOX 467	ROANOKE	AL	36274	3348633500
1235 YANCEY STREET P O BOX 467	ROANOKE	AL	36274	3348633500
1235 YANCEY STREET P O BOX 467	ROANOKE	AL	36274	3348633500
1235 YANCEY STREET P O BOX 467	ROANOKE	AL	36274	3348633500
1235 YANCEY STREET P O BOX 467	ROANOKE	AL	36274	3348633500
1235 YANCEY STREET P O BOX 467	ROANOKE	AL	36274	3348633500

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies

a resident's needs.		
Store, cook, and serve food in a safe and clean way.	Many	2
1) Receive registry verification that a nurse aide has met the required training and skills that the State requires; and 2) ensure nurse aides receive the required retraining after 24 months if nursing related services were not provided for monetary compensation	Few	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exit stairways and towers that are smoke proof.	Few	2
proper exit design.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015126	06/16/2010	07/16/2010	TRAYLOR RETIREMENT COMMUNITY
015126	06/16/2010	07/16/2010	TRAYLOR RETIREMENT COMMUNITY
015126	06/16/2010	07/16/2010	TRAYLOR RETIREMENT COMMUNITY
015126	06/16/2010	07/16/2010	TRAYLOR RETIREMENT COMMUNITY
015126	06/16/2010	07/16/2010	TRAYLOR RETIREMENT COMMUNITY
015126	05/03/2011	06/07/2011	TRAYLOR RETIREMENT COMMUNITY
015126	05/03/2011	06/07/2011	TRAYLOR RETIREMENT COMMUNITY
015126	05/03/2011	06/07/2011	TRAYLOR RETIREMENT COMMUNITY
015126	05/03/2011	06/07/2011	TRAYLOR RETIREMENT COMMUNITY
015126	05/03/2011	06/07/2011	TRAYLOR RETIREMENT COMMUNITY

1235 YANCEY STREET P O BOX 467	ROANOKE	AL	36274	3348633500
1235 YANCEY STREET P O BOX 467	ROANOKE	AL	36274	3348633500
1235 YANCEY STREET P O BOX 467	ROANOKE	AL	36274	3348633500
1235 YANCEY STREET P O BOX 467	ROANOKE	AL	36274	3348633500
1235 YANCEY STREET P O BOX 467	ROANOKE	AL	36274	3348633500
1235 YANCEY STREET P O BOX 467	ROANOKE	AL	36274	3348633500
1235 YANCEY STREET P O BOX 467	ROANOKE	AL	36274	3348633500
1235 YANCEY STREET P O BOX 467	ROANOKE	AL	36274	3348633500
1235 YANCEY STREET P O BOX 467	ROANOKE	AL	36274	3348633500
1235 YANCEY STREET P O BOX 467	ROANOKE	AL	36274	3348633500

FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies

record of quarterly fire drills for each shift under varying conditions.	Some	1
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
automatic sprinkler systems that have been maintained in working order.	Few	2
properly protected cooking facilities.	Few	2
properly installed electrical wiring and equipment.	Some	2
signs that state that exit doors are to be kept closed.	Many	1
smoke barrier doors that can resist smoke for at least 20 minutes.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
restrictions on the use of flammable curtains.	Many	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015126	05/03/2011	06/07/2011	TRAYLOR RETIREMENT COMMUNITY
015126	06/01/2012	07/06/2012	TRAYLOR RETIREMENT COMMUNITY
015126	06/01/2012	07/06/2012	TRAYLOR RETIREMENT COMMUNITY
015126	06/01/2012	07/06/2012	TRAYLOR RETIREMENT COMMUNITY
015126	06/07/2012	07/11/2012	TRAYLOR RETIREMENT COMMUNITY
015126	06/07/2012	07/11/2012	TRAYLOR RETIREMENT COMMUNITY
015126	06/07/2012	07/11/2012	TRAYLOR RETIREMENT COMMUNITY
015126	06/07/2012	07/11/2012	TRAYLOR RETIREMENT COMMUNITY
015126	06/07/2012	07/11/2012	TRAYLOR RETIREMENT COMMUNITY

P O BOX 467				
1235 YANCEY STREET P O BOX 467	ROANOKE	AL	36274	3348633500
1235 YANCEY STREET P O BOX 467	ROANOKE	AL	36274	3348633500
1235 YANCEY STREET P O BOX 467	ROANOKE	AL	36274	3348633500
1235 YANCEY STREET P O BOX 467	ROANOKE	AL	36274	3348633500
1235 YANCEY STREET P O BOX 467	ROANOKE	AL	36274	3348633500
1235 YANCEY STREET P O BOX 467	ROANOKE	AL	36274	3348633500
1235 YANCEY STREET P O BOX 467	ROANOKE	AL	36274	3348633500
1235 YANCEY STREET P O BOX 467	ROANOKE	AL	36274	3348633500
1235 YANCEY STREET P O BOX 467	ROANOKE	AL	36274	3348633500

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies

flammable curtains.		
weekly inspections and monthly testing of generators.	Many	1
Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Few	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
corridor and hallway doors that block smoke.	Few	2
exits that are accessible at all times.	Few	2
properly located and lighted "Exit" signs.	Few	2
automatic sprinkler systems that have been maintained in working order.	Some	1
properly protected cooking facilities.	Many	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015127	12/11/2009	01/14/2010	BROOKSHIRE HEALTHCARE CENTER
015127	12/11/2009	01/14/2010	BROOKSHIRE HEALTHCARE CENTER
015127	12/11/2009	01/14/2010	BROOKSHIRE HEALTHCARE CENTER
015127	12/11/2009	01/14/2010	BROOKSHIRE HEALTHCARE CENTER
015127	12/11/2009	01/14/2010	BROOKSHIRE HEALTHCARE CENTER
015127	12/11/2009	01/14/2010	BROOKSHIRE HEALTHCARE CENTER
015127	12/11/2009	01/14/2010	BROOKSHIRE HEALTHCARE CENTER

4320 JUDITH LANE	HUNTSVILLE	AL	35805	2568371730
4320 JUDITH LANE	HUNTSVILLE	AL	35805	2568371730
4320 JUDITH LANE	HUNTSVILLE	AL	35805	2568371730
4320 JUDITH LANE	HUNTSVILLE	AL	35805	2568371730
4320 JUDITH LANE	HUNTSVILLE	AL	35805	2568371730
4320 JUDITH LANE	HUNTSVILLE	AL	35805	2568371730
4320 JUDITH LANE	HUNTSVILLE	AL	35805	2568371730

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

Immediately tell the resident, the resident's doctor and a family member of the resident of situations (injury/decline/room, etc.) that affect the resident.	Few	2
Properly hold, secure and manage each resident's personal money which is deposited with the nursing home.	Few	2
Provide proof that all residents' personal money which is deposited with the nursing home, is secure.	Some	2
Try to resolve each resident's complaints quickly.	Few	2
Develop policies that prevent mistreatment, neglect, or abuse of residents or theft of resident property.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015127	12/11/2009	01/14/2010	BROOKSHIRE HEALTHCARE CENTER
015127	12/16/2009	01/14/2010	BROOKSHIRE HEALTHCARE CENTER
015127	12/16/2009	01/14/2010	BROOKSHIRE HEALTHCARE CENTER
015127	01/27/2011	03/02/2011	BROOKSHIRE HEALTHCARE CENTER
015127	01/27/2011	03/02/2011	BROOKSHIRE HEALTHCARE CENTER
015127	01/27/2011	03/02/2011	BROOKSHIRE HEALTHCARE CENTER
015127	01/27/2011	03/02/2011	BROOKSHIRE HEALTHCARE CENTER
015127	02/03/2011	03/09/2011	BROOKSHIRE HEALTHCARE CENTER

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

4320 JUDITH LANE	HUNTSVILLE	AL	35805	2568371730
4320 JUDITH LANE	HUNTSVILLE	AL	35805	2568371730
4320 JUDITH LANE	HUNTSVILLE	AL	35805	2568371730
4320 JUDITH LANE	HUNTSVILLE	AL	35805	2568371730
4320 JUDITH LANE	HUNTSVILLE	AL	35805	2568371730
4320 JUDITH LANE	HUNTSVILLE	AL	35805	2568371730
4320 JUDITH LANE	HUNTSVILLE	AL	35805	2568371730
4320 JUDITH LANE	HUNTSVILLE	AL	35805	2568371730

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies

planned for the resident and followed.		
Store, cook, and serve food in a safe and clean way.	Many	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
Provide a safe, clean, comfortable and homelike environment.	Few	2
Assist those residents who need total help with eating/drinking, grooming and personal and oral hygiene.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that residents with reduced range of motion get proper treatment and services to increase range of motion.	Few	2
construction that can resist fire	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015127		03/09/2011	BROOKSHIRE HEALTHCARE CENTER
015127	02/03/2011	03/09/2011	BROOKSHIRE HEALTHCARE CENTER
015127	02/03/2011	03/09/2011	BROOKSHIRE HEALTHCARE CENTER
015127	02/03/2011	03/09/2011	BROOKSHIRE HEALTHCARE CENTER
015127	02/29/2012	04/03/2012	BROOKSHIRE HEALTHCARE CENTER
015127	02/29/2012	04/03/2012	BROOKSHIRE HEALTHCARE CENTER
015127	02/29/2012	04/03/2012	BROOKSHIRE HEALTHCARE CENTER
015127	02/29/2012	04/03/2012	BROOKSHIRE HEALTHCARE CENTER
015127	02/29/2012	04/03/2012	BROOKSHIRE HEALTHCARE CENTER
015127	02/29/2012	04/03/2012	BROOKSHIRE HEALTHCARE CENTER

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

4320 JUDITH LANE	HUNTSVILLE	AL	35805	2568371730
4320 JUDITH LANE	HUNTSVILLE	AL	35805	2568371730
4320 JUDITH LANE	HUNTSVILLE	AL	35805	2568371730
4320 JUDITH LANE	HUNTSVILLE	AL	35805	2568371730
4320 JUDITH LANE	HUNTSVILLE	AL	35805	2568371730
4320 JUDITH LANE	HUNTSVILLE	AL	35805	2568371730
4320 JUDITH LANE	HUNTSVILLE	AL	35805	2568371730
4320 JUDITH LANE	HUNTSVILLE	AL	35805	2568371730
4320 JUDITH LANE	HUNTSVILLE	AL	35805	2568371730
4320 JUDITH LANE	HUNTSVILLE	AL	35805	2568371730

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies

construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
properly installed electrical wiring and equipment.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
automatic sprinkler systems that have been maintained in working order.	Few	2
properly protected cooking facilities.	Few	2
restrictions on the use of portable space heaters.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015127	02/29/2012	04/03/2012	BROOKSHIRE HEALTHCARE CENTER
015127	03/01/2012	04/05/2012	BROOKSHIRE HEALTHCARE CENTER
015127	03/01/2012	04/05/2012	BROOKSHIRE HEALTHCARE CENTER
015127	03/01/2012	04/05/2012	BROOKSHIRE HEALTHCARE CENTER
015127	03/01/2012	04/05/2012	BROOKSHIRE HEALTHCARE CENTER
015128	08/05/2010	09/09/2010	NHC HEALTHCARE, MOULTON
015128	08/11/2010	09/09/2010	NHC HEALTHCARE, MOULTON
015128	08/11/2010	09/09/2010	NHC HEALTHCARE, MOULTON
015128	08/11/2010	09/09/2010	NHC HEALTHCARE, MOULTON

4320 JUDITH LANE	HUNTSVILLE	AL	35805	2568371730
4320 JUDITH LANE	HUNTSVILLE	AL	35805	2568371730
4320 JUDITH LANE	HUNTSVILLE	AL	35805	2568371730
4320 JUDITH LANE	HUNTSVILLE	AL	35805	2568371730
4320 JUDITH LANE	HUNTSVILLE	AL	35805	2568371730
300 HOSPITAL STREET	MOULTON	AL	35650	2569741146
300 HOSPITAL STREET	MOULTON	AL	35650	2569741146
300 HOSPITAL STREET	MOULTON	AL	35650	2569741146
300 HOSPITAL STREET	MOULTON	AL	35650	2569741146

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

properly installed electrical wiring and equipment.	Some	2
Provide housekeeping and maintenance services.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Make sure that the nursing home area is safe, easy to use, clean and comfortable for residents, staff and the public.	Many	2
Store, cook, and serve food in a safe and clean way.	Many	2
exits that are accessible at all times.	Many	1
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
automatic sprinkler systems that have been maintained in working order.	Some	2

015128	08/11/2010	09/09/2010	NHC HEALTHCARE, MOULTON
015128	06/22/2011	07/27/2011	NHC HEALTHCARE, MOULTON
015128	06/22/2011	07/27/2011	NHC HEALTHCARE, MOULTON
015128	06/22/2011	07/27/2011	NHC HEALTHCARE, MOULTON
015128	06/22/2011	07/27/2011	NHC HEALTHCARE, MOULTON
015128	06/22/2011	07/27/2011	NHC HEALTHCARE, MOULTON
015128	06/22/2011	07/27/2011	NHC HEALTHCARE, MOULTON
015128	06/22/2011	07/27/2011	NHC HEALTHCARE, MOULTON
015128	07/26/2012	08/30/2012	NHC HEALTHCARE, MOULTON
015128	07/26/2012	08/30/2012	NHC HEALTHCARE, MOULTON
015128	07/26/2012	08/30/2012	NHC HEALTHCARE, MOULTON

300 HOSPITAL STREET	MOULTON	AL	35650	2569741146
300 HOSPITAL STREET	MOULTON	AL	35650	2569741146
300 HOSPITAL STREET	MOULTON	AL	35650	2569741146
300 HOSPITAL STREET	MOULTON	AL	35650	2569741146
300 HOSPITAL STREET	MOULTON	AL	35650	2569741146
300 HOSPITAL STREET	MOULTON	AL	35650	2569741146
300 HOSPITAL STREET	MOULTON	AL	35650	2569741146
300 HOSPITAL STREET	MOULTON	AL	35650	2569741146
300 HOSPITAL STREET	MOULTON	AL	35650	2569741146
300 HOSPITAL STREET	MOULTON	AL	35650	2569741146
300 HOSPITAL	MOULTON	AL	35650	2569741146

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies

portable fire extinguishers.	Many	1
a two-hour-resistant firewall in common walls.	Few	2
approved construction type or materials.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Some	2
properly protected cooking facilities.	Some	2
restrictions on the use of portable space heaters.	Few	2
properly installed electrical wiring and equipment.	Some	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Provide a safe, clean, comfortable and homelike environment.	Few	2
Make sure services provided by	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015128	07/26/2012	08/30/2012	NHC HEALTHCARE, MOULTON
015128	07/26/2012	08/30/2012	NHC HEALTHCARE, MOULTON
015128	07/26/2012	08/30/2012	NHC HEALTHCARE, MOULTON
015128	07/26/2012	08/30/2012	NHC HEALTHCARE, MOULTON
015128	07/30/2012	09/03/2012	NHC HEALTHCARE, MOULTON
015128	07/30/2012	09/03/2012	NHC HEALTHCARE, MOULTON
015128	07/30/2012	09/03/2012	NHC HEALTHCARE, MOULTON

STREET				
300 HOSPITAL STREET	MOULTON	AL	35650	2569741146
300 HOSPITAL STREET	MOULTON	AL	35650	2569741146
300 HOSPITAL STREET	MOULTON	AL	35650	2569741146
300 HOSPITAL STREET	MOULTON	AL	35650	2569741146
300 HOSPITAL STREET	MOULTON	AL	35650	2569741146
300 HOSPITAL STREET	MOULTON	AL	35650	2569741146
300 HOSPITAL STREET	MOULTON	AL	35650	2569741146

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies

the nursing facility meet professional standards of quality.		
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Store, cook, and serve food in a safe and clean way.	Some	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
exits that are accessible at all times.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015128	07/30/2012	09/03/2012	NHC HEALTHCARE, MOULTON
015128	07/30/2012	09/03/2012	NHC HEALTHCARE, MOULTON
015128	07/30/2012	09/03/2012	NHC HEALTHCARE, MOULTON
015129	10/22/2009	11/26/2009	ATMORE NURSING CENTER
015129	10/29/2009	11/26/2009	ATMORE NURSING CENTER
015129	10/29/2009	11/26/2009	ATMORE NURSING CENTER
015129	12/02/2010	01/06/2011	ATMORE NURSING CENTER
015129	12/02/2010	01/06/2011	ATMORE NURSING CENTER
015129	12/02/2010	01/06/2011	ATMORE NURSING CENTER

300 HOSPITAL STREET	MOULTON	AL	35650	2569741146
300 HOSPITAL STREET	MOULTON	AL	35650	2569741146
300 HOSPITAL STREET	MOULTON	AL	35650	2569741146
715 EAST LAUREL STREET	ATMORE	AL	36502	2513689121
715 EAST LAUREL STREET	ATMORE	AL	36502	2513689121
715 EAST LAUREL STREET	ATMORE	AL	36502	2513689121
715 EAST LAUREL STREET	ATMORE	AL	36502	2513689121
715 EAST LAUREL STREET	ATMORE	AL	36502	2513689121
715 EAST LAUREL STREET	ATMORE	AL	36502	2513689121

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Mistreatment Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Environmental Deficiencies

automatic sprinkler systems that have been maintained in working order.	Few	2
weekly inspections and monthly testing of generators.	Some	2
properly installed electrical wiring and equipment.	Few	2
Develop policies that prevent mistreatment, neglect, or abuse of residents or theft of resident property.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
exits that are free from obstructions and can be used at all times.	Few	2
Keep each resident's personal and medical records private and confidential.	Few	2
Make sure each resident receives an accurate assessment by a qualified health professional.	Few	2
Dispose of garbage and refuse properly.	Many	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015129	12/02/2010	01/06/2011	ATMORE NURSING CENTER
015129	12/02/2010	01/06/2011	ATMORE NURSING CENTER
015129	12/09/2010	01/13/2011	ATMORE NURSING CENTER
015129	12/09/2010	01/13/2011	ATMORE NURSING CENTER
015129	02/09/2012	03/15/2012	ATMORE NURSING CENTER
015129	02/09/2012	03/15/2012	ATMORE NURSING CENTER
015129	02/09/2012	03/15/2012	ATMORE NURSING CENTER
015129	02/16/2012	03/22/2012	ATMORE NURSING CENTER
015129	02/16/2012	03/22/2012	ATMORE NURSING CENTER

STREET				
715 EAST LAUREL STREET	ATMORE	AL	36502	2513689121
715 EAST LAUREL STREET	ATMORE	AL	36502	2513689121
715 EAST LAUREL STREET	ATMORE	AL	36502	2513689121
715 EAST LAUREL STREET	ATMORE	AL	36502	2513689121
715 EAST LAUREL STREET	ATMORE	AL	36502	2513689121
715 EAST LAUREL STREET	ATMORE	AL	36502	2513689121
715 EAST LAUREL STREET	ATMORE	AL	36502	2513689121
715 EAST LAUREL STREET	ATMORE	AL	36502	2513689121
715 EAST LAUREL STREET	ATMORE	AL	36502	2513689121
715 EAST LAUREL STREET	ATMORE	AL	36502	2513689121

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies

properly.		
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Many	1
properly protected cooking facilities.	Few	2
a separate and independent backup electrical power source.	Few	2
Provide care by qualified persons according to each resident's written plan of care.	Few	2
Hire sufficient dietary support personnel.	Many	2
Store, cook, and serve food in a safe and clean way.	Many	2
corridor and hallway doors that block smoke.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015129	02/16/2012	03/22/2012	ATMORE NURSING CENTER
015129	02/16/2012	03/22/2012	ATMORE NURSING CENTER
015131	05/27/2010	07/01/2010	GOLDEN LIVING CENTER - TRUSSVILLE
015131	05/27/2010	07/01/2010	GOLDEN LIVING CENTER - TRUSSVILLE
015131	05/27/2010	07/01/2010	GOLDEN LIVING CENTER - TRUSSVILLE
015131	05/27/2010	07/01/2010	GOLDEN LIVING CENTER - TRUSSVILLE
015131	05/27/2010	07/01/2010	GOLDEN LIVING CENTER - TRUSSVILLE
015131	05/27/2010	07/01/2010	GOLDEN LIVING CENTER - TRUSSVILLE
015131	05/27/2010	07/01/2010	GOLDEN LIVING CENTER - TRUSSVILLE

715 EAST LAUREL STREET	ATMORE	AL	36502	2513689121
715 EAST LAUREL STREET	ATMORE	AL	36502	2513689121
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON	TRUSSVILLE	AL	35173	2056553226

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

properly protected cooking facilities.	Few	2
properly installed electrical wiring and equipment.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Some	2
Provide food in a way that meets a resident's needs.	Few	2
Store, cook, and serve food in a	Many	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015131	05/27/2010	07/01/2010	GOLDEN LIVING CENTER - TRUSSVILLE
015131	06/01/2010	07/01/2010	GOLDEN LIVING CENTER - TRUSSVILLE
015131	06/01/2010	07/01/2010	GOLDEN LIVING CENTER - TRUSSVILLE
015131	06/01/2010	07/01/2010	GOLDEN LIVING CENTER - TRUSSVILLE
015131	06/01/2010	07/01/2010	GOLDEN LIVING CENTER - TRUSSVILLE
015131	06/01/2010	07/01/2010	GOLDEN LIVING CENTER - TRUSSVILLE
015131	06/01/2010	07/01/2010	GOLDEN LIVING CENTER - TRUSSVILLE
015131	03/27/2011	04/27/2011	GOLDEN LIVING CENTER - TRUSSVILLE

PARKWAY				
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
HEALTH	Resident Rights Deficiencies

safe and clean way.		
Have a program that investigates, controls and keeps infection from spreading.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2
properly protected cooking facilities.	Few	2
restrictions on the use of flammable curtains.	Few	2
other fire safety features required by fire safety codes.	Few	2
Immediately tell the resident, the resident's doctor and a family member of the resident of situations (injury/decline/room, etc.) that affect the resident.	Few	2

015131	03/27/2011	04/27/2011	GOLDEN LIVING CENTER - TRUSSVILLE
015131	03/27/2011	04/27/2011	GOLDEN LIVING CENTER - TRUSSVILLE
015131	03/27/2011	04/27/2011	GOLDEN LIVING CENTER - TRUSSVILLE
015131	03/27/2011	04/27/2011	GOLDEN LIVING CENTER - TRUSSVILLE
015131	03/27/2011	04/27/2011	GOLDEN LIVING CENTER - TRUSSVILLE
015131	03/27/2011	04/27/2011	GOLDEN LIVING CENTER - TRUSSVILLE
015131	03/27/2011	04/27/2011	GOLDEN LIVING CENTER - TRUSSVILLE

119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

Keep each resident's personal and medical records private and confidential.	Few	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Make sure each resident receives an accurate assessment by a qualified health professional.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Provide necessary care and services to maintain the highest well being of each resident .	Some	4
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Make sure that residents with reduced range of motion get	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015131	03/27/2011	04/27/2011	GOLDEN LIVING CENTER - TRUSSVILLE
015131	03/27/2011	04/27/2011	GOLDEN LIVING CENTER - TRUSSVILLE
015131	03/27/2011	04/27/2011	GOLDEN LIVING CENTER - TRUSSVILLE
015131	03/27/2011	04/27/2011	GOLDEN LIVING CENTER - TRUSSVILLE
015131	03/27/2011	04/27/2011	GOLDEN LIVING CENTER - TRUSSVILLE

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON	TRUSSVILLE	AL	35173	2056553226

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

proper treatment and services to increase range of motion.		
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
1) Make sure that each resident's drug regimen is free from unnecessary drugs; 2) Each resident's entire drug/medication is managed and monitored to achieve highest well being.	Some	2
Prepare food that is nutritional,	Many	2

015131	03/27/2011	04/27/2011	GOLDEN LIVING CENTER - TRUSSVILLE
015131	03/27/2011	04/27/2011	GOLDEN LIVING CENTER - TRUSSVILLE
015131	03/27/2011	04/27/2011	GOLDEN LIVING CENTER - TRUSSVILLE
015131	03/30/2011	04/27/2011	GOLDEN LIVING CENTER - TRUSSVILLE
015131	03/30/2011	04/27/2011	GOLDEN LIVING CENTER - TRUSSVILLE
015131	03/30/2011	04/27/2011	GOLDEN LIVING CENTER - TRUSSVILLE
015131	03/30/2011	04/27/2011	GOLDEN LIVING CENTER - TRUSSVILLE

PARKWAY				
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

appetizing, tasty, attractive, well-cooked, and at the right temperature.		
Store, cook, and serve food in a safe and clean way.	Many	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Some	4
At least once a month, have a licensed pharmacist review each resident's medication(s) and report any irregularities to the attending doctor.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Many	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015131	03/30/2011	04/27/2011	GOLDEN LIVING CENTER - TRUSSVILLE
015131	03/30/2011	04/27/2011	GOLDEN LIVING CENTER - TRUSSVILLE
015131	03/01/2012	04/05/2012	GOLDEN LIVING CENTER - TRUSSVILLE
015131	03/01/2012	04/05/2012	GOLDEN LIVING CENTER - TRUSSVILLE
015131	03/01/2012	04/05/2012	GOLDEN LIVING CENTER - TRUSSVILLE
015131	03/01/2012	04/05/2012	GOLDEN LIVING CENTER - TRUSSVILLE
015132	05/20/2010	06/21/2010	GOLDEN LIVING CENTER - OXFORD

119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
119 WATTERSON PARKWAY	TRUSSVILLE	AL	35173	2056553226
P O BOX 3408, 1130 SOUTH HALE STREET	OXFORD	AL	36203	2568310481

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies

exits that are free from obstructions and can be used at all times.	Some	2
properly installed electrical wiring and equipment.	Some	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Coordinate assessments with the pre-admission screening and resident review program for mentally-ill and mentally-retarded patients.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015132	05/20/2010	06/21/2010	GOLDEN LIVING CENTER - OXFORD
015132	05/20/2010	06/21/2010	GOLDEN LIVING CENTER - OXFORD
015132	05/20/2010	06/21/2010	GOLDEN LIVING CENTER - OXFORD
015132	05/20/2010	06/21/2010	GOLDEN LIVING CENTER - OXFORD
015132	05/26/2010	06/24/2010	GOLDEN LIVING CENTER - OXFORD
015132	05/26/2010	06/24/2010	GOLDEN LIVING CENTER - OXFORD
015132	03/24/2011	04/26/2011	GOLDEN LIVING CENTER - OXFORD

P O BOX 3408, 1130 SOUTH HALE STREET	OXFORD	AL	36203	2568310481
P O BOX 3408, 1130 SOUTH HALE STREET	OXFORD	AL	36203	2568310481
P O BOX 3408, 1130 SOUTH HALE STREET	OXFORD	AL	36203	2568310481
P O BOX 3408, 1130 SOUTH HALE STREET	OXFORD	AL	36203	2568310481
P O BOX 3408, 1130 SOUTH HALE STREET	OXFORD	AL	36203	2568310481
P O BOX 3408, 1130 SOUTH HALE STREET	OXFORD	AL	36203	2568310481
P O BOX 3408, 1130 SOUTH HALE STREET	OXFORD	AL	36203	2568310481

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Quality Care Deficiencies

accidents.		
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Few	2
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Some	2
Store, cook, and serve food in a safe and clean way.	Many	2
Dispose of garbage and refuse properly.	Many	1
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract	Few	2

015132	03/24/2011	04/26/2011	GOLDEN LIVING CENTER - OXFORD
015132	03/24/2011	04/26/2011	GOLDEN LIVING CENTER - OXFORD
015132	03/24/2011	04/26/2011	GOLDEN LIVING CENTER - OXFORD
015132	03/24/2011	04/26/2011	GOLDEN LIVING CENTER - OXFORD
015132	04/01/2011	05/05/2011	GOLDEN LIVING CENTER - OXFORD
015132	04/01/2011	05/05/2011	GOLDEN LIVING CENTER - OXFORD
015132	04/01/2011	05/05/2011	GOLDEN LIVING CENTER - OXFORD

P O BOX 3408, 1130 SOUTH HALE STREET	OXFORD	AL	36203	2568310481
P O BOX 3408, 1130 SOUTH HALE STREET	OXFORD	AL	36203	2568310481
P O BOX 3408, 1130 SOUTH HALE STREET	OXFORD	AL	36203	2568310481
P O BOX 3408, 1130 SOUTH HALE STREET	OXFORD	AL	36203	2568310481
P O BOX 3408, 1130 SOUTH HALE STREET	OXFORD	AL	36203	2568310481
P O BOX 3408, 1130 SOUTH HALE STREET	OXFORD	AL	36203	2568310481
P O BOX 3408, 1130 SOUTH HALE STREET	OXFORD	AL	36203	2568310481
P O BOX 3408, 1130 SOUTH HALE STREET	OXFORD	AL	36203	2568310481

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

infections and restore normal bladder function.		
Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Give or get quality lab services/tests in a timely manner to meet the needs of residents.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
a fire alarm system that can be heard throughout the facility.	Some	2
automatic sprinkler systems that have been maintained in working order.	Many	1

015132	05/17/2012	06/21/2012	GOLDEN LIVING CENTER - OXFORD
015132	05/17/2012	06/21/2012	GOLDEN LIVING CENTER - OXFORD
015132	05/17/2012	06/21/2012	GOLDEN LIVING CENTER - OXFORD
015132	05/17/2012	06/21/2012	GOLDEN LIVING CENTER - OXFORD
015132	05/23/2012	06/27/2012	GOLDEN LIVING CENTER - OXFORD
015133	11/19/2009	12/20/2009	MAGNOLIA RIDGE CARE AND REHABILITATION CENTER
015133	11/19/2009	12/20/2009	MAGNOLIA RIDGE CARE AND REHABILITATION CENTER
015133	11/23/2009	12/24/2009	MAGNOLIA RIDGE CARE AND

P O BOX 3408, 1130 SOUTH HALE STREET	OXFORD	AL	36203	2568310481
P O BOX 3408, 1130 SOUTH HALE STREET	OXFORD	AL	36203	2568310481
P O BOX 3408, 1130 SOUTH HALE STREET	OXFORD	AL	36203	2568310481
P O BOX 3408, 1130 SOUTH HALE STREET	OXFORD	AL	36203	2568310481
P O BOX 3408, 1130 SOUTH HALE STREET	OXFORD	AL	36203	2568310481
420 DEAN LANE	GARDENDALE	AL	35071	2056318709
420 DEAN LANE	GARDENDALE	AL	35071	2056318709
420 DEAN LANE	GARDENDALE	AL	35071	2056318709

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies

Maintain comfortable sound levels.	Some	1
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
Try to resolve each resident's complaints quickly.	Few	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
corridor and hallway doors that	Few	2

			REHABILITATION CENTER
015133	11/23/2009	12/24/2009	MAGNOLIA RIDGE CARE AND REHABILITATION CENTER
015133	11/23/2009	12/24/2009	MAGNOLIA RIDGE CARE AND REHABILITATION CENTER
015133	11/23/2009	12/24/2009	MAGNOLIA RIDGE CARE AND REHABILITATION CENTER
015133	11/23/2009	12/24/2009	MAGNOLIA RIDGE CARE AND REHABILITATION CENTER
015133	01/06/2011	02/07/2011	MAGNOLIA RIDGE CARE AND REHABILITATION CENTER
015133	01/06/2011	02/07/2011	MAGNOLIA RIDGE CARE AND REHABILITATION CENTER

420 DEAN LANE	GARDENDALE	AL	35071	2056318709
420 DEAN LANE	GARDENDALE	AL	35071	2056318709
420 DEAN LANE	GARDENDALE	AL	35071	2056318709
420 DEAN LANE	GARDENDALE	AL	35071	2056318709
420 DEAN LANE	GARDENDALE	AL	35071	2056318709
420 DEAN LANE	GARDENDALE	AL	35071	2056318709

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

block smoke.		
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
properly installed electrical wiring and equipment.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Some	2

015133	01/06/2011	02/07/2011	MAGNOLIA RIDGE CARE AND REHABILITATION CENTER
015133	01/13/2011	02/11/2011	MAGNOLIA RIDGE CARE AND REHABILITATION CENTER
015133	01/13/2011	02/11/2011	MAGNOLIA RIDGE CARE AND REHABILITATION CENTER
015133	01/13/2011	02/11/2011	MAGNOLIA RIDGE CARE AND REHABILITATION CENTER
015133	01/13/2011	02/11/2011	MAGNOLIA RIDGE CARE AND REHABILITATION CENTER
015133	01/13/2011	02/11/2011	MAGNOLIA RIDGE CARE AND REHABILITATION CENTER
015133	02/24/2012	03/20/2012	MAGNOLIA RIDGE CARE AND REHABILITATION CENTER
015133	02/24/2012	03/20/2012	MAGNOLIA RIDGE CARE AND REHABILITATION CENTER
015133	02/24/2012	03/20/2012	MAGNOLIA RIDGE CARE AND REHABILITATION CENTER
015133	02/24/2012	03/20/2012	MAGNOLIA RIDGE CARE AND REHABILITATION CENTER

420 DEAN LANE	GARDENDALE	AL	35071	2056318709
420 DEAN LANE	GARDENDALE	AL	35071	2056318709
420 DEAN LANE	GARDENDALE	AL	35071	2056318709
420 DEAN LANE	GARDENDALE	AL	35071	2056318709
420 DEAN LANE	GARDENDALE	AL	35071	2056318709
420 DEAN LANE	GARDENDALE	AL	35071	2056318709
420 DEAN LANE	GARDENDALE	AL	35071	2056318709
420 DEAN LANE	GARDENDALE	AL	35071	2056318709
420 DEAN LANE	GARDENDALE	AL	35071	2056318709
420 DEAN LANE	GARDENDALE	AL	35071	2056318709

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies

Provide food in a way that meets a resident's needs.	Few	2
a two-hour-resistant firewall in common walls.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
properly protected cooking facilities.	Few	2
corridor and hallway doors that block smoke.	Many	1
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Few	2
resident room doors of proper design and width.	Some	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015133	02/24/2012	03/20/2012	MAGNOLIA RIDGE CARE AND REHABILITATION CENTER
015133	02/24/2012	03/20/2012	MAGNOLIA RIDGE CARE AND REHABILITATION CENTER
015133	02/24/2012	03/20/2012	MAGNOLIA RIDGE CARE AND REHABILITATION CENTER
015133	02/24/2012	03/20/2012	MAGNOLIA RIDGE CARE AND REHABILITATION CENTER
015133	02/24/2012	03/16/2012	MAGNOLIA RIDGE CARE AND REHABILITATION CENTER
015133	02/24/2012	03/16/2012	MAGNOLIA RIDGE CARE AND REHABILITATION CENTER
015134	02/03/2011	03/10/2011	BIRMINGHAM NURSING AND REHABILITATION CENTER EAST
015134	02/03/2011	03/10/2011	BIRMINGHAM NURSING AND REHABILITATION CENTER EAST

420 DEAN LANE	GARDENDALE	AL	35071	2056318709
420 DEAN LANE	GARDENDALE	AL	35071	2056318709
420 DEAN LANE	GARDENDALE	AL	35071	2056318709
420 DEAN LANE	GARDENDALE	AL	35071	2056318709
420 DEAN LANE	GARDENDALE	AL	35071	2056318709
420 DEAN LANE	GARDENDALE	AL	35071	2056318709
733 MARY VANN LANE	BIRMINGHAM	AL	35215	2058541361
733 MARY VANN LANE	BIRMINGHAM	AL	35215	2058541361

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies

posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Few	2
exits that are free from obstructions and can be used at all times.	Some	2
proper medical gas storage and administration areas.	Few	2
properly installed electrical wiring and equipment.	Some	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Try to resolve each resident's complaints quickly.	Some	2
Have a program that investigates, controls and keeps infection from	Few	2

015134	02/10/2011	02/10/2011	BIRMINGHAM NURSING AND REHABILITATION CENTER EAST
015134	02/10/2011	02/11/2011	BIRMINGHAM NURSING AND REHABILITATION CENTER EAST
015134	02/10/2011	02/11/2011	BIRMINGHAM NURSING AND REHABILITATION CENTER EAST
015134	02/10/2011	02/11/2011	BIRMINGHAM NURSING AND REHABILITATION CENTER EAST
015134	02/10/2011	02/16/2011	BIRMINGHAM NURSING AND REHABILITATION CENTER EAST
015134	02/16/2012	03/21/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER EAST
015134	02/16/2012	03/21/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER EAST
015134	02/16/2012	03/21/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER EAST
015134	02/16/2012	03/22/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER EAST

733 MARY VANN LANE	BIRMINGHAM	AL	35215	2058541361
733 MARY VANN LANE	BIRMINGHAM	AL	35215	2058541361
733 MARY VANN LANE	BIRMINGHAM	AL	35215	2058541361
733 MARY VANN LANE	BIRMINGHAM	AL	35215	2058541361
733 MARY VANN LANE	BIRMINGHAM	AL	35215	2058541361
733 MARY VANN LANE	BIRMINGHAM	AL	35215	2058541361
733 MARY VANN LANE	BIRMINGHAM	AL	35215	2058541361
733 MARY VANN LANE	BIRMINGHAM	AL	35215	2058541361
733 MARY VANN LANE	BIRMINGHAM	AL	35215	2058541361

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Interior Finish Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
HEALTH	Resident Rights Deficiencies

spreading.		
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
automatic sprinkler systems that have been maintained in working order.	Some	2
properly protected cooking facilities.	Few	2
other fire safety features required by fire safety codes.	Some	2
fire-resistant room wall surfaces.	Many	1
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of	Few	2

015134	02/16/2012	03/22/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER EAST
015134	02/16/2012	03/22/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER EAST
015134	02/16/2012	03/22/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER EAST
015134	02/16/2012	03/22/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER EAST
015134	02/16/2012	03/30/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER EAST
015134	07/19/2012	08/22/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER EAST

733 MARY VANN LANE	BIRMINGHAM	AL	35215	2058541361
733 MARY VANN LANE	BIRMINGHAM	AL	35215	2058541361
733 MARY VANN LANE	BIRMINGHAM	AL	35215	2058541361
733 MARY VANN LANE	BIRMINGHAM	AL	35215	2058541361
733 MARY VANN LANE	BIRMINGHAM	AL	35215	2058541361
733 MARY VANN LANE	BIRMINGHAM	AL	35215	2058541361

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies

resident's dignity and respect of individuality.		
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Provide bedrooms that don't allow residents to see each other when privacy is needed.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal	Few	2

015134	07/19/2012	08/22/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER EAST
015134	07/19/2012	08/22/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER EAST
015134	07/26/2012	08/29/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER EAST
015134	07/26/2012	08/29/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER EAST
015134	07/26/2012	08/29/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER EAST
015134	07/26/2012	08/29/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER EAST
015134	07/26/2012	08/29/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER EAST
015134	07/26/2012	08/29/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER EAST

733 MARY VANN LANE	BIRMINGHAM	AL	35215	2058541361
733 MARY VANN LANE	BIRMINGHAM	AL	35215	2058541361
733 MARY VANN LANE	BIRMINGHAM	AL	35215	2058541361
733 MARY VANN LANE	BIRMINGHAM	AL	35215	2058541361
733 MARY VANN LANE	BIRMINGHAM	AL	35215	2058541361
733 MARY VANN LANE	BIRMINGHAM	AL	35215	2058541361
733 MARY VANN LANE	BIRMINGHAM	AL	35215	2058541361
733 MARY VANN LANE	BIRMINGHAM	AL	35215	2058541361

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Electrical Deficiencies

bladder function.		
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
proper exit design.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
properly protected cooking facilities.	Some	2
proper medical gas storage and administration areas.	Some	2
weekly inspections and monthly testing of generators.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

			REHABILITATION CENTER EAST
015135	06/21/2010	07/22/2010	JOHN KNOX MANOR INC I I
015135	06/21/2010	07/22/2010	JOHN KNOX MANOR INC I I
015135	06/21/2010	07/22/2010	JOHN KNOX MANOR INC I I
015135	03/24/2011	04/28/2011	JOHN KNOX MANOR INC I I
015135	03/31/2011	05/05/2011	JOHN KNOX MANOR INC I I
015135	03/31/2011	05/05/2011	JOHN KNOX MANOR INC I I
015135	03/31/2011	05/05/2011	JOHN KNOX MANOR INC I I
015135	03/31/2011	05/05/2011	JOHN KNOX MANOR INC I I
015135	03/31/2011	05/05/2011	JOHN KNOX MANOR INC I I

4401 NARROW LANE ROAD	MONTGOMERY	AL	36116	3342816336
4401 NARROW LANE ROAD	MONTGOMERY	AL	36116	3342816336
4401 NARROW LANE ROAD	MONTGOMERY	AL	36116	3342816336
4401 NARROW LANE ROAD	MONTGOMERY	AL	36116	3342816336
4401 NARROW LANE ROAD	MONTGOMERY	AL	36116	3342816336
4401 NARROW LANE ROAD	MONTGOMERY	AL	36116	3342816336
4401 NARROW LANE ROAD	MONTGOMERY	AL	36116	3342816336
4401 NARROW LANE ROAD	MONTGOMERY	AL	36116	3342816336
4401 NARROW LANE ROAD	MONTGOMERY	AL	36116	3342816336
4401 NARROW LANE ROAD	MONTGOMERY	AL	36116	3342816336

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies

testing of generators.		
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Few	2
proper medical gas storage and administration areas.	Few	2
Keep clinical record information safe, so that it will not be lost, destroyed or used by the wrong person.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
proper backup exit lighting.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2
properly installed electrical wiring and equipment.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015135	12/08/2011	02/15/2012	JOHN KNOX MANOR INC I I
015135	12/08/2011	02/15/2012	JOHN KNOX MANOR INC I I
015135	12/08/2011	02/15/2012	JOHN KNOX MANOR INC I I
015135	12/08/2011	02/15/2012	JOHN KNOX MANOR INC I I
015136	01/06/2010	01/22/2010	FALKVILLE HEALTH CARE CENTER
015136	01/06/2010	01/22/2010	FALKVILLE HEALTH CARE CENTER
015136	01/12/2010	01/30/2010	FALKVILLE HEALTH CARE CENTER
015136	01/12/2010	01/30/2010	FALKVILLE HEALTH CARE CENTER
015136	01/12/2010	01/30/2010	FALKVILLE HEALTH CARE CENTER

ROAD				
4401 NARROW LANE ROAD	MONTGOMERY	AL	36116	3342816336
4401 NARROW LANE ROAD	MONTGOMERY	AL	36116	3342816336
4401 NARROW LANE ROAD	MONTGOMERY	AL	36116	3342816336
4401 NARROW LANE ROAD	MONTGOMERY	AL	36116	3342816336
10 WEST 3RD STREET	FALKVILLE	AL	35622	2567845291
10 WEST 3RD STREET	FALKVILLE	AL	35622	2567845291
10 WEST 3RD STREET	FALKVILLE	AL	35622	2567845291
10 WEST 3RD STREET	FALKVILLE	AL	35622	2567845291
10 WEST 3RD STREET	FALKVILLE	AL	35622	2567845291

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Interior Finish Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Resident Assessment Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies

and equipment.		
fire-resistant room wall surfaces.	Some	1
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
properly installed electrical wiring and equipment.	Few	2
Provide medically-related social services to help each resident achieve the highest possible quality of life.	Few	2
Provide proper discharge planning and communication, of the resident's health status and summary of the resident's stay.	Few	2
corridor and hallway doors that block smoke.	Few	2
proper stairway enclosures and vertical shafts.	Few	2
exits that are accessible at all times.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015136	01/12/2010	01/30/2010	FALKVILLE HEALTH CARE CENTER
015136	01/12/2010	01/30/2010	FALKVILLE HEALTH CARE CENTER
015136	01/12/2010	01/30/2010	FALKVILLE HEALTH CARE CENTER
015136	01/27/2011	02/15/2011	FALKVILLE HEALTH CARE CENTER
015136	02/02/2011	03/08/2011	FALKVILLE HEALTH CARE CENTER
015136	04/03/2012	04/04/2012	FALKVILLE HEALTH CARE CENTER
015136	04/03/2012	04/05/2012	FALKVILLE HEALTH CARE CENTER
015136	04/03/2012	04/06/2012	FALKVILLE HEALTH CARE CENTER
015136	04/03/2012	04/03/2012	FALKVILLE HEALTH CARE CENTER

10 WEST 3RD STREET	FALKVILLE	AL	35622	2567845291
10 WEST 3RD STREET	FALKVILLE	AL	35622	2567845291
10 WEST 3RD STREET	FALKVILLE	AL	35622	2567845291
10 WEST 3RD STREET	FALKVILLE	AL	35622	2567845291
10 WEST 3RD STREET	FALKVILLE	AL	35622	2567845291
10 WEST 3RD STREET	FALKVILLE	AL	35622	2567845291
10 WEST 3RD STREET	FALKVILLE	AL	35622	2567845291
10 WEST 3RD STREET	FALKVILLE	AL	35622	2567845291
10 WEST 3RD STREET	FALKVILLE	AL	35622	2567845291

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies

an approved installation, maintenance and testing program for fire alarm systems.	Many	2
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Few	2
properly constructed linen or trash chutes.	Few	2
Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Few	2
automatic sprinkler systems that have been maintained in working order.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
automatic sprinkler systems that have been maintained in working order.	Few	2
properly installed electrical wiring	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015136		04/03/2012	FALKVILLE HEALTH CARE CENTER
015137	06/18/2009	07/23/2009	ALICEVILLE MANOR NURSING HOME
015137	06/18/2009	07/23/2009	ALICEVILLE MANOR NURSING HOME
015137	06/18/2009	07/23/2009	ALICEVILLE MANOR NURSING HOME
015137	06/18/2009	07/23/2009	ALICEVILLE MANOR NURSING HOME
015137	06/18/2009	07/23/2009	ALICEVILLE MANOR NURSING HOME
015137	06/18/2009	07/23/2009	ALICEVILLE MANOR NURSING HOME
015137	06/18/2009	07/23/2009	ALICEVILLE MANOR NURSING HOME
015137	06/24/2009	07/14/2009	ALICEVILLE MANOR NURSING HOME

10 WEST 3RD STREET	FALKVILLE	AL	35622	2567845291
703 17TH STREET NORTHWEST	ALICEVILLE	AL	35442	2053736307
703 17TH STREET NORTHWEST	ALICEVILLE	AL	35442	2053736307
703 17TH STREET NORTHWEST	ALICEVILLE	AL	35442	2053736307
703 17TH STREET NORTHWEST	ALICEVILLE	AL	35442	2053736307
703 17TH STREET NORTHWEST	ALICEVILLE	AL	35442	2053736307
703 17TH STREET NORTHWEST	ALICEVILLE	AL	35442	2053736307
703 17TH STREET	ALICEVILLE	AL	35442	2053736307

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies

properly installed electrical wiring and equipment.	Some	2
Try to resolve each resident's complaints quickly.	Some	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Some	2
Provide food in a way that meets a resident's needs.	Few	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
construction that can resist fire	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015137	06/24/2009	07/22/2009	ALICEVILLE MANOR NURSING HOME
015137	06/24/2009	06/25/2009	ALICEVILLE MANOR NURSING HOME
015137	06/24/2009	07/16/2009	ALICEVILLE MANOR NURSING HOME
015137	06/24/2009	07/16/2009	ALICEVILLE MANOR NURSING HOME
015137	06/24/2009	07/01/2009	ALICEVILLE MANOR NURSING HOME
015137	07/15/2010	08/13/2010	ALICEVILLE MANOR NURSING HOME
015137	07/15/2010	08/13/2010	ALICEVILLE MANOR NURSING HOME
015137	07/15/2010	08/13/2010	ALICEVILLE MANOR NURSING HOME

NORTHWEST				
703 17TH STREET NORTHWEST	ALICEVILLE	AL	35442	2053736307
703 17TH STREET NORTHWEST	ALICEVILLE	AL	35442	2053736307
703 17TH STREET NORTHWEST	ALICEVILLE	AL	35442	2053736307
703 17TH STREET NORTHWEST	ALICEVILLE	AL	35442	2053736307
703 17TH STREET NORTHWEST	ALICEVILLE	AL	35442	2053736307
703 17TH STREET NORTHWEST	ALICEVILLE	AL	35442	2053736307
703 17TH STREET NORTHWEST	ALICEVILLE	AL	35442	2053736307
703 17TH STREET NORTHWEST	ALICEVILLE	AL	35442	2053736307

FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Assessment Deficiencies

for one hour or an approved fire extinguishing system.		
proper backup exit lighting.	Few	2
record of quarterly fire drills for each shift under varying conditions.	Some	2
automatic sprinkler systems that have been maintained in working order.	Many	1
properly protected cooking facilities.	Few	2
other fire safety features required by fire safety codes.	Few	2
Immediately tell the resident, the resident's doctor and a family member of the resident of situations (injury/decline/room, etc.) that affect the resident.	Few	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Allow the resident the right to participate in the planning or revision of the resident's care	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015137	07/15/2010	08/13/2010	ALICEVILLE MANOR NURSING HOME
015137	07/15/2010	08/13/2010	ALICEVILLE MANOR NURSING HOME
015137	07/15/2010	08/13/2010	ALICEVILLE MANOR NURSING HOME
015137	07/20/2010	08/18/2010	ALICEVILLE MANOR NURSING HOME
015137	07/20/2010	08/18/2010	ALICEVILLE MANOR NURSING HOME
015137	07/20/2010	08/18/2010	ALICEVILLE MANOR NURSING HOME
015137	07/20/2010	08/18/2010	ALICEVILLE MANOR NURSING HOME

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

703 17TH STREET NORTHWEST	ALICEVILLE	AL	35442	2053736307
703 17TH STREET NORTHWEST	ALICEVILLE	AL	35442	2053736307
703 17TH STREET NORTHWEST	ALICEVILLE	AL	35442	2053736307
703 17TH STREET NORTHWEST	ALICEVILLE	AL	35442	2053736307
703 17TH STREET NORTHWEST	ALICEVILLE	AL	35442	2053736307
703 17TH STREET NORTHWEST	ALICEVILLE	AL	35442	2053736307
703 17TH STREET NORTHWEST	ALICEVILLE	AL	35442	2053736307
703 17TH STREET NORTHWEST	ALICEVILLE	AL	35442	2053736307

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

revision of the resident's care plan.		
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
corridor and hallway doors that block smoke.	Many	1
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
an approved automatic sprinkler system connected to the fire	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015137	07/20/2010	08/18/2010	ALICEVILLE MANOR NURSING HOME
015137	06/29/2011	08/01/2011	ALICEVILLE MANOR NURSING HOME
015137	07/12/2011	08/10/2011	ALICEVILLE MANOR NURSING HOME
015137	07/12/2011	08/10/2011	ALICEVILLE MANOR NURSING HOME
015137	07/12/2011	08/10/2011	ALICEVILLE MANOR NURSING HOME
015138	06/16/2010	07/15/2010	HENDRIX HEALTH AND REHABILITATION
015138	06/16/2010	07/15/2010	HENDRIX HEALTH AND REHABILITATION
015138	06/16/2010	07/15/2010	HENDRIX HEALTH AND REHABILITATION
015138	06/16/2010	07/15/2010	HENDRIX HEALTH AND REHABILITATION

703 17TH STREET NORTHWEST	ALICEVILLE	AL	35442	2053736307
703 17TH STREET NORTHWEST	ALICEVILLE	AL	35442	2053736307
703 17TH STREET NORTHWEST	ALICEVILLE	AL	35442	2053736307
703 17TH STREET NORTHWEST	ALICEVILLE	AL	35442	2053736307
703 17TH STREET NORTHWEST	ALICEVILLE	AL	35442	2053736307
1000 HIGHWAY 33	DOUBLE SPRINGS	AL	35553	2054892136
1000 HIGHWAY 33	DOUBLE SPRINGS	AL	35553	2054892136
1000 HIGHWAY 33	DOUBLE SPRINGS	AL	35553	2054892136
1000 HIGHWAY 33	DOUBLE SPRINGS	AL	35553	2054892136

FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Quality Care Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies

alarm system.		
restrictions on the use of flammable curtains.	Many	1
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
exits that are accessible at all times.	Many	1
other fire safety features required by fire safety codes.	Many	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
restrictions on the use of flammable curtains.	Few	2

015138	05/12/2011	06/16/2011	HENDRIX HEALTH AND REHABILITATION
015138	05/19/2011	06/23/2011	HENDRIX HEALTH AND REHABILITATION
015138	05/19/2011	06/23/2011	HENDRIX HEALTH AND REHABILITATION
015138	05/19/2011	06/23/2011	HENDRIX HEALTH AND REHABILITATION
015138	05/19/2011	06/23/2011	HENDRIX HEALTH AND REHABILITATION
015138	05/19/2011	06/23/2011	HENDRIX HEALTH AND REHABILITATION
015138	05/19/2011	06/23/2011	HENDRIX HEALTH AND REHABILITATION
015138	07/19/2012	08/23/2012	HENDRIX HEALTH AND REHABILITATION
015138	07/25/2012	07/30/2012	HENDRIX HEALTH AND REHABILITATION
015138	07/25/2012	07/30/2012	HENDRIX HEALTH AND REHABILITATION

1000 HIGHWAY 33	DOUBLE SPRINGS	AL	35553	2054892136
1000 HIGHWAY 33	DOUBLE SPRINGS	AL	35553	2054892136
1000 HIGHWAY 33	DOUBLE SPRINGS	AL	35553	2054892136
1000 HIGHWAY 33	DOUBLE SPRINGS	AL	35553	2054892136
1000 HIGHWAY 33	DOUBLE SPRINGS	AL	35553	2054892136
1000 HIGHWAY 33	DOUBLE SPRINGS	AL	35553	2054892136
1000 HIGHWAY 33	DOUBLE SPRINGS	AL	35553	2054892136
1000 HIGHWAY 33	DOUBLE SPRINGS	AL	35553	2054892136
1000 HIGHWAY 33	DOUBLE SPRINGS	AL	35553	2054892136
1000 HIGHWAY 33	DOUBLE SPRINGS	AL	35553	2054892136
1000 HIGHWAY 33	DOUBLE SPRINGS	AL	35553	2054892136

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies

flammable curtains.		
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
portable fire extinguishers.	Many	1
Store, cook, and serve food in a safe and clean way.	Many	2
corridor and hallway doors that block smoke.	Few	2
construction that can resist fire for one hour or an approved fire	Some	1

015138	07/25/2012	08/06/2012	HENDRIX HEALTH AND REHABILITATION
015138	07/25/2012	08/29/2012	HENDRIX HEALTH AND REHABILITATION
015139	05/13/2010	06/17/2010	TALLASSEE HEALTH AND REHABILITATION, LLC
015139	05/13/2010	06/17/2010	TALLASSEE HEALTH AND REHABILITATION, LLC
015139	05/27/2010	06/17/2010	TALLASSEE HEALTH AND REHABILITATION, LLC
015139	05/27/2010	06/17/2010	TALLASSEE HEALTH AND REHABILITATION, LLC
015139	05/27/2010	06/17/2010	TALLASSEE HEALTH AND REHABILITATION, LLC
015139	05/27/2010	06/17/2010	TALLASSEE HEALTH AND REHABILITATION, LLC

1000 HIGHWAY 33	DOUBLE SPRINGS	AL	35553	2054892136
1000 HIGHWAY 33	DOUBLE SPRINGS	AL	35553	2054892136
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies

extinguishing system.		
exits that are accessible at all times.	Many	1
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Many	1
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
a two-hour-resistant firewall in common walls.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
a fire alarm system that can be heard throughout the facility.	Few	2

			LLC
015139	05/27/2010	06/17/2010	TALLASSEE HEALTH AND REHABILITATION, LLC
015139	05/27/2010	06/17/2010	TALLASSEE HEALTH AND REHABILITATION, LLC
015139	05/27/2010	06/17/2010	TALLASSEE HEALTH AND REHABILITATION, LLC
015139	03/10/2011	04/14/2011	TALLASSEE HEALTH AND REHABILITATION, LLC
015139	03/10/2011	04/14/2011	TALLASSEE HEALTH AND REHABILITATION, LLC
015139	03/10/2011	04/14/2011	TALLASSEE HEALTH AND REHABILITATION, LLC
015139	03/10/2011	04/14/2011	TALLASSEE HEALTH AND REHABILITATION, LLC
015139	03/10/2011	04/14/2011	TALLASSEE HEALTH AND REHABILITATION, LLC

P O BOX 780277				
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

heard throughout the facility.		
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
automatic sprinkler systems that have been maintained in working order.	Few	2
exits that are free from obstructions and can be used at all times.	Some	2
Keep each resident's personal and medical records private and confidential.	Few	2
Allow residents to easily view the results of the nursing home's most recent survey.	Many	1
Provide care by qualified persons according to each resident's written plan of care.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015139	03/10/2011	04/14/2011	TALLASSEE HEALTH AND REHABILITATION, LLC
015139	03/10/2011	04/14/2011	TALLASSEE HEALTH AND REHABILITATION, LLC
015139	03/10/2011	04/14/2011	TALLASSEE HEALTH AND REHABILITATION, LLC
015139	03/10/2011	04/14/2011	TALLASSEE HEALTH AND REHABILITATION, LLC
015139	03/10/2011	04/14/2011	TALLASSEE HEALTH AND REHABILITATION, LLC
015139	03/10/2011	04/14/2011	TALLASSEE HEALTH AND REHABILITATION, LLC
015139	03/10/2011	04/14/2011	TALLASSEE HEALTH AND REHABILITATION,

2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
2639 GILMER AVENUE	TALLASSEE	AL	36078	3342833975

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies

catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.		
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
Post nurse staffing information/data on a daily basis.	Many	1
Store, cook, and serve food in a safe and clean way.	Many	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Some	2
Provide bedrooms that don't	Few	2

			LLC
015139	03/15/2011	04/19/2011	TALLASSEE HEALTH AND REHABILITATION, LLC
015139	03/15/2011	04/19/2011	TALLASSEE HEALTH AND REHABILITATION, LLC
015139	03/15/2011	04/19/2011	TALLASSEE HEALTH AND REHABILITATION, LLC
015139	12/08/2011	01/12/2012	TALLASSEE HEALTH AND REHABILITATION, LLC
015139	12/08/2011	01/12/2012	TALLASSEE HEALTH AND REHABILITATION, LLC
015139	12/08/2011	01/12/2012	TALLASSEE HEALTH AND REHABILITATION, LLC
015139	12/13/2011	01/17/2012	TALLASSEE HEALTH AND REHABILITATION, LLC

P O BOX 780277				
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies

allow residents to see each other when privacy is needed.		
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	1
automatic sprinkler systems that have been maintained in working order.	Many	1
Keep each resident's personal and medical records private and confidential.	Few	2
Provide housekeeping and maintenance services.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
corridor and hallway doors that block smoke.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015139	12/13/2011	01/17/2012	TALLASSEE HEALTH AND REHABILITATION, LLC
015139	12/13/2011	01/17/2012	TALLASSEE HEALTH AND REHABILITATION, LLC
015139	12/13/2011	01/17/2012	TALLASSEE HEALTH AND REHABILITATION, LLC
015139	12/13/2011	01/17/2012	TALLASSEE HEALTH AND REHABILITATION, LLC
015139	12/13/2011	01/17/2012	TALLASSEE HEALTH AND REHABILITATION, LLC
015139	12/13/2011	01/17/2012	TALLASSEE HEALTH AND REHABILITATION, LLC
015139	12/13/2011	01/17/2012	TALLASSEE HEALTH AND REHABILITATION, LLC
015141	06/11/2009	06/26/2009	SALEM NURSING & REHAB CENTER OF REFORM

2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
2639 GILMER AVENUE P O BOX 780277	TALLASSEE	AL	36078	3342833975
515 2ND AVENUE NORTHWEST	REFORM	AL	35481	2053756379

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies

construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Some	2
automatic sprinkler systems that have been maintained in working order.	Many	1
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Few	2
proper medical gas storage and administration areas.	Many	1
other fire safety features required by fire safety codes.	Some	2
weekly inspections and monthly testing of generators.	Many	1
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015141	06/11/2009	06/26/2009	SALEM NURSING & REHAB CENTER OF REFORM
015141	06/25/2009	07/02/2009	SALEM NURSING & REHAB CENTER OF REFORM
015141	06/25/2009	07/02/2009	SALEM NURSING & REHAB CENTER OF REFORM
015141	06/25/2009	07/02/2009	SALEM NURSING & REHAB CENTER OF REFORM
015141	06/25/2009	07/02/2009	SALEM NURSING & REHAB CENTER OF REFORM
015141	06/25/2009	07/02/2009	SALEM NURSING & REHAB CENTER OF REFORM
015141	08/05/2010	08/09/2010	SALEM NURSING & REHAB CENTER OF REFORM

515 2ND AVENUE NORTHWEST	REFORM	AL	35481	2053756379
515 2ND AVENUE NORTHWEST	REFORM	AL	35481	2053756379
515 2ND AVENUE NORTHWEST	REFORM	AL	35481	2053756379
515 2ND AVENUE NORTHWEST	REFORM	AL	35481	2053756379
515 2ND AVENUE NORTHWEST	REFORM	AL	35481	2053756379
515 2ND AVENUE NORTHWEST	REFORM	AL	35481	2053756379
515 2ND AVENUE NORTHWEST	REFORM	AL	35481	2053756379

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Many	2
did not have a written emergency evacuation plan.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
properly protected cooking facilities.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Many	2

015141	08/12/2010	09/03/2010	SALEM NURSING & REHAB CENTER OF REFORM
015141	08/12/2010	09/03/2010	SALEM NURSING & REHAB CENTER OF REFORM
015141	08/12/2010	09/03/2010	SALEM NURSING & REHAB CENTER OF REFORM
015141	08/12/2010	08/12/2010	SALEM NURSING & REHAB CENTER OF REFORM
015141	08/12/2010	09/03/2010	SALEM NURSING & REHAB CENTER OF REFORM
015141	08/12/2010	09/03/2010	SALEM NURSING & REHAB CENTER OF REFORM
015141	08/12/2010	09/03/2010	SALEM NURSING & REHAB CENTER OF REFORM
015141	08/12/2010	08/12/2010	SALEM NURSING & REHAB CENTER OF REFORM
015141	08/12/2010	08/25/2010	SALEM NURSING & REHAB CENTER OF REFORM
015141	07/15/2011	08/12/2011	SALEM NURSING & REHAB CENTER OF REFORM
015141	07/15/2011	08/12/2011	SALEM NURSING & REHAB CENTER OF

515 2ND AVENUE NORTHWEST	REFORM	AL	35481	2053756379
515 2ND AVENUE NORTHWEST	REFORM	AL	35481	2053756379
515 2ND AVENUE NORTHWEST	REFORM	AL	35481	2053756379
515 2ND AVENUE NORTHWEST	REFORM	AL	35481	2053756379
515 2ND AVENUE NORTHWEST	REFORM	AL	35481	2053756379
515 2ND AVENUE NORTHWEST	REFORM	AL	35481	2053756379
515 2ND AVENUE NORTHWEST	REFORM	AL	35481	2053756379
515 2ND AVENUE NORTHWEST	REFORM	AL	35481	2053756379
515 2ND AVENUE NORTHWEST	REFORM	AL	35481	2053756379
515 2ND AVENUE NORTHWEST	REFORM	AL	35481	2053756379
515 2ND AVENUE NORTHWEST	REFORM	AL	35481	2053756379
515 2ND AVENUE	REFORM	AL	35481	2053756379

FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies

corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
properly maintained smoke detectors.	Many	1
properly protected cooking facilities.	Some	2
properly sized and located linen or trash receptacles.	Few	2
properly installed electrical wiring and equipment.	Few	2
Try to resolve each resident's complaints quickly.	Some	2
Provide care for residents in a	Few	2

nh_quality_deficiency_survey
Based on Nursing Home Compare - Survey Deficiency

			REFORM
015141	07/15/2011	08/12/2011	SALEM NURSING & REHAB CENTER OF REFORM
015141	07/15/2011	08/12/2011	SALEM NURSING & REHAB CENTER OF REFORM
015141	07/15/2011	08/12/2011	SALEM NURSING & REHAB CENTER OF REFORM
015141	07/20/2011	08/12/2011	SALEM NURSING & REHAB CENTER OF REFORM
015141	07/20/2011	08/12/2011	SALEM NURSING & REHAB CENTER OF REFORM
015141	07/20/2011	08/12/2011	SALEM NURSING & REHAB CENTER OF REFORM
015141	07/20/2011	08/12/2011	SALEM NURSING & REHAB CENTER OF REFORM
015142	07/22/2010	08/13/2010	LINEVILLE HEALTH AND REHABILITATION, LLC
015142	07/22/2010	08/13/2010	LINEVILLE HEALTH AND REHABILITATION, LLC

NORTHWEST				
515 2ND AVENUE NORTHWEST	REFORM	AL	35481	2053756379
515 2ND AVENUE NORTHWEST	REFORM	AL	35481	2053756379
515 2ND AVENUE NORTHWEST	REFORM	AL	35481	2053756379
515 2ND AVENUE NORTHWEST	REFORM	AL	35481	2053756379
515 2ND AVENUE NORTHWEST	REFORM	AL	35481	2053756379
515 2ND AVENUE NORTHWEST	REFORM	AL	35481	2053756379
515 2ND AVENUE NORTHWEST	REFORM	AL	35481	2053756379
88073 HIGHWAY 9	LINEVILLE	AL	36266	2563962104
88073 HIGHWAY 9	LINEVILLE	AL	36266	2563962104

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies

way that keeps or builds each resident's dignity and respect of individuality.		
Provide housekeeping and maintenance services.	Some	2
Maintain comfortable sound levels.	Some	2
Post nurse staffing information/data on a daily basis.	Many	1
corridor and hallway doors that block smoke.	Many	1
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
proper backup exit lighting.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Assist those residents who need total help with eating/drinking,	Few	2

			LLC
015142	07/27/2010	08/25/2010	LINEVILLE HEALTH AND REHABILITATION, LLC
015142	05/12/2011	06/15/2011	LINEVILLE HEALTH AND REHABILITATION, LLC
015142	05/12/2011	06/15/2011	LINEVILLE HEALTH AND REHABILITATION, LLC
015142	05/17/2011	06/20/2011	LINEVILLE HEALTH AND REHABILITATION, LLC
015142	05/17/2011	06/20/2011	LINEVILLE HEALTH AND REHABILITATION, LLC
015142	05/17/2011	06/20/2011	LINEVILLE HEALTH AND REHABILITATION, LLC
015142	05/17/2011	06/20/2011	LINEVILLE HEALTH AND REHABILITATION, LLC

88073 HIGHWAY 9	LINEVILLE	AL	36266	2563962104
88073 HIGHWAY 9	LINEVILLE	AL	36266	2563962104
88073 HIGHWAY 9	LINEVILLE	AL	36266	2563962104
88073 HIGHWAY 9	LINEVILLE	AL	36266	2563962104
88073 HIGHWAY 9	LINEVILLE	AL	36266	2563962104
88073 HIGHWAY 9	LINEVILLE	AL	36266	2563962104
88073 HIGHWAY 9	LINEVILLE	AL	36266	2563962104
88073 HIGHWAY 9	LINEVILLE	AL	36266	2563962104

FIRE SAFETY	Fire Alarm Systems Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies

total help with eating/drinking, grooming and personal and oral hygiene.		
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
corridors that are separated from common areas by walls constructed to limit the passage of smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Few	2

015142	05/17/2011	06/20/2011	LINEVILLE HEALTH AND REHABILITATION, LLC
015142	05/17/2011	06/20/2011	LINEVILLE HEALTH AND REHABILITATION, LLC
015142	05/17/2011	06/20/2011	LINEVILLE HEALTH AND REHABILITATION, LLC
015142	07/12/2012	08/10/2012	LINEVILLE HEALTH AND REHABILITATION, LLC
015142	07/20/2012	08/24/2012	LINEVILLE HEALTH AND REHABILITATION, LLC
015143	06/04/2010	07/09/2010	FOREST MANOR INC
015143	06/04/2010	07/09/2010	FOREST MANOR INC
015143	06/04/2010	07/09/2010	FOREST MANOR INC

88073 HIGHWAY 9	LINEVILLE	AL	36266	2563962104
88073 HIGHWAY 9	LINEVILLE	AL	36266	2563962104
88073 HIGHWAY 9	LINEVILLE	AL	36266	2563962104
88073 HIGHWAY 9	LINEVILLE	AL	36266	2563962104
88073 HIGHWAY 9	LINEVILLE	AL	36266	2563962104
2215 32ND STREET	NORTHPORT	AL	35476	2053395400
2215 32ND STREET	NORTHPORT	AL	35476	2053395400
2215 32ND STREET	NORTHPORT	AL	35476	2053395400

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies

properly protected cooking facilities.	Few	2
other fire safety features required by fire safety codes.	Some	2
properly installed electrical wiring and equipment.	Some	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
corridors that are separated from common areas by walls constructed to limit the passage of smoke.	Few	2
Honor all of the resident's rights as a resident of the nursing home, free of coercion and reprisal, and as a citizen or resident of the United States.	Some	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Some	2
Provide housekeeping and maintenance services.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015143	06/04/2010	07/09/2010	FOREST MANOR INC
015143	06/04/2010	07/09/2010	FOREST MANOR INC
015143	06/04/2010	07/09/2010	FOREST MANOR INC
015143	06/04/2010	07/09/2010	FOREST MANOR INC
015143	06/09/2010	06/30/2010	FOREST MANOR INC
015143	06/09/2010	06/30/2010	FOREST MANOR INC
015143	03/31/2011	05/05/2011	FOREST MANOR INC
015143	04/07/2011	05/12/2011	FOREST MANOR INC

2215 32ND STREET	NORTHPORT	AL	35476	2053395400
2215 32ND STREET	NORTHPORT	AL	35476	2053395400
2215 32ND STREET	NORTHPORT	AL	35476	2053395400
2215 32ND STREET	NORTHPORT	AL	35476	2053395400
2215 32ND STREET	NORTHPORT	AL	35476	2053395400
2215 32ND STREET	NORTHPORT	AL	35476	2053395400
2215 32ND STREET	NORTHPORT	AL	35476	2053395400
2215 32ND STREET	NORTHPORT	AL	35476	2053395400

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies

Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Have enough nurses to care for every resident in a way that maximizes the resident's well being.	Few	2
Provide food in a way that meets a resident's needs.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
a fire alarm system that can be heard throughout the facility.	Some	2
Store, cook, and serve food in a safe and clean way.	Many	2
corridor and hallway doors that block smoke.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015143	04/07/2011	05/12/2011	FOREST MANOR INC
015143	04/07/2011	05/12/2011	FOREST MANOR INC
015143	04/07/2011	05/12/2011	FOREST MANOR INC
015143	04/07/2011	05/12/2011	FOREST MANOR INC
015143	04/07/2011	05/12/2011	FOREST MANOR INC
015143	04/07/2011	05/12/2011	FOREST MANOR INC
015143	04/07/2011	05/12/2011	FOREST MANOR INC
015143	04/07/2011	05/12/2011	FOREST MANOR INC
015143	04/07/2011	05/12/2011	FOREST MANOR INC
015143	04/07/2011	05/12/2011	FOREST MANOR INC
015143	05/03/2012	06/07/2012	FOREST MANOR INC

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

2215 32ND STREET	NORTHPORT	AL	35476	2053395400
2215 32ND STREET	NORTHPORT	AL	35476	2053395400
2215 32ND STREET	NORTHPORT	AL	35476	2053395400
2215 32ND STREET	NORTHPORT	AL	35476	2053395400
2215 32ND STREET	NORTHPORT	AL	35476	2053395400
2215 32ND STREET	NORTHPORT	AL	35476	2053395400
2215 32ND STREET	NORTHPORT	AL	35476	2053395400
2215 32ND STREET	NORTHPORT	AL	35476	2053395400
2215 32ND STREET	NORTHPORT	AL	35476	2053395400
2215 32ND STREET	NORTHPORT	AL	35476	2053395400
2215 32ND STREET	NORTHPORT	AL	35476	2053395400

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies

construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
protected exits that allow the resident to escape the building.	Few	2
exits that are accessible at all times.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
automatic sprinkler systems that have been maintained in working order.	Some	2
portable fire extinguishers.	Many	1
properly protected cooking facilities.	Few	2
exits that are free from obstructions and can be used at all times.	Some	2
properly installed electrical wiring and equipment.	Some	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015143	05/03/2012	06/07/2012	FOREST MANOR INC
015143	05/03/2012	06/07/2012	FOREST MANOR INC
015143	05/03/2012	06/07/2012	FOREST MANOR INC
015143	05/11/2012	06/15/2012	FOREST MANOR INC
015144	02/11/2010	03/18/2010	CHANDLER HEALTH & REHAB CENTER, LLC
015144	02/11/2010	03/18/2010	CHANDLER HEALTH & REHAB CENTER, LLC

2215 32ND STREET	NORTHPORT	AL	35476	2053395400
2215 32ND STREET	NORTHPORT	AL	35476	2053395400
2215 32ND STREET	NORTHPORT	AL	35476	2053395400
2215 32ND STREET	NORTHPORT	AL	35476	2053395400
2215 32ND STREET	NORTHPORT	AL	35476	2053395400
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Pharmacy Service Deficiencies

services to prevent urinary tract infections and restore normal bladder function.		
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
Store, cook, and serve food in a safe and clean way.	Some	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
automatic sprinkler systems that have been maintained in working order.	Many	1
Hire a qualified full-time social worker in a facility with more than 120 beds.	Many	1
Maintain drug records and properly mark/label drugs and	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015144	02/19/2010	03/18/2010	CHANDLER HEALTH & REHAB CENTER, LLC
015144	02/19/2010	03/18/2010	CHANDLER HEALTH & REHAB CENTER, LLC
015144	02/19/2010	03/18/2010	CHANDLER HEALTH & REHAB CENTER, LLC
015144	12/09/2010	01/12/2011	CHANDLER HEALTH & REHAB CENTER, LLC
015144	12/09/2010	01/12/2011	CHANDLER HEALTH & REHAB CENTER, LLC
015144	12/09/2010	01/12/2011	CHANDLER HEALTH & REHAB CENTER, LLC

850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Resident Assessment Deficiencies

other similar products according to accepted professional standards.		
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
record of quarterly fire drills for each shift under varying conditions.	Few	2
automatic sprinkler systems that have been maintained in working order.	Many	1
Provide proof that all residents' personal money which is deposited with the nursing home, is secure.	Some	2
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015144	12/09/2010	01/12/2011	CHANDLER HEALTH & REHAB CENTER, LLC
015144	12/09/2010	01/12/2011	CHANDLER HEALTH & REHAB CENTER, LLC
015144	12/15/2010	12/27/2010	CHANDLER HEALTH & REHAB CENTER, LLC
015144	12/15/2010	12/27/2010	CHANDLER HEALTH & REHAB CENTER, LLC
015144	12/15/2010	12/27/2010	CHANDLER HEALTH & REHAB CENTER, LLC
015144	01/25/2012	02/29/2012	CHANDLER HEALTH & REHAB CENTER, LLC
015144	01/25/2012	02/29/2012	CHANDLER HEALTH & REHAB CENTER, LLC
015144	01/25/2012	02/29/2012	CHANDLER HEALTH & REHAB CENTER, LLC

850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

actions that can be measured.		
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
proper backup exit lighting.	Few	2
record of quarterly fire drills for each shift under varying conditions.	Many	1
corridor and hallway doors that block smoke.	Few	2
exit doors that are held open by devices that will automatically close on the activation of a fire alarm or smoke detectors.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Many	2

015144	01/25/2012	02/29/2012	CHANDLER HEALTH & REHAB CENTER, LLC
015144	01/25/2012	02/29/2012	CHANDLER HEALTH & REHAB CENTER, LLC
015144	01/25/2012	02/29/2012	CHANDLER HEALTH & REHAB CENTER, LLC
015144	01/25/2012	02/29/2012	CHANDLER HEALTH & REHAB CENTER, LLC
015144	01/25/2012	02/29/2012	CHANDLER HEALTH & REHAB CENTER, LLC
015144	01/25/2012	02/29/2012	CHANDLER HEALTH & REHAB CENTER, LLC
015144	01/25/2012	02/29/2012	CHANDLER HEALTH & REHAB CENTER, LLC
015144	01/25/2012	02/29/2012	CHANDLER HEALTH & REHAB CENTER, LLC
015144	01/25/2012	02/29/2012	CHANDLER HEALTH & REHAB CENTER, LLC
015144	01/26/2012	03/01/2012	CHANDLER HEALTH & REHAB CENTER, LLC
015144	01/26/2012	03/01/2012	CHANDLER HEALTH & REHAB CENTER, LLC

850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies

smoke barrier doors that can resist smoke for at least 20 minutes.	Some	2
exits that are accessible at all times.	Some	2
proper exit design.	Some	2
record of quarterly fire drills for each shift under varying conditions.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
automatic sprinkler systems that have been maintained in working order.	Many	1
restrictions on the use of flammable curtains.	Many	2
other fire safety features required by fire safety codes.	Few	2
Properly hold, secure and manage each resident's personal money which is deposited with the nursing home.	Many	2
Keep each resident's personal and medical records private and	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015144	01/26/2012	03/01/2012	CHANDLER HEALTH & REHAB CENTER, LLC
015144	01/26/2012	03/01/2012	CHANDLER HEALTH & REHAB CENTER, LLC
015144	01/26/2012	03/01/2012	CHANDLER HEALTH & REHAB CENTER, LLC
015144	01/26/2012	03/01/2012	CHANDLER HEALTH & REHAB CENTER, LLC
015144	01/26/2012	03/01/2012	CHANDLER HEALTH & REHAB CENTER, LLC
015144	01/26/2012	03/01/2012	CHANDLER HEALTH & REHAB CENTER, LLC
015144	01/26/2012	03/01/2012	CHANDLER HEALTH & REHAB CENTER, LLC

NINTH STREET				
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Rights Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

and medical records private and confidential.		
Try to resolve each resident's complaints quickly.	Few	2
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Few	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Provide housekeeping and maintenance services.	Few	2
Provide care by qualified persons according to each resident's written plan of care.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015144	01/26/2012	03/01/2012	CHANDLER HEALTH & REHAB CENTER, LLC
015144	01/26/2012	03/01/2012	CHANDLER HEALTH & REHAB CENTER, LLC
015144	01/26/2012	03/01/2012	CHANDLER HEALTH & REHAB CENTER, LLC
015144	01/26/2012	03/01/2012	CHANDLER HEALTH & REHAB CENTER, LLC
015144	01/26/2012	03/01/2012	CHANDLER HEALTH & REHAB CENTER, LLC

850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies

services to prevent urinary tract infections and restore normal bladder function.		
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015144	01/26/2012	03/01/2012	CHANDLER HEALTH & REHAB CENTER, LLC
015145	05/27/2010	07/01/2010	GOLDEN LIVING CENTER - RIVERCHASE
015145	05/27/2010	07/01/2010	GOLDEN LIVING CENTER - RIVERCHASE
015145	05/27/2010	07/01/2010	GOLDEN LIVING CENTER - RIVERCHASE
015145	06/02/2010	07/01/2010	GOLDEN LIVING CENTER - RIVERCHASE
015145	06/02/2010	07/01/2010	GOLDEN LIVING CENTER - RIVERCHASE
015145	06/02/2010	07/01/2010	GOLDEN LIVING CENTER - RIVERCHASE
015145	03/24/2011	04/22/2011	GOLDEN LIVING CENTER - RIVERCHASE

850 NORTHWEST NINTH STREET	ALABASTER	AL	35007	2056633859
2500 RIVERHAVEN DRIVE	BIRMINGHAM	AL	35244	2059870901
2500 RIVERHAVEN DRIVE	BIRMINGHAM	AL	35244	2059870901
2500 RIVERHAVEN DRIVE	BIRMINGHAM	AL	35244	2059870901
2500 RIVERHAVEN DRIVE	BIRMINGHAM	AL	35244	2059870901
2500 RIVERHAVEN DRIVE	BIRMINGHAM	AL	35244	2059870901
2500 RIVERHAVEN DRIVE	BIRMINGHAM	AL	35244	2059870901
2500 RIVERHAVEN DRIVE	BIRMINGHAM	AL	35244	2059870901
2500 RIVERHAVEN	BIRMINGHAM	AL	35244	2059870901

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Administration Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Environmental Deficiencies

Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2
a separate and independent backup electrical power source.	Few	2
Make sure that the nursing home	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015145	03/24/2011	04/22/2011	GOLDEN LIVING CENTER - RIVERCHASE
015145	03/31/2011	05/05/2011	GOLDEN LIVING CENTER - RIVERCHASE
015145	03/31/2011	05/05/2011	GOLDEN LIVING CENTER - RIVERCHASE
015145	03/31/2011	05/05/2011	GOLDEN LIVING CENTER - RIVERCHASE
015145	03/31/2011	05/05/2011	GOLDEN LIVING CENTER - RIVERCHASE
015145	03/31/2011	05/05/2011	GOLDEN LIVING CENTER - RIVERCHASE
015145	04/12/2012	05/17/2012	GOLDEN LIVING CENTER - RIVERCHASE
015145	04/12/2012	05/17/2012	GOLDEN LIVING CENTER - RIVERCHASE
015145	04/12/2012	05/17/2012	GOLDEN LIVING CENTER - RIVERCHASE

DRIVE				
2500 RIVERHAVEN DRIVE	BIRMINGHAM	AL	35244	2059870901
2500 RIVERHAVEN DRIVE	BIRMINGHAM	AL	35244	2059870901
2500 RIVERHAVEN DRIVE	BIRMINGHAM	AL	35244	2059870901
2500 RIVERHAVEN DRIVE	BIRMINGHAM	AL	35244	2059870901
2500 RIVERHAVEN DRIVE	BIRMINGHAM	AL	35244	2059870901
2500 RIVERHAVEN DRIVE	BIRMINGHAM	AL	35244	2059870901
2500 RIVERHAVEN DRIVE	BIRMINGHAM	AL	35244	2059870901
2500 RIVERHAVEN DRIVE	BIRMINGHAM	AL	35244	2059870901
2500 RIVERHAVEN DRIVE	BIRMINGHAM	AL	35244	2059870901

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies

area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.		
Store, cook, and serve food in a safe and clean way.	Many	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
properly protected cooking facilities.	Few	2
properly installed electrical wiring and equipment.	Many	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
posted "No-smoking" signs in areas where smoking is not	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015145	04/12/2012	05/17/2012	GOLDEN LIVING CENTER - RIVERCHASE
015145	04/12/2012	05/17/2012	GOLDEN LIVING CENTER - RIVERCHASE
015145	04/12/2012	05/17/2012	GOLDEN LIVING CENTER - RIVERCHASE
015145	04/12/2012	05/15/2012	GOLDEN LIVING CENTER - RIVERCHASE
015145	04/12/2012	05/15/2012	GOLDEN LIVING CENTER - RIVERCHASE
015147	07/01/2010	07/02/2010	GLENWOOD HEALTHCARE, INC.
015147	07/01/2010	07/06/2010	GLENWOOD HEALTHCARE, INC.

DRIVE				
2500 RIVERHAVEN DRIVE	BIRMINGHAM	AL	35244	2059870901
2500 RIVERHAVEN DRIVE	BIRMINGHAM	AL	35244	2059870901
2500 RIVERHAVEN DRIVE	BIRMINGHAM	AL	35244	2059870901
2500 RIVERHAVEN DRIVE	BIRMINGHAM	AL	35244	2059870901
2500 RIVERHAVEN DRIVE	BIRMINGHAM	AL	35244	2059870901
211 ANA DRIVE	FLORENCE	AL	35630	2567668963
211 ANA DRIVE	FLORENCE	AL	35630	2567668963

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies

areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.		
other fire safety features required by fire safety codes.	Few	2
back-up procedures in place for a faulty automatic sprinkler system.	Few	2
an approved back-up procedure for a faulty fire alarm system.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015147	07/01/2010	07/28/2010	GLENWOOD HEALTHCARE, INC.
015147	06/15/2011	07/18/2011	GLENWOOD HEALTHCARE, INC.
015147	06/23/2011	07/27/2011	GLENWOOD HEALTHCARE, INC.
015147	06/23/2011	07/27/2011	GLENWOOD HEALTHCARE, INC.
015147	06/23/2011	07/27/2011	GLENWOOD HEALTHCARE, INC.
015147	06/23/2011	07/27/2011	GLENWOOD HEALTHCARE, INC.
015147	06/23/2011	07/27/2011	GLENWOOD HEALTHCARE, INC.
015147	06/23/2011	07/27/2011	GLENWOOD HEALTHCARE, INC.
015147	06/23/2011	07/27/2011	GLENWOOD HEALTHCARE, INC.
015147	03/15/2012	04/18/2012	GLENWOOD HEALTHCARE, INC.
015147	03/21/2012	04/25/2012	GLENWOOD HEALTHCARE, INC.

211 ANA DRIVE	FLORENCE	AL	35630	2567668963
211 ANA DRIVE	FLORENCE	AL	35630	2567668963
211 ANA DRIVE	FLORENCE	AL	35630	2567668963
211 ANA DRIVE	FLORENCE	AL	35630	2567668963
211 ANA DRIVE	FLORENCE	AL	35630	2567668963
211 ANA DRIVE	FLORENCE	AL	35630	2567668963
211 ANA DRIVE	FLORENCE	AL	35630	2567668963
211 ANA DRIVE	FLORENCE	AL	35630	2567668963
211 ANA DRIVE	FLORENCE	AL	35630	2567668963
211 ANA DRIVE	FLORENCE	AL	35630	2567668963
211 ANA DRIVE	FLORENCE	AL	35630	2567668963

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Resident Assessment Deficiencies
FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies

automatic sprinkler systems that have been maintained in working order.	Few	2
Make sure each resident receives an accurate assessment by a qualified health professional.	Few	2
approved construction type or materials.	Few	2
corridors that are separated from common areas by walls constructed to limit the passage of smoke.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
properly protected cooking facilities.	Few	2
exits that are free from obstructions and can be used at all times.	Many	2
restrictions on the use of flammable curtains.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
construction that can resist fire for one hour or an approved fire	Few	2

015147	03/21/2012	04/25/2012	GLENWOOD HEALTHCARE, INC.
015147	03/21/2012	04/25/2012	GLENWOOD HEALTHCARE, INC.
015147	03/21/2012	04/25/2012	GLENWOOD HEALTHCARE, INC.
015147	03/21/2012	04/25/2012	GLENWOOD HEALTHCARE, INC.
015147	03/21/2012	04/25/2012	GLENWOOD HEALTHCARE, INC.
015148	09/10/2009	10/08/2009	GOLDEN LIVING CENTER - ARAB
015148	09/10/2009	10/08/2009	GOLDEN LIVING CENTER - ARAB
015148	10/28/2010	12/02/2010	GOLDEN LIVING CENTER - ARAB
015148	10/28/2010	12/02/2010	GOLDEN LIVING CENTER - ARAB

211 ANA DRIVE	FLORENCE	AL	35630	2567668963
211 ANA DRIVE	FLORENCE	AL	35630	2567668963
211 ANA DRIVE	FLORENCE	AL	35630	2567668963
211 ANA DRIVE	FLORENCE	AL	35630	2567668963
211 ANA DRIVE	FLORENCE	AL	35630	2567668963
235 THIRD STREET SE	ARAB	AL	35016	2565863111
235 THIRD STREET SE	ARAB	AL	35016	2565863111
235 THIRD STREET SE	ARAB	AL	35016	2565863111
235 THIRD STREET SE	ARAB	AL	35016	2565863111

FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies

for one hour or an approved fire extinguishing system.		
exits that are accessible at all times.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2
restrictions on the use of portable space heaters.	Few	2
exits that are free from obstructions and can be used at all times.	Some	2
properly installed electrical wiring and equipment.	Some	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Some	1
Assist those residents who need total help with eating/drinking,	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015148	10/28/2010	12/02/2010	GOLDEN LIVING CENTER - ARAB
015148	11/04/2010	12/02/2010	GOLDEN LIVING CENTER - ARAB
015148	11/04/2010	12/02/2010	GOLDEN LIVING CENTER - ARAB
015148	11/04/2010	12/02/2010	GOLDEN LIVING CENTER - ARAB
015148	11/04/2010	12/02/2010	GOLDEN LIVING CENTER - ARAB
015148	11/04/2010	12/02/2010	GOLDEN LIVING CENTER - ARAB
015148	11/04/2010	12/02/2010	GOLDEN LIVING CENTER - ARAB
015148	11/04/2010	12/02/2010	GOLDEN LIVING CENTER - ARAB
015148	11/04/2010	12/02/2010	GOLDEN LIVING CENTER - ARAB
015148	11/04/2010	12/02/2010	GOLDEN LIVING CENTER - ARAB
015148	11/04/2010	12/02/2010	GOLDEN LIVING CENTER - ARAB

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

235 THIRD STREET SE	ARAB	AL	35016	2565863111
235 THIRD STREET SE	ARAB	AL	35016	2565863111
235 THIRD STREET SE	ARAB	AL	35016	2565863111
235 THIRD STREET SE	ARAB	AL	35016	2565863111
235 THIRD STREET SE	ARAB	AL	35016	2565863111
235 THIRD STREET SE	ARAB	AL	35016	2565863111
235 THIRD STREET SE	ARAB	AL	35016	2565863111
235 THIRD STREET SE	ARAB	AL	35016	2565863111
235 THIRD STREET SE	ARAB	AL	35016	2565863111
235 THIRD STREET SE	ARAB	AL	35016	2565863111

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies

total help with eating/drinking, grooming and personal and oral hygiene.		
Store, cook, and serve food in a safe and clean way.	Many	2
a two-hour-resistant firewall in common walls.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Many	2
exits that are accessible at all times.	Many	2
emergency lighting that can last at least 1 1/2 hours.	Many	2
did not have a written emergency evacuation plan.	Many	2
an approved automatic sprinkler system connected to the fire alarm system.	Many	2
automatic sprinkler systems that have been maintained in working order.	Many	2
portable fire extinguishers.	Some	2
properly protected cooking facilities.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015148	11/04/2010	12/02/2010	GOLDEN LIVING CENTER - ARAB
015148	11/04/2010	12/02/2010	GOLDEN LIVING CENTER - ARAB
015148	11/04/2010	12/02/2010	GOLDEN LIVING CENTER - ARAB
015148	11/04/2010	12/02/2010	GOLDEN LIVING CENTER - ARAB
015148	11/04/2010	12/02/2010	GOLDEN LIVING CENTER - ARAB
015148	11/04/2010	12/02/2010	GOLDEN LIVING CENTER - ARAB
015148	11/02/2011	11/25/2011	GOLDEN LIVING CENTER - ARAB
015148	11/02/2011	11/25/2011	GOLDEN LIVING CENTER - ARAB
015148	11/02/2011	11/25/2011	GOLDEN LIVING CENTER - ARAB
015149	05/13/2010	06/16/2010	SOUTHERN CARE, LLC

235 THIRD STREET SE	ARAB	AL	35016	2565863111
235 THIRD STREET SE	ARAB	AL	35016	2565863111
235 THIRD STREET SE	ARAB	AL	35016	2565863111
235 THIRD STREET SE	ARAB	AL	35016	2565863111
235 THIRD STREET SE	ARAB	AL	35016	2565863111
235 THIRD STREET SE	ARAB	AL	35016	2565863111
235 THIRD STREET SE	ARAB	AL	35016	2565863111
235 THIRD STREET SE	ARAB	AL	35016	2565863111
235 THIRD STREET SE	ARAB	AL	35016	2565863111
251 SUNSET PLACE	GUIN	AL	35563	2054683331

FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
HEALTH	Quality Care Deficiencies

exits that are free from obstructions and can be used at all times.	Some	2
proper medical gas storage and administration areas.	Some	2
other fire safety features required by fire safety codes.	Many	2
weekly inspections and monthly testing of generators.	Many	2
a separate and independent backup electrical power source.	Many	2
properly installed electrical wiring and equipment.	Few	2
corridor and hallway doors that block smoke.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015149	05/13/2010	06/16/2010	SOUTHERN CARE, LLC
015149	05/13/2010	06/16/2010	SOUTHERN CARE, LLC
015149	05/13/2010	06/16/2010	SOUTHERN CARE, LLC
015149	05/13/2010	06/16/2010	SOUTHERN CARE, LLC
015149	05/26/2010	06/26/2010	SOUTHERN CARE, LLC
015149	05/26/2010	06/26/2010	SOUTHERN CARE, LLC

251 SUNSET PLACE	GUIN	AL	35563	2054683331
251 SUNSET PLACE	GUIN	AL	35563	2054683331
251 SUNSET PLACE	GUIN	AL	35563	2054683331
251 SUNSET PLACE	GUIN	AL	35563	2054683331
251 SUNSET PLACE	GUIN	AL	35563	2054683331
251 SUNSET PLACE	GUIN	AL	35563	2054683331

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

services to prevent urinary tract infections and restore normal bladder function.		
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Some	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Some	2
Make sure that nurse aides show they have the skills and techniques to be able to care for residents' needs.	Few	2
a two-hour-resistant firewall in common walls.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2

015149	05/26/2010	06/26/2010	SOUTHERN CARE, LLC
015149	05/26/2010	06/26/2010	SOUTHERN CARE, LLC
015149	05/26/2010	06/26/2010	SOUTHERN CARE, LLC
015149	04/14/2011	05/12/2011	SOUTHERN CARE, LLC
015149	04/14/2011	05/12/2011	SOUTHERN CARE, LLC
015149	04/19/2011	05/23/2011	SOUTHERN CARE, LLC
015149	04/19/2011	05/23/2011	SOUTHERN CARE, LLC
015149	04/19/2011	05/23/2011	SOUTHERN CARE, LLC
015149	04/19/2011	05/23/2011	SOUTHERN CARE, LLC
015149	04/19/2011	05/23/2011	SOUTHERN CARE, LLC

251 SUNSET PLACE	GUIN	AL	35563	2054683331
251 SUNSET PLACE	GUIN	AL	35563	2054683331
251 SUNSET PLACE	GUIN	AL	35563	2054683331
251 SUNSET PLACE	GUIN	AL	35563	2054683331
251 SUNSET PLACE	GUIN	AL	35563	2054683331
251 SUNSET PLACE	GUIN	AL	35563	2054683331
251 SUNSET PLACE	GUIN	AL	35563	2054683331
251 SUNSET PLACE	GUIN	AL	35563	2054683331
251 SUNSET PLACE	GUIN	AL	35563	2054683331
251 SUNSET PLACE	GUIN	AL	35563	2054683331

FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies

construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
a separate and independent backup electrical power source.	Some	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
exits that are accessible at all times.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	1
automatic sprinkler systems that have been maintained in working order.	Some	2
properly protected cooking facilities.	Few	2
restrictions on the use of flammable curtains.	Many	1

015149	04/19/2011	05/23/2011	SOUTHERN CARE, LLC
015149	04/05/2012	05/10/2012	SOUTHERN CARE, LLC
015149	04/05/2012	05/10/2012	SOUTHERN CARE, LLC
015149	04/05/2012	05/10/2012	SOUTHERN CARE, LLC
015149	04/12/2012	04/23/2012	SOUTHERN CARE, LLC
015149	04/12/2012	04/23/2012	SOUTHERN CARE, LLC
015150	01/28/2010	03/04/2010	WIREGRASS REHABILITATION CENTER & NURSING HOME
015150	01/28/2010	03/04/2010	WIREGRASS REHABILITATION CENTER & NURSING HOME
015150	01/28/2010	03/04/2010	WIREGRASS REHABILITATION CENTER & NURSING HOME

251 SUNSET PLACE	GUIN	AL	35563	2054683331
251 SUNSET PLACE	GUIN	AL	35563	2054683331
251 SUNSET PLACE	GUIN	AL	35563	2054683331
251 SUNSET PLACE	GUIN	AL	35563	2054683331
251 SUNSET PLACE	GUIN	AL	35563	2054683331
251 SUNSET PLACE	GUIN	AL	35563	2054683331
1200 MAPLE AVENUE WEST	GENEVA	AL	36340	3346843655
1200 MAPLE AVENUE WEST	GENEVA	AL	36340	3346843655
1200 MAPLE AVENUE WEST	GENEVA	AL	36340	3346843655

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies

properly installed electrical wiring and equipment.	Some	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Some	2
Store, cook, and serve food in a safe and clean way.	Many	2
exits that are accessible at all times.	Few	2
properly protected cooking facilities.	Some	2
Keep each resident's personal and medical records private and confidential.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015150	01/28/2010	03/04/2010	WIREGRASS REHABILITATION CENTER & NURSING HOME
015150	01/28/2010	03/04/2010	WIREGRASS REHABILITATION CENTER & NURSING HOME
015150	02/02/2010	03/09/2010	WIREGRASS REHABILITATION CENTER & NURSING HOME
015150	02/02/2010	03/09/2010	WIREGRASS REHABILITATION CENTER & NURSING HOME
015150	02/02/2010	03/09/2010	WIREGRASS REHABILITATION CENTER & NURSING HOME
015150	02/02/2010	03/09/2010	WIREGRASS REHABILITATION CENTER & NURSING HOME
015150	02/02/2010	03/09/2010	WIREGRASS REHABILITATION CENTER & NURSING HOME
015150	02/02/2010	03/09/2010	WIREGRASS REHABILITATION CENTER & NURSING HOME
015150	02/02/2010	03/09/2010	WIREGRASS REHABILITATION CENTER & NURSING HOME

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

1200 MAPLE AVENUE WEST	GENEVA	AL	36340	3346843655
1200 MAPLE AVENUE WEST	GENEVA	AL	36340	3346843655
1200 MAPLE AVENUE WEST	GENEVA	AL	36340	3346843655
1200 MAPLE AVENUE WEST	GENEVA	AL	36340	3346843655
1200 MAPLE AVENUE WEST	GENEVA	AL	36340	3346843655
1200 MAPLE AVENUE WEST	GENEVA	AL	36340	3346843655
1200 MAPLE AVENUE WEST	GENEVA	AL	36340	3346843655
1200 MAPLE AVENUE WEST	GENEVA	AL	36340	3346843655

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Electrical Deficiencies

to accepted professional standards.		
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Make sure that nurse aides show they have the skills and techniques to be able to care for residents' needs.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
exits that are free from obstructions and can be used at all times.	Some	2
proper medical gas storage and administration areas.	Few	2
properly installed electrical wiring and equipment.	Few	2

			NURSING HOME
015150	12/16/2010	01/20/2011	WIREGRASS REHABILITATION CENTER & NURSING HOME
015150	12/16/2010	01/20/2011	WIREGRASS REHABILITATION CENTER & NURSING HOME
015150	12/16/2010	01/20/2011	WIREGRASS REHABILITATION CENTER & NURSING HOME
015150	12/16/2010	01/20/2011	WIREGRASS REHABILITATION CENTER & NURSING HOME
015150	12/16/2010	01/20/2011	WIREGRASS REHABILITATION CENTER & NURSING HOME
015150	12/22/2010	01/26/2011	WIREGRASS REHABILITATION CENTER & NURSING HOME
015150	12/22/2010	01/26/2011	WIREGRASS REHABILITATION CENTER & NURSING HOME
015150	11/30/2011	01/04/2012	WIREGRASS REHABILITATION CENTER & NURSING HOME
015150	11/30/2011	01/04/2012	WIREGRASS REHABILITATION CENTER & NURSING HOME

WEST				
1200 MAPLE AVENUE WEST	GENEVA	AL	36340	3346843655
1200 MAPLE AVENUE WEST	GENEVA	AL	36340	3346843655
1200 MAPLE AVENUE WEST	GENEVA	AL	36340	3346843655
1200 MAPLE AVENUE WEST	GENEVA	AL	36340	3346843655
1200 MAPLE AVENUE WEST	GENEVA	AL	36340	3346843655
1200 MAPLE AVENUE WEST	GENEVA	AL	36340	3346843655
1200 MAPLE AVENUE WEST	GENEVA	AL	36340	3346843655
1200 MAPLE AVENUE WEST	GENEVA	AL	36340	3346843655
1200 MAPLE AVENUE WEST	GENEVA	AL	36340	3346843655

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies

and equipment.		
Allow residents to easily view the results of the nursing home's most recent survey.	Many	1
Determine if it is safe for the resident to self-administer drugs.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Some	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
did not have a written emergency evacuation plan.	Many	1
a fire alarm system that can be heard throughout the facility.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2

015150	11/30/2011	01/04/2012	WIREGRASS REHABILITATION CENTER & NURSING HOME
015150	11/30/2011	01/04/2012	WIREGRASS REHABILITATION CENTER & NURSING HOME
015150	11/30/2011	01/04/2012	WIREGRASS REHABILITATION CENTER & NURSING HOME
015150	12/01/2011	01/05/2012	WIREGRASS REHABILITATION CENTER & NURSING HOME
015150	12/01/2011	01/05/2012	WIREGRASS REHABILITATION CENTER & NURSING HOME
015150	12/01/2011	01/05/2012	WIREGRASS REHABILITATION CENTER & NURSING HOME
015150	12/01/2011	01/05/2012	WIREGRASS REHABILITATION CENTER & NURSING HOME
015151	05/20/2010	06/24/2010	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE

1200 MAPLE AVENUE WEST	GENEVA	AL	36340	3346843655
1200 MAPLE AVENUE WEST	GENEVA	AL	36340	3346843655
1200 MAPLE AVENUE WEST	GENEVA	AL	36340	3346843655
1200 MAPLE AVENUE WEST	GENEVA	AL	36340	3346843655
1200 MAPLE AVENUE WEST	GENEVA	AL	36340	3346843655
1200 MAPLE AVENUE WEST	GENEVA	AL	36340	3346843655
1200 MAPLE AVENUE WEST	GENEVA	AL	36340	3346843655
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Resident Rights Deficiencies

heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Few	2
restrictions on the use of portable space heaters.	Some	1
exits that are free from obstructions and can be used at all times.	Few	2
Develop policies that prevent mistreatment, neglect, or abuse of residents or theft of resident property.	Some	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Immediately tell the resident, the resident's doctor and a family member of the resident of situations (injury/decline/room,	Few	2

015151	05/20/2010	06/24/2010	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	05/20/2010	06/24/2010	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	05/27/2010	06/13/2010	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	05/27/2010	06/13/2010	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	05/27/2010	06/13/2010	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	05/12/2011	06/16/2011	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	05/12/2011	06/16/2011	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	05/12/2011	06/16/2011	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	05/12/2011	06/16/2011	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE

1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies

etc.) that affect the resident.		
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
weekly inspections and monthly testing of generators.	Few	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Provide housekeeping and maintenance services.	Some	2
Completely assess the resident at least every twelve months.	Few	2
Check and assess each resident's assessment at least	Few	2

nh_quality_deficiency_survey
Based on Nursing Home Compare - Survey Deficiency

			REHABILITATION-MOBILE
015151	05/12/2011	06/16/2011	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	05/12/2011	06/16/2011	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	05/12/2011	06/16/2011	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	05/12/2011	06/16/2011	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	05/12/2011	06/16/2011	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	05/12/2011	08/05/2011	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE

1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

resident's assessment at least every 3 months.		
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Few	2
Post nurse staffing information/data on a daily basis.	Few	2
Hire sufficient dietary support personnel.	Many	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Many	1
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right	Many	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015151	05/12/2011	08/05/2011	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	05/12/2011	06/16/2011	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	05/12/2011	06/16/2011	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	05/12/2011	06/16/2011	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	05/12/2011	06/16/2011	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	05/19/2011	06/23/2011	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	05/19/2011	06/23/2011	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	05/19/2011	06/23/2011	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE

1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

temperature.		
Store, cook, and serve food in a safe and clean way.	Many	2
Dispose of garbage and refuse properly.	Many	1
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Make sure each resident has 1) at least one window to the outside in a room; 2) a room at or above ground level; 3) adequate bedding; 4) furniture that meets the resident's needs; or 5) adequate closet space.	Some	2
corridor and hallway doors that block smoke.	Some	2
signs that state that exit doors are to be kept closed.	Some	2
walls or barriers that prevent smoke from passing through and	Some	2

			REHABILITATION-MOBILE
015151	05/19/2011	06/23/2011	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	05/19/2011	06/23/2011	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	05/19/2011	06/23/2011	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	05/19/2011	06/23/2011	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	05/19/2011	06/23/2011	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	05/19/2011	06/23/2011	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	05/19/2011	06/23/2011	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	05/19/2011	06/23/2011	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies

smoke from passing through and would resist fire for at least one hour.		
protected exits that allow the resident to escape the building.	Some	2
exits that are accessible at all times.	Some	2
record of quarterly fire drills for each shift under varying conditions.	Some	1
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Few	2
exits that are free from obstructions and can be used at all times.	Some	2
restrictions on the use of flammable curtains.	Some	2
a separate and independent backup electrical power source.	Few	2

015151	05/19/2011	06/23/2011	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	06/08/2012	07/13/2012	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	06/08/2012	07/13/2012	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	06/08/2012	07/13/2012	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	06/08/2012	07/13/2012	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	06/08/2012	07/13/2012	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	06/13/2012	07/18/2012	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE

1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies

properly installed electrical wiring and equipment.	Few	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015151	06/13/2012	07/18/2012	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	06/13/2012	07/18/2012	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	06/13/2012	07/18/2012	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	06/13/2012	07/18/2012	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015151	06/13/2012	07/18/2012	KINDRED TRANSITIONAL CARE & REHABILITATION-MOBILE
015152	07/15/2010	08/01/2010	EXTENDICARE HEALTH CENTER
015152	07/15/2010	08/01/2010	EXTENDICARE HEALTH CENTER
015152	07/22/2010	08/19/2010	EXTENDICARE HEALTH CENTER
015152	07/22/2010	08/25/2010	EXTENDICARE HEALTH CENTER

1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
1758 SPRINGHILL AVE	MOBILE	AL	36607	2514790551
950 SOUTH ST. ANDREWS STREET	DOTHAN	AL	36302	3347931177
950 SOUTH ST. ANDREWS STREET	DOTHAN	AL	36302	3347931177
950 SOUTH ST. ANDREWS STREET	DOTHAN	AL	36302	3347931177
950 SOUTH ST. ANDREWS STREET	DOTHAN	AL	36302	3347931177

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies

protected exits that allow the resident to escape the building.	Some	2
exits that are accessible at all times.	Some	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Few	2
a separate and independent backup electrical power source.	Many	2
properly installed electrical wiring and equipment.	Many	2
Store, cook, and serve food in a safe and clean way.	Some	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015152	07/22/2010	08/19/2010	EXTENDICARE HEALTH CENTER
015152	05/05/2011	08/09/2011	EXTENDICARE HEALTH CENTER
015152	05/05/2011	06/09/2011	EXTENDICARE HEALTH CENTER
015152	05/05/2011	06/09/2011	EXTENDICARE HEALTH CENTER
015152	05/05/2011	08/09/2011	EXTENDICARE HEALTH CENTER
015152	05/05/2011	06/09/2011	EXTENDICARE HEALTH CENTER
015152	05/05/2011	06/09/2011	EXTENDICARE HEALTH CENTER
015152	05/05/2011	08/09/2011	EXTENDICARE HEALTH CENTER
015152	05/05/2011	06/09/2011	EXTENDICARE HEALTH CENTER
015152	05/05/2011	05/26/2011	EXTENDICARE HEALTH CENTER

ANDREWS STREET				
950 SOUTH ST. ANDREWS STREET	DOTHAN	AL	36302	3347931177
950 SOUTH ST. ANDREWS STREET	DOTHAN	AL	36302	3347931177
950 SOUTH ST. ANDREWS STREET	DOTHAN	AL	36302	3347931177
950 SOUTH ST. ANDREWS STREET	DOTHAN	AL	36302	3347931177
950 SOUTH ST. ANDREWS STREET	DOTHAN	AL	36302	3347931177
950 SOUTH ST. ANDREWS STREET	DOTHAN	AL	36302	3347931177
950 SOUTH ST. ANDREWS STREET	DOTHAN	AL	36302	3347931177
950 SOUTH ST. ANDREWS STREET	DOTHAN	AL	36302	3347931177
950 SOUTH ST. ANDREWS STREET	DOTHAN	AL	36302	3347931177
950 SOUTH ST. ANDREWS STREET	DOTHAN	AL	36302	3347931177

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Interior Finish Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies

for one hour or an approved fire extinguishing system.		
proper medical gas storage and administration areas.	Few	2
fire-resistant interior walls.	Some	2
proper exit design.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Few	2
properly protected cooking facilities.	Few	2
weekly inspections and monthly testing of generators.	Some	2
a separate and independent backup electrical power source.	Some	2
properly installed electrical wiring and equipment.	Some	2
Provide care by qualified persons according to each resident's	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015152	05/05/2011	05/26/2011	EXTENDICARE HEALTH CENTER
015152	07/12/2012	08/15/2012	EXTENDICARE HEALTH CENTER
015152	07/17/2012	08/17/2012	EXTENDICARE HEALTH CENTER
015152	07/17/2012	08/17/2012	EXTENDICARE HEALTH CENTER
015152	07/17/2012	08/17/2012	EXTENDICARE HEALTH CENTER
015152	07/17/2012	08/17/2012	EXTENDICARE HEALTH CENTER
015152	07/17/2012	08/17/2012	EXTENDICARE HEALTH CENTER
015152	07/17/2012	08/17/2012	EXTENDICARE HEALTH CENTER
015152	07/17/2012	08/17/2012	EXTENDICARE HEALTH CENTER

950 SOUTH ST. ANDREWS STREET	DOTHAN	AL	36302	3347931177
950 SOUTH ST. ANDREWS STREET	DOTHAN	AL	36302	3347931177
950 SOUTH ST. ANDREWS STREET	DOTHAN	AL	36302	3347931177
950 SOUTH ST. ANDREWS STREET	DOTHAN	AL	36302	3347931177
950 SOUTH ST. ANDREWS STREET	DOTHAN	AL	36302	3347931177
950 SOUTH ST. ANDREWS STREET	DOTHAN	AL	36302	3347931177
950 SOUTH ST. ANDREWS STREET	DOTHAN	AL	36302	3347931177
950 SOUTH ST. ANDREWS STREET	DOTHAN	AL	36302	3347931177
950 SOUTH ST. ANDREWS STREET	DOTHAN	AL	36302	3347931177

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies

written plan of care.		
Provide necessary care and services to maintain the highest well being of each resident .	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
corridor and hallway doors that block smoke.	Some	2
exits that are accessible at all times.	Some	2
proper exit design.	Some	2
a fire alarm system that can be heard throughout the facility.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
automatic sprinkler systems that have been maintained in working order.	Few	2
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Some	2

015152	07/17/2012	08/17/2012	EXTENDICARE HEALTH CENTER
015153	06/25/2010	07/30/2010	ARLINGTON REHABILITATION & HEALTHCARE CENTER
015153	06/25/2010	07/30/2010	ARLINGTON REHABILITATION & HEALTHCARE CENTER
015153	06/25/2010	07/30/2010	ARLINGTON REHABILITATION & HEALTHCARE CENTER
015153	06/25/2010	07/30/2010	ARLINGTON REHABILITATION & HEALTHCARE CENTER
015153	06/30/2010	07/30/2010	ARLINGTON REHABILITATION & HEALTHCARE CENTER
015153	06/30/2010	07/30/2010	ARLINGTON REHABILITATION & HEALTHCARE CENTER
015153	06/30/2010	07/30/2010	ARLINGTON REHABILITATION & HEALTHCARE CENTER
015153	06/30/2010	07/30/2010	ARLINGTON REHABILITATION &

950 SOUTH ST. ANDREWS STREET	DOTHAN	AL	36302	3347931177
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA	BIRMINGHAM	AL	35211	2057886330

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies

properly installed electrical wiring and equipment.	Some	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Make sure there is a pest control program to prevent/deal with mice, insects, or other pests.	Many	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
did not have a written emergency	Some	2

015153		07/30/2010	ARLINGTON REHABILITATION & HEALTHCARE CENTER
015153	06/30/2010	07/30/2010	ARLINGTON REHABILITATION & HEALTHCARE CENTER
015153	06/30/2010	07/30/2010	ARLINGTON REHABILITATION & HEALTHCARE CENTER
015153	06/30/2010	07/30/2010	ARLINGTON REHABILITATION & HEALTHCARE CENTER
015153	06/30/2010	07/30/2010	ARLINGTON REHABILITATION & HEALTHCARE CENTER
015153	06/30/2010	07/30/2010	ARLINGTON REHABILITATION & HEALTHCARE CENTER
015153	06/30/2010	07/30/2010	ARLINGTON REHABILITATION & HEALTHCARE CENTER
015153	04/27/2011	05/21/2011	ARLINGTON REHABILITATION & HEALTHCARE CENTER
015153	04/27/2011	05/21/2011	ARLINGTON REHABILITATION & HEALTHCARE CENTER
015153	04/27/2011	05/21/2011	ARLINGTON REHABILITATION & HEALTHCARE CENTER
015153	04/27/2011	05/21/2011	ARLINGTON REHABILITATION &

1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA	BIRMINGHAM	AL	35211	2057886330

FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies

did not have a written emergency evacuation plan.	Some	2
record of quarterly fire drills for each shift under varying conditions.	Many	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
automatic sprinkler systems that have been maintained in working order.	Few	2
portable fire extinguishers.	Few	2
restrictions on the use of flammable curtains.	Many	2
other fire safety features required by fire safety codes.	Few	2
corridor and hallway doors that block smoke.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Some	2
an approved installation,	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

			HEALTHCARE CENTER
015153	04/27/2011	05/21/2011	ARLINGTON REHABILITATION & HEALTHCARE CENTER
015153	04/19/2012	06/28/2012	ARLINGTON REHABILITATION & HEALTHCARE CENTER
015153	04/19/2012	06/28/2012	ARLINGTON REHABILITATION & HEALTHCARE CENTER
015153	04/19/2012	06/28/2012	ARLINGTON REHABILITATION & HEALTHCARE CENTER
015153	04/19/2012	06/28/2012	ARLINGTON REHABILITATION & HEALTHCARE CENTER
015153	04/19/2012	06/28/2012	ARLINGTON REHABILITATION & HEALTHCARE CENTER
015153	04/19/2012	06/28/2012	ARLINGTON REHABILITATION & HEALTHCARE CENTER

AVENUE, SW				
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

maintenance and testing program for fire alarm systems.		
properly installed electrical wiring and equipment.	Few	2
Immediately tell the resident, the resident's doctor and a family member of the resident of situations (injury/decline/room, etc.) that affect the resident.	Few	2
Make sure each resident receives an accurate assessment by a qualified health professional.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Provide care by qualified persons according to each resident's written plan of care.	Few	2
Provide necessary care and services to maintain the highest well being of each resident .	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper	Few	2

015153	04/19/2012	06/28/2012	ARLINGTON REHABILITATION & HEALTHCARE CENTER
015153	04/19/2012	05/19/2012	ARLINGTON REHABILITATION & HEALTHCARE CENTER
015153	04/19/2012	06/28/2012	ARLINGTON REHABILITATION & HEALTHCARE CENTER
015153	04/27/2012	06/01/2012	ARLINGTON REHABILITATION & HEALTHCARE CENTER
015153	04/27/2012	Not Available	ARLINGTON REHABILITATION & HEALTHCARE CENTER
015153	04/27/2012	06/01/2012	ARLINGTON REHABILITATION & HEALTHCARE CENTER
015153	04/27/2012	06/01/2012	ARLINGTON REHABILITATION & HEALTHCARE CENTER
015154	08/06/2009	08/28/2009	FAYETTE MEDICAL CENTER LONG TERM

1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1020 TUSCALOOSA AVENUE, SW	BIRMINGHAM	AL	35211	2057886330
1653 TEMPLE AVENUE	FAYETTE	AL	35555	2059325966

HEALTH	Environmental Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
HEALTH	Environmental Deficiencies

services to prevent urinary tract infections and restore normal bladder function.		
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Some	4
exits that are accessible at all times.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
properly protected cooking facilities.	Some	2
properly constructed piped-in oxygen systems.	Some	2
Make sure that the nursing home	Few	2

015154		08/28/2009	FAYETTE MEDICAL CENTER LONG TERM CARE UNIT
015154	08/06/2009	08/28/2009	FAYETTE MEDICAL CENTER LONG TERM CARE UNIT
015154	08/06/2009	08/28/2009	FAYETTE MEDICAL CENTER LONG TERM CARE UNIT
015154	08/13/2009	09/10/2009	FAYETTE MEDICAL CENTER LONG TERM CARE UNIT
015154	08/13/2009	09/10/2009	FAYETTE MEDICAL CENTER LONG TERM CARE UNIT
015154	10/07/2010	11/11/2010	FAYETTE MEDICAL CENTER LONG TERM CARE UNIT
015154	10/07/2010	11/11/2010	FAYETTE MEDICAL CENTER LONG TERM CARE UNIT

1653 TEMPLE AVENUE NORTH	FAYETTE	AL	35555	2059325966
1653 TEMPLE AVENUE NORTH	FAYETTE	AL	35555	2059325966
1653 TEMPLE AVENUE NORTH	FAYETTE	AL	35555	2059325966
1653 TEMPLE AVENUE NORTH	FAYETTE	AL	35555	2059325966
1653 TEMPLE AVENUE NORTH	FAYETTE	AL	35555	2059325966
1653 TEMPLE AVENUE NORTH	FAYETTE	AL	35555	2059325966
1653 TEMPLE AVENUE NORTH	FAYETTE	AL	35555	2059325966

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies

Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
record of quarterly fire drills for each shift under varying	Many	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015154	10/07/2010	11/11/2010	FAYETTE MEDICAL CENTER LONG TERM CARE UNIT
015154	10/13/2011	11/16/2011	FAYETTE MEDICAL CENTER LONG TERM CARE UNIT
015154	10/13/2011	11/16/2011	FAYETTE MEDICAL CENTER LONG TERM CARE UNIT
015154	10/13/2011	11/16/2011	FAYETTE MEDICAL CENTER LONG TERM CARE UNIT
015154	10/13/2011	11/16/2011	FAYETTE MEDICAL CENTER LONG TERM CARE UNIT
015155	01/07/2010	02/11/2010	RIDGEVIEW HEALTH SERVICES, INC
015155	01/07/2010	02/11/2010	RIDGEVIEW HEALTH SERVICES, INC
015155	01/07/2010	02/11/2010	RIDGEVIEW HEALTH SERVICES, INC
015155	01/07/2010	02/11/2010	RIDGEVIEW HEALTH SERVICES, INC

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

1653 TEMPLE AVENUE NORTH	FAYETTE	AL	35555	2059325966
1653 TEMPLE AVENUE NORTH	FAYETTE	AL	35555	2059325966
1653 TEMPLE AVENUE NORTH	FAYETTE	AL	35555	2059325966
1653 TEMPLE AVENUE NORTH	FAYETTE	AL	35555	2059325966
1653 TEMPLE AVENUE NORTH	FAYETTE	AL	35555	2059325966
907 11TH STREET, NE	JASPER	AL	35504	2052219111
907 11TH STREET, NE	JASPER	AL	35504	2052219111
907 11TH STREET, NE	JASPER	AL	35504	2052219111
907 11TH STREET, NE	JASPER	AL	35504	2052219111

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

conditions.		
properly protected cooking facilities.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
automatic sprinkler systems that have been maintained in working order.	Some	2
portable fire extinguishers.	Some	2
properly installed electrical wiring and equipment.	Some	2
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Some	2
Provide housekeeping and maintenance services.	Some	1
Provide care by qualified persons according to each resident's written plan of care.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015155	01/13/2010	02/11/2010	RIDGEVIEW HEALTH SERVICES, INC
015155	01/13/2010	02/11/2010	RIDGEVIEW HEALTH SERVICES, INC
015155	01/13/2010	02/11/2010	RIDGEVIEW HEALTH SERVICES, INC
015155	02/01/2011	03/04/2011	RIDGEVIEW HEALTH SERVICES, INC
015155	02/01/2011	02/17/2011	RIDGEVIEW HEALTH SERVICES, INC
015155	02/01/2011	02/01/2011	RIDGEVIEW HEALTH SERVICES, INC
015155	02/24/2012	03/30/2012	RIDGEVIEW HEALTH SERVICES, INC
015155	03/28/2012	04/04/2012	RIDGEVIEW HEALTH SERVICES, INC
015155	03/28/2012	04/04/2012	RIDGEVIEW HEALTH SERVICES, INC

nh_quality_deficiency_survey
Based on Nursing Home Compare - Survey Deficiency

907 11TH STREET, NE	JASPER	AL	35504	2052219111
907 11TH STREET, NE	JASPER	AL	35504	2052219111
907 11TH STREET, NE	JASPER	AL	35504	2052219111
907 11TH STREET, NE	JASPER	AL	35504	2052219111
907 11TH STREET, NE	JASPER	AL	35504	2052219111
907 11TH STREET, NE	JASPER	AL	35504	2052219111
907 11TH STREET, NE	JASPER	AL	35504	2052219111
907 11TH STREET, NE	JASPER	AL	35504	2052219111
907 11TH STREET, NE	JASPER	AL	35504	2052219111

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies

safe and clean way.		
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
properly protected cooking facilities.	Few	2
exits that are accessible at all times.	Few	2
automatic sprinkler systems that have been maintained in working order.	Few	2
proper medical gas storage and administration areas.	Many	1
1) Make sure that each resident's drug regimen is free from unnecessary drugs; 2) Each resident's entire drug/medication is managed and monitored to achieve highest well being.	Few	2
proper exit design.	Few	2
heating and ventilation systems	Many	1

015155	03/28/2012	04/04/2012	RIDGEVIEW HEALTH SERVICES, INC
015156	07/28/2009	07/29/2009	CROWNE HEALTH CARE OF FT PAYNE
015156	07/28/2009	08/03/2009	CROWNE HEALTH CARE OF FT PAYNE
015156	07/28/2009	08/12/2009	CROWNE HEALTH CARE OF FT PAYNE
015156	07/28/2009	08/28/2009	CROWNE HEALTH CARE OF FT PAYNE
015156	09/10/2010	10/15/2010	CROWNE HEALTH CARE OF FT PAYNE
015156	09/10/2010	10/15/2010	CROWNE HEALTH CARE OF FT PAYNE
015156	09/10/2010	10/15/2010	CROWNE HEALTH CARE OF FT PAYNE

907 11TH STREET, NE	JASPER	AL	35504	2052219111
403 13TH STREET NORTHWEST	FORT PAYNE	AL	35967	2568455990
403 13TH STREET NORTHWEST	FORT PAYNE	AL	35967	2568455990
403 13TH STREET NORTHWEST	FORT PAYNE	AL	35967	2568455990
403 13TH STREET NORTHWEST	FORT PAYNE	AL	35967	2568455990
403 13TH STREET NORTHWEST	FORT PAYNE	AL	35967	2568455990
403 13TH STREET NORTHWEST	FORT PAYNE	AL	35967	2568455990
403 13TH STREET NORTHWEST	FORT PAYNE	AL	35967	2568455990

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Assessment Deficiencies

that have been properly installed according to the manufacturer's instructions.		
a separate and independent backup electrical power source.	Few	2
proper backup exit lighting.	Some	2
record of quarterly fire drills for each shift under varying conditions.	Many	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
automatic sprinkler systems that have been maintained in working order.	Some	2
Send and promptly deliver unopened mail to residents.	Many	1
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Review or revise the resident's care plan after any major change in a resident's physical or mental health.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015156	09/10/2010	10/15/2010	CROWNE HEALTH CARE OF FT PAYNE
015156	09/10/2010	10/15/2010	CROWNE HEALTH CARE OF FT PAYNE
015156	09/10/2010	10/15/2010	CROWNE HEALTH CARE OF FT PAYNE
015156	09/15/2010	10/15/2010	CROWNE HEALTH CARE OF FT PAYNE
015156	09/15/2010	10/15/2010	CROWNE HEALTH CARE OF FT PAYNE
015156	09/15/2010	10/15/2010	CROWNE HEALTH CARE OF FT PAYNE
015156	09/15/2010	10/15/2010	CROWNE HEALTH CARE OF FT PAYNE

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

403 13TH STREET NORTHWEST	FORT PAYNE	AL	35967	2568455990
403 13TH STREET NORTHWEST	FORT PAYNE	AL	35967	2568455990
403 13TH STREET NORTHWEST	FORT PAYNE	AL	35967	2568455990
403 13TH STREET NORTHWEST	FORT PAYNE	AL	35967	2568455990
403 13TH STREET NORTHWEST	FORT PAYNE	AL	35967	2568455990
403 13TH STREET NORTHWEST	FORT PAYNE	AL	35967	2568455990
403 13TH STREET NORTHWEST	FORT PAYNE	AL	35967	2568455990

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

health.		
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
protected exits that allow the resident to escape the building.	Few	2
exits that are accessible at all times.	Some	2
automatic sprinkler systems that have been maintained in working order.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015156	09/15/2010	10/15/2010	CROWNE HEALTH CARE OF FT PAYNE
015156	09/15/2010	10/15/2010	CROWNE HEALTH CARE OF FT PAYNE
015156	09/15/2010	10/15/2010	CROWNE HEALTH CARE OF FT PAYNE
015156	09/15/2010	10/15/2010	CROWNE HEALTH CARE OF FT PAYNE
015156	09/15/2010	10/15/2010	CROWNE HEALTH CARE OF FT PAYNE
015156	07/28/2011	09/01/2011	CROWNE HEALTH CARE OF FT PAYNE
015156	07/28/2011	09/01/2011	CROWNE HEALTH CARE OF FT PAYNE
015156	07/28/2011	09/01/2011	CROWNE HEALTH CARE OF FT PAYNE
015156	07/28/2011	09/01/2011	CROWNE HEALTH CARE OF FT PAYNE
015156	07/28/2011	09/01/2011	CROWNE HEALTH CARE OF FT PAYNE

403 13TH STREET NORTHWEST	FORT PAYNE	AL	35967	2568455990
403 13TH STREET NORTHWEST	FORT PAYNE	AL	35967	2568455990
403 13TH STREET NORTHWEST	FORT PAYNE	AL	35967	2568455990
403 13TH STREET NORTHWEST	FORT PAYNE	AL	35967	2568455990
403 13TH STREET NORTHWEST	FORT PAYNE	AL	35967	2568455990
403 13TH STREET NORTHWEST	FORT PAYNE	AL	35967	2568455990
403 13TH STREET NORTHWEST	FORT PAYNE	AL	35967	2568455990
403 13TH STREET NORTHWEST	FORT PAYNE	AL	35967	2568455990
403 13TH STREET NORTHWEST	FORT PAYNE	AL	35967	2568455990
403 13TH STREET NORTHWEST	FORT PAYNE	AL	35967	2568455990

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

properly protected cooking facilities.	Few	2
exits that are free from obstructions and can be used at all times.	Few	2
properly sized and located linen or trash receptacles.	Few	2
a separate and independent backup electrical power source.	Few	2
properly installed electrical wiring and equipment.	Few	2
Try to resolve each resident's complaints quickly.	Few	2
Provide care by qualified persons according to each resident's written plan of care.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2

015156	07/28/2011	09/01/2011	CROWNE HEALTH CARE OF FT PAYNE
015156	08/03/2011	09/07/2011	CROWNE HEALTH CARE OF FT PAYNE
015156	08/03/2011	09/07/2011	CROWNE HEALTH CARE OF FT PAYNE
015157	10/07/2010	10/26/2010	HALEYVILLE HEALTH CARE CENTER
015157	10/14/2010	11/11/2010	HALEYVILLE HEALTH CARE CENTER
015157	10/14/2010	11/11/2010	HALEYVILLE HEALTH CARE CENTER
015157	10/14/2010	11/11/2010	HALEYVILLE HEALTH CARE CENTER
015157	10/14/2010	11/11/2010	HALEYVILLE HEALTH CARE CENTER
015157	10/14/2010	11/11/2010	HALEYVILLE HEALTH CARE CENTER

NORTHWEST				
403 13TH STREET NORTHWEST	FORT PAYNE	AL	35967	2568455990
403 13TH STREET NORTHWEST	FORT PAYNE	AL	35967	2568455990
403 13TH STREET NORTHWEST	FORT PAYNE	AL	35967	2568455990
2201 11TH AVENUE	HALEYVILLE	AL	35565	2054869478
2201 11TH AVENUE	HALEYVILLE	AL	35565	2054869478
2201 11TH AVENUE	HALEYVILLE	AL	35565	2054869478
2201 11TH AVENUE	HALEYVILLE	AL	35565	2054869478
2201 11TH AVENUE	HALEYVILLE	AL	35565	2054869478
2201 11TH AVENUE	HALEYVILLE	AL	35565	2054869478

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Mistreatment Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies

safe and clean way.		
Have a program that investigates, controls and keeps infection from spreading.	Few	2
approved construction type or materials.	Some	2
restrictions on the use of flammable curtains.	Many	2
Develop policies that prevent mistreatment, neglect, or abuse of residents or theft of resident property.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
protected exits that allow the resident to escape the building.	Some	2
automatic sprinkler systems that have been maintained in working order.	Many	1
properly protected cooking facilities.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015157	10/14/2010	11/11/2010	HALEYVILLE HEALTH CARE CENTER
015157	10/14/2010	11/11/2010	HALEYVILLE HEALTH CARE CENTER
015157	10/06/2011	10/28/2011	HALEYVILLE HEALTH CARE CENTER
015157	10/06/2011	10/28/2011	HALEYVILLE HEALTH CARE CENTER
015157	10/06/2011	10/28/2011	HALEYVILLE HEALTH CARE CENTER
015157	10/12/2011	10/28/2011	HALEYVILLE HEALTH CARE CENTER
015157	10/12/2011	10/28/2011	HALEYVILLE HEALTH CARE CENTER
015158	04/08/2010	05/13/2010	PERRY COUNTY NURSING HOME

2201 11TH AVENUE	HALEYVILLE	AL	35565	2054869478
2201 11TH AVENUE	HALEYVILLE	AL	35565	2054869478
2201 11TH AVENUE	HALEYVILLE	AL	35565	2054869478
2201 11TH AVENUE	HALEYVILLE	AL	35565	2054869478
2201 11TH AVENUE	HALEYVILLE	AL	35565	2054869478
2201 11TH AVENUE	HALEYVILLE	AL	35565	2054869478
2201 11TH AVENUE	HALEYVILLE	AL	35565	2054869478
2201 11TH AVENUE	HALEYVILLE	AL	35565	2054869478
505 EAST LAFAYETTE STREET	MARION	AL	36756	3346839696

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
HEALTH	Pharmacy Service Deficiencies

facilities.		
restrictions on the use of flammable curtains.	Many	1
properly installed electrical wiring and equipment.	Some	2
Make sure that residents with reduced range of motion get proper treatment and services to increase range of motion.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
Maintain drug records and properly mark/label drugs and other similar products according	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015158	04/13/2010	05/14/2010	PERRY COUNTY NURSING HOME
015158	04/13/2010	05/14/2010	PERRY COUNTY NURSING HOME
015158	04/13/2010	05/14/2010	PERRY COUNTY NURSING HOME
015158	04/13/2010	05/14/2010	PERRY COUNTY NURSING HOME
015158	04/13/2010	05/14/2010	PERRY COUNTY NURSING HOME
015158	02/10/2011	02/18/2011	PERRY COUNTY NURSING HOME
015158	02/10/2011	02/18/2011	PERRY COUNTY NURSING HOME
015158	02/10/2011	02/18/2011	PERRY COUNTY NURSING HOME

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

505 EAST LAFAYETTE STREET	MARION	AL	36756	3346839696
505 EAST LAFAYETTE STREET	MARION	AL	36756	3346839696
505 EAST LAFAYETTE STREET	MARION	AL	36756	3346839696
505 EAST LAFAYETTE STREET	MARION	AL	36756	3346839696
505 EAST LAFAYETTE STREET	MARION	AL	36756	3346839696
505 EAST LAFAYETTE STREET	MARION	AL	36756	3346839696
505 EAST LAFAYETTE STREET	MARION	AL	36756	3346839696
505 EAST LAFAYETTE STREET	MARION	AL	36756	3346839696

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

other similar products according to accepted professional standards.		
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
automatic sprinkler systems that have been maintained in working order.	Few	2
properly protected cooking facilities.	Few	2
restrictions on the use of flammable curtains.	Some	2
properly installed electrical wiring and equipment.	Some	2
Properly hold, secure and manage each resident's personal money which is deposited with the nursing home.	Many	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015158	02/10/2011	02/18/2011	PERRY COUNTY NURSING HOME
015158	02/16/2011	03/23/2011	PERRY COUNTY NURSING HOME
015158	02/16/2011	03/23/2011	PERRY COUNTY NURSING HOME
015158	02/16/2011	03/23/2011	PERRY COUNTY NURSING HOME
015158	02/24/2012	03/30/2012	PERRY COUNTY NURSING HOME
015158	02/24/2012	03/30/2012	PERRY COUNTY NURSING HOME
015158	02/24/2012	03/30/2012	PERRY COUNTY NURSING HOME

STREET				
505 EAST LAFAYETTE STREET	MARION	AL	36756	3346839696
505 EAST LAFAYETTE STREET	MARION	AL	36756	3346839696
505 EAST LAFAYETTE STREET	MARION	AL	36756	3346839696
505 EAST LAFAYETTE STREET	MARION	AL	36756	3346839696
505 EAST LAFAYETTE STREET	MARION	AL	36756	3346839696
505 EAST LAFAYETTE STREET	MARION	AL	36756	3346839696
505 EAST LAFAYETTE STREET	MARION	AL	36756	3346839696

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Quality Care Deficiencies

safe and clean way.		
Have a program that investigates, controls and keeps infection from spreading.	Few	2
proper exit design.	Some	2
portable fire extinguishers.	Few	2
weekly inspections and monthly testing of generators.	Some	2
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Few	2
Develop policies that prevent mistreatment, neglect, or abuse of residents or theft of resident property.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal	Few	2

015158	02/24/2012	03/30/2012	PERRY COUNTY NURSING HOME
015158	02/24/2012	03/30/2012	PERRY COUNTY NURSING HOME
015158	02/24/2012	03/30/2012	PERRY COUNTY NURSING HOME
015158	02/24/2012	03/30/2012	PERRY COUNTY NURSING HOME
015158	02/24/2012	03/30/2012	PERRY COUNTY NURSING HOME
015158	02/28/2012	04/03/2012	PERRY COUNTY NURSING HOME
015158	02/28/2012	04/03/2012	PERRY COUNTY NURSING HOME

505 EAST LAFAYETTE STREET	MARION	AL	36756	3346839696
505 EAST LAFAYETTE STREET	MARION	AL	36756	3346839696
505 EAST LAFAYETTE STREET	MARION	AL	36756	3346839696
505 EAST LAFAYETTE STREET	MARION	AL	36756	3346839696
505 EAST LAFAYETTE STREET	MARION	AL	36756	3346839696
505 EAST LAFAYETTE STREET	MARION	AL	36756	3346839696
505 EAST LAFAYETTE STREET	MARION	AL	36756	3346839696

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

bladder function.		
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Make sure that the nursing home area is safe, easy to use, clean and comfortable for residents, staff and the public.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
an approved automatic sprinkler system connected to the fire	Many	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015158	02/28/2012	04/03/2012	PERRY COUNTY NURSING HOME
015159	09/03/2009	10/08/2009	GOLDEN LIVING CENTER - ONEONTA
015159	09/03/2009	10/08/2009	GOLDEN LIVING CENTER - ONEONTA
015159	09/03/2009	10/08/2009	GOLDEN LIVING CENTER - ONEONTA
015159	09/03/2009	10/08/2009	GOLDEN LIVING CENTER - ONEONTA
015159	09/03/2009	10/08/2009	GOLDEN LIVING CENTER - ONEONTA

505 EAST LAFAYETTE STREET	MARION	AL	36756	3346839696
215 VALLEY ROAD	ONEONTA	AL	35121	2052742365
215 VALLEY ROAD	ONEONTA	AL	35121	2052742365
215 VALLEY ROAD	ONEONTA	AL	35121	2052742365
215 VALLEY ROAD	ONEONTA	AL	35121	2052742365
215 VALLEY ROAD	ONEONTA	AL	35121	2052742365

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

alarm system.		
a separate and independent backup electrical power source.	Many	1
Follow policies and procedures to convey the resident's personal funds to the appropriate party responsible after the resident's death.	Few	2
Provide care by qualified persons according to each resident's written plan of care.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015159	09/03/2009	10/08/2009	GOLDEN LIVING CENTER - ONEONTA
015159	09/10/2009	10/08/2009	GOLDEN LIVING CENTER - ONEONTA
015159	09/10/2009	10/08/2009	GOLDEN LIVING CENTER - ONEONTA
015159	11/03/2010	12/02/2010	GOLDEN LIVING CENTER - ONEONTA
015159	11/03/2010	12/02/2010	GOLDEN LIVING CENTER - ONEONTA
015159	11/03/2010	12/02/2010	GOLDEN LIVING CENTER - ONEONTA
015159	11/03/2010	12/02/2010	GOLDEN LIVING CENTER - ONEONTA
015159	11/03/2010	12/02/2010	GOLDEN LIVING CENTER - ONEONTA

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

215 VALLEY ROAD	ONEONTA	AL	35121	2052742365
215 VALLEY ROAD	ONEONTA	AL	35121	2052742365
215 VALLEY ROAD	ONEONTA	AL	35121	2052742365
215 VALLEY ROAD	ONEONTA	AL	35121	2052742365
215 VALLEY ROAD	ONEONTA	AL	35121	2052742365
215 VALLEY ROAD	ONEONTA	AL	35121	2052742365
215 VALLEY ROAD	ONEONTA	AL	35121	2052742365
215 VALLEY ROAD	ONEONTA	AL	35121	2052742365

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies

abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.		
Have a program that investigates, controls and keeps infection from spreading.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
properly protected cooking facilities.	Many	1
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
record of quarterly fire drills for each shift under varying conditions.	Few	2
a fire alarm system that can be heard throughout the facility.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015159	11/03/2010	12/02/2010	GOLDEN LIVING CENTER - ONEONTA
015159	11/03/2010	12/02/2010	GOLDEN LIVING CENTER - ONEONTA
015159	11/03/2010	12/02/2010	GOLDEN LIVING CENTER - ONEONTA
015159	11/03/2010	12/02/2010	GOLDEN LIVING CENTER - ONEONTA
015159	10/27/2011	11/30/2011	GOLDEN LIVING CENTER - ONEONTA
015159	10/27/2011	11/30/2011	GOLDEN LIVING CENTER - ONEONTA
015159	10/27/2011	11/30/2011	GOLDEN LIVING CENTER - ONEONTA
015159	11/01/2011	11/30/2011	GOLDEN LIVING CENTER - ONEONTA
015159	11/01/2011	11/30/2011	GOLDEN LIVING CENTER - ONEONTA
015160	11/12/2009	12/15/2009	SYLACAUGA HEALTH AND REHAB SERVICES

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

215 VALLEY ROAD	ONEONTA	AL	35121	2052742365
215 VALLEY ROAD	ONEONTA	AL	35121	2052742365
215 VALLEY ROAD	ONEONTA	AL	35121	2052742365
215 VALLEY ROAD	ONEONTA	AL	35121	2052742365
215 VALLEY ROAD	ONEONTA	AL	35121	2052742365
215 VALLEY ROAD	ONEONTA	AL	35121	2052742365
215 VALLEY ROAD	ONEONTA	AL	35121	2052742365
215 VALLEY ROAD	ONEONTA	AL	35121	2052742365
215 VALLEY ROAD	ONEONTA	AL	35121	2052742365
1007 W FORT	SYLACAUGA	AL	35150	2562457402

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
HEALTH	Resident Assessment Deficiencies

heard throughout the facility.		
automatic sprinkler systems that have been maintained in working order.	Some	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Few	2
properly protected cooking facilities.	Few	2
weekly inspections and monthly testing of generators.	Some	2
Store, cook, and serve food in a safe and clean way.	Many	2
Dispose of garbage and refuse properly.	Many	1
Keep all essential equipment working safely.	Few	2
corridor and hallway doors that block smoke.	Some	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Some	2
Develop a complete care plan	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015160	11/12/2009	12/15/2009	SYLACAUGA HEALTH AND REHAB SERVICES
015160	11/24/2009	12/14/2009	SYLACAUGA HEALTH AND REHAB SERVICES
015160	11/24/2009	12/14/2009	SYLACAUGA HEALTH AND REHAB SERVICES
015160	12/30/2010	02/03/2011	SYLACAUGA HEALTH AND REHAB SERVICES
015160	12/30/2010	02/03/2011	SYLACAUGA HEALTH AND REHAB SERVICES
015160	12/30/2010	02/03/2011	SYLACAUGA HEALTH AND REHAB SERVICES
015160	12/30/2010	02/03/2011	SYLACAUGA HEALTH AND REHAB SERVICES

WILLIAMS ST				
1007 W FORT WILLIAMS ST	SYLACAUGA	AL	35150	2562457402
1007 W FORT WILLIAMS ST	SYLACAUGA	AL	35150	2562457402
1007 W FORT WILLIAMS ST	SYLACAUGA	AL	35150	2562457402
1007 W FORT WILLIAMS ST	SYLACAUGA	AL	35150	2562457402
1007 W FORT WILLIAMS ST	SYLACAUGA	AL	35150	2562457402
1007 W FORT WILLIAMS ST	SYLACAUGA	AL	35150	2562457402
1007 W FORT WILLIAMS ST	SYLACAUGA	AL	35150	2562457402

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

that meets all of a resident's needs, with timetables and actions that can be measured.		
Store, cook, and serve food in a safe and clean way.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
a fire alarm system that can be heard throughout the facility.	Many	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Provide care by qualified persons according to each resident's written plan of care.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract	Some	2

015160	12/30/2010	02/03/2011	SYLACAUGA HEALTH AND REHAB SERVICES
015160	12/30/2010	02/03/2011	SYLACAUGA HEALTH AND REHAB SERVICES
015160	01/06/2011	02/10/2011	SYLACAUGA HEALTH AND REHAB SERVICES
015160	01/06/2011	02/10/2011	SYLACAUGA HEALTH AND REHAB SERVICES
015160	01/06/2011	02/10/2011	SYLACAUGA HEALTH AND REHAB SERVICES
015160	01/06/2011	02/10/2011	SYLACAUGA HEALTH AND REHAB SERVICES
015160	01/06/2011	02/10/2011	SYLACAUGA HEALTH AND REHAB SERVICES
015160	01/06/2011	02/10/2011	SYLACAUGA HEALTH AND REHAB SERVICES
015160	01/06/2011	02/10/2011	SYLACAUGA HEALTH AND REHAB SERVICES

1007 W FORT WILLIAMS ST	SYLACAUGA	AL	35150	2562457402
1007 W FORT WILLIAMS ST	SYLACAUGA	AL	35150	2562457402
1007 W FORT WILLIAMS ST	SYLACAUGA	AL	35150	2562457402
1007 W FORT WILLIAMS ST	SYLACAUGA	AL	35150	2562457402
1007 W FORT WILLIAMS ST	SYLACAUGA	AL	35150	2562457402
1007 W FORT WILLIAMS ST	SYLACAUGA	AL	35150	2562457402
1007 W FORT WILLIAMS ST	SYLACAUGA	AL	35150	2562457402
1007 W FORT	SYLACAUGA	AL	35150	2562457402

HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies

infections and restore normal bladder function.		
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Give or get quality lab services/tests in a timely manner to meet the needs of residents.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2
properly protected cooking	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015160		02/10/2011	SYLACAUGA HEALTH AND REHAB SERVICES
015160	01/06/2011	02/10/2011	SYLACAUGA HEALTH AND REHAB SERVICES
015160	01/20/2012	02/24/2012	SYLACAUGA HEALTH AND REHAB SERVICES
015160	01/20/2012	02/24/2012	SYLACAUGA HEALTH AND REHAB SERVICES
015160	01/20/2012	02/24/2012	SYLACAUGA HEALTH AND REHAB SERVICES
015160	01/20/2012	02/24/2012	SYLACAUGA HEALTH AND REHAB SERVICES
015160	01/20/2012	02/24/2012	SYLACAUGA HEALTH AND REHAB SERVICES
015162	03/11/2010	04/15/2010	TALLADEGA HEALTHCARE CENTER, INC

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

1007 W FORT WILLIAMS ST	SYLACAUGA	AL	35150	2562457402
1007 W FORT WILLIAMS ST	SYLACAUGA	AL	35150	2562457402
1007 W FORT WILLIAMS ST	SYLACAUGA	AL	35150	2562457402
1007 W FORT WILLIAMS ST	SYLACAUGA	AL	35150	2562457402
1007 W FORT WILLIAMS ST	SYLACAUGA	AL	35150	2562457402
1007 W FORT WILLIAMS ST	SYLACAUGA	AL	35150	2562457402
1007 W FORT WILLIAMS ST	SYLACAUGA	AL	35150	2562457402
616 CHAFFEE STREET	TALLADEGA	AL	35160	2563624197

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies

properly protected cooking facilities.	Some	2
proper medical gas storage and administration areas.	Some	2
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
automatic sprinkler systems that have been maintained in working order.	Few	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Few	2
weekly inspections and monthly testing of generators.	Some	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal	Few	2

015162	03/11/2010	04/15/2010	TALLADEGA HEALTHCARE CENTER, INC
015162	03/11/2010	04/15/2010	TALLADEGA HEALTHCARE CENTER, INC
015162	03/11/2010	04/15/2010	TALLADEGA HEALTHCARE CENTER, INC
015162	03/16/2010	04/10/2010	TALLADEGA HEALTHCARE CENTER, INC
015162	03/16/2010	04/10/2010	TALLADEGA HEALTHCARE CENTER, INC
015162	03/16/2010	04/10/2010	TALLADEGA HEALTHCARE CENTER, INC
015162	03/16/2010	04/10/2010	TALLADEGA HEALTHCARE CENTER, INC
015162	03/16/2010	04/10/2010	TALLADEGA HEALTHCARE CENTER, INC

616 CHAFFEE STREET	TALLADEGA	AL	35160	2563624197
616 CHAFFEE STREET	TALLADEGA	AL	35160	2563624197
616 CHAFFEE STREET	TALLADEGA	AL	35160	2563624197
616 CHAFFEE STREET	TALLADEGA	AL	35160	2563624197
616 CHAFFEE STREET	TALLADEGA	AL	35160	2563624197
616 CHAFFEE STREET	TALLADEGA	AL	35160	2563624197
616 CHAFFEE STREET	TALLADEGA	AL	35160	2563624197
616 CHAFFEE STREET	TALLADEGA	AL	35160	2563624197

HEALTH	Environmental Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies

bladder function.		
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
automatic sprinkler systems that have been maintained in working order.	Few	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015162	03/16/2010	04/10/2010	TALLADEGA HEALTHCARE CENTER, INC
015162	03/17/2011	04/21/2011	TALLADEGA HEALTHCARE CENTER, INC
015162	03/17/2011	04/21/2011	TALLADEGA HEALTHCARE CENTER, INC
015162	04/01/2011	05/06/2011	TALLADEGA HEALTHCARE CENTER, INC
015162	04/01/2011	05/06/2011	TALLADEGA HEALTHCARE CENTER, INC
015162	05/17/2012	06/21/2012	TALLADEGA HEALTHCARE CENTER, INC
015162	05/17/2012	06/21/2012	TALLADEGA HEALTHCARE CENTER, INC
015162	05/17/2012	06/21/2012	TALLADEGA HEALTHCARE CENTER, INC

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

616 CHAFFEE STREET	TALLADEGA	AL	35160	2563624197
616 CHAFFEE STREET	TALLADEGA	AL	35160	2563624197
616 CHAFFEE STREET	TALLADEGA	AL	35160	2563624197
616 CHAFFEE STREET	TALLADEGA	AL	35160	2563624197
616 CHAFFEE STREET	TALLADEGA	AL	35160	2563624197
616 CHAFFEE STREET	TALLADEGA	AL	35160	2563624197
616 CHAFFEE STREET	TALLADEGA	AL	35160	2563624197
616 CHAFFEE STREET	TALLADEGA	AL	35160	2563624197

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Resident Assessment Deficiencies

permitted or did not provide ashtrays where smoking was allowed.		
properly installed electrical wiring and equipment.	Few	2
Keep each resident free from physical restraints, unless needed for medical treatment.	Few	2
Dispose of garbage and refuse properly.	Few	2
did not have a written emergency evacuation plan.	Some	2
weekly inspections and monthly testing of generators.	Many	1
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Few	2
Provide a safe, clean, comfortable and homelike environment.	Some	2
Make sure each resident receives an accurate assessment by a qualified health professional.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015162	05/22/2012	06/26/2012	TALLADEGA HEALTHCARE CENTER, INC
015162	05/22/2012	06/26/2012	TALLADEGA HEALTHCARE CENTER, INC
015162	05/22/2012	06/26/2012	TALLADEGA HEALTHCARE CENTER, INC
015162	05/22/2012	06/26/2012	TALLADEGA HEALTHCARE CENTER, INC
015163	03/12/2009	04/03/2009	ALBERTVILLE NURSING HOME
015163	03/18/2009	04/16/2009	ALBERTVILLE NURSING HOME
015163	03/18/2009	04/16/2009	ALBERTVILLE NURSING HOME
015163	03/18/2009	04/16/2009	ALBERTVILLE NURSING HOME
015163	07/01/2010	08/05/2010	ALBERTVILLE NURSING HOME

616 CHAFFEE STREET	TALLADEGA	AL	35160	2563624197
616 CHAFFEE STREET	TALLADEGA	AL	35160	2563624197
616 CHAFFEE STREET	TALLADEGA	AL	35160	2563624197
616 CHAFFEE STREET	TALLADEGA	AL	35160	2563624197
750 ALABAMA HIGHWAY 75 NORTH	ALBERTVILLE	AL	35950	2568781398
750 ALABAMA HIGHWAY 75 NORTH	ALBERTVILLE	AL	35950	2568781398
750 ALABAMA HIGHWAY 75 NORTH	ALBERTVILLE	AL	35950	2568781398
750 ALABAMA HIGHWAY 75 NORTH	ALBERTVILLE	AL	35950	2568781398
750 ALABAMA HIGHWAY 75 NORTH	ALBERTVILLE	AL	35950	2568781398

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Quality Care Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Pharmacy Service Deficiencies

qualified health professional.		
exits that are accessible at all times.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	1
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Many	1
properly protected cooking facilities.	Few	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
exits that are accessible at all times.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
properly protected cooking facilities.	Some	2
Maintain drug records and properly mark/label drugs and	Many	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015163	07/07/2010	08/06/2010	ALBERTVILLE NURSING HOME
015163	07/07/2010	08/06/2010	ALBERTVILLE NURSING HOME
015163	07/14/2011	08/18/2011	ALBERTVILLE NURSING HOME
015163	07/14/2011	08/18/2011	ALBERTVILLE NURSING HOME
015163	07/14/2011	08/18/2011	ALBERTVILLE NURSING HOME
015163	07/19/2011	08/22/2011	ALBERTVILLE NURSING HOME

HIGHWAY 75 NORTH				
750 ALABAMA HIGHWAY 75 NORTH	ALBERTVILLE	AL	35950	2568781398
750 ALABAMA HIGHWAY 75 NORTH	ALBERTVILLE	AL	35950	2568781398
750 ALABAMA HIGHWAY 75 NORTH	ALBERTVILLE	AL	35950	2568781398
750 ALABAMA HIGHWAY 75 NORTH	ALBERTVILLE	AL	35950	2568781398
750 ALABAMA HIGHWAY 75 NORTH	ALBERTVILLE	AL	35950	2568781398
750 ALABAMA HIGHWAY 75 NORTH	ALBERTVILLE	AL	35950	2568781398

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies

properly mark/label drugs and other similar products according to accepted professional standards.		
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	1
Review or revise the resident's care plan after any major change in a resident's physical or mental health.	Few	2
Provide necessary care and services to maintain the highest well being of each resident .	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
corridor and hallway doors that block smoke.	Few	2

015163	07/19/2011	08/22/2011	ALBERTVILLE NURSING HOME
015163	07/19/2011	08/22/2011	ALBERTVILLE NURSING HOME
015164	10/27/2009	10/28/2009	WILLOW TRACE NURSING CENTER
015164	12/02/2010	12/24/2010	WILLOW TRACE NURSING CENTER
015164	12/02/2010	12/24/2010	WILLOW TRACE NURSING CENTER
015164	12/02/2010	12/24/2010	WILLOW TRACE NURSING CENTER
015164	12/08/2010	01/11/2011	WILLOW TRACE NURSING CENTER
015164	12/08/2010	01/11/2011	WILLOW TRACE NURSING CENTER

750 ALABAMA HIGHWAY 75 NORTH	ALBERTVILLE	AL	35950	2568781398
750 ALABAMA HIGHWAY 75 NORTH	ALBERTVILLE	AL	35950	2568781398
1406 EAST PUSHMATAHA STREET	BUTLER	AL	36904	2054595506
1406 EAST PUSHMATAHA STREET	BUTLER	AL	36904	2054595506
1406 EAST PUSHMATAHA STREET	BUTLER	AL	36904	2054595506
1406 EAST PUSHMATAHA STREET	BUTLER	AL	36904	2054595506
1406 EAST PUSHMATAHA STREET	BUTLER	AL	36904	2054595506
1406 EAST PUSHMATAHA STREET	BUTLER	AL	36904	2054595506

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies

exits that are free from obstructions and can be used at all times.	Many	2
properly installed electrical wiring and equipment.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
Follow policies and procedures to convey the resident's personal funds to the appropriate party responsible after the resident's death.	Few	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
exits that are accessible at all times.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015164	12/08/2010	01/11/2011	WILLOW TRACE NURSING CENTER
015164	12/08/2010	01/11/2011	WILLOW TRACE NURSING CENTER
015164	02/15/2012	03/21/2012	WILLOW TRACE NURSING CENTER
015164	02/15/2012	03/21/2012	WILLOW TRACE NURSING CENTER
015164	02/15/2012	03/21/2012	WILLOW TRACE NURSING CENTER
015164	02/15/2012	03/21/2012	WILLOW TRACE NURSING CENTER
015164	02/15/2012	03/21/2012	WILLOW TRACE NURSING CENTER
015164	02/15/2012	03/11/2012	WILLOW TRACE NURSING CENTER
015164	02/15/2012	03/11/2012	WILLOW TRACE NURSING CENTER

1406 EAST PUSHMATAHA STREET	BUTLER	AL	36904	2054595506
1406 EAST PUSHMATAHA STREET	BUTLER	AL	36904	2054595506
1406 EAST PUSHMATAHA STREET	BUTLER	AL	36904	2054595506
1406 EAST PUSHMATAHA STREET	BUTLER	AL	36904	2054595506
1406 EAST PUSHMATAHA STREET	BUTLER	AL	36904	2054595506
1406 EAST PUSHMATAHA STREET	BUTLER	AL	36904	2054595506
1406 EAST PUSHMATAHA STREET	BUTLER	AL	36904	2054595506
1406 EAST PUSHMATAHA STREET	BUTLER	AL	36904	2054595506
1406 EAST	BUTLER	AL	36904	2054595506

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

a separate and independent backup electrical power source.	Many	2
properly installed electrical wiring and equipment.	Few	2
a two-hour-resistant firewall in common walls.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
exits that are accessible at all times.	Some	2
a fire alarm system that can be heard throughout the facility.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
Provide necessary care and services to maintain the highest well being of each resident .	Few	2
Give proper treatment to	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015164		03/11/2012	WILLOW TRACE NURSING CENTER
015164	02/15/2012	03/11/2012	WILLOW TRACE NURSING CENTER
015166	12/02/2009	01/06/2010	DADEVILLE HEALTHCARE CENTER
015166	12/02/2009	01/06/2010	DADEVILLE HEALTHCARE CENTER
015166	12/02/2009	01/06/2010	DADEVILLE HEALTHCARE CENTER
015166	12/08/2009	12/09/2009	DADEVILLE HEALTHCARE CENTER
015166	12/08/2009	12/22/2009	DADEVILLE HEALTHCARE CENTER

1406 EAST PUSHMATAHA STREET	BUTLER	AL	36904	2054595506
1406 EAST PUSHMATAHA STREET	BUTLER	AL	36904	2054595506
351 NORTH EAST STREET	DADEVILLE	AL	36853	2568259244
351 NORTH EAST STREET	DADEVILLE	AL	36853	2568259244
351 NORTH EAST STREET	DADEVILLE	AL	36853	2568259244
351 NORTH EAST STREET	DADEVILLE	AL	36853	2568259244
351 NORTH EAST	DADEVILLE	AL	36853	2568259244

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies

Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
Put firmly secured handrails on each side of hallways.	Few	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Make sure that a working call system is available in each resident's room or bathroom and bathing area.	Few	2
approved construction type or materials.	Many	1
corridor and hallway doors that	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015166	12/08/2009	12/11/2009	DADEVILLE HEALTHCARE CENTER
015166	12/08/2009	01/11/2010	DADEVILLE HEALTHCARE CENTER
015166	12/08/2009	01/06/2010	DADEVILLE HEALTHCARE CENTER
015166	12/08/2009	12/08/2009	DADEVILLE HEALTHCARE CENTER
015166	12/08/2009	12/08/2009	DADEVILLE HEALTHCARE CENTER
015166	12/08/2009	01/11/2010	DADEVILLE HEALTHCARE CENTER
015166	12/08/2009	12/08/2009	DADEVILLE HEALTHCARE CENTER
015166	01/11/2012	01/12/2012	DADEVILLE HEALTHCARE CENTER
015166	01/11/2012	01/12/2012	DADEVILLE HEALTHCARE CENTER
015166	01/12/2012	01/30/2012	DADEVILLE HEALTHCARE CENTER

STREET				
351 NORTH EAST STREET	DADEVILLE	AL	36853	2568259244
351 NORTH EAST STREET	DADEVILLE	AL	36853	2568259244
351 NORTH EAST STREET	DADEVILLE	AL	36853	2568259244
351 NORTH EAST STREET	DADEVILLE	AL	36853	2568259244
351 NORTH EAST STREET	DADEVILLE	AL	36853	2568259244
351 NORTH EAST STREET	DADEVILLE	AL	36853	2568259244
351 NORTH EAST STREET	DADEVILLE	AL	36853	2568259244
351 NORTH EAST STREET	DADEVILLE	AL	36853	2568259244
351 NORTH EAST STREET	DADEVILLE	AL	36853	2568259244
351 NORTH EAST STREET	DADEVILLE	AL	36853	2568259244

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
HEALTH	Mistreatment Deficiencies

block smoke.		
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
proper backup exit lighting.	Some	2
properly located and lighted "Exit" signs.	Few	2
record of quarterly fire drills for each shift under varying conditions.	Few	2
properly maintained smoke detectors.	Few	2
other fire safety features required by fire safety codes.	Some	2
"No-smoking" signs where oxygen is used.	Few	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
1) Hire only people with no legal history of abusing, neglecting or	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015166	01/12/2012	01/30/2012	DADEVILLE HEALTHCARE CENTER
015167	08/13/2009	09/17/2009	MARION REGIONAL NURSING HOME
015167	08/13/2009	09/17/2009	MARION REGIONAL NURSING HOME
015167	08/20/2009	09/19/2009	MARION REGIONAL NURSING HOME
015167	08/20/2009	09/19/2009	MARION REGIONAL NURSING HOME
015167	08/20/2009	09/19/2009	MARION REGIONAL NURSING HOME

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

351 NORTH EAST STREET	DADEVILLE	AL	36853	2568259244
184 SASSER DRIVE	HAMILTON	AL	35570	2059216340
184 SASSER DRIVE	HAMILTON	AL	35570	2059216340
184 SASSER DRIVE	HAMILTON	AL	35570	2059216340
184 SASSER DRIVE	HAMILTON	AL	35570	2059216340
184 SASSER DRIVE	HAMILTON	AL	35570	2059216340
184 SASSER DRIVE	HAMILTON	AL	35570	2059216340

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Administration Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.		
Give or get quality lab services/tests in a timely manner to meet the needs of residents.	Few	2
Provide care by qualified persons according to each resident's written plan of care.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
automatic sprinkler systems that have been maintained in working order.	Few	2

015167	09/02/2010	09/09/2010	MARION REGIONAL NURSING HOME
015167	09/02/2010	09/28/2010	MARION REGIONAL NURSING HOME
015167	09/02/2010	09/13/2010	MARION REGIONAL NURSING HOME
015167	09/02/2010	09/10/2010	MARION REGIONAL NURSING HOME
015167	09/02/2010	09/02/2010	MARION REGIONAL NURSING HOME
015167	07/28/2011	09/01/2011	MARION REGIONAL NURSING HOME
015167	07/28/2011	09/01/2011	MARION REGIONAL NURSING HOME
015167	07/28/2011	09/01/2011	MARION REGIONAL NURSING HOME
015167	07/28/2011	09/01/2011	MARION REGIONAL NURSING HOME

184 SASSER DRIVE	HAMILTON	AL	35570	2059216340
184 SASSER DRIVE	HAMILTON	AL	35570	2059216340
184 SASSER DRIVE	HAMILTON	AL	35570	2059216340
184 SASSER DRIVE	HAMILTON	AL	35570	2059216340
184 SASSER DRIVE	HAMILTON	AL	35570	2059216340
184 SASSER DRIVE	HAMILTON	AL	35570	2059216340
184 SASSER DRIVE	HAMILTON	AL	35570	2059216340
184 SASSER DRIVE	HAMILTON	AL	35570	2059216340
184 SASSER DRIVE	HAMILTON	AL	35570	2059216340

FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

corridor and hallway doors that block smoke.	Few	2
record of quarterly fire drills for each shift under varying conditions.	Many	2
a fire alarm system that can be heard throughout the facility.	Many	2
restrictions on the use of flammable curtains.	Some	2
properly installed electrical wiring and equipment.	Few	2
Determine if it is safe for the resident to self-administer drugs.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Give proper treatment to residents with feeding tubes to prevent problems (such as	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015167	07/28/2011	09/01/2011	MARION REGIONAL NURSING HOME
015167	07/28/2011	09/01/2011	MARION REGIONAL NURSING HOME
015167	07/28/2011	09/01/2011	MARION REGIONAL NURSING HOME
015167	07/28/2011	09/01/2011	MARION REGIONAL NURSING HOME
015167	07/28/2011	09/01/2011	MARION REGIONAL NURSING HOME

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

184 SASSER DRIVE	HAMILTON	AL	35570	2059216340
184 SASSER DRIVE	HAMILTON	AL	35570	2059216340
184 SASSER DRIVE	HAMILTON	AL	35570	2059216340
184 SASSER DRIVE	HAMILTON	AL	35570	2059216340
184 SASSER DRIVE	HAMILTON	AL	35570	2059216340

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies

prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.		
Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Some	2
Make sure that special or therapeutic diets are ordered by the attending doctor.	Few	2
Store, cook, and serve food in a safe and clean way.	Few	2
Safely provide drugs and other similar products available, which	Few	2

015167	07/28/2011	09/01/2011	MARION REGIONAL NURSING HOME
015167	08/02/2011	08/22/2011	MARION REGIONAL NURSING HOME
015167	08/02/2011	08/22/2011	MARION REGIONAL NURSING HOME
015167	08/02/2011	08/22/2011	MARION REGIONAL NURSING HOME
015167	08/02/2011	08/22/2011	MARION REGIONAL NURSING HOME
015168	12/21/2009	01/14/2010	LITTLE SISTERS OF THE POOR SACRED HEART RESIDENCE
015168	12/21/2009	01/14/2010	LITTLE SISTERS OF THE POOR SACRED HEART RESIDENCE
015168	12/21/2009	01/14/2010	LITTLE SISTERS OF THE POOR SACRED HEART RESIDENCE
015168	12/21/2009	01/14/2010	LITTLE SISTERS OF THE POOR SACRED HEART RESIDENCE

184 SASSER DRIVE	HAMILTON	AL	35570	2059216340
184 SASSER DRIVE	HAMILTON	AL	35570	2059216340
184 SASSER DRIVE	HAMILTON	AL	35570	2059216340
184 SASSER DRIVE	HAMILTON	AL	35570	2059216340
184 SASSER DRIVE	HAMILTON	AL	35570	2059216340
1655 MCGILL AVENUE	MOBILE	AL	36604	2514766335
1655 MCGILL AVENUE	MOBILE	AL	36604	2514766335
1655 MCGILL AVENUE	MOBILE	AL	36604	2514766335
1655 MCGILL AVENUE	MOBILE	AL	36604	2514766335

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Administration Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies

are needed every day and in emergencies, by a licensed pharmacist.		
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
exits that are accessible at all times.	Some	2
record of quarterly fire drills for each shift under varying conditions.	Many	1
an approved installation, maintenance and testing program for fire alarm systems.	Some	1
properly sized and located linen or trash receptacles.	Few	2
corridor and hallway doors that block smoke.	Few	2
proper backup exit lighting.	Few	2
automatic sprinkler systems that have been maintained in working order.	Few	2
properly installed electrical wiring and equipment.	Some	2

			HEART RESIDENCE
015168	12/23/2010	01/27/2011	LITTLE SISTERS OF THE POOR SACRED HEART RESIDENCE
015168	01/06/2011	02/10/2011	LITTLE SISTERS OF THE POOR SACRED HEART RESIDENCE
015168	01/06/2011	02/10/2011	LITTLE SISTERS OF THE POOR SACRED HEART RESIDENCE
015168	01/06/2011	02/10/2011	LITTLE SISTERS OF THE POOR SACRED HEART RESIDENCE
015168	01/06/2011	02/10/2011	LITTLE SISTERS OF THE POOR SACRED HEART RESIDENCE
015168	01/06/2011	02/10/2011	LITTLE SISTERS OF THE POOR SACRED HEART RESIDENCE
015168	01/06/2011	02/10/2011	LITTLE SISTERS OF THE POOR SACRED HEART RESIDENCE
015168	01/06/2011	02/10/2011	LITTLE SISTERS OF THE POOR SACRED HEART RESIDENCE
015168	12/01/2011	01/05/2012	LITTLE SISTERS OF THE POOR SACRED HEART RESIDENCE

1655 MCGILL AVENUE	MOBILE	AL	36604	2514766335
1655 MCGILL AVENUE	MOBILE	AL	36604	2514766335
1655 MCGILL AVENUE	MOBILE	AL	36604	2514766335
1655 MCGILL AVENUE	MOBILE	AL	36604	2514766335
1655 MCGILL AVENUE	MOBILE	AL	36604	2514766335
1655 MCGILL AVENUE	MOBILE	AL	36604	2514766335
1655 MCGILL AVENUE	MOBILE	AL	36604	2514766335
1655 MCGILL AVENUE	MOBILE	AL	36604	2514766335
1655 MCGILL AVENUE	MOBILE	AL	36604	2514766335

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies

and equipment.		
Have a program that investigates, controls and keeps infection from spreading.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Many	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
protected exits that allow the resident to escape the building.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
properly working alarms on sprinkler valves.	Few	2
properly installed electrical wiring and equipment.	Some	2
Allow residents to easily view the results of the nursing home's most recent survey.	Many	1

015168	12/01/2011	01/05/2012	LITTLE SISTERS OF THE POOR SACRED HEART RESIDENCE
015168	12/01/2011	01/05/2012	LITTLE SISTERS OF THE POOR SACRED HEART RESIDENCE
015168	12/01/2011	01/05/2012	LITTLE SISTERS OF THE POOR SACRED HEART RESIDENCE
015168	12/01/2011	01/05/2012	LITTLE SISTERS OF THE POOR SACRED HEART RESIDENCE
015168	12/06/2011	01/09/2012	LITTLE SISTERS OF THE POOR SACRED HEART RESIDENCE
015168	12/06/2011	01/09/2012	LITTLE SISTERS OF THE POOR SACRED HEART RESIDENCE
015168	12/06/2011	01/09/2012	LITTLE SISTERS OF THE POOR SACRED HEART RESIDENCE
015168	12/06/2011	01/09/2012	LITTLE SISTERS OF THE POOR SACRED HEART RESIDENCE
015168	12/06/2011	01/09/2012	LITTLE SISTERS OF THE POOR SACRED HEART RESIDENCE

1655 MCGILL AVENUE	MOBILE	AL	36604	2514766335
1655 MCGILL AVENUE	MOBILE	AL	36604	2514766335
1655 MCGILL AVENUE	MOBILE	AL	36604	2514766335
1655 MCGILL AVENUE	MOBILE	AL	36604	2514766335
1655 MCGILL AVENUE	MOBILE	AL	36604	2514766335
1655 MCGILL AVENUE	MOBILE	AL	36604	2514766335
1655 MCGILL AVENUE	MOBILE	AL	36604	2514766335
1655 MCGILL AVENUE	MOBILE	AL	36604	2514766335
1655 MCGILL AVENUE	MOBILE	AL	36604	2514766335
1655 MCGILL AVENUE	MOBILE	AL	36604	2514766335

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies

most recent survey.		
Provide care by qualified persons according to each resident's written plan of care.	Few	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Give or get quality lab services/tests in a timely manner to meet the needs of residents.	Few	2
corridor and hallway doors that block smoke.	Many	1
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
protected exits that allow the resident to escape the building.	Few	2
exit stairways and towers that are smoke proof.	Few	2

			HEART RESIDENCE
015168	12/06/2011	01/09/2012	LITTLE SISTERS OF THE POOR SACRED HEART RESIDENCE
015168	12/06/2011	01/09/2012	LITTLE SISTERS OF THE POOR SACRED HEART RESIDENCE
015168	12/06/2011	01/09/2012	LITTLE SISTERS OF THE POOR SACRED HEART RESIDENCE
015168	12/06/2011	01/09/2012	LITTLE SISTERS OF THE POOR SACRED HEART RESIDENCE
015168	12/06/2011	01/09/2012	LITTLE SISTERS OF THE POOR SACRED HEART RESIDENCE
015168	12/06/2011	01/09/2012	LITTLE SISTERS OF THE POOR SACRED HEART RESIDENCE
015168	12/06/2011	01/09/2012	LITTLE SISTERS OF THE POOR SACRED HEART RESIDENCE
015169	04/01/2010	05/05/2010	FLORENCE NURSING AND REHABILITATION CENTER
015169	04/01/2010	05/05/2010	FLORENCE NURSING AND REHABILITATION CENTER
015169	04/01/2010	05/05/2010	FLORENCE NURSING AND REHABILITATION CENTER
015169	04/07/2010	05/06/2010	FLORENCE NURSING AND REHABILITATION

1655 MCGILL AVENUE	MOBILE	AL	36604	2514766335
1655 MCGILL AVENUE	MOBILE	AL	36604	2514766335
1655 MCGILL AVENUE	MOBILE	AL	36604	2514766335
1655 MCGILL AVENUE	MOBILE	AL	36604	2514766335
1655 MCGILL AVENUE	MOBILE	AL	36604	2514766335
1655 MCGILL AVENUE	MOBILE	AL	36604	2514766335
1655 MCGILL AVENUE	MOBILE	AL	36604	2514766335
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies

smoke proof.		
exits that are accessible at all times.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
properly working alarms on sprinkler valves.	Many	2
automatic sprinkler systems that have been maintained in working order.	Some	2
properly protected cooking facilities.	Few	2
restrictions on the use of flammable curtains.	Many	1
properly installed electrical wiring and equipment.	Some	2
Make sure that residents are safe from serious medication errors.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
construction that can resist fire	Some	2

			CENTER
015169	04/07/2010	05/06/2010	FLORENCE NURSING AND REHABILITATION CENTER
015169	04/07/2010	05/06/2010	FLORENCE NURSING AND REHABILITATION CENTER
015169	04/07/2010	05/06/2010	FLORENCE NURSING AND REHABILITATION CENTER
015169	04/07/2010	05/06/2010	FLORENCE NURSING AND REHABILITATION CENTER
015169	04/07/2010	05/06/2010	FLORENCE NURSING AND REHABILITATION CENTER
015169	04/07/2010	05/06/2010	FLORENCE NURSING AND REHABILITATION CENTER
015169	04/07/2011	05/12/2011	FLORENCE NURSING AND REHABILITATION CENTER
015169	04/07/2011	05/12/2011	FLORENCE NURSING AND REHABILITATION CENTER

2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771

FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Resident Assessment Deficiencies

for one hour or an approved fire extinguishing system.		
record of quarterly fire drills for each shift under varying conditions.	Many	1
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
automatic sprinkler systems that have been maintained in working order.	Some	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Some	2
properly protected cooking facilities.	Few	2
a separate and independent backup electrical power source.	Few	2
Provide housekeeping and maintenance services.	Few	2
Allow the resident the right to participate in the planning or revision of the resident's care plan.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015169	04/07/2011	05/12/2011	FLORENCE NURSING AND REHABILITATION CENTER
015169	04/07/2011	05/12/2011	FLORENCE NURSING AND REHABILITATION CENTER
015169	04/07/2011	05/12/2011	FLORENCE NURSING AND REHABILITATION CENTER
015169	04/07/2011	05/12/2011	FLORENCE NURSING AND REHABILITATION CENTER
015169	04/13/2011	05/18/2011	FLORENCE NURSING AND REHABILITATION CENTER
015169	04/13/2011	05/18/2011	FLORENCE NURSING AND REHABILITATION CENTER
015169	04/13/2011	05/18/2011	FLORENCE NURSING AND REHABILITATION CENTER

2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies

plan.		
Provide care by qualified persons according to each resident's written plan of care.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Some	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Many	2
Make sure that nurse aides show they have the skills and techniques to be able to care for residents' needs.	Few	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Many	2
construction that can resist fire for one hour or an approved fire	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015169	04/13/2011	05/18/2011	FLORENCE NURSING AND REHABILITATION CENTER
015169	04/13/2011	05/18/2011	FLORENCE NURSING AND REHABILITATION CENTER
015169	04/13/2011	05/18/2011	FLORENCE NURSING AND REHABILITATION CENTER
015169	04/13/2011	05/18/2011	FLORENCE NURSING AND REHABILITATION CENTER
015169	04/13/2011	05/18/2011	FLORENCE NURSING AND REHABILITATION CENTER
015169	04/13/2011	05/18/2011	FLORENCE NURSING AND REHABILITATION CENTER
015169	03/15/2012	04/19/2012	FLORENCE NURSING AND REHABILITATION CENTER
015169	03/15/2012	04/19/2012	FLORENCE NURSING AND REHABILITATION CENTER
015169	03/15/2012	04/19/2012	FLORENCE NURSING AND REHABILITATION CENTER
015169	03/15/2012	04/19/2012	FLORENCE NURSING AND REHABILITATION CENTER

2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies

extinguishing system.		
exit stairways and towers that are smoke proof.	Few	2
exits that are accessible at all times.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2
portable fire extinguishers.	Many	1
restrictions on the use of portable space heaters.	Few	2
properly installed electrical wiring and equipment.	Some	2
Develop policies that prevent mistreatment, neglect, or abuse of residents or theft of resident property.	Few	2
Provide housekeeping and maintenance services.	Few	2
Make sure each resident receives an accurate assessment by a qualified health professional.	Few	2
Assist those residents who need total help with eating/drinking,	Few	2

015169	03/15/2012	04/19/2012	FLORENCE NURSING AND REHABILITATION CENTER
015169	03/15/2012	04/19/2012	FLORENCE NURSING AND REHABILITATION CENTER
015169	03/21/2012	04/25/2012	FLORENCE NURSING AND REHABILITATION CENTER
015169	03/21/2012	04/25/2012	FLORENCE NURSING AND REHABILITATION CENTER
015169	03/21/2012	04/25/2012	FLORENCE NURSING AND REHABILITATION CENTER
015171	02/09/2010	03/15/2010	SOUTHERN SPRINGS HEALTHCARE FACILITY
015171	02/09/2010	03/15/2010	SOUTHERN SPRINGS HEALTHCARE FACILITY

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
2107 CLOYD BLVD	FLORENCE	AL	35630	2567665771
745 SOUTHERN SPRINGS ROAD	UNION SPRINGS	AL	36089	3347385590
745 SOUTHERN SPRINGS ROAD	UNION SPRINGS	AL	36089	3347385590

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies

grooming and personal and oral hygiene.		
Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.	Few	2
Dispose of garbage and refuse properly.	Many	2
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
automatic sprinkler systems that have been maintained in working order.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015171	02/09/2010	03/15/2010	SOUTHERN SPRINGS HEALTHCARE FACILITY
015171	02/09/2010	03/15/2010	SOUTHERN SPRINGS HEALTHCARE FACILITY
015171	02/09/2010	03/15/2010	SOUTHERN SPRINGS HEALTHCARE FACILITY
015171	01/27/2011	03/03/2011	SOUTHERN SPRINGS HEALTHCARE FACILITY
015171	02/08/2012	03/14/2012	SOUTHERN SPRINGS HEALTHCARE FACILITY
015171	02/08/2012	03/14/2012	SOUTHERN SPRINGS HEALTHCARE FACILITY
015174	06/25/2009	07/30/2009	COOSA VALLEY HEALTH CARE

745 SOUTHERN SPRINGS ROAD	UNION SPRINGS	AL	36089	3347385590
745 SOUTHERN SPRINGS ROAD	UNION SPRINGS	AL	36089	3347385590
745 SOUTHERN SPRINGS ROAD	UNION SPRINGS	AL	36089	3347385590
745 SOUTHERN SPRINGS ROAD	UNION SPRINGS	AL	36089	3347385590
745 SOUTHERN SPRINGS ROAD	UNION SPRINGS	AL	36089	3347385590
745 SOUTHERN SPRINGS ROAD	UNION SPRINGS	AL	36089	3347385590
513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
HEALTH	Resident Rights Deficiencies

extinguishing system.		
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Some	2
other fire safety features required by fire safety codes.	Few	2
a fire alarm system that can be heard throughout the facility.	Many	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Few	2
Properly hold, secure and manage each resident's personal money which is deposited with the nursing home.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015174	06/25/2009	07/30/2009	COOSA VALLEY HEALTH CARE
015174	06/25/2009	07/30/2009	COOSA VALLEY HEALTH CARE
015174	06/25/2009	07/30/2009	COOSA VALLEY HEALTH CARE
015174	07/08/2009	08/06/2009	COOSA VALLEY HEALTH CARE
015174	07/08/2009	08/06/2009	COOSA VALLEY HEALTH CARE
015174	07/08/2009	08/06/2009	COOSA VALLEY HEALTH CARE
015174	07/08/2009	08/06/2009	COOSA VALLEY HEALTH CARE
015174	08/12/2010	09/16/2010	COOSA VALLEY HEALTH CARE

513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350
513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350
513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350
513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350
513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350
513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350
513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350
513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Resident Rights Deficiencies

Provide proof that all residents' personal money which is deposited with the nursing home, is secure.	Many	2
Keep each resident's personal and medical records private and confidential.	Few	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
record of quarterly fire drills for each shift under varying conditions.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
automatic sprinkler systems that have been maintained in working order.	Few	2
properly protected cooking facilities.	Few	2
Properly hold, secure and manage each resident's personal money which is deposited with the nursing home.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015174	08/12/2010	09/16/2010	COOSA VALLEY HEALTH CARE
015174	08/12/2010	09/16/2010	COOSA VALLEY HEALTH CARE
015174	08/12/2010	09/16/2010	COOSA VALLEY HEALTH CARE
015174	08/12/2010	09/16/2010	COOSA VALLEY HEALTH CARE
015174	08/12/2010	09/16/2010	COOSA VALLEY HEALTH CARE
015174	08/12/2010	09/16/2010	COOSA VALLEY HEALTH CARE
015174	08/12/2010	09/16/2010	COOSA VALLEY HEALTH CARE
015174	08/12/2010	09/16/2010	COOSA VALLEY HEALTH CARE

513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350
513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350
513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350
513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350
513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350
513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350
513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350
513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

Let the resident use stationery, postage, and writing materials at the resident's own expense.	Many	1
Provide access to a telephone for resident to use in private.	Many	1
Reasonably accommodate the needs and preferences of each resident.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Assist those residents who need total help with eating/drinking, grooming and personal and oral hygiene.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015174	08/12/2010	09/16/2010	COOSA VALLEY HEALTH CARE
015174	08/18/2010	09/16/2010	COOSA VALLEY HEALTH CARE
015174	08/18/2010	09/16/2010	COOSA VALLEY HEALTH CARE
015174	08/18/2010	09/16/2010	COOSA VALLEY HEALTH CARE
015174	08/18/2010	09/16/2010	COOSA VALLEY HEALTH CARE
015174	08/04/2011	09/08/2011	COOSA VALLEY HEALTH CARE
015174	08/04/2011	09/08/2011	COOSA VALLEY HEALTH CARE
015174	08/04/2011	09/08/2011	COOSA VALLEY HEALTH CARE

513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350
513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350
513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350
513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350
513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350
513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350
513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350
513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Administration Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Administration Deficiencies

services to prevent urinary tract infections and restore normal bladder function.		
Give or get quality lab services/tests in a timely manner to meet the needs of residents.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
automatic sprinkler systems that have been maintained in working order.	Many	1
properly installed electrical wiring and equipment.	Few	2
Keep each resident's personal and medical records private and confidential.	Some	2
Reasonably accommodate the needs and preferences of each resident.	Few	2
Ensure the activities program is directed by a qualified professional.	Many	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015174	08/04/2011	09/08/2011	COOSA VALLEY HEALTH CARE
015174	08/04/2011	09/08/2011	COOSA VALLEY HEALTH CARE
015174	08/04/2011	09/08/2011	COOSA VALLEY HEALTH CARE
015174	08/04/2011	09/08/2011	COOSA VALLEY HEALTH CARE
015174	08/04/2011	09/08/2011	COOSA VALLEY HEALTH CARE

513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350
513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350
513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350
513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350
513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

professional.		
Provide a safe, clean, comfortable and homelike environment.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Make sure that residents with reduced range of motion get proper treatment and services to increase range of motion.	Few	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015174	08/04/2011	09/08/2011	COOSA VALLEY HEALTH CARE
015174	08/04/2011	09/08/2011	COOSA VALLEY HEALTH CARE
015174	08/04/2011	09/08/2011	COOSA VALLEY HEALTH CARE
015175	07/09/2009	08/13/2009	WESLEY MANOR RETIREMENT CENTER
015175	07/15/2009	08/13/2009	WESLEY MANOR RETIREMENT CENTER
015175	07/15/2009	08/13/2009	WESLEY MANOR RETIREMENT CENTER
015175	07/15/2009	08/13/2009	WESLEY MANOR RETIREMENT CENTER
015175	09/10/2010	10/15/2010	WESLEY MANOR RETIREMENT CENTER

513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350
513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350
513 PINEVIEW AVENUE	GLENCOE	AL	35905	2564925350
718 HONEYSUCKLE ROAD	DOTHAN	AL	36305	3347920921
718 HONEYSUCKLE ROAD	DOTHAN	AL	36305	3347920921
718 HONEYSUCKLE ROAD	DOTHAN	AL	36305	3347920921
718 HONEYSUCKLE ROAD	DOTHAN	AL	36305	3347920921
718 HONEYSUCKLE ROAD	DOTHAN	AL	36305	3347920921

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
HEALTH	Resident Rights Deficiencies

skills, if possible.		
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Many	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
record of quarterly fire drills for each shift under varying conditions.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
other fire safety features required by fire safety codes.	Few	2
Honor all of the resident's rights as a resident of the nursing home, free of coercion and reprisal, and as a citizen or resident of the United States.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015175	09/10/2010	10/15/2010	WESLEY MANOR RETIREMENT CENTER
015175	09/10/2010	10/15/2010	WESLEY MANOR RETIREMENT CENTER
015175	09/10/2010	10/15/2010	WESLEY MANOR RETIREMENT CENTER
015175	09/10/2010	10/15/2010	WESLEY MANOR RETIREMENT CENTER
015175	09/15/2010	10/15/2010	WESLEY MANOR RETIREMENT CENTER
015175	09/15/2010	10/15/2010	WESLEY MANOR RETIREMENT CENTER
015175	09/15/2010	10/15/2010	WESLEY MANOR RETIREMENT CENTER

718 HONEYSUCKLE ROAD	DOTHAN	AL	36305	3347920921
718 HONEYSUCKLE ROAD	DOTHAN	AL	36305	3347920921
718 HONEYSUCKLE ROAD	DOTHAN	AL	36305	3347920921
718 HONEYSUCKLE ROAD	DOTHAN	AL	36305	3347920921
718 HONEYSUCKLE ROAD	DOTHAN	AL	36305	3347920921
718 HONEYSUCKLE ROAD	DOTHAN	AL	36305	3347920921
718 HONEYSUCKLE ROAD	DOTHAN	AL	36305	3347920921

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Many	2
Store, cook, and serve food in a safe and clean way.	Many	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
record of quarterly fire drills for each shift under varying conditions.	Few	2
automatic sprinkler systems that have been maintained in working order.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015175	09/15/2010	10/15/2010	WESLEY MANOR RETIREMENT CENTER
015175	08/03/2011	09/07/2011	WESLEY MANOR RETIREMENT CENTER
015175	08/03/2011	09/07/2011	WESLEY MANOR RETIREMENT CENTER
015175	08/03/2011	09/07/2011	WESLEY MANOR RETIREMENT CENTER
015175	08/03/2011	09/07/2011	WESLEY MANOR RETIREMENT CENTER
015175	08/03/2011	09/07/2011	WESLEY MANOR RETIREMENT CENTER
015175	08/03/2011	09/07/2011	WESLEY MANOR RETIREMENT CENTER

718 HONEYSUCKLE ROAD	DOTHAN	AL	36305	3347920921
718 HONEYSUCKLE ROAD	DOTHAN	AL	36305	3347920921
718 HONEYSUCKLE ROAD	DOTHAN	AL	36305	3347920921
718 HONEYSUCKLE ROAD	DOTHAN	AL	36305	3347920921
718 HONEYSUCKLE ROAD	DOTHAN	AL	36305	3347920921
718 HONEYSUCKLE ROAD	DOTHAN	AL	36305	3347920921

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies

properly protected cooking facilities.	Some	2
Immediately tell the resident, the resident's doctor and a family member of the resident of situations (injury/decline/room, etc.) that affect the resident.	Few	2
Develop policies that prevent mistreatment, neglect, or abuse of residents or theft of resident property.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
1) Receive registry verification that a nurse aide has met the required training and skills that the State requires; and 2) ensure nurse aides receive the required retraining after 24 months if nursing related services were not	Few	2

015175	08/04/2011	08/19/2011	WESLEY MANOR RETIREMENT CENTER
015175	08/04/2011	08/19/2011	WESLEY MANOR RETIREMENT CENTER
015175	08/04/2011	08/19/2011	WESLEY MANOR RETIREMENT CENTER
015175	08/04/2011	08/19/2011	WESLEY MANOR RETIREMENT CENTER
015176	04/16/2009	05/21/2009	CROSSVILLE HEALTH AND REHABILITATION, LLC
015176	04/16/2009	05/21/2009	CROSSVILLE HEALTH AND REHABILITATION, LLC
015176	04/23/2009	05/21/2009	CROSSVILLE HEALTH AND REHABILITATION, LLC
015176	04/23/2009	05/21/2009	CROSSVILLE HEALTH AND REHABILITATION, LLC
015176	04/23/2009	05/21/2009	CROSSVILLE HEALTH AND REHABILITATION, LLC

718 HONEYSUCKLE ROAD	DOTHAN	AL	36305	3347920921
718 HONEYSUCKLE ROAD	DOTHAN	AL	36305	3347920921
718 HONEYSUCKLE ROAD	DOTHAN	AL	36305	3347920921
718 HONEYSUCKLE ROAD	DOTHAN	AL	36305	3347920921
8922 HIGHWAY 227 PO BOX 97	CROSSVILLE	AL	35962	2565287844
8922 HIGHWAY 227 PO BOX 97	CROSSVILLE	AL	35962	2565287844
8922 HIGHWAY 227 PO BOX 97	CROSSVILLE	AL	35962	2565287844
8922 HIGHWAY 227 PO BOX 97	CROSSVILLE	AL	35962	2565287844
8922 HIGHWAY 227 PO BOX 97	CROSSVILLE	AL	35962	2565287844

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies

provided for monetary compensation		
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
a fire alarm system that can be heard throughout the facility.	Some	2
properly maintained smoke detectors.	Some	2
properly installed electrical wiring and equipment.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Make sure there is a pest control program to prevent/deal with mice, insects, or other pests.	Many	1
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Some	2
proper backup exit lighting.	Few	2

			LLC
015176	04/23/2009	05/21/2009	CROSSVILLE HEALTH AND REHABILITATION, LLC
015176	04/23/2009	05/21/2009	CROSSVILLE HEALTH AND REHABILITATION, LLC
015176	04/23/2009	05/21/2009	CROSSVILLE HEALTH AND REHABILITATION, LLC
015176	06/17/2010	07/22/2010	CROSSVILLE HEALTH AND REHABILITATION, LLC
015176	06/17/2010	07/22/2010	CROSSVILLE HEALTH AND REHABILITATION, LLC
015176	06/17/2010	07/22/2010	CROSSVILLE HEALTH AND REHABILITATION, LLC
015176	06/17/2010	07/22/2010	CROSSVILLE HEALTH AND REHABILITATION, LLC
015176	06/17/2010	07/22/2010	CROSSVILLE HEALTH AND REHABILITATION, LLC

PO BOX 97				
8922 HIGHWAY 227 PO BOX 97	CROSSVILLE	AL	35962	2565287844
8922 HIGHWAY 227 PO BOX 97	CROSSVILLE	AL	35962	2565287844
8922 HIGHWAY 227 PO BOX 97	CROSSVILLE	AL	35962	2565287844
8922 HIGHWAY 227 PO BOX 97	CROSSVILLE	AL	35962	2565287844
8922 HIGHWAY 227 PO BOX 97	CROSSVILLE	AL	35962	2565287844
8922 HIGHWAY 227 PO BOX 97	CROSSVILLE	AL	35962	2565287844
8922 HIGHWAY 227 PO BOX 97	CROSSVILLE	AL	35962	2565287844
8922 HIGHWAY 227 PO BOX 97	CROSSVILLE	AL	35962	2565287844

FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

an approved installation, maintenance and testing program for fire alarm systems.	Many	2
automatic sprinkler systems that have been maintained in working order.	Many	1
properly protected cooking facilities.	Few	2
Immediately tell the resident, the resident's doctor and a family member of the resident of situations (injury/decline/room, etc.) that affect the resident.	Few	2
Provide activities to meet the interests and needs of each resident.	Some	2
Assist those residents who need total help with eating/drinking, grooming and personal and oral hygiene.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that each resident who enters the nursing home	Few	2

			LLC
015176	06/17/2010	07/22/2010	CROSSVILLE HEALTH AND REHABILITATION, LLC
015176	06/23/2010	07/22/2010	CROSSVILLE HEALTH AND REHABILITATION, LLC
015176	06/23/2010	07/22/2010	CROSSVILLE HEALTH AND REHABILITATION, LLC
015176	06/23/2010	07/22/2010	CROSSVILLE HEALTH AND REHABILITATION, LLC
015176	06/23/2010	07/22/2010	CROSSVILLE HEALTH AND REHABILITATION, LLC
015176	06/23/2010	07/22/2010	CROSSVILLE HEALTH AND REHABILITATION, LLC
015176	06/23/2011	07/28/2011	CROSSVILLE HEALTH AND REHABILITATION, LLC

PO BOX 97				
8922 HIGHWAY 227 PO BOX 97	CROSSVILLE	AL	35962	2565287844
8922 HIGHWAY 227 PO BOX 97	CROSSVILLE	AL	35962	2565287844
8922 HIGHWAY 227 PO BOX 97	CROSSVILLE	AL	35962	2565287844
8922 HIGHWAY 227 PO BOX 97	CROSSVILLE	AL	35962	2565287844
8922 HIGHWAY 227 PO BOX 97	CROSSVILLE	AL	35962	2565287844
8922 HIGHWAY 227 PO BOX 97	CROSSVILLE	AL	35962	2565287844
8922 HIGHWAY 227 PO BOX 97	CROSSVILLE	AL	35962	2565287844

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Mistreatment Deficiencies

who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.		
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
corridor and hallway doors that block smoke.	Few	2
signs that state that exit doors are to be kept closed.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
properly protected cooking facilities.	Some	2
Develop policies that prevent mistreatment, neglect, or abuse of residents or theft of resident property.	Many	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015176	06/23/2011	07/28/2011	CROSSVILLE HEALTH AND REHABILITATION, LLC
015176	06/23/2011	07/28/2011	CROSSVILLE HEALTH AND REHABILITATION, LLC
015176	06/23/2011	07/28/2011	CROSSVILLE HEALTH AND REHABILITATION, LLC
015176	06/28/2011	08/02/2011	CROSSVILLE HEALTH AND REHABILITATION, LLC
015176	06/28/2011	08/02/2011	CROSSVILLE HEALTH AND REHABILITATION, LLC
015176	06/28/2011	08/02/2011	CROSSVILLE HEALTH AND REHABILITATION, LLC
015176	06/28/2011	08/02/2011	CROSSVILLE HEALTH AND REHABILITATION, LLC
015176	06/28/2011	08/02/2011	CROSSVILLE HEALTH AND REHABILITATION, LLC
015176	06/28/2011	08/02/2011	CROSSVILLE HEALTH AND REHABILITATION, LLC

8922 HIGHWAY 227 PO BOX 97	CROSSVILLE	AL	35962	2565287844
8922 HIGHWAY 227 PO BOX 97	CROSSVILLE	AL	35962	2565287844
8922 HIGHWAY 227 PO BOX 97	CROSSVILLE	AL	35962	2565287844
8922 HIGHWAY 227 PO BOX 97	CROSSVILLE	AL	35962	2565287844
8922 HIGHWAY 227 PO BOX 97	CROSSVILLE	AL	35962	2565287844
8922 HIGHWAY 227 PO BOX 97	CROSSVILLE	AL	35962	2565287844
8922 HIGHWAY 227 PO BOX 97	CROSSVILLE	AL	35962	2565287844
8922 HIGHWAY 227 PO BOX 97	CROSSVILLE	AL	35962	2565287844
8922 HIGHWAY 227 PO BOX 97	CROSSVILLE	AL	35962	2565287844
8922 HIGHWAY 227 PO BOX 97	CROSSVILLE	AL	35962	2565287844

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies

Reasonably accommodate the needs and preferences of each resident.	Few	2
Provide a safe, clean, comfortable and homelike environment.	Few	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Some	2
corridor and hallway doors that block smoke.	Few	2
exits that are accessible at all times.	Many	1
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
automatic sprinkler systems that have been maintained in working order.	Some	2
exits that are free from obstructions and can be used at all times.	Many	1
properly installed electrical wiring and equipment.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

			LLC
015177	07/08/2010	08/13/2010	WOODHAVEN MANOR NURSING HOME
015177	07/08/2010	08/13/2010	WOODHAVEN MANOR NURSING HOME
015177	07/08/2010	08/13/2010	WOODHAVEN MANOR NURSING HOME
015177	07/08/2010	08/13/2010	WOODHAVEN MANOR NURSING HOME
015177	07/08/2010	08/13/2010	WOODHAVEN MANOR NURSING HOME
015177	07/09/2010	08/13/2010	WOODHAVEN MANOR NURSING HOME
015177	07/09/2010	08/13/2010	WOODHAVEN MANOR NURSING HOME
015177	07/09/2010	08/13/2010	WOODHAVEN MANOR NURSING HOME

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

PO BOX 97				
105 WEST WINDSOR ST	DEMOPOLIS	AL	36732	3342892741
105 WEST WINDSOR ST	DEMOPOLIS	AL	36732	3342892741
105 WEST WINDSOR ST	DEMOPOLIS	AL	36732	3342892741
105 WEST WINDSOR ST	DEMOPOLIS	AL	36732	3342892741
105 WEST WINDSOR ST	DEMOPOLIS	AL	36732	3342892741
105 WEST WINDSOR ST	DEMOPOLIS	AL	36732	3342892741
105 WEST WINDSOR ST	DEMOPOLIS	AL	36732	3342892741
105 WEST WINDSOR ST	DEMOPOLIS	AL	36732	3342892741

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

and equipment.		
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
properly working alarms on sprinkler valves.	Some	2
properly protected cooking facilities.	Few	2
properly installed electrical wiring and equipment.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Give proper treatment to residents with feeding tubes to	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015177	07/09/2010	08/13/2010	WOODHAVEN MANOR NURSING HOME
015177	05/26/2011	06/30/2011	WOODHAVEN MANOR NURSING HOME
015177	05/26/2011	06/30/2011	WOODHAVEN MANOR NURSING HOME
015177	05/26/2011	06/30/2011	WOODHAVEN MANOR NURSING HOME
015177	06/01/2011	06/27/2011	WOODHAVEN MANOR NURSING HOME
015177	06/21/2012	07/26/2012	WOODHAVEN MANOR NURSING HOME
015177	06/21/2012	07/26/2012	WOODHAVEN MANOR NURSING HOME

ST				
105 WEST WINDSOR ST	DEMOPOLIS	AL	36732	3342892741
105 WEST WINDSOR ST	DEMOPOLIS	AL	36732	3342892741
105 WEST WINDSOR ST	DEMOPOLIS	AL	36732	3342892741
105 WEST WINDSOR ST	DEMOPOLIS	AL	36732	3342892741
105 WEST WINDSOR ST	DEMOPOLIS	AL	36732	3342892741
105 WEST WINDSOR ST	DEMOPOLIS	AL	36732	3342892741
105 WEST WINDSOR ST	DEMOPOLIS	AL	36732	3342892741

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies

residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.		
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Provide care by qualified persons according to each resident's written plan of care.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Give or get quality lab services/tests in a timely manner to meet the needs of residents.	Few	2
signs that state that exit doors are to be kept closed.	Some	1
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Provide a safe, clean, comfortable and homelike	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015177	06/21/2012	07/26/2012	WOODHAVEN MANOR NURSING HOME
015177	06/21/2012	07/26/2012	WOODHAVEN MANOR NURSING HOME
015177	06/26/2012	07/31/2012	WOODHAVEN MANOR NURSING HOME
015178	06/10/2010	06/28/2010	GREENE COUNTY NURSING HOME
015178	06/15/2010	07/14/2010	GREENE COUNTY NURSING HOME
015178	06/15/2010	07/14/2010	GREENE COUNTY NURSING HOME
015178	06/15/2010	07/14/2010	GREENE COUNTY NURSING HOME
015178	04/21/2011	05/25/2011	GREENE COUNTY NURSING HOME

nh_quality_deficiency_survey
Based on Nursing Home Compare - Survey Deficiency				
105 WEST WINDSOR ST	DEMOPOLIS	AL	36732	3342892741
105 WEST WINDSOR ST	DEMOPOLIS	AL	36732	3342892741
105 WEST WINDSOR ST	DEMOPOLIS	AL	36732	3342892741
509 WILSON AVE	EUTAW	AL	35462	2053724545
509 WILSON AVE	EUTAW	AL	35462	2053724545
509 WILSON AVE	EUTAW	AL	35462	2053724545
509 WILSON AVE	EUTAW	AL	35462	2053724545
509 WILSON AVE	EUTAW	AL	35462	2053724545

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
HEALTH	Resident Rights Deficiencies

environment.		
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
properly protected cooking facilities.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
signs that state that exit doors are to be kept closed.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
proper medical gas storage and administration areas.	Few	2
Give each resident a notice of rights, rules, services and charges. Tell each resident who can get Medicaid benefits about 1) which items and services Medicaid covers and which the	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015178	04/21/2011	05/25/2011	GREENE COUNTY NURSING HOME
015178	04/21/2011	05/25/2011	GREENE COUNTY NURSING HOME
015178	04/21/2011	05/25/2011	GREENE COUNTY NURSING HOME
015178	04/21/2011	05/25/2011	GREENE COUNTY NURSING HOME
015178	05/10/2011	05/31/2011	GREENE COUNTY NURSING HOME
015178	05/10/2011	05/31/2011	GREENE COUNTY NURSING HOME
015178	05/10/2011	05/31/2011	GREENE COUNTY NURSING HOME
015178	05/10/2011	05/31/2011	GREENE COUNTY NURSING HOME

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

509 WILSON AVE	EUTAW	AL	35462	2053724545
509 WILSON AVE	EUTAW	AL	35462	2053724545
509 WILSON AVE	EUTAW	AL	35462	2053724545
509 WILSON AVE	EUTAW	AL	35462	2053724545
509 WILSON AVE	EUTAW	AL	35462	2053724545
509 WILSON AVE	EUTAW	AL	35462	2053724545
509 WILSON AVE	EUTAW	AL	35462	2053724545
509 WILSON AVE	EUTAW	AL	35462	2053724545

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies

Medicaid covers and which the resident must pay for.		
Follow policies and procedures to convey the resident's personal funds to the appropriate party responsible after the resident's death.	Few	2
Provide care by qualified persons according to each resident's written plan of care.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Post nurse staffing information/data on a daily basis.	Few	2
corridor and hallway doors that block smoke.	Few	2
signs that state that exit doors are to be kept closed.	Many	1
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
a fire alarm system that can be heard throughout the facility.	Some	2

015178	04/19/2012	05/24/2012	GREENE COUNTY NURSING HOME
015178	04/25/2012	06/23/2012	GREENE COUNTY NURSING HOME
015178	04/25/2012	05/30/2012	GREENE COUNTY NURSING HOME
015178	04/25/2012	05/30/2012	GREENE COUNTY NURSING HOME
015178	04/25/2012	05/30/2012	GREENE COUNTY NURSING HOME
015178	04/25/2012	05/30/2012	GREENE COUNTY NURSING HOME
015178	04/25/2012	06/23/2012	GREENE COUNTY NURSING HOME
015178	04/25/2012	06/23/2012	GREENE COUNTY NURSING HOME
015178	04/25/2012	05/30/2012	GREENE COUNTY NURSING HOME

509 WILSON AVE	EUTAW	AL	35462	2053724545
509 WILSON AVE	EUTAW	AL	35462	2053724545
509 WILSON AVE	EUTAW	AL	35462	2053724545
509 WILSON AVE	EUTAW	AL	35462	2053724545
509 WILSON AVE	EUTAW	AL	35462	2053724545
509 WILSON AVE	EUTAW	AL	35462	2053724545
509 WILSON AVE	EUTAW	AL	35462	2053724545
509 WILSON AVE	EUTAW	AL	35462	2053724545
509 WILSON AVE	EUTAW	AL	35462	2053724545
509 WILSON AVE	EUTAW	AL	35462	2053724545

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Rights Deficiencies
FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies

Immediately tell the resident, the resident's doctor and a family member of the resident of situations (injury/decline/room, etc.) that affect the resident.	Few	2
a two-hour-resistant firewall in common walls.	Some	2
corridor and hallway doors that block smoke.	Many	2
exits that are accessible at all times.	Many	2
did not have a written emergency evacuation plan.	Many	2
record of quarterly fire drills for each shift under varying conditions.	Many	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
automatic sprinkler systems that have been maintained in working order.	Some	1
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015178	04/25/2012	05/30/2012	GREENE COUNTY NURSING HOME
015178	04/25/2012	05/30/2012	GREENE COUNTY NURSING HOME
015178	04/25/2012	05/30/2012	GREENE COUNTY NURSING HOME
015179	04/15/2010	05/20/2010	PARKWOOD HEALTH CARE FACILITY
015179	04/15/2010	05/20/2010	PARKWOOD HEALTH CARE FACILITY
015179	04/22/2010	05/20/2010	PARKWOOD HEALTH CARE FACILITY
015179	04/22/2010	05/20/2010	PARKWOOD HEALTH CARE FACILITY
015179	04/22/2010	05/20/2010	PARKWOOD HEALTH CARE FACILITY
015179	04/22/2010	05/20/2010	PARKWOOD HEALTH CARE FACILITY

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

509 WILSON AVE	EUTAW	AL	35462	2053724545
509 WILSON AVE	EUTAW	AL	35462	2053724545
509 WILSON AVE	EUTAW	AL	35462	2053724545
3301 STADIUM DRIVE	PHENIX CITY	AL	36867	3342970237
3301 STADIUM DRIVE	PHENIX CITY	AL	36867	3342970237
3301 STADIUM DRIVE	PHENIX CITY	AL	36867	3342970237
3301 STADIUM DRIVE	PHENIX CITY	AL	36867	3342970237
3301 STADIUM DRIVE	PHENIX CITY	AL	36867	3342970237
3301 STADIUM DRIVE	PHENIX CITY	AL	36867	3342970237

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies

ashtrays where smoking was allowed.		
properly installed electrical wiring and equipment.	Few	2
back-up procedures in place for a faulty automatic sprinkler system.	Few	2
an approved back-up procedure for a faulty fire alarm system.	Few	2
Keep each resident's personal and medical records private and confidential.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
automatic sprinkler systems that have been maintained in working order.	Few	2
properly protected cooking facilities.	Few	2

015179	04/22/2010	05/20/2010	PARKWOOD HEALTH CARE FACILITY
015179	04/22/2010	05/20/2010	PARKWOOD HEALTH CARE FACILITY
015179	04/22/2010	05/20/2010	PARKWOOD HEALTH CARE FACILITY
015179	03/24/2011	04/28/2011	PARKWOOD HEALTH CARE FACILITY
015179	03/24/2011	04/28/2011	PARKWOOD HEALTH CARE FACILITY
015179	03/24/2011	04/28/2011	PARKWOOD HEALTH CARE FACILITY
015179	03/24/2011	04/28/2011	PARKWOOD HEALTH CARE FACILITY
015179	04/11/2012	05/16/2012	PARKWOOD HEALTH CARE FACILITY
015179	04/11/2012	05/16/2012	PARKWOOD HEALTH CARE FACILITY

3301 STADIUM DRIVE	PHENIX CITY	AL	36867	3342970237
3301 STADIUM DRIVE	PHENIX CITY	AL	36867	3342970237
3301 STADIUM DRIVE	PHENIX CITY	AL	36867	3342970237
3301 STADIUM DRIVE	PHENIX CITY	AL	36867	3342970237
3301 STADIUM DRIVE	PHENIX CITY	AL	36867	3342970237
3301 STADIUM DRIVE	PHENIX CITY	AL	36867	3342970237
3301 STADIUM DRIVE	PHENIX CITY	AL	36867	3342970237
3301 STADIUM DRIVE	PHENIX CITY	AL	36867	3342970237
3301 STADIUM DRIVE	PHENIX CITY	AL	36867	3342970237
3301 STADIUM DRIVE	PHENIX CITY	AL	36867	3342970237

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

a separate and independent backup electrical power source.	Many	2
back-up procedures in place for a faulty automatic sprinkler system.	Many	2
an approved back-up procedure for a faulty fire alarm system.	Many	2
Provide care by qualified persons according to each resident's written plan of care.	Few	2
Assist those residents who need total help with eating/drinking, grooming and personal and oral hygiene.	Few	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
Keep all essential equipment working safely.	Few	2
signs that state that exit doors are to be kept closed.	Many	1
automatic sprinkler systems that	Many	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015179		05/16/2012	PARKWOOD HEALTH CARE FACILITY
015179	04/12/2012	04/06/2012	PARKWOOD HEALTH CARE FACILITY
015179	04/12/2012	05/17/2012	PARKWOOD HEALTH CARE FACILITY
015180	03/19/2010	04/23/2010	GADSDEN HEALTH AND REHAB CENTER
015180	03/19/2010	04/23/2010	GADSDEN HEALTH AND REHAB CENTER
015180	03/19/2010	04/23/2010	GADSDEN HEALTH AND REHAB CENTER
015180	03/19/2010	04/23/2010	GADSDEN HEALTH AND REHAB CENTER

3301 STADIUM DRIVE	PHENIX CITY	AL	36867	3342970237
3301 STADIUM DRIVE	PHENIX CITY	AL	36867	3342970237
3301 STADIUM DRIVE	PHENIX CITY	AL	36867	3342970237
1945 DAVIS DRIVE	GADSDEN	AL	35904	2565474938
1945 DAVIS DRIVE	GADSDEN	AL	35904	2565474938
1945 DAVIS DRIVE	GADSDEN	AL	35904	2565474938
1945 DAVIS DRIVE	GADSDEN	AL	35904	2565474938

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

automatic sprinkler systems that have been maintained in working order.	Many	1
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	3
Post nurse staffing information/data on a daily basis.	Many	1
Provide proof that all residents' personal money which is deposited with the nursing home, is secure.	Some	2
Allow the resident the right to participate in the planning or revision of the resident's care plan.	Some	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
1) Provide 3 meals at regular times; 2) serve breakfast within 14 hours after dinner; or 3) offer a snack at bedtime each day.	Some	2

015180	03/19/2010	04/23/2010	GADSDEN HEALTH AND REHAB CENTER
015180	03/19/2010	04/23/2010	GADSDEN HEALTH AND REHAB CENTER
015180	03/19/2010	04/23/2010	GADSDEN HEALTH AND REHAB CENTER
015180	03/24/2010	03/24/2010	GADSDEN HEALTH AND REHAB CENTER
015180	03/24/2010	05/03/2010	GADSDEN HEALTH AND REHAB CENTER
015180	03/17/2011	04/21/2011	GADSDEN HEALTH AND REHAB CENTER
015180	03/17/2011	04/21/2011	GADSDEN HEALTH AND REHAB CENTER
015180	03/17/2011	04/21/2011	GADSDEN HEALTH AND REHAB CENTER

1945 DAVIS DRIVE	GADSDEN	AL	35904	2565474938
1945 DAVIS DRIVE	GADSDEN	AL	35904	2565474938
1945 DAVIS DRIVE	GADSDEN	AL	35904	2565474938
1945 DAVIS DRIVE	GADSDEN	AL	35904	2565474938
1945 DAVIS DRIVE	GADSDEN	AL	35904	2565474938
1945 DAVIS DRIVE	GADSDEN	AL	35904	2565474938
1945 DAVIS DRIVE	GADSDEN	AL	35904	2565474938
1945 DAVIS DRIVE	GADSDEN	AL	35904	2565474938
1945 DAVIS DRIVE	GADSDEN	AL	35904	2565474938

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Pharmacy Service Deficiencies

Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Make sure that nurse aides show they have the skills and techniques to be able to care for residents' needs.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Maintain drug records and	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015180	03/17/2011	04/21/2011	GADSDEN HEALTH AND REHAB CENTER
015180	03/31/2011	05/05/2011	GADSDEN HEALTH AND REHAB CENTER
015180	03/31/2011	05/05/2011	GADSDEN HEALTH AND REHAB CENTER
015180	03/31/2011	05/05/2011	GADSDEN HEALTH AND REHAB CENTER
015180	03/31/2011	05/26/2011	GADSDEN HEALTH AND REHAB CENTER
015180	05/03/2012	06/07/2012	GADSDEN HEALTH AND REHAB CENTER
015180	05/03/2012	06/07/2012	GADSDEN HEALTH AND REHAB CENTER

1945 DAVIS DRIVE	GADSDEN	AL	35904	2565474938
1945 DAVIS DRIVE	GADSDEN	AL	35904	2565474938
1945 DAVIS DRIVE	GADSDEN	AL	35904	2565474938
1945 DAVIS DRIVE	GADSDEN	AL	35904	2565474938
1945 DAVIS DRIVE	GADSDEN	AL	35904	2565474938
1945 DAVIS DRIVE	GADSDEN	AL	35904	2565474938
1945 DAVIS DRIVE	GADSDEN	AL	35904	2565474938
1945 DAVIS DRIVE	GADSDEN	AL	35904	2565474938

HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies

properly mark/label drugs and other similar products according to accepted professional standards.		
Have a program that investigates, controls and keeps infection from spreading.	Some	2
corridor and hallway doors that block smoke.	Some	2
signs that state that exit doors are to be kept closed.	Many	1
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
automatic sprinkler systems that have been maintained in working order.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Make sure that the nursing home	Few	2

015180	05/03/2012	06/07/2012	GADSDEN HEALTH AND REHAB CENTER
015180	05/03/2012	06/07/2012	GADSDEN HEALTH AND REHAB CENTER
015180	05/09/2012	06/13/2012	GADSDEN HEALTH AND REHAB CENTER
015180	05/09/2012	06/13/2012	GADSDEN HEALTH AND REHAB CENTER
015180	05/09/2012	06/13/2012	GADSDEN HEALTH AND REHAB CENTER
015180	05/09/2012	06/13/2012	GADSDEN HEALTH AND REHAB CENTER
015180	05/09/2012	06/13/2012	GADSDEN HEALTH AND REHAB CENTER
015182	12/03/2009	01/07/2010	GEORGIANA HEALTH AND REHABILITATION, L L C
015182	12/03/2009	01/07/2010	GEORGIANA HEALTH AND REHABILITATION, L L C

1945 DAVIS DRIVE	GADSDEN	AL	35904	2565474938
1945 DAVIS DRIVE	GADSDEN	AL	35904	2565474938
1945 DAVIS DRIVE	GADSDEN	AL	35904	2565474938
1945 DAVIS DRIVE	GADSDEN	AL	35904	2565474938
1945 DAVIS DRIVE	GADSDEN	AL	35904	2565474938
1945 DAVIS DRIVE	GADSDEN	AL	35904	2565474938
1945 DAVIS DRIVE	GADSDEN	AL	35904	2565474938
206 PALMER AVENUE	GEORGIANA	AL	36033	3343762267
206 PALMER AVENUE	GEORGIANA	AL	36033	3343762267

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Administration Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Interior Finish Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.		
Post nurse staffing information/data on a daily basis.	Many	1
Have a program that investigates, controls and keeps infection from spreading.	Few	2
fire-resistant room wall surfaces.	Some	1
exits that are accessible at all times.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	1
a separate and independent backup electrical power source.	Many	1
Provide care by qualified persons according to each resident's written plan of care.	Few	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015182	12/10/2009	01/07/2010	GEORGIANA HEALTH AND REHABILITATION, L L C
015182	12/10/2009	01/07/2010	GEORGIANA HEALTH AND REHABILITATION, L L C
015182	12/10/2009	01/07/2010	GEORGIANA HEALTH AND REHABILITATION, L L C
015182	11/10/2010	12/27/2010	GEORGIANA HEALTH AND REHABILITATION, L L C
015182	11/10/2010	12/27/2010	GEORGIANA HEALTH AND REHABILITATION, L L C
015182	11/10/2010	12/27/2010	GEORGIANA HEALTH AND REHABILITATION, L L C
015182	11/10/2010	12/27/2010	GEORGIANA HEALTH AND REHABILITATION, L L C
015182	11/10/2010	12/27/2010	GEORGIANA HEALTH AND REHABILITATION, L L C
015182	11/10/2010	12/27/2010	GEORGIANA HEALTH AND REHABILITATION, L L C

206 PALMER AVENUE	GEORGIANA	AL	36033	3343762267
206 PALMER AVENUE	GEORGIANA	AL	36033	3343762267
206 PALMER AVENUE	GEORGIANA	AL	36033	3343762267
206 PALMER AVENUE	GEORGIANA	AL	36033	3343762267
206 PALMER AVENUE	GEORGIANA	AL	36033	3343762267
206 PALMER AVENUE	GEORGIANA	AL	36033	3343762267
206 PALMER AVENUE	GEORGIANA	AL	36033	3343762267
206 PALMER AVENUE	GEORGIANA	AL	36033	3343762267
206 PALMER AVENUE	GEORGIANA	AL	36033	3343762267

FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

balanced diet, unless it is not possible to do so.		
corridor and hallway doors that block smoke.	Few	2
signs that state that exit doors are to be kept closed.	Some	1
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
a two-hour-resistant firewall in common walls.	Some	2
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
emergency lighting that can last at least 1 1/2 hours.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2

015182	11/10/2010	12/27/2010	GEORGIANA HEALTH AND REHABILITATION, L L C
015182	11/10/2010	12/27/2010	GEORGIANA HEALTH AND REHABILITATION, L L C
015182	11/10/2010	12/27/2010	GEORGIANA HEALTH AND REHABILITATION, L L C
015182	11/10/2010	12/27/2010	GEORGIANA HEALTH AND REHABILITATION, L L C
015182	11/10/2010	12/27/2010	GEORGIANA HEALTH AND REHABILITATION, L L C
015182	11/11/2010	12/16/2010	GEORGIANA HEALTH AND REHABILITATION, L L C
015182	10/14/2011	11/18/2011	GEORGIANA HEALTH AND REHABILITATION, L L C
015182	10/14/2011	11/18/2011	GEORGIANA HEALTH AND REHABILITATION, L L C
015182	10/14/2011	11/18/2011	GEORGIANA HEALTH AND REHABILITATION,

206 PALMER AVENUE	GEORGIANA	AL	36033	3343762267
206 PALMER AVENUE	GEORGIANA	AL	36033	3343762267
206 PALMER AVENUE	GEORGIANA	AL	36033	3343762267
206 PALMER AVENUE	GEORGIANA	AL	36033	3343762267
206 PALMER AVENUE	GEORGIANA	AL	36033	3343762267
206 PALMER AVENUE	GEORGIANA	AL	36033	3343762267
206 PALMER AVENUE	GEORGIANA	AL	36033	3343762267
206 PALMER AVENUE	GEORGIANA	AL	36033	3343762267
206 PALMER AVENUE	GEORGIANA	AL	36033	3343762267

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies

automatic sprinkler systems that have been maintained in working order.	Some	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Some	2
other fire safety features required by fire safety codes.	Some	2
a separate and independent backup electrical power source.	Some	2
properly installed electrical wiring and equipment.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Some	2
Send and promptly deliver unopened mail to residents.	Many	1
Store, cook, and serve food in a safe and clean way.	Many	2
Dispose of garbage and refuse	Many	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015182		11/18/2011	GEORGIANA HEALTH AND REHABILITATION, L L C
015182	10/17/2011	11/21/2011	GEORGIANA HEALTH AND REHABILITATION, L L C
015182	10/17/2011	11/21/2011	GEORGIANA HEALTH AND REHABILITATION, L L C
015182	10/17/2011	11/21/2011	GEORGIANA HEALTH AND REHABILITATION, L L C
015182	10/17/2011	11/21/2011	GEORGIANA HEALTH AND REHABILITATION, L L C
015182	10/17/2011	11/21/2011	GEORGIANA HEALTH AND REHABILITATION, L L C
015183	05/06/2010	06/04/2010	NORTH MOBILE NURSING AND REHABILITATION CTR
015183	05/06/2010	06/04/2010	NORTH MOBILE NURSING AND REHABILITATION CTR
015183	05/06/2010	06/04/2010	NORTH MOBILE NURSING AND REHABILITATION CTR

206 PALMER AVENUE	GEORGIANA	AL	36033	3343762267
206 PALMER AVENUE	GEORGIANA	AL	36033	3343762267
206 PALMER AVENUE	GEORGIANA	AL	36033	3343762267
206 PALMER AVENUE	GEORGIANA	AL	36033	3343762267
206 PALMER AVENUE	GEORGIANA	AL	36033	3343762267
206 PALMER AVENUE	GEORGIANA	AL	36033	3343762267
4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996
4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996
4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies

Dispose of garbage and refuse properly.	Many	1
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
record of quarterly fire drills for each shift under varying conditions.	Few	2
a fire alarm system that can be heard throughout the facility.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
weekly inspections and monthly testing of generators.	Some	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Many	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2

015183	05/06/2010	06/04/2010	NORTH MOBILE NURSING AND REHABILITATION CTR
015183	05/06/2010	06/04/2010	NORTH MOBILE NURSING AND REHABILITATION CTR
015183	05/06/2010	06/04/2010	NORTH MOBILE NURSING AND REHABILITATION CTR
015183	04/14/2011	05/16/2011	NORTH MOBILE NURSING AND REHABILITATION CTR
015183	04/14/2011	05/16/2011	NORTH MOBILE NURSING AND REHABILITATION CTR
015183	04/22/2011	05/25/2011	NORTH MOBILE NURSING AND REHABILITATION CTR
015183	04/22/2011	05/26/2011	NORTH MOBILE NURSING AND REHABILITATION CTR
015183	04/22/2011	05/16/2011	NORTH MOBILE NURSING AND REHABILITATION CTR
015183	04/22/2011	05/25/2011	NORTH MOBILE NURSING AND REHABILITATION CTR
015183	04/22/2011	04/25/2011	NORTH MOBILE NURSING AND REHABILITATION CTR

4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996
4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996
4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996
4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996
4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996
4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996
4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996
4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996
4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996
4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996
4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996

FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

corridors or aisles that are unobstructed and are at least 8 feet in width.	Some	2
other fire safety features required by fire safety codes.	Few	2
properly installed electrical wiring and equipment.	Some	2
Provide special eating equipment and utensils for each resident who needs them.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Some	2
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
record of quarterly fire drills for each shift under varying conditions.	Many	1
a fire alarm system that can be heard throughout the facility.	Some	2
portable fire extinguishers.	Some	1

			REHABILITATION CTR
015183	04/22/2011	Not Available	NORTH MOBILE NURSING AND REHABILITATION CTR
015183	06/14/2012	07/18/2012	NORTH MOBILE NURSING AND REHABILITATION CTR
015183	06/14/2012	07/18/2012	NORTH MOBILE NURSING AND REHABILITATION CTR
015183	06/14/2012	07/18/2012	NORTH MOBILE NURSING AND REHABILITATION CTR
015183	06/14/2012	07/18/2012	NORTH MOBILE NURSING AND REHABILITATION CTR
015183	06/14/2012	07/18/2012	NORTH MOBILE NURSING AND REHABILITATION CTR

ROAD				
4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996
4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996
4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996
4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996
4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996
4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies

weekly inspections and monthly testing of generators.	Few	2
Keep each resident's personal and medical records private and confidential.	Few	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2

015183	06/21/2012	07/26/2012	NORTH MOBILE NURSING AND REHABILITATION CTR
015183	06/21/2012	Not Available	NORTH MOBILE NURSING AND REHABILITATION CTR
015183	06/21/2012	07/26/2012	NORTH MOBILE NURSING AND REHABILITATION CTR
015183	06/21/2012	Not Available	NORTH MOBILE NURSING AND REHABILITATION CTR
015183	06/21/2012	07/26/2012	NORTH MOBILE NURSING AND REHABILITATION CTR
015183	06/21/2012	07/26/2012	NORTH MOBILE NURSING AND REHABILITATION CTR
015183	06/21/2012	07/26/2012	NORTH MOBILE NURSING AND REHABILITATION CTR
015183	06/21/2012	07/26/2012	NORTH MOBILE NURSING AND REHABILITATION CTR
015183	06/21/2012	Not Available	NORTH MOBILE NURSING AND REHABILITATION CTR
015183	06/21/2012	07/26/2012	NORTH MOBILE NURSING AND REHABILITATION CTR

4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996
4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996
4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996
4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996
4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996
4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996
4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996
4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996
4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996
4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996
4525 ST STEPHENS ROAD	EIGHT MILE	AL	36613	2514520996

FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies

corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
exits that are accessible at all times.	Many	1
a fire alarm system that can be heard throughout the facility.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
automatic sprinkler systems that have been maintained in working order.	Few	2
properly protected cooking facilities.	Few	2
exits that are free from obstructions and can be used at all times.	Some	2
weekly inspections and monthly testing of generators.	Many	2
properly installed electrical wiring and equipment.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015184	08/27/2009	09/30/2009	CLOVERDALE MANOR
015184	08/27/2009	09/30/2009	CLOVERDALE MANOR
015184	09/02/2009	09/30/2009	CLOVERDALE MANOR
015184	09/02/2009	09/30/2009	CLOVERDALE MANOR
015184	11/11/2010	12/16/2010	CLOVERDALE MANOR
015184	11/17/2010	12/16/2010	CLOVERDALE MANOR
015184	11/17/2010	12/16/2010	CLOVERDALE MANOR
015184	11/17/2010	12/16/2010	CLOVERDALE MANOR

412 CLOVERDALE ROAD	SCOTTSBORO	AL	35768	2562591505
412 CLOVERDALE ROAD	SCOTTSBORO	AL	35768	2562591505
412 CLOVERDALE ROAD	SCOTTSBORO	AL	35768	2562591505
412 CLOVERDALE ROAD	SCOTTSBORO	AL	35768	2562591505
412 CLOVERDALE ROAD	SCOTTSBORO	AL	35768	2562591505
412 CLOVERDALE ROAD	SCOTTSBORO	AL	35768	2562591505
412 CLOVERDALE ROAD	SCOTTSBORO	AL	35768	2562591505
412 CLOVERDALE ROAD	SCOTTSBORO	AL	35768	2562591505
412 CLOVERDALE ROAD	SCOTTSBORO	AL	35768	2562591505

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies

Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Many	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
emergency lighting that can last at least 1 1/2 hours.	Some	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2

015184	11/17/2010	12/16/2010	CLOVERDALE MANOR
015184	12/14/2011	01/18/2012	CLOVERDALE MANOR
015184	12/14/2011	01/18/2012	CLOVERDALE MANOR
015184	12/14/2011	01/18/2012	CLOVERDALE MANOR
015184	12/14/2011	01/18/2012	CLOVERDALE MANOR
015184	12/15/2011	01/19/2012	CLOVERDALE MANOR
015184	12/15/2011	01/19/2012	CLOVERDALE MANOR
015186	09/02/2009	10/06/2009	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	09/02/2009	10/06/2009	GLEN HAVEN HEALTH AND REHABILITATION, LLC

412 CLOVERDALE ROAD	SCOTTSBORO	AL	35768	2562591505
412 CLOVERDALE ROAD	SCOTTSBORO	AL	35768	2562591505
412 CLOVERDALE ROAD	SCOTTSBORO	AL	35768	2562591505
412 CLOVERDALE ROAD	SCOTTSBORO	AL	35768	2562591505
412 CLOVERDALE ROAD	SCOTTSBORO	AL	35768	2562591505
412 CLOVERDALE ROAD	SCOTTSBORO	AL	35768	2562591505
412 CLOVERDALE ROAD	SCOTTSBORO	AL	35768	2562591505
2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Quality Care Deficiencies

a separate and independent backup electrical power source.	Few	2
exits that are accessible at all times.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
a separate and independent backup electrical power source.	Some	2
properly installed electrical wiring and equipment.	Few	2
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Many	2
Store, cook, and serve food in a safe and clean way.	Many	2
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Few	2
Provide care by qualified persons according to each resident's written plan of care.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015186	09/02/2009	10/06/2009	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	09/02/2009	10/06/2009	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	09/03/2009	10/08/2009	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	09/03/2009	10/08/2009	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	09/03/2009	10/08/2009	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	09/03/2009	10/08/2009	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	09/03/2009	10/08/2009	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	09/03/2009	10/08/2009	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	11/11/2010	12/11/2010	GLEN HAVEN HEALTH AND REHABILITATION, LLC

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies

written plan of care.		
Store, cook, and serve food in a safe and clean way.	Some	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
did not have a written emergency evacuation plan.	Many	1
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
properly protected cooking facilities.	Few	2
proper medical gas storage and administration areas.	Many	1
properly installed electrical wiring and equipment.	Few	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015186	11/11/2010	12/11/2010	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	11/11/2010	12/11/2010	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	11/11/2010	12/11/2010	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	12/02/2010	01/06/2011	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	12/02/2010	01/06/2011	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	12/02/2010	02/18/2011	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	12/02/2010	01/06/2011	GLEN HAVEN HEALTH AND REHABILITATION, LLC

2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies

individuality.		
Provide housekeeping and maintenance services.	Some	1
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Store, cook, and serve food in a safe and clean way.	Some	2
corridors that are separated from common areas by walls constructed to limit the passage of smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015186	12/02/2010	01/06/2011	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	12/02/2010	01/06/2011	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	12/02/2010	01/06/2011	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	12/02/2010	01/06/2011	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	12/02/2010	01/06/2011	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	12/02/2010	01/06/2011	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	10/27/2011	12/01/2011	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	10/27/2011	12/01/2011	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	10/27/2011	12/01/2011	GLEN HAVEN HEALTH AND REHABILITATION, LLC

2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies

an approved automatic sprinkler system connected to the fire alarm system.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Few	2
properly protected cooking facilities.	Few	2
proper construction of ducts through walls designed to prevent smoke passage.	Some	2
a separate and independent backup electrical power source.	Many	2
Make sure that each resident has the right to join in social, religious, and community activities.	Few	2
Provide housekeeping and maintenance services.	Some	2
Provide necessary care and services to maintain the highest well being of each resident .	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015186	10/27/2011	12/01/2011	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	10/27/2011	12/01/2011	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	10/27/2011	12/01/2011	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	11/01/2011	12/06/2011	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	11/01/2011	12/06/2011	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	11/01/2011	12/22/2011	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	11/01/2011	12/06/2011	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	11/01/2011	12/06/2011	GLEN HAVEN HEALTH AND REHABILITATION, LLC

2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies

well being of each resident .		
Store, cook, and serve food in a safe and clean way.	Many	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
protected exits that allow the resident to escape the building.	Some	2
exits that are accessible at all times.	Some	2

015186	11/01/2011	12/06/2011	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	11/01/2011	12/06/2011	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	11/01/2011	12/06/2011	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015186	11/01/2011	12/06/2011	GLEN HAVEN HEALTH AND REHABILITATION, LLC
015187	06/10/2010	07/05/2010	MOUNDVILLE HEALTH AND REHABILITATION, LLC
015187	06/10/2010	07/05/2010	MOUNDVILLE HEALTH AND REHABILITATION, LLC
015187	04/07/2011	04/29/2011	MOUNDVILLE HEALTH AND REHABILITATION, LLC
015187	04/07/2011	04/29/2011	MOUNDVILLE HEALTH AND REHABILITATION,

2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700
2201 32ND STREET	NORTHPORT	AL	35476	2053395700
THIRD AVENUE P O BOX 607	MOUNDVILLE	AL	35474	2053712252
THIRD AVENUE P O BOX 607	MOUNDVILLE	AL	35474	2053712252
THIRD AVENUE P O BOX 607	MOUNDVILLE	AL	35474	2053712252
THIRD AVENUE P O	MOUNDVILLE	AL	35474	2053712252

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

automatic sprinkler systems that have been maintained in working order.	Many	1
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Few	2
properly installed electrical wiring and equipment.	Many	2
a properly installed and maintained dumbwaiter or escalator.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
automatic sprinkler systems that have been maintained in working order.	Many	1
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Prepare food that is nutritional,	Many	2

			LLC
015187	04/12/2011	05/13/2011	MOUNDVILLE HEALTH AND REHABILITATION, LLC
015187	04/12/2011	05/13/2011	MOUNDVILLE HEALTH AND REHABILITATION, LLC
015187	04/12/2011	05/13/2011	MOUNDVILLE HEALTH AND REHABILITATION, LLC
015187	04/12/2011	05/13/2011	MOUNDVILLE HEALTH AND REHABILITATION, LLC
015187	04/12/2011	05/13/2011	MOUNDVILLE HEALTH AND REHABILITATION, LLC
015187	04/12/2011	05/13/2011	MOUNDVILLE HEALTH AND REHABILITATION, LLC
015187	04/12/2012	05/06/2012	MOUNDVILLE HEALTH AND REHABILITATION, LLC
015187	04/12/2012	05/06/2012	MOUNDVILLE HEALTH AND REHABILITATION, LLC

BOX 607

THIRD AVENUE BOX 607	P O	MOUNDVILLE	AL	35474	2053712252
THIRD AVENUE BOX 607	P O	MOUNDVILLE	AL	35474	2053712252
THIRD AVENUE BOX 607	P O	MOUNDVILLE	AL	35474	2053712252
THIRD AVENUE BOX 607	P O	MOUNDVILLE	AL	35474	2053712252
THIRD AVENUE BOX 607	P O	MOUNDVILLE	AL	35474	2053712252
THIRD AVENUE BOX 607	P O	MOUNDVILLE	AL	35474	2053712252
THIRD AVENUE BOX 607	P O	MOUNDVILLE	AL	35474	2053712252
THIRD AVENUE BOX 607	P O	MOUNDVILLE	AL	35474	2053712252

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies

appetizing, tasty, attractive, well-cooked, and at the right temperature.		
corridor and hallway doors that block smoke.	Few	2
exits that are accessible at all times.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
restrictions on the use of portable space heaters.	Some	1
a separate and independent backup electrical power source.	Many	1
properly installed electrical wiring and equipment.	Some	2
Coordinate assessments with the pre-admission screening and resident review program for mentally-ill and mentally-retarded patients.	Few	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015187	04/16/2012	05/21/2012	MOUNDVILLE HEALTH AND REHABILITATION, LLC
015187	04/16/2012	05/21/2012	MOUNDVILLE HEALTH AND REHABILITATION, LLC
015187	04/16/2012	05/21/2012	MOUNDVILLE HEALTH AND REHABILITATION, LLC
015187	04/16/2012	05/21/2012	MOUNDVILLE HEALTH AND REHABILITATION, LLC
015187	04/16/2012	05/21/2012	MOUNDVILLE HEALTH AND REHABILITATION, LLC
015187	04/16/2012	05/21/2012	MOUNDVILLE HEALTH AND REHABILITATION, LLC
015188	07/01/2010	08/05/2010	JACKSON HEALTH CARE FACILITY
015188	07/01/2010	08/05/2010	JACKSON HEALTH CARE FACILITY
015188	07/01/2010	08/05/2010	JACKSON HEALTH CARE FACILITY

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

THIRD AVENUE BOX 607	P O	MOUNDVILLE	AL	35474	2053712252
THIRD AVENUE BOX 607	P O	MOUNDVILLE	AL	35474	2053712252
THIRD AVENUE BOX 607	P O	MOUNDVILLE	AL	35474	2053712252
THIRD AVENUE BOX 607	P O	MOUNDVILLE	AL	35474	2053712252
THIRD AVENUE BOX 607	P O	MOUNDVILLE	AL	35474	2053712252
THIRD AVENUE BOX 607	P O	MOUNDVILLE	AL	35474	2053712252
2616 NORTH COLLEGE AVENUE		JACKSON	AL	36545	2512462476
2616 NORTH COLLEGE AVENUE		JACKSON	AL	36545	2512462476
2616 NORTH COLLEGE AVENUE		JACKSON	AL	36545	2512462476

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies

vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.		
signs that state that exit doors are to be kept closed.	Many	1
exits that are accessible at all times.	Some	2
proper backup exit lighting.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
weekly inspections and monthly testing of generators.	Some	1
properly installed electrical wiring and equipment.	Some	1
Conduct initial and periodic assessments of each resident's functional capacity.	Few	2
Allow the resident the right to participate in the planning or revision of the resident's care plan.	Few	2
Make sure services provided by the nursing facility meet	Few	2

015188	07/01/2010	08/05/2010	JACKSON HEALTH CARE FACILITY
015188	07/07/2010	08/06/2010	JACKSON HEALTH CARE FACILITY
015188	07/07/2010	08/06/2010	JACKSON HEALTH CARE FACILITY
015188	07/07/2010	08/06/2010	JACKSON HEALTH CARE FACILITY
015188	07/07/2010	08/06/2010	JACKSON HEALTH CARE FACILITY
015188	05/05/2011	06/09/2011	JACKSON HEALTH CARE FACILITY
015188	05/11/2011	06/03/2011	JACKSON HEALTH CARE FACILITY
015188	05/11/2011	06/03/2011	JACKSON HEALTH CARE FACILITY

COLLEGE AVENUE				
2616 NORTH COLLEGE AVENUE	JACKSON	AL	36545	2512462476
2616 NORTH COLLEGE AVENUE	JACKSON	AL	36545	2512462476
2616 NORTH COLLEGE AVENUE	JACKSON	AL	36545	2512462476
2616 NORTH COLLEGE AVENUE	JACKSON	AL	36545	2512462476
2616 NORTH COLLEGE AVENUE	JACKSON	AL	36545	2512462476
2616 NORTH COLLEGE AVENUE	JACKSON	AL	36545	2512462476
2616 NORTH COLLEGE AVENUE	JACKSON	AL	36545	2512462476
2616 NORTH COLLEGE AVENUE	JACKSON	AL	36545	2512462476
2616 NORTH COLLEGE AVENUE	JACKSON	AL	36545	2512462476

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

the nursing facility meet professional standards of quality.		
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
corridor and hallway doors that block smoke.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
properly protected cooking facilities.	Few	2
properly installed electrical wiring and equipment.	Some	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Many	1
portable fire extinguishers.	Many	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015188	04/05/2012	04/20/2012	JACKSON HEALTH CARE FACILITY
015188	04/13/2012	05/18/2012	JACKSON HEALTH CARE FACILITY
015188	04/13/2012	05/18/2012	JACKSON HEALTH CARE FACILITY
015189	07/30/2009	09/11/2009	GOLDEN LIVING CENTER - PELL CITY
015189	07/30/2009	09/11/2009	GOLDEN LIVING CENTER - PELL CITY
015189	07/30/2009	09/11/2009	GOLDEN LIVING CENTER - PELL CITY
015189	07/30/2009	09/11/2009	GOLDEN LIVING CENTER - PELL CITY
015189	07/30/2009	09/11/2009	GOLDEN LIVING CENTER - PELL CITY
015189	08/05/2009	09/03/2009	GOLDEN LIVING CENTER - PELL CITY

COLLEGE AVENUE				
2616 NORTH COLLEGE AVENUE	JACKSON	AL	36545	2512462476
2616 NORTH COLLEGE AVENUE	JACKSON	AL	36545	2512462476
2616 NORTH COLLEGE AVENUE	JACKSON	AL	36545	2512462476
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

Put firmly secured handrails on each side of hallways.	Many	2
corridor and hallway doors that block smoke.	Some	1
properly protected cooking facilities.	Few	2
Try to resolve each resident's complaints quickly.	Some	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
Post nurse staffing information/data on a daily basis.	Many	1
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Few	2
record of quarterly fire drills for each shift under varying	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015189	08/05/2009	09/03/2009	GOLDEN LIVING CENTER - PELL CITY
015189	08/05/2009	09/03/2009	GOLDEN LIVING CENTER - PELL CITY
015189	08/05/2009	09/03/2009	GOLDEN LIVING CENTER - PELL CITY
015189	08/22/2010	09/26/2010	GOLDEN LIVING CENTER - PELL CITY
015189	08/22/2010	09/26/2010	GOLDEN LIVING CENTER - PELL CITY
015189	08/22/2010	09/26/2010	GOLDEN LIVING CENTER - PELL CITY
015189	08/22/2010	09/26/2010	GOLDEN LIVING CENTER - PELL CITY
015189	08/22/2010	09/26/2010	GOLDEN LIVING CENTER - PELL CITY

ROAD, NORTH				
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

each shift under varying conditions.		
a fire alarm system that can be heard throughout the facility.	Many	1
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
exits that are free from obstructions and can be used at all times.	Many	1
Maintain comfortable and safe temperature levels.	Few	2
Review or revise the resident's care plan after any major change in a resident's physical or mental health.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015189	08/22/2010	09/26/2010	GOLDEN LIVING CENTER - PELL CITY
015189	08/22/2010	09/26/2010	GOLDEN LIVING CENTER - PELL CITY
015189	08/22/2010	09/26/2010	GOLDEN LIVING CENTER - PELL CITY
015189	08/22/2010	09/26/2010	GOLDEN LIVING CENTER - PELL CITY
015189	08/24/2010	09/27/2010	GOLDEN LIVING CENTER - PELL CITY
015189	08/24/2010	09/27/2010	GOLDEN LIVING CENTER - PELL CITY
015189	08/24/2010	09/27/2010	GOLDEN LIVING CENTER - PELL CITY

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329
510 WOLF CREEK	PELL CITY	AL	35125	2053383329

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies

without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.		
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Many	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
protected exits that allow the resident to escape the building.	Few	2
exits that are accessible at all	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015189	08/24/2010	09/27/2010	GOLDEN LIVING CENTER - PELL CITY
015189	08/24/2010	09/27/2010	GOLDEN LIVING CENTER - PELL CITY
015189	08/24/2010	09/27/2010	GOLDEN LIVING CENTER - PELL CITY
015189	08/24/2010	09/27/2010	GOLDEN LIVING CENTER - PELL CITY
015189	08/24/2010	09/27/2010	GOLDEN LIVING CENTER - PELL CITY
015189	08/24/2010	09/27/2010	GOLDEN LIVING CENTER - PELL CITY
015189	07/21/2011	08/24/2011	GOLDEN LIVING CENTER - PELL CITY
015189	07/26/2011	08/26/2011	GOLDEN LIVING CENTER - PELL CITY
015189	07/26/2011	10/07/2011	GOLDEN LIVING CENTER - PELL CITY
015189	07/26/2011	10/07/2011	GOLDEN LIVING CENTER - PELL CITY
015189	07/26/2011	08/26/2011	GOLDEN LIVING CENTER - PELL CITY

ROAD, NORTH				
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329
510 WOLF CREEK ROAD, NORTH	PELL CITY	AL	35125	2053383329
510 WOLF CREEK	PELL CITY	AL	35125	2053383329

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies
FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies

times.		
proper backup exit lighting.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2
exits that are free from obstructions and can be used at all times.	Many	1
other fire safety features required by fire safety codes.	Few	2
weekly inspections and monthly testing of generators.	Few	2
properly installed electrical wiring and equipment.	Some	2
Provide necessary care and services to maintain the highest well being of each resident .	Some	2
approved construction type or materials.	Some	2
exits that are accessible at all times.	Many	2
restrictions on the use of flammable curtains.	Many	2
weekly inspections and monthly	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015191	02/24/2010	03/31/2010	BROWN NURSING HOME
015191	02/24/2010	03/31/2010	BROWN NURSING HOME
015191	02/24/2010	03/31/2010	BROWN NURSING HOME
015191	03/02/2010	04/01/2010	BROWN NURSING HOME
015191	03/02/2010	04/01/2010	BROWN NURSING HOME
015191	03/02/2010	04/01/2010	BROWN NURSING HOME
015191	03/02/2010	04/01/2010	BROWN NURSING HOME
015191	01/06/2011	02/10/2011	BROWN NURSING HOME

ROAD, NORTH				
2334 WASHINGTON STREET	ALEXANDER CITY	AL	35010	2563299061
2334 WASHINGTON STREET	ALEXANDER CITY	AL	35010	2563299061
2334 WASHINGTON STREET	ALEXANDER CITY	AL	35010	2563299061
2334 WASHINGTON STREET	ALEXANDER CITY	AL	35010	2563299061
2334 WASHINGTON STREET	ALEXANDER CITY	AL	35010	2563299061
2334 WASHINGTON STREET	ALEXANDER CITY	AL	35010	2563299061
2334 WASHINGTON STREET	ALEXANDER CITY	AL	35010	2563299061
2334 WASHINGTON STREET	ALEXANDER CITY	AL	35010	2563299061

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Quality Care Deficiencies

testing of generators.		
Assist those residents who need total help with eating/drinking, grooming and personal and oral hygiene.	Few	2
Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
a fire alarm system that can be heard throughout the facility.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
Assist those residents who need total help with eating/drinking, grooming and personal and oral	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015191	01/12/2011	02/14/2011	BROWN NURSING HOME
015191	01/12/2011	02/14/2011	BROWN NURSING HOME
015191	01/12/2011	02/14/2011	BROWN NURSING HOME
015191	01/12/2011	02/14/2011	BROWN NURSING HOME
015191	01/12/2011	02/14/2011	BROWN NURSING HOME
015191	01/12/2011	02/14/2011	BROWN NURSING HOME
015191	11/02/2011	12/07/2011	BROWN NURSING HOME
015191	11/02/2011	12/07/2011	BROWN NURSING HOME

2334 WASHINGTON STREET	ALEXANDER CITY	AL	35010	2563299061
2334 WASHINGTON STREET	ALEXANDER CITY	AL	35010	2563299061
2334 WASHINGTON STREET	ALEXANDER CITY	AL	35010	2563299061
2334 WASHINGTON STREET	ALEXANDER CITY	AL	35010	2563299061
2334 WASHINGTON STREET	ALEXANDER CITY	AL	35010	2563299061
2334 WASHINGTON STREET	ALEXANDER CITY	AL	35010	2563299061
2334 WASHINGTON STREET	ALEXANDER CITY	AL	35010	2563299061
2334 WASHINGTON STREET	ALEXANDER CITY	AL	35010	2563299061

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

grooming and personal and oral hygiene.		
corridor and hallway doors that block smoke.	Few	2
properly located and lighted "Exit" signs.	Few	2
record of quarterly fire drills for each shift under varying conditions.	Some	1
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Few	2
exits that are free from obstructions and can be used at all times.	Some	2
a separate and independent backup electrical power source.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Some	2

015191	11/02/2011	12/07/2011	BROWN NURSING HOME
015191	11/02/2011	12/07/2011	BROWN NURSING HOME
015191	11/02/2011	12/07/2011	BROWN NURSING HOME
015191	11/02/2011	12/07/2011	BROWN NURSING HOME
015191	11/02/2011	12/07/2011	BROWN NURSING HOME
015192	03/04/2010	04/08/2010	ARBOR SPRINGS HEALTH AND REHAB CENTER, LTD
015192	03/04/2010	04/08/2010	ARBOR SPRINGS HEALTH AND REHAB CENTER, LTD
015192	03/04/2010	04/08/2010	ARBOR SPRINGS HEALTH AND REHAB CENTER, LTD
015192	03/11/2010	04/03/2010	ARBOR SPRINGS HEALTH AND REHAB

2334 WASHINGTON STREET	ALEXANDER CITY	AL	35010	2563299061
2334 WASHINGTON STREET	ALEXANDER CITY	AL	35010	2563299061
2334 WASHINGTON STREET	ALEXANDER CITY	AL	35010	2563299061
2334 WASHINGTON STREET	ALEXANDER CITY	AL	35010	2563299061
2334 WASHINGTON STREET	ALEXANDER CITY	AL	35010	2563299061
1910 PEPPERELL PKWY	OPELIKA	AL	36801	3347491471
1910 PEPPERELL PKWY	OPELIKA	AL	36801	3347491471
1910 PEPPERELL PKWY	OPELIKA	AL	36801	3347491471
1910 PEPPERELL	OPELIKA	AL	36801	3347491471

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies

posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Some	2
a separate and independent backup electrical power source.	Some	2
properly installed electrical wiring and equipment.	Few	2
Hire sufficient dietary support personnel.	Many	2
Store, cook, and serve food in a safe and clean way.	Many	2
Review or revise the resident's care plan after any major change in a resident's physical or mental health.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
At least once a month, have a licensed pharmacist review each resident's medication(s) and report any irregularities to the attending doctor.	Few	2
corridor and hallway doors that	Many	1

015192		04/03/2010	ARBOR SPRINGS HEALTH AND REHAB CENTER, LTD
015192	03/11/2010	04/03/2010	ARBOR SPRINGS HEALTH AND REHAB CENTER, LTD
015192	03/11/2010	04/03/2010	ARBOR SPRINGS HEALTH AND REHAB CENTER, LTD
015192	03/11/2010	04/03/2010	ARBOR SPRINGS HEALTH AND REHAB CENTER, LTD
015192	03/11/2010	04/03/2010	ARBOR SPRINGS HEALTH AND REHAB CENTER, LTD
015192	03/11/2010	04/03/2010	ARBOR SPRINGS HEALTH AND REHAB CENTER, LTD
015192	03/11/2010	04/03/2010	ARBOR SPRINGS HEALTH AND REHAB CENTER, LTD
015192	03/11/2010	04/03/2010	ARBOR SPRINGS HEALTH AND REHAB CENTER, LTD
015192	03/11/2010	04/03/2010	ARBOR SPRINGS HEALTH AND REHAB CENTER, LTD
015192	03/11/2010	04/03/2010	ARBOR SPRINGS HEALTH AND REHAB CENTER, LTD
015192	03/03/2011	04/07/2011	ARBOR SPRINGS HEALTH AND REHAB

1910 PEPPERELL PKWY	OPELIKA	AL	36801	3347491471
1910 PEPPERELL PKWY	OPELIKA	AL	36801	3347491471
1910 PEPPERELL PKWY	OPELIKA	AL	36801	3347491471
1910 PEPPERELL PKWY	OPELIKA	AL	36801	3347491471
1910 PEPPERELL PKWY	OPELIKA	AL	36801	3347491471
1910 PEPPERELL PKWY	OPELIKA	AL	36801	3347491471
1910 PEPPERELL PKWY	OPELIKA	AL	36801	3347491471
1910 PEPPERELL PKWY	OPELIKA	AL	36801	3347491471
1910 PEPPERELL PKWY	OPELIKA	AL	36801	3347491471
1910 PEPPERELL PKWY	OPELIKA	AL	36801	3347491471
1910 PEPPERELL	OPELIKA	AL	36801	3347491471

FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies

corridor and hallway doors that block smoke.	Many	1
smoke barrier doors that can resist smoke for at least 20 minutes.	Many	1
exits that are accessible at all times.	Many	2
did not have a written emergency evacuation plan.	Few	2
record of quarterly fire drills for each shift under varying conditions.	Few	2
properly maintained smoke detectors.	Few	2
automatic sprinkler systems that have been maintained in working order.	Few	2
properly protected cooking facilities.	Few	2
exits that are free from obstructions and can be used at all times.	Many	2
properly installed electrical wiring and equipment.	Many	1
Follow policies and procedures to	Few	2

			CENTER, LTD
015192	03/03/2011	04/07/2011	ARBOR SPRINGS HEALTH AND REHAB CENTER, LTD
015192	03/03/2011	04/07/2011	ARBOR SPRINGS HEALTH AND REHAB CENTER, LTD
015192	03/08/2011	04/12/2011	ARBOR SPRINGS HEALTH AND REHAB CENTER, LTD
015192	03/08/2011	04/12/2011	ARBOR SPRINGS HEALTH AND REHAB CENTER, LTD
015192	03/29/2012	04/30/2012	ARBOR SPRINGS HEALTH AND REHAB CENTER, LTD
015192	03/29/2012	04/30/2012	ARBOR SPRINGS HEALTH AND REHAB

PKWY				
1910 PEPPERELL PKWY	OPELIKA	AL	36801	3347491471
1910 PEPPERELL PKWY	OPELIKA	AL	36801	3347491471
1910 PEPPERELL PKWY	OPELIKA	AL	36801	3347491471
1910 PEPPERELL PKWY	OPELIKA	AL	36801	3347491471
1910 PEPPERELL PKWY	OPELIKA	AL	36801	3347491471
1910 PEPPERELL	OPELIKA	AL	36801	3347491471

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies

convey the resident's personal funds to the appropriate party responsible after the resident's death.		
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Assist those residents who need total help with eating/drinking, grooming and personal and oral hygiene.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Many	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	1
Give each resident a notice of rights, rules, services and charges. Tell each resident who can get Medicaid benefits about 1) which items and services Medicaid covers and which the resident must pay for.	Few	2
Make sure that each resident	Few	2

			CENTER, LTD
015192	03/29/2012	04/30/2012	ARBOR SPRINGS HEALTH AND REHAB CENTER, LTD
015192	04/03/2012	05/04/2012	ARBOR SPRINGS HEALTH AND REHAB CENTER, LTD
015192	04/03/2012	05/04/2012	ARBOR SPRINGS HEALTH AND REHAB CENTER, LTD
015192	04/03/2012	05/04/2012	ARBOR SPRINGS HEALTH AND REHAB CENTER, LTD
015193	06/17/2010	07/22/2010	CROWNE HEALTH CARE OF GREENVILLE
015193	06/23/2010	07/22/2010	CROWNE HEALTH CARE OF GREENVILLE
015193	06/23/2010	07/22/2010	CROWNE HEALTH CARE OF GREENVILLE

PKWY				
1910 PEPPERELL PKWY	OPELIKA	AL	36801	3347491471
1910 PEPPERELL PKWY	OPELIKA	AL	36801	3347491471
1910 PEPPERELL PKWY	OPELIKA	AL	36801	3347491471
1910 PEPPERELL PKWY	OPELIKA	AL	36801	3347491471
408 COUNTRY CLUB DRIVE	GREENVILLE	AL	36037	3343822693
408 COUNTRY CLUB DRIVE	GREENVILLE	AL	36037	3343822693
408 COUNTRY CLUB	GREENVILLE	AL	36037	3343822693

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Administration Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies

who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.		
Post nurse staffing information/data on a daily basis.	Many	1
corridors that are separated from common areas by walls constructed to limit the passage of smoke.	Few	2
exit doors that are held open by devices that will automatically close on the activation of a fire alarm or smoke detectors.	Few	2
automatic sprinkler systems that have been maintained in working order.	Some	1
Have a program that investigates, controls and keeps infection from spreading.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all	Few	2

015193	06/23/2010	07/22/2010	CROWNE HEALTH CARE OF GREENVILLE
015193	06/23/2010	07/22/2010	CROWNE HEALTH CARE OF GREENVILLE
015193	06/23/2010	07/22/2010	CROWNE HEALTH CARE OF GREENVILLE
015193	06/23/2010	07/22/2010	CROWNE HEALTH CARE OF GREENVILLE
015193	06/23/2010	07/22/2010	CROWNE HEALTH CARE OF GREENVILLE
015193	06/23/2010	07/22/2010	CROWNE HEALTH CARE OF GREENVILLE
015193	05/05/2011	06/09/2011	CROWNE HEALTH CARE OF GREENVILLE
015193	05/05/2011	06/09/2011	CROWNE HEALTH CARE OF GREENVILLE
015193	05/09/2011	06/13/2011	CROWNE HEALTH CARE OF GREENVILLE
015193	05/09/2011	05/11/2011	CROWNE HEALTH CARE OF GREENVILLE

DRIVE				
408 COUNTRY CLUB DRIVE	GREENVILLE	AL	36037	3343822693
408 COUNTRY CLUB DRIVE	GREENVILLE	AL	36037	3343822693
408 COUNTRY CLUB DRIVE	GREENVILLE	AL	36037	3343822693
408 COUNTRY CLUB DRIVE	GREENVILLE	AL	36037	3343822693
408 COUNTRY CLUB DRIVE	GREENVILLE	AL	36037	3343822693
408 COUNTRY CLUB DRIVE	GREENVILLE	AL	36037	3343822693
408 COUNTRY CLUB DRIVE	GREENVILLE	AL	36037	3343822693
408 COUNTRY CLUB DRIVE	GREENVILLE	AL	36037	3343822693
408 COUNTRY CLUB DRIVE	GREENVILLE	AL	36037	3343822693
408 COUNTRY CLUB DRIVE	GREENVILLE	AL	36037	3343822693

FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies

times.		
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
properly maintained smoke detectors.	Some	2
properly protected cooking facilities.	Few	2
restrictions on the use of flammable curtains.	Many	1
other fire safety features required by fire safety codes.	Many	1
properly installed electrical wiring and equipment.	Some	2
Make sure that residents with reduced range of motion get proper treatment and services to increase range of motion.	Few	2
Store, cook, and serve food in a safe and clean way.	Few	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Few	2
an approved installation, maintenance and testing program	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015193	05/09/2011	05/12/2011	CROWNE HEALTH CARE OF GREENVILLE
015193	05/09/2011	06/13/2011	CROWNE HEALTH CARE OF GREENVILLE
015193	04/19/2012	05/24/2012	CROWNE HEALTH CARE OF GREENVILLE
015193	04/19/2012	05/24/2012	CROWNE HEALTH CARE OF GREENVILLE
015193	04/19/2012	05/24/2012	CROWNE HEALTH CARE OF GREENVILLE
015194	11/19/2009	12/22/2009	PIEDMONT HEALTH CARE CENTER
015194	11/19/2009	12/22/2009	PIEDMONT HEALTH CARE CENTER

408 COUNTRY CLUB DRIVE	GREENVILLE	AL	36037	3343822693
408 COUNTRY CLUB DRIVE	GREENVILLE	AL	36037	3343822693
408 COUNTRY CLUB DRIVE	GREENVILLE	AL	36037	3343822693
408 COUNTRY CLUB DRIVE	GREENVILLE	AL	36037	3343822693
408 COUNTRY CLUB DRIVE	GREENVILLE	AL	36037	3343822693
30 ROUNDTREE DRIVE	PIEDMONT	AL	36272	2564478258
30 ROUNDTREE DRIVE	PIEDMONT	AL	36272	2564478258

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

for fire alarm systems.		
portable fire extinguishers.	Many	1
weekly inspections and monthly testing of generators.	Many	1
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Hire a qualified dietician.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015194	11/19/2009	12/22/2009	PIEDMONT HEALTH CARE CENTER
015194	12/02/2009	12/21/2009	PIEDMONT HEALTH CARE CENTER
015194	12/02/2009	12/21/2009	PIEDMONT HEALTH CARE CENTER
015194	12/02/2009	12/21/2009	PIEDMONT HEALTH CARE CENTER
015194	10/29/2010	12/02/2010	PIEDMONT HEALTH CARE CENTER
015194	10/29/2010	12/02/2010	PIEDMONT HEALTH CARE CENTER
015194	10/29/2010	12/02/2010	PIEDMONT HEALTH CARE CENTER

30 ROUNDTREE DRIVE	PIEDMONT	AL	36272	2564478258
30 ROUNDTREE DRIVE	PIEDMONT	AL	36272	2564478258
30 ROUNDTREE DRIVE	PIEDMONT	AL	36272	2564478258
30 ROUNDTREE DRIVE	PIEDMONT	AL	36272	2564478258
30 ROUNDTREE DRIVE	PIEDMONT	AL	36272	2564478258
30 ROUNDTREE DRIVE	PIEDMONT	AL	36272	2564478258
30 ROUNDTREE DRIVE	PIEDMONT	AL	36272	2564478258

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

Have a program that investigates, controls and keeps infection from spreading.	Few	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Some	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015194	10/29/2010	12/02/2010	PIEDMONT HEALTH CARE CENTER
015194	10/29/2010	12/02/2010	PIEDMONT HEALTH CARE CENTER
015194	10/29/2010	12/02/2010	PIEDMONT HEALTH CARE CENTER
015194	11/04/2010	11/12/2010	PIEDMONT HEALTH CARE CENTER
015194	11/04/2010	11/10/2010	PIEDMONT HEALTH CARE CENTER
015194	11/04/2010	11/19/2010	PIEDMONT HEALTH CARE CENTER
015194	11/04/2010	11/30/2010	PIEDMONT HEALTH CARE CENTER
015194	11/22/2011	12/24/2011	PIEDMONT HEALTH CARE CENTER
015195	07/29/2010	08/20/2010	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

30 ROUNDTREE DRIVE	PIEDMONT	AL	36272	2564478258
30 ROUNDTREE DRIVE	PIEDMONT	AL	36272	2564478258
30 ROUNDTREE DRIVE	PIEDMONT	AL	36272	2564478258
30 ROUNDTREE DRIVE	PIEDMONT	AL	36272	2564478258
30 ROUNDTREE DRIVE	PIEDMONT	AL	36272	2564478258
30 ROUNDTREE DRIVE	PIEDMONT	AL	36272	2564478258
30 ROUNDTREE DRIVE	PIEDMONT	AL	36272	2564478258
30 ROUNDTREE DRIVE	PIEDMONT	AL	36272	2564478258
415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Resident Rights Deficiencies

followed.		
Store, cook, and serve food in a safe and clean way.	Many	2
Dispose of garbage and refuse properly.	Many	1
Have a program that investigates, controls and keeps infection from spreading.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Few	2
a separate and independent backup electrical power source.	Few	2
exits that are free from obstructions and can be used at all times.	Few	2
Provide care for each resident in a way that keeps or builds the	Few	2

			NURSING FACILITY
015195	07/29/2010	08/20/2010	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY
015195	07/29/2010	08/20/2010	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY
015195	07/29/2010	08/20/2010	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY
015195	07/29/2010	08/20/2010	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY
015195	07/29/2010	08/20/2010	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY

P O BOX 10				
415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221
415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221
415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221
415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221
415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Administration Deficiencies

a way that keeps or builds the resident's quality of life.		
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
1) Set up a group that is legally responsible for writing and setting up policies for leading and running the nursing home; or 2) hire a properly licensed administrator.	Many	2
Give or get quality lab services/tests in a timely manner to meet the needs of residents.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet	Few	2

015195	08/05/2010	09/02/2010	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY
015195	08/05/2010	09/02/2010	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY
015195	08/05/2010	09/02/2010	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY
015195	08/05/2010	09/02/2010	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY
015195	05/12/2011	06/16/2011	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY
015195	05/12/2011	06/16/2011	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY
015195	05/12/2011	06/16/2011	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY
015195	05/12/2011	06/16/2011	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY

415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221
415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221
415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221
415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221
415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221
415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221
415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221
415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies

professional standards.		
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
other fire safety features required by fire safety codes.	Few	2
weekly inspections and monthly testing of generators.	Some	2
Try to resolve each resident's complaints quickly.	Some	1
Provide housekeeping and maintenance services.	Few	2
Provide care by qualified persons according to each resident's written plan of care.	Few	2
1) Make sure that each resident's drug regimen is free from unnecessary drugs; 2) Each resident's entire drug/medication is managed and monitored to achieve highest well being.	Few	2

015195	05/12/2011	06/16/2011	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY
015195	05/12/2011	06/16/2011	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY
015195	05/18/2011	06/22/2011	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY
015195	05/18/2011	06/22/2011	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY
015195	05/18/2011	06/22/2011	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY
015195	05/18/2011	06/22/2011	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY
015195	05/18/2011	06/22/2011	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY
015195	05/18/2011	06/22/2011	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY
015195	05/18/2011	06/22/2011	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY
015195	05/18/2011	06/30/2011	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY

415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221
415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221
415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221
415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221
415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221
415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221
415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221
415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221
415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221
415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221
415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies

Store, cook, and serve food in a safe and clean way.	Many	2
Keep all essential equipment working safely.	Few	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Some	2
automatic sprinkler systems that have been maintained in working order.	Few	2
exits that are free from obstructions and can be used at all times.	Some	2
other fire safety features required by fire safety codes.	Few	2
a separate and independent backup electrical power source.	Many	1

015195	05/18/2011	06/22/2011	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY
015195	06/28/2012	07/13/2012	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY
015195	06/28/2012	07/13/2012	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY
015195	06/28/2012	07/13/2012	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY
015195	06/28/2012	07/13/2012	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY
015195	07/11/2012	07/30/2012	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY
015195	07/11/2012	07/30/2012	VILLAGE AT COOK SPRINGS SKILLED NURSING FACILITY
015196	09/16/2010	10/22/2010	GOLDEN LIVING CENTER - LANETT
015196	09/16/2010	10/22/2010	GOLDEN LIVING CENTER - LANETT

415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221
415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221
415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221
415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221
415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221
415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221
415 COOK SPRINGS P O BOX 10	COOK SPRINGS	AL	35052	2053382221
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies

properly installed electrical wiring and equipment.	Some	2
Keep each resident free from physical restraints, unless needed for medical treatment.	Few	2
Provide a safe, clean, comfortable and homelike environment.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Make sure there is a pest control program to prevent/deal with mice, insects, or other pests.	Few	2
exits that are accessible at all times.	Many	1
weekly inspections and monthly testing of generators.	Many	1
exit doors that are held open by devices that will automatically close on the activation of a fire alarm or smoke detectors.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2

015196	09/16/2010	11/30/2010	GOLDEN LIVING CENTER - LANETT
015196	09/16/2010	10/22/2010	GOLDEN LIVING CENTER - LANETT
015196	09/16/2010	11/30/2010	GOLDEN LIVING CENTER - LANETT
015196	09/16/2010	10/22/2010	GOLDEN LIVING CENTER - LANETT
015196	09/16/2010	10/22/2010	GOLDEN LIVING CENTER - LANETT
015196	09/16/2010	10/22/2010	GOLDEN LIVING CENTER - LANETT
015196	09/16/2010	10/22/2010	GOLDEN LIVING CENTER - LANETT
015196	09/16/2010	10/22/2010	GOLDEN LIVING CENTER - LANETT
015196	09/16/2010	11/30/2010	GOLDEN LIVING CENTER - LANETT
015196	09/16/2010	10/22/2010	GOLDEN LIVING CENTER - LANETT
015196	09/16/2010	10/22/2010	GOLDEN LIVING CENTER - LANETT
015196	09/16/2010	10/22/2010	GOLDEN LIVING CENTER - LANETT

702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH	LANETT	AL	36863	3346441111

FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies

exits that are accessible at all times.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
automatic sprinkler systems that have been maintained in working order.	Some	2
portable fire extinguishers.	Some	2
properly protected cooking facilities.	Few	2
restrictions on the use of flammable curtains.	Many	2
proper medical gas storage and administration areas.	Few	2
weekly inspections and monthly testing of generators.	Some	2
a separate and independent backup electrical power source.	Few	2
properly installed electrical wiring and equipment.	Some	2
back-up procedures in place for a faulty automatic sprinkler system.	Few	2
an approved back-up procedure	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015196	09/17/2010	10/20/2010	GOLDEN LIVING CENTER - LANETT
015196	09/17/2010	10/20/2010	GOLDEN LIVING CENTER - LANETT
015196	09/17/2010	10/20/2010	GOLDEN LIVING CENTER - LANETT
015196	09/17/2010	10/20/2010	GOLDEN LIVING CENTER - LANETT
015196	09/17/2010	10/20/2010	GOLDEN LIVING CENTER - LANETT
015196	09/17/2010	10/20/2010	GOLDEN LIVING CENTER - LANETT
015196	09/17/2010	10/20/2010	GOLDEN LIVING CENTER - LANETT

STREET				
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Rights Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies

for a faulty fire alarm system.		
Determine if it is safe for the resident to self-administer drugs.	Few	2
Conduct initial and periodic assessments of each resident's functional capacity.	Few	2
Review or revise the resident's care plan after any major change in a resident's physical or mental health.	Few	2
Completely assess the resident at least every twelve months.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015196	09/17/2010	10/20/2010	GOLDEN LIVING CENTER - LANETT
015196	09/17/2010	10/20/2010	GOLDEN LIVING CENTER - LANETT
015196	09/17/2010	10/20/2010	GOLDEN LIVING CENTER - LANETT
015196	09/17/2010	10/20/2010	GOLDEN LIVING CENTER - LANETT
015196	09/17/2010	10/20/2010	GOLDEN LIVING CENTER - LANETT
015196	09/17/2010	10/20/2010	GOLDEN LIVING CENTER - LANETT
015196	08/24/2011	09/26/2011	GOLDEN LIVING CENTER - LANETT

702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Pharmacy Service Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Resident Assessment Deficiencies

supervision to prevent avoidable accidents.		
Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Some	2
1) Provide 3 meals at regular times; 2) serve breakfast within 14 hours after dinner; or 3) offer a snack at bedtime each day.	Some	2
Store, cook, and serve food in a safe and clean way.	Many	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Some	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
Conduct initial and periodic assessments of each resident's functional capacity.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015196	08/24/2011	09/26/2011	GOLDEN LIVING CENTER - LANETT
015196	08/24/2011	09/26/2011	GOLDEN LIVING CENTER - LANETT
015196	08/29/2011	10/03/2011	GOLDEN LIVING CENTER - LANETT
015196	08/29/2011	10/03/2011	GOLDEN LIVING CENTER - LANETT
015196	08/29/2011	10/03/2011	GOLDEN LIVING CENTER - LANETT
015196	08/29/2011	10/03/2011	GOLDEN LIVING CENTER - LANETT
015196	05/03/2012	06/07/2012	GOLDEN LIVING CENTER - LANETT
015196	05/03/2012	06/07/2012	GOLDEN LIVING CENTER - LANETT
015196	05/03/2012	06/07/2012	GOLDEN LIVING CENTER - LANETT

702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH	LANETT	AL	36863	3346441111

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Environmental Deficiencies

Coordinate assessments with the pre-admission screening and resident review program for mentally-ill and mentally-retarded patients.	Few	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
record of quarterly fire drills for each shift under varying conditions.	Some	2
portable fire extinguishers.	Many	1
properly protected cooking facilities.	Many	1
Try to resolve each resident's complaints quickly.	Some	2
Keep each resident free from physical restraints, unless needed for medical treatment.	Some	2
Provide housekeeping and	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015196		06/07/2012	GOLDEN LIVING CENTER - LANETT
015196	05/03/2012	05/10/2012	GOLDEN LIVING CENTER - LANETT
015196	05/03/2012	06/07/2012	GOLDEN LIVING CENTER - LANETT
015196	05/03/2012	06/07/2012	GOLDEN LIVING CENTER - LANETT
015196	05/03/2012	06/07/2012	GOLDEN LIVING CENTER - LANETT
015196	05/03/2012	06/07/2012	GOLDEN LIVING CENTER - LANETT

702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

Provide housekeeping and maintenance services.	Some	2
Provide necessary care and services to maintain the highest well being of each resident .	Few	2
Assist those residents who need total help with eating/drinking, grooming and personal and oral hygiene.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Some	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Some	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015196	05/03/2012	06/07/2012	GOLDEN LIVING CENTER - LANETT
015196	05/03/2012	05/10/2012	GOLDEN LIVING CENTER - LANETT
015196	05/03/2012	06/07/2012	GOLDEN LIVING CENTER - LANETT
015196	05/03/2012	06/07/2012	GOLDEN LIVING CENTER - LANETT
015196	05/03/2012	06/07/2012	GOLDEN LIVING CENTER - LANETT
015196	05/10/2012	06/14/2012	GOLDEN LIVING CENTER - LANETT
015196	05/10/2012	06/14/2012	GOLDEN LIVING CENTER - LANETT

702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111
702 SOUTH 13TH STREET	LANETT	AL	36863	3346441111

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies

skills, if possible.		
Store, cook, and serve food in a safe and clean way.	Many	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Few	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Some	1
signs that state that exit doors are to be kept closed.	Many	1
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was	Some	1

015197	01/16/2010	02/20/2010	LAFAYETTE EXTENDED CARE
015197	01/16/2010	02/20/2010	LAFAYETTE EXTENDED CARE
015197	01/16/2010	02/20/2010	LAFAYETTE EXTENDED CARE
015197	01/16/2010	02/20/2010	LAFAYETTE EXTENDED CARE
015197	01/16/2010	02/20/2010	LAFAYETTE EXTENDED CARE
015197	01/16/2010	02/20/2010	LAFAYETTE EXTENDED CARE
015197	01/16/2010	02/20/2010	LAFAYETTE EXTENDED CARE

805 HOSPITAL STREET SOUTHWEST	LAFAYETTE	AL	36862	3348648854
805 HOSPITAL STREET SOUTHWEST	LAFAYETTE	AL	36862	3348648854
805 HOSPITAL STREET SOUTHWEST	LAFAYETTE	AL	36862	3348648854
805 HOSPITAL STREET SOUTHWEST	LAFAYETTE	AL	36862	3348648854
805 HOSPITAL STREET SOUTHWEST	LAFAYETTE	AL	36862	3348648854
805 HOSPITAL STREET SOUTHWEST	LAFAYETTE	AL	36862	3348648854
805 HOSPITAL STREET SOUTHWEST	LAFAYETTE	AL	36862	3348648854

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

allowed.		
Properly hold, secure and manage each resident's personal money which is deposited with the nursing home.	Few	2
Keep each resident's personal and medical records private and confidential.	Few	2
Provide housekeeping and maintenance services.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Some	2
Store, cook, and serve food in a safe and clean way.	Many	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015197	01/16/2010	02/20/2010	LAFAYETTE EXTENDED CARE
015197	01/21/2010	02/18/2010	LAFAYETTE EXTENDED CARE
015197	01/21/2010	02/18/2010	LAFAYETTE EXTENDED CARE
015197	01/21/2010	02/18/2010	LAFAYETTE EXTENDED CARE
015197	01/21/2010	02/18/2010	LAFAYETTE EXTENDED CARE
015197	01/21/2010	02/18/2010	LAFAYETTE EXTENDED CARE
015197	12/30/2010	02/03/2011	LAFAYETTE EXTENDED CARE
015197	12/30/2010	02/03/2011	LAFAYETTE EXTENDED CARE

805 HOSPITAL STREET SOUTHWEST	LAFAYETTE	AL	36862	3348648854
805 HOSPITAL STREET SOUTHWEST	LAFAYETTE	AL	36862	3348648854
805 HOSPITAL STREET SOUTHWEST	LAFAYETTE	AL	36862	3348648854
805 HOSPITAL STREET SOUTHWEST	LAFAYETTE	AL	36862	3348648854
805 HOSPITAL STREET SOUTHWEST	LAFAYETTE	AL	36862	3348648854
805 HOSPITAL STREET SOUTHWEST	LAFAYETTE	AL	36862	3348648854
805 HOSPITAL STREET SOUTHWEST	LAFAYETTE	AL	36862	3348648854
805 HOSPITAL STREET SOUTHWEST	LAFAYETTE	AL	36862	3348648854

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

Have a program that investigates, controls and keeps infection from spreading.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
properly protected cooking facilities.	Few	2
other fire safety features required by fire safety codes.	Some	2
Provide necessary care and services to maintain the highest well being of each resident .	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015197	12/30/2010	02/03/2011	LAFAYETTE EXTENDED CARE
015197	12/30/2010	02/03/2011	LAFAYETTE EXTENDED CARE
015197	12/30/2010	02/03/2011	LAFAYETTE EXTENDED CARE
015197	12/30/2010	02/03/2011	LAFAYETTE EXTENDED CARE
015197	01/19/2011	02/23/2011	LAFAYETTE EXTENDED CARE
015197	01/19/2011	02/23/2011	LAFAYETTE EXTENDED CARE
015197	01/19/2011	02/23/2011	LAFAYETTE EXTENDED CARE
015197	02/02/2012	03/01/2012	LAFAYETTE EXTENDED CARE

805 HOSPITAL STREET SOUTHWEST	LAFAYETTE	AL	36862	3348648854
805 HOSPITAL STREET SOUTHWEST	LAFAYETTE	AL	36862	3348648854
805 HOSPITAL STREET SOUTHWEST	LAFAYETTE	AL	36862	3348648854
805 HOSPITAL STREET SOUTHWEST	LAFAYETTE	AL	36862	3348648854
805 HOSPITAL STREET SOUTHWEST	LAFAYETTE	AL	36862	3348648854
805 HOSPITAL STREET SOUTHWEST	LAFAYETTE	AL	36862	3348648854
805 HOSPITAL STREET SOUTHWEST	LAFAYETTE	AL	36862	3348648854
805 HOSPITAL STREET SOUTHWEST	LAFAYETTE	AL	36862	3348648854

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies

bladder function.		
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Many	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
exits that are accessible at all times.	Some	2
proper backup exit lighting.	Many	1
corridor and hallway doors that block smoke.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015197	02/02/2012	03/01/2012	LAFAYETTE EXTENDED CARE
015197	02/02/2012	03/01/2012	LAFAYETTE EXTENDED CARE
015197	02/02/2012	03/01/2012	LAFAYETTE EXTENDED CARE
015197	02/02/2012	02/23/2012	LAFAYETTE EXTENDED CARE
015197	02/02/2012	02/23/2012	LAFAYETTE EXTENDED CARE
015197	02/02/2012	02/23/2012	LAFAYETTE EXTENDED CARE
015199	02/11/2010	03/18/2010	CROWNE HEALTH CARE OF EUFAULA
015199	02/11/2010	03/18/2010	CROWNE HEALTH CARE OF EUFAULA
015199	02/11/2010	03/18/2010	CROWNE HEALTH CARE OF EUFAULA

STREET SOUTHWEST				
805 HOSPITAL STREET SOUTHWEST	LAFAYETTE	AL	36862	3348648854
805 HOSPITAL STREET SOUTHWEST	LAFAYETTE	AL	36862	3348648854
805 HOSPITAL STREET SOUTHWEST	LAFAYETTE	AL	36862	3348648854
805 HOSPITAL STREET SOUTHWEST	LAFAYETTE	AL	36862	3348648854
805 HOSPITAL STREET SOUTHWEST	LAFAYETTE	AL	36862	3348648854
805 HOSPITAL STREET SOUTHWEST	LAFAYETTE	AL	36862	3348648854
430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627
430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627
430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

block smoke.		
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
other fire safety features required by fire safety codes.	Few	2
weekly inspections and monthly testing of generators.	Some	2
Provide necessary care and services to maintain the highest well being of each resident .	Few	2
Post nurse staffing information/data on a daily basis.	Many	1
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Assist those residents who need total help with eating/drinking, grooming and personal and oral hygiene.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015199	02/11/2010	03/18/2010	CROWNE HEALTH CARE OF EUFAULA
015199	02/11/2010	03/18/2010	CROWNE HEALTH CARE OF EUFAULA
015199	02/11/2010	03/18/2010	CROWNE HEALTH CARE OF EUFAULA
015199	02/11/2010	03/18/2010	CROWNE HEALTH CARE OF EUFAULA
015199	02/11/2010	03/18/2010	CROWNE HEALTH CARE OF EUFAULA
015199	02/11/2010	03/18/2010	CROWNE HEALTH CARE OF EUFAULA
015199	02/11/2010	03/18/2010	CROWNE HEALTH CARE OF EUFAULA

430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627
430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627
430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627
430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627
430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627
430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627
430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies

sores or heal existing bed sores.		
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Dispose of garbage and refuse properly.	Many	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015199	02/11/2010	03/18/2010	CROWNE HEALTH CARE OF EUFAULA
015199	02/17/2010	03/18/2010	CROWNE HEALTH CARE OF EUFAULA
015199	02/17/2010	03/18/2010	CROWNE HEALTH CARE OF EUFAULA
015199	02/17/2010	03/18/2010	CROWNE HEALTH CARE OF EUFAULA
015199	02/17/2010	03/18/2010	CROWNE HEALTH CARE OF EUFAULA
015199	02/17/2010	03/18/2010	CROWNE HEALTH CARE OF EUFAULA
015199	03/03/2011	04/07/2011	CROWNE HEALTH CARE OF EUFAULA
015199	03/03/2011	04/07/2011	CROWNE HEALTH CARE OF EUFAULA

430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627
430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627
430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627
430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627
430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627
430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627
430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627
430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Administration Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Pharmacy Service Deficiencies

Make sure that nurse aides show they have the skills and techniques to be able to care for residents' needs.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
a fire alarm system that can be heard throughout the facility.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
properly protected cooking facilities.	Few	2
weekly inspections and monthly testing of generators.	Some	2
Provide proper discharge planning and communication, of the resident's health status and summary of the resident's stay.	Few	2
1) Make sure that each resident's drug regimen is free from unnecessary drugs; 2) Each resident's entire drug/medication is managed and monitored to	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015199	03/10/2011	04/14/2011	CROWNE HEALTH CARE OF EUFAULA
015199	03/10/2011	04/14/2011	CROWNE HEALTH CARE OF EUFAULA
015199	12/15/2011	01/19/2012	CROWNE HEALTH CARE OF EUFAULA
015199	12/15/2011	01/19/2012	CROWNE HEALTH CARE OF EUFAULA
015199	12/15/2011	01/19/2012	CROWNE HEALTH CARE OF EUFAULA
015199	12/15/2011	01/19/2012	CROWNE HEALTH CARE OF EUFAULA
015199	12/15/2011	01/19/2012	CROWNE HEALTH CARE OF EUFAULA
015199	12/15/2011	01/19/2012	CROWNE HEALTH CARE OF EUFAULA

430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627
430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627
430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627
430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627
430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627
430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627
430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627
430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Pharmacy Service Deficiencies

achieve highest well being.		
proper medical gas storage and administration areas.	Some	2
weekly inspections and monthly testing of generators.	Many	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Few	2
Maintain drug records and properly mark/label drugs and	Few	2

015199	12/20/2011	01/24/2012	CROWNE HEALTH CARE OF EUFAULA
015199	12/20/2011	01/24/2012	CROWNE HEALTH CARE OF EUFAULA
015199	12/20/2011	01/24/2012	CROWNE HEALTH CARE OF EUFAULA
015199	12/20/2011	01/24/2012	CROWNE HEALTH CARE OF EUFAULA
015199	12/20/2011	01/24/2012	CROWNE HEALTH CARE OF EUFAULA
015199	12/20/2011	01/24/2012	CROWNE HEALTH CARE OF EUFAULA
015200	06/11/2010	07/13/2010	CHEROKEE COUNTY HEALTH AND REHABILITATION CENTER
015200	06/11/2010	07/13/2010	CHEROKEE COUNTY HEALTH AND REHABILITATION CENTER

430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627
430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627
430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627
430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627
430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627
430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627
430 RIVERS AVENUE	EUFAULA	AL	36027	3346876627
877 CEDAR BLUFF ROAD	CENTRE	AL	35960	2569275778
877 CEDAR BLUFF ROAD	CENTRE	AL	35960	2569275778

FIRE SAFETY	Interior Finish Deficiencies
FIRE SAFETY	Interior Finish Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies

other similar products according to accepted professional standards.		
fire-resistant interior walls.	Few	2
fire-resistant room wall surfaces.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Some	2
restrictions on the use of flammable curtains.	Some	2
Immediately tell the resident, the resident's doctor and a family member of the resident of situations (injury/decline/room, etc.) that affect the resident.	Few	2
Reasonably accommodate the needs and preferences of each resident.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015200	06/11/2010	07/13/2010	CHEROKEE COUNTY HEALTH AND REHABILITATION CENTER
015200	06/11/2010	07/13/2010	CHEROKEE COUNTY HEALTH AND REHABILITATION CENTER
015200	06/11/2010	07/13/2010	CHEROKEE COUNTY HEALTH AND REHABILITATION CENTER
015200	06/15/2010	07/16/2010	CHEROKEE COUNTY HEALTH AND REHABILITATION CENTER
015200	06/15/2010	07/16/2010	CHEROKEE COUNTY HEALTH AND REHABILITATION CENTER
015200	06/15/2010	07/16/2010	CHEROKEE COUNTY HEALTH AND REHABILITATION CENTER
015200	04/07/2011	05/25/2011	CHEROKEE COUNTY HEALTH AND REHABILITATION CENTER
015200	04/07/2011	05/25/2011	CHEROKEE COUNTY HEALTH AND REHABILITATION CENTER

877 CEDAR BLUFF ROAD	CENTRE	AL	35960	2569275778
877 CEDAR BLUFF ROAD	CENTRE	AL	35960	2569275778
877 CEDAR BLUFF ROAD	CENTRE	AL	35960	2569275778
877 CEDAR BLUFF ROAD	CENTRE	AL	35960	2569275778
877 CEDAR BLUFF ROAD	CENTRE	AL	35960	2569275778
877 CEDAR BLUFF ROAD	CENTRE	AL	35960	2569275778
877 CEDAR BLUFF ROAD	CENTRE	AL	35960	2569275778
877 CEDAR BLUFF ROAD	CENTRE	AL	35960	2569275778

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies

resident.		
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
proper medical gas storage and administration areas.	Some	1
properly installed electrical wiring and equipment.	Some	2
Coordinate assessments with the pre-admission screening and resident review program for mentally-ill and mentally-retarded patients.	Few	2
Properly care for residents needing special services, including: injections, colostomy,	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015200	04/07/2011	05/25/2011	CHEROKEE COUNTY HEALTH AND REHABILITATION CENTER
015200	04/14/2011	05/05/2011	CHEROKEE COUNTY HEALTH AND REHABILITATION CENTER
015200	04/14/2011	05/05/2011	CHEROKEE COUNTY HEALTH AND REHABILITATION CENTER
015200	04/14/2011	05/05/2011	CHEROKEE COUNTY HEALTH AND REHABILITATION CENTER
015200	05/24/2012	06/22/2012	CHEROKEE COUNTY HEALTH AND REHABILITATION CENTER
015200	06/01/2012	06/22/2012	CHEROKEE COUNTY HEALTH AND REHABILITATION CENTER
015200	06/01/2012	06/22/2012	CHEROKEE COUNTY HEALTH AND REHABILITATION CENTER
015200	06/01/2012	06/22/2012	CHEROKEE COUNTY HEALTH AND REHABILITATION CENTER
015201	01/12/2010	01/13/2010	GENERATIONS OF RED BAY, LLC

877 CEDAR BLUFF ROAD	CENTRE	AL	35960	2569275778
877 CEDAR BLUFF ROAD	CENTRE	AL	35960	2569275778
877 CEDAR BLUFF ROAD	CENTRE	AL	35960	2569275778
877 CEDAR BLUFF ROAD	CENTRE	AL	35960	2569275778
877 CEDAR BLUFF ROAD	CENTRE	AL	35960	2569275778
877 CEDAR BLUFF ROAD	CENTRE	AL	35960	2569275778
877 CEDAR BLUFF ROAD	CENTRE	AL	35960	2569275778
877 CEDAR BLUFF ROAD	CENTRE	AL	35960	2569275778
106 TENTH AVENUE NORTHWEST	RED BAY	AL	35582	2563564982

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.		
Store, cook, and serve food in a safe and clean way.	Some	2
corridor and hallway doors that block smoke.	Few	2
signs that state that exit doors are to be kept closed.	Many	1
properly installed electrical wiring and equipment.	Many	1
Store, cook, and serve food in a safe and clean way.	Many	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Many	1
exits that are accessible at all times.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015201	01/12/2010	01/13/2010	GENERATIONS OF RED BAY, LLC
015201	01/12/2010	01/15/2010	GENERATIONS OF RED BAY, LLC
015201	01/12/2010	02/09/2010	GENERATIONS OF RED BAY, LLC
015201	01/12/2010	01/13/2010	GENERATIONS OF RED BAY, LLC
015201	01/20/2011	03/11/2011	GENERATIONS OF RED BAY, LLC
015201	01/20/2011	02/24/2011	GENERATIONS OF RED BAY, LLC
015201	01/20/2011	02/24/2011	GENERATIONS OF RED BAY, LLC
015201	01/20/2011	02/24/2011	GENERATIONS OF RED BAY, LLC

106 TENTH AVENUE NORTHWEST	RED BAY	AL	35582	2563564982
106 TENTH AVENUE NORTHWEST	RED BAY	AL	35582	2563564982
106 TENTH AVENUE NORTHWEST	RED BAY	AL	35582	2563564982
106 TENTH AVENUE NORTHWEST	RED BAY	AL	35582	2563564982
106 TENTH AVENUE NORTHWEST	RED BAY	AL	35582	2563564982
106 TENTH AVENUE NORTHWEST	RED BAY	AL	35582	2563564982
106 TENTH AVENUE NORTHWEST	RED BAY	AL	35582	2563564982
106 TENTH AVENUE NORTHWEST	RED BAY	AL	35582	2563564982

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

would resist fire for at least one hour.		
smoke barrier doors that can resist smoke for at least 20 minutes.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Many	2
properly protected cooking facilities.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Some	2
exits that are accessible at all times.	Many	2
automatic sprinkler systems that have been maintained in working order.	Few	2

015201	01/20/2011	02/24/2011	GENERATIONS OF RED BAY, LLC
015201	01/20/2011	02/24/2011	GENERATIONS OF RED BAY, LLC
015201	01/20/2011	02/24/2011	GENERATIONS OF RED BAY, LLC
015201	01/20/2011	02/24/2011	GENERATIONS OF RED BAY, LLC
015201	01/20/2011	02/24/2011	GENERATIONS OF RED BAY, LLC
015201	02/09/2012	03/10/2012	GENERATIONS OF RED BAY, LLC
015201	02/09/2012	03/10/2012	GENERATIONS OF RED BAY, LLC
015201	02/09/2012	03/10/2012	GENERATIONS OF RED BAY, LLC
015201	02/09/2012	03/10/2012	GENERATIONS OF RED BAY, LLC

106 TENTH AVENUE NORTHWEST	RED BAY	AL	35582	2563564982
106 TENTH AVENUE NORTHWEST	RED BAY	AL	35582	2563564982
106 TENTH AVENUE NORTHWEST	RED BAY	AL	35582	2563564982
106 TENTH AVENUE NORTHWEST	RED BAY	AL	35582	2563564982
106 TENTH AVENUE NORTHWEST	RED BAY	AL	35582	2563564982
106 TENTH AVENUE NORTHWEST	RED BAY	AL	35582	2563564982
106 TENTH AVENUE NORTHWEST	RED BAY	AL	35582	2563564982
106 TENTH AVENUE NORTHWEST	RED BAY	AL	35582	2563564982
106 TENTH AVENUE NORTHWEST	RED BAY	AL	35582	2563564982

FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Some	2
exits that are free from obstructions and can be used at all times.	Few	2
other fire safety features required by fire safety codes.	Some	2
a separate and independent backup electrical power source.	Some	2
properly installed electrical wiring and equipment.	Some	2
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
automatic sprinkler systems that have been maintained in working order.	Few	2
portable fire extinguishers.	Many	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015201	02/09/2012	03/10/2012	GENERATIONS OF RED BAY, LLC
015201	02/09/2012	03/10/2012	GENERATIONS OF RED BAY, LLC
015201	02/10/2012	05/03/2011	GENERATIONS OF RED BAY, LLC
015201	02/10/2012	03/15/2012	GENERATIONS OF RED BAY, LLC
015201	02/10/2012	03/15/2012	GENERATIONS OF RED BAY, LLC
015201	02/10/2012	03/15/2012	GENERATIONS OF RED BAY, LLC
015201	02/10/2012	03/15/2012	GENERATIONS OF RED BAY, LLC
015202	07/22/2010	08/26/2010	MCGUFFEY HEALTH & REHABILITATION CENTER
015202	07/22/2010	08/26/2010	MCGUFFEY HEALTH & REHABILITATION

106 TENTH AVENUE NORTHWEST	RED BAY	AL	35582	2563564982
106 TENTH AVENUE NORTHWEST	RED BAY	AL	35582	2563564982
106 TENTH AVENUE NORTHWEST	RED BAY	AL	35582	2563564982
106 TENTH AVENUE NORTHWEST	RED BAY	AL	35582	2563564982
106 TENTH AVENUE NORTHWEST	RED BAY	AL	35582	2563564982
106 TENTH AVENUE NORTHWEST	RED BAY	AL	35582	2563564982
106 TENTH AVENUE NORTHWEST	RED BAY	AL	35582	2563564982
2301 RAINBOW DRIVE	GADSDEN	AL	35999	2565433467
2301 RAINBOW DRIVE	GADSDEN	AL	35999	2565433467

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Administration Deficiencies

properly protected cooking facilities.	Few	2
restrictions on the use of flammable curtains.	Some	2
Immediately tell the resident, the resident's doctor and a family member of the resident of situations (injury/decline/room, etc.) that affect the resident.	Few	2
Allow residents to easily view the results of the nursing home's most recent survey.	Many	1
Provide housekeeping and maintenance services.	Many	1
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Some	1
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Provide necessary care and services to maintain the highest well being of each resident .	Few	2
Give or get quality lab	Few	2

015202		08/26/2010	MCGUFFEY HEALTH & REHABILITATION CENTER
015202	07/29/2010	08/26/2010	MCGUFFEY HEALTH & REHABILITATION CENTER
015202	06/26/2011	06/27/2011	MCGUFFEY HEALTH & REHABILITATION CENTER
015202	06/26/2011	06/27/2011	MCGUFFEY HEALTH & REHABILITATION CENTER
015202	06/26/2011	06/27/2011	MCGUFFEY HEALTH & REHABILITATION CENTER
015202	06/30/2011	08/04/2011	MCGUFFEY HEALTH & REHABILITATION CENTER
015202	06/30/2011	08/04/2011	MCGUFFEY HEALTH & REHABILITATION CENTER
015202	06/30/2011	08/04/2011	MCGUFFEY HEALTH & REHABILITATION CENTER
015202	06/30/2011	08/04/2011	MCGUFFEY HEALTH & REHABILITATION CENTER

2301 RAINBOW DRIVE	GADSDEN	AL	35999	2565433467
2301 RAINBOW DRIVE	GADSDEN	AL	35999	2565433467
2301 RAINBOW DRIVE	GADSDEN	AL	35999	2565433467
2301 RAINBOW DRIVE	GADSDEN	AL	35999	2565433467
2301 RAINBOW DRIVE	GADSDEN	AL	35999	2565433467
2301 RAINBOW DRIVE	GADSDEN	AL	35999	2565433467
2301 RAINBOW DRIVE	GADSDEN	AL	35999	2565433467
2301 RAINBOW DRIVE	GADSDEN	AL	35999	2565433467
2301 RAINBOW DRIVE	GADSDEN	AL	35999	2565433467

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Administration Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

Give or get quality lab services/tests in a timely manner to meet the needs of residents.	Few	2
a fire alarm system that can be heard throughout the facility.	Few	2
Immediately tell the resident, the resident's doctor and a family member of the resident of situations (injury/decline/room, etc.) that affect the resident.	Few	4
Help and prepare each resident for a safe and easy discharge and transfer from the nursing home.	Few	4
Assist those residents who need total help with eating/drinking, grooming and personal and oral hygiene.	Few	2
corridor and hallway doors that block smoke.	Many	1
exits that are accessible at all times.	Some	2
properly located and lighted "Exit" signs.	Few	2
automatic sprinkler systems that have been maintained in working	Some	2

nh_quality_deficiency_survey
Based on Nursing Home Compare - Survey Deficiency

			CENTER
015202	06/30/2011	08/04/2011	MCGUFFEY HEALTH & REHABILITATION CENTER
015202	06/30/2011	08/04/2011	MCGUFFEY HEALTH & REHABILITATION CENTER
015202	06/30/2011	08/04/2011	MCGUFFEY HEALTH & REHABILITATION CENTER
015202	07/19/2012	08/20/2012	MCGUFFEY HEALTH & REHABILITATION CENTER
015202	07/19/2012	08/20/2012	MCGUFFEY HEALTH & REHABILITATION CENTER
015202	07/24/2012	08/15/2012	MCGUFFEY HEALTH & REHABILITATION CENTER
015202	07/24/2012	08/15/2012	MCGUFFEY HEALTH & REHABILITATION CENTER
015202	07/24/2012	08/15/2012	MCGUFFEY HEALTH & REHABILITATION CENTER
015202	07/24/2012	08/15/2012	MCGUFFEY HEALTH & REHABILITATION CENTER

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

2301 RAINBOW DRIVE	GADSDEN	AL	35999	2565433467
2301 RAINBOW DRIVE	GADSDEN	AL	35999	2565433467
2301 RAINBOW DRIVE	GADSDEN	AL	35999	2565433467
2301 RAINBOW DRIVE	GADSDEN	AL	35999	2565433467
2301 RAINBOW DRIVE	GADSDEN	AL	35999	2565433467
2301 RAINBOW DRIVE	GADSDEN	AL	35999	2565433467
2301 RAINBOW DRIVE	GADSDEN	AL	35999	2565433467
2301 RAINBOW DRIVE	GADSDEN	AL	35999	2565433467
2301 RAINBOW DRIVE	GADSDEN	AL	35999	2565433467
2301 RAINBOW DRIVE	GADSDEN	AL	35999	2565433467

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

have been maintained in working order.		
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Few	2
properly protected cooking facilities.	Many	1
properly installed electrical wiring and equipment.	Some	2
Provide special eating equipment and utensils for each resident who needs them.	Few	2
Store, cook, and serve food in a safe and clean way.	Some	2
exits that are accessible at all times.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
properly working alarms on sprinkler valves.	Some	2
automatic sprinkler systems that have been maintained in working order.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015202	07/24/2012	08/15/2012	MCGUFFEY HEALTH & REHABILITATION CENTER
015202	07/24/2012	08/15/2012	MCGUFFEY HEALTH & REHABILITATION CENTER
015202	07/24/2012	08/15/2012	MCGUFFEY HEALTH & REHABILITATION CENTER
015203	07/01/2010	08/02/2010	ATTALLA HEALTH CARE
015203	07/01/2010	08/02/2010	ATTALLA HEALTH CARE
015203	07/01/2010	08/02/2010	ATTALLA HEALTH CARE
015203	07/01/2010	08/02/2010	ATTALLA HEALTH CARE
015203	07/01/2010	08/02/2010	ATTALLA HEALTH CARE
015203	07/01/2010	08/02/2010	ATTALLA HEALTH CARE

2301 RAINBOW DRIVE	GADSDEN	AL	35999	2565433467
2301 RAINBOW DRIVE	GADSDEN	AL	35999	2565433467
2301 RAINBOW DRIVE	GADSDEN	AL	35999	2565433467
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies

posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Few	2
properly protected cooking facilities.	Few	2
properly installed electrical wiring and equipment.	Some	2
Keep each resident's personal and medical records private and confidential.	Few	2
Try to resolve each resident's complaints quickly.	Few	2
Allow residents to easily view the results of the nursing home's most recent survey.	Many	1
Reasonably accommodate the needs and preferences of each resident.	Few	2
Provide housekeeping and maintenance services.	Some	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2

015203	07/01/2010	08/02/2010	ATTALLA HEALTH CARE
015203	07/01/2010	08/02/2010	ATTALLA HEALTH CARE
015203	07/01/2010	08/02/2010	ATTALLA HEALTH CARE
015203	07/01/2010	08/02/2010	ATTALLA HEALTH CARE
015203	07/01/2010	08/02/2010	ATTALLA HEALTH CARE
015203	07/01/2010	08/02/2010	ATTALLA HEALTH CARE

915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART	ATTALLA	AL	35954	2565387852

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies

Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Make sure there is a pest control	Few	2

015203	07/07/2010	08/06/2010	ATTALLA HEALTH CARE
015203	07/07/2010	09/10/2010	ATTALLA HEALTH CARE
015203	07/07/2010	08/06/2010	ATTALLA HEALTH CARE
015203	05/19/2011	06/23/2011	ATTALLA HEALTH CARE
015203	05/19/2011	06/23/2011	ATTALLA HEALTH CARE
015203	05/19/2011	06/23/2011	ATTALLA HEALTH CARE
015203	05/19/2011	06/23/2011	ATTALLA HEALTH CARE
015203	05/19/2011	06/23/2011	ATTALLA HEALTH CARE

AVENUE SOUTHEAST				
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

program to prevent/deal with mice, insects, or other pests.		
corridor and hallway doors that block smoke.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
exits that are free from obstructions and can be used at all times.	Some	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Hire sufficient dietary support personnel.	Many	2
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Many	2
Store, cook, and serve food in a safe and clean way.	Many	2

015203	05/19/2011	06/23/2011	ATTALLA HEALTH CARE
015203	05/26/2011	06/30/2011	ATTALLA HEALTH CARE
015203	05/26/2011	06/30/2011	ATTALLA HEALTH CARE
015203	05/26/2011	06/30/2011	ATTALLA HEALTH CARE
015203	05/26/2011	06/30/2011	ATTALLA HEALTH CARE
015203	06/15/2012	07/15/2012	ATTALLA HEALTH CARE
015203	06/15/2012	07/15/2012	ATTALLA HEALTH CARE
015203	06/15/2012	07/15/2012	ATTALLA HEALTH CARE
015203	06/15/2012	07/15/2012	ATTALLA HEALTH CARE

915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART	ATTALLA	AL	35954	2565387852

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Administration Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies

Give or get quality lab services/tests in a timely manner to meet the needs of residents.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2
Develop policies that prevent mistreatment, neglect, or abuse of residents or theft of resident property.	Some	2
Provide medically-related social services to help each resident achieve the highest possible quality of life.	Few	2
Provide clean bed and bath linens that are in good condition.	Some	2
Give residents proper treatment	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015203		07/15/2012	ATTALLA HEALTH CARE
015203	06/15/2012	07/15/2012	ATTALLA HEALTH CARE
015203	06/15/2012	07/15/2012	ATTALLA HEALTH CARE
015203	06/15/2012	07/15/2012	ATTALLA HEALTH CARE
015203	06/15/2012	07/15/2012	ATTALLA HEALTH CARE
015203	06/15/2012	07/15/2012	ATTALLA HEALTH CARE
015203	06/15/2012	07/15/2012	ATTALLA HEALTH CARE
015203	06/19/2012	07/14/2012	ATTALLA HEALTH CARE

915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies

Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Post nurse staffing information/data on a daily basis.	Many	1
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Some	2
Keep all essential equipment working safely.	Many	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
Set up an ongoing quality assessment and assurance group to review quality deficiencies quarterly, and develop corrective plans of action.	Many	2
corridor and hallway doors that block smoke.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015203	06/19/2012	07/14/2012	ATTALLA HEALTH CARE
015203	06/19/2012	07/14/2012	ATTALLA HEALTH CARE
015203	06/19/2012	07/14/2012	ATTALLA HEALTH CARE
015203	06/19/2012	07/14/2012	ATTALLA HEALTH CARE
015203	06/19/2012	07/14/2012	ATTALLA HEALTH CARE
015203	06/19/2012	07/14/2012	ATTALLA HEALTH CARE
015203	06/19/2012	07/14/2012	ATTALLA HEALTH CARE
015203	06/19/2012	07/14/2012	ATTALLA HEALTH CARE
015203	06/19/2012	07/14/2012	ATTALLA HEALTH CARE
015203	06/19/2012	07/14/2012	ATTALLA HEALTH CARE

915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART	ATTALLA	AL	35954	2565387852

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies

walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Some	2
record of quarterly fire drills for each shift under varying conditions.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
automatic sprinkler systems that have been maintained in working order.	Many	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Some	2
properly protected cooking facilities.	Few	2
restrictions on the use of portable	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015203		07/14/2012	ATTALLA HEALTH CARE
015203	06/19/2012	07/14/2012	ATTALLA HEALTH CARE
015203	06/19/2012	07/14/2012	ATTALLA HEALTH CARE
015204	06/17/2010	07/17/2010	GOODWATER HEALTHCARE CENTER
015204	06/17/2010	07/17/2010	GOODWATER HEALTHCARE CENTER
015204	06/17/2010	07/17/2010	GOODWATER HEALTHCARE CENTER
015204	06/17/2010	07/17/2010	GOODWATER HEALTHCARE CENTER
015204	06/17/2010	07/17/2010	GOODWATER HEALTHCARE CENTER
015204	04/15/2011	05/20/2011	GOODWATER HEALTHCARE CENTER

915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
915 STEWART AVENUE SOUTHEAST	ATTALLA	AL	35954	2565387852
100 SWINDALL PLACE	GOODWATER	AL	35072	2568396711
100 SWINDALL PLACE	GOODWATER	AL	35072	2568396711
100 SWINDALL PLACE	GOODWATER	AL	35072	2568396711
100 SWINDALL PLACE	GOODWATER	AL	35072	2568396711
100 SWINDALL PLACE	GOODWATER	AL	35072	2568396711
100 SWINDALL PLACE	GOODWATER	AL	35072	2568396711

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Resident Rights Deficiencies

restrictions on the use of portable space heaters.	Some	2
properly installed electrical wiring and equipment.	Some	2
an approved back-up procedure for a faulty fire alarm system.	Some	2
corridor and hallway doors that block smoke.	Few	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Few	2
record of quarterly fire drills for each shift under varying conditions.	Many	1
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Few	2
restrictions on the use of flammable curtains.	Some	2
Give each resident a notice of rights, rules, services and charges. Tell each resident who can get Medicaid benefits about 1) which items and services Medicaid covers and which the	Some	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015204	04/15/2011	05/20/2011	GOODWATER HEALTHCARE CENTER
015204	04/15/2011	05/20/2011	GOODWATER HEALTHCARE CENTER
015204	04/15/2011	05/20/2011	GOODWATER HEALTHCARE CENTER
015204	04/15/2011	05/20/2011	GOODWATER HEALTHCARE CENTER
015204	04/15/2011	05/20/2011	GOODWATER HEALTHCARE CENTER
015204	04/15/2011	05/20/2011	GOODWATER HEALTHCARE CENTER
015204	04/15/2011	05/20/2011	GOODWATER HEALTHCARE CENTER

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

100 SWINDALL PLACE	GOODWATER	AL	35072	2568396711
100 SWINDALL PLACE	GOODWATER	AL	35072	2568396711
100 SWINDALL PLACE	GOODWATER	AL	35072	2568396711
100 SWINDALL PLACE	GOODWATER	AL	35072	2568396711
100 SWINDALL PLACE	GOODWATER	AL	35072	2568396711
100 SWINDALL PLACE	GOODWATER	AL	35072	2568396711
100 SWINDALL PLACE	GOODWATER	AL	35072	2568396711
100 SWINDALL PLACE	GOODWATER	AL	35072	2568396711

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies

Medicaid covers and which the resident must pay for.		
Try to resolve each resident's complaints quickly.	Few	2
Provide care by qualified persons according to each resident's written plan of care.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Give each resident enough fluids to keep them healthy and prevent dehydration.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Some	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have enough backup water supply for essential areas of the nursing home.	Many	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015204	04/19/2011	05/24/2011	GOODWATER HEALTHCARE CENTER
015204	04/19/2011	05/24/2011	GOODWATER HEALTHCARE CENTER
015204	04/19/2011	05/24/2011	GOODWATER HEALTHCARE CENTER
015204	03/08/2012	04/12/2012	GOODWATER HEALTHCARE CENTER
015204	03/08/2012	04/12/2012	GOODWATER HEALTHCARE CENTER
015204	03/08/2012	04/12/2012	GOODWATER HEALTHCARE CENTER
015204	03/08/2012	04/12/2012	GOODWATER HEALTHCARE CENTER
015204	03/08/2012	04/12/2012	GOODWATER HEALTHCARE CENTER
015204	03/08/2012	04/12/2012	GOODWATER HEALTHCARE CENTER
015204	03/09/2012	04/13/2012	GOODWATER HEALTHCARE CENTER
015204	03/09/2012	04/13/2012	GOODWATER HEALTHCARE CENTER

100 SWINDALL PLACE	GOODWATER	AL	35072	2568396711
100 SWINDALL PLACE	GOODWATER	AL	35072	2568396711
100 SWINDALL PLACE	GOODWATER	AL	35072	2568396711
100 SWINDALL PLACE	GOODWATER	AL	35072	2568396711
100 SWINDALL PLACE	GOODWATER	AL	35072	2568396711
100 SWINDALL PLACE	GOODWATER	AL	35072	2568396711
100 SWINDALL PLACE	GOODWATER	AL	35072	2568396711
100 SWINDALL PLACE	GOODWATER	AL	35072	2568396711
100 SWINDALL PLACE	GOODWATER	AL	35072	2568396711
100 SWINDALL PLACE	GOODWATER	AL	35072	2568396711
100 SWINDALL PLACE	GOODWATER	AL	35072	2568396711

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies

smoke barrier doors that can resist smoke for at least 20 minutes.	Few	2
portable fire extinguishers.	Few	2
properly protected cooking facilities.	Some	2
Follow policies and procedures to convey the resident's personal funds to the appropriate party responsible after the resident's death.	Few	2
Provide access to a telephone for resident to use in private.	Some	1
Develop policies that prevent mistreatment, neglect, or abuse of residents or theft of resident property.	Few	2
Reasonably accommodate the needs and preferences of each resident.	Few	2
Provide housekeeping and maintenance services.	Some	1
exits that are accessible at all times.	Some	2
proper backup exit lighting.	Some	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015204	03/09/2012	04/13/2012	GOODWATER HEALTHCARE CENTER
015206	08/20/2009	09/18/2009	DECATUR HEALTH & REHAB CENTER
015206	08/20/2009	09/18/2009	DECATUR HEALTH & REHAB CENTER
015206	08/20/2009	09/18/2009	DECATUR HEALTH & REHAB CENTER
015206	08/20/2009	09/18/2009	DECATUR HEALTH & REHAB CENTER
015206	08/20/2009	09/18/2009	DECATUR HEALTH & REHAB CENTER
015206	08/20/2009	09/18/2009	DECATUR HEALTH & REHAB CENTER

100 SWINDALL PLACE	GOODWATER	AL	35072	2568396711
2326 MORGAN AVENUE SOUTHWEST	DECATUR	AL	35603	2563405765
2326 MORGAN AVENUE SOUTHWEST	DECATUR	AL	35603	2563405765
2326 MORGAN AVENUE SOUTHWEST	DECATUR	AL	35603	2563405765
2326 MORGAN AVENUE SOUTHWEST	DECATUR	AL	35603	2563405765
2326 MORGAN AVENUE SOUTHWEST	DECATUR	AL	35603	2563405765
2326 MORGAN	DECATUR	AL	35603	2563405765

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Fire Alarm Systems Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

an approved installation, maintenance and testing program for fire alarm systems.	Many	1
Provide medically-related social services to help each resident achieve the highest possible quality of life.	Few	2
Assist those residents who need total help with eating/drinking, grooming and personal and oral hygiene.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
Provide food in a way that meets	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015206	08/20/2009	09/18/2009	DECATUR HEALTH & REHAB CENTER
015206	08/20/2009	09/18/2009	DECATUR HEALTH & REHAB CENTER
015206	08/20/2009	09/18/2009	DECATUR HEALTH & REHAB CENTER
015206	08/26/2009	08/27/2009	DECATUR HEALTH & REHAB CENTER
015206	10/21/2010	11/12/2010	DECATUR HEALTH & REHAB CENTER
015206	10/21/2010	11/12/2010	DECATUR HEALTH & REHAB CENTER
015206	10/21/2010	11/12/2010	DECATUR HEALTH & REHAB CENTER
015206	10/21/2010	11/12/2010	DECATUR HEALTH & REHAB CENTER

AVENUE SOUTHWEST				
2326 MORGAN AVENUE SOUTHWEST	DECATUR	AL	35603	2563405765
2326 MORGAN AVENUE SOUTHWEST	DECATUR	AL	35603	2563405765
2326 MORGAN AVENUE SOUTHWEST	DECATUR	AL	35603	2563405765
2326 MORGAN AVENUE SOUTHWEST	DECATUR	AL	35603	2563405765
2326 MORGAN AVENUE SOUTHWEST	DECATUR	AL	35603	2563405765
2326 MORGAN AVENUE SOUTHWEST	DECATUR	AL	35603	2563405765
2326 MORGAN AVENUE SOUTHWEST	DECATUR	AL	35603	2563405765
2326 MORGAN AVENUE SOUTHWEST	DECATUR	AL	35603	2563405765

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

a resident's needs.		
Offer other nutritional food to each resident who will not eat the food served.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Many	1
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Provide special eating equipment and utensils for each resident who needs them.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015206	10/26/2010	11/22/2010	DECATUR HEALTH & REHAB CENTER
015206	10/26/2010	11/22/2010	DECATUR HEALTH & REHAB CENTER
015206	10/27/2011	11/18/2011	DECATUR HEALTH & REHAB CENTER
015206	10/27/2011	11/18/2011	DECATUR HEALTH & REHAB CENTER
015206	10/27/2011	11/18/2011	DECATUR HEALTH & REHAB CENTER
015206	10/27/2011	11/18/2011	DECATUR HEALTH & REHAB CENTER
015206	10/27/2011	11/18/2011	DECATUR HEALTH & REHAB CENTER

2326 MORGAN AVENUE SOUTHWEST	DECATUR	AL	35603	2563405765
2326 MORGAN AVENUE SOUTHWEST	DECATUR	AL	35603	2563405765
2326 MORGAN AVENUE SOUTHWEST	DECATUR	AL	35603	2563405765
2326 MORGAN AVENUE SOUTHWEST	DECATUR	AL	35603	2563405765
2326 MORGAN AVENUE SOUTHWEST	DECATUR	AL	35603	2563405765
2326 MORGAN AVENUE SOUTHWEST	DECATUR	AL	35603	2563405765
2326 MORGAN AVENUE SOUTHWEST	DECATUR	AL	35603	2563405765

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

an approved installation, maintenance and testing program for fire alarm systems.	Few	2
properly installed electrical wiring and equipment.	Few	2
Try to resolve each resident's complaints quickly.	Many	2
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Few	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015206	10/27/2011	11/18/2011	DECATUR HEALTH & REHAB CENTER
015206	10/27/2011	11/18/2011	DECATUR HEALTH & REHAB CENTER
015206	10/27/2011	11/18/2011	DECATUR HEALTH & REHAB CENTER
015206	11/02/2011	11/30/2011	DECATUR HEALTH & REHAB CENTER
015206	11/02/2011	11/30/2011	DECATUR HEALTH & REHAB CENTER
015207	03/11/2010	04/09/2010	COLLINSVILLE HEALTHCARE & REHAB
015207	03/17/2010	04/05/2010	COLLINSVILLE HEALTHCARE & REHAB
015207	03/17/2010	04/05/2010	COLLINSVILLE HEALTHCARE & REHAB

2326 MORGAN AVENUE SOUTHWEST	DECATUR	AL	35603	2563405765
2326 MORGAN AVENUE SOUTHWEST	DECATUR	AL	35603	2563405765
2326 MORGAN AVENUE SOUTHWEST	DECATUR	AL	35603	2563405765
2326 MORGAN AVENUE SOUTHWEST	DECATUR	AL	35603	2563405765
2326 MORGAN AVENUE SOUTHWEST	DECATUR	AL	35603	2563405765
685 NORTH VALLEY AVE	COLLINSVILLE	AL	35961	2565242117
685 NORTH VALLEY AVE	COLLINSVILLE	AL	35961	2565242117
685 NORTH VALLEY AVE	COLLINSVILLE	AL	35961	2565242117

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Pharmacy Service Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies

bladder function.		
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Few	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
automatic sprinkler systems that have been maintained in working order.	Few	2
properly installed electrical wiring and equipment.	Few	2
Dispose of garbage and refuse properly.	Many	2
proper exit design.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015207	03/17/2010	04/05/2010	COLLINSVILLE HEALTHCARE & REHAB
015207	03/17/2010	04/05/2010	COLLINSVILLE HEALTHCARE & REHAB
015207	03/17/2010	04/05/2010	COLLINSVILLE HEALTHCARE & REHAB
015207	03/24/2011	04/20/2011	COLLINSVILLE HEALTHCARE & REHAB
015207	03/30/2011	04/07/2011	COLLINSVILLE HEALTHCARE & REHAB
015207	03/30/2011	05/04/2011	COLLINSVILLE HEALTHCARE & REHAB
015207	05/17/2012	06/14/2012	COLLINSVILLE HEALTHCARE & REHAB
015207	05/17/2012	06/14/2012	COLLINSVILLE HEALTHCARE & REHAB

685 NORTH VALLEY AVE	COLLINSVILLE	AL	35961	2565242117
685 NORTH VALLEY AVE	COLLINSVILLE	AL	35961	2565242117
685 NORTH VALLEY AVE	COLLINSVILLE	AL	35961	2565242117
685 NORTH VALLEY AVE	COLLINSVILLE	AL	35961	2565242117
685 NORTH VALLEY AVE	COLLINSVILLE	AL	35961	2565242117
685 NORTH VALLEY AVE	COLLINSVILLE	AL	35961	2565242117
685 NORTH VALLEY AVE	COLLINSVILLE	AL	35961	2565242117
685 NORTH VALLEY AVE	COLLINSVILLE	AL	35961	2565242117

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies

for fire alarm systems.		
automatic sprinkler systems that have been maintained in working order.	Few	2
restrictions on the use of portable space heaters.	Few	2
properly installed electrical wiring and equipment.	Few	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Many	1
exits that are accessible at all times.	Some	2
Store, cook, and serve food in a safe and clean way.	Few	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2

015208	04/30/2010	06/04/2010	OZARK HEALTH AND REHABILITATION, LLC
015208	04/30/2010	06/04/2010	OZARK HEALTH AND REHABILITATION, LLC
015208	04/30/2010	06/04/2010	OZARK HEALTH AND REHABILITATION, LLC
015208	05/07/2010	06/04/2010	OZARK HEALTH AND REHABILITATION, LLC
015208	05/07/2010	06/04/2010	OZARK HEALTH AND REHABILITATION, LLC
015208	05/07/2010	06/04/2010	OZARK HEALTH AND REHABILITATION, LLC
015208	05/07/2010	06/04/2010	OZARK HEALTH AND REHABILITATION, LLC
015208	05/07/2010	06/04/2010	OZARK HEALTH AND REHABILITATION, LLC
015208	05/07/2010	06/04/2010	OZARK HEALTH AND REHABILITATION, LLC
015208	05/07/2010	07/15/2010	OZARK HEALTH AND REHABILITATION, LLC
015208	05/07/2010	06/04/2010	OZARK HEALTH AND REHABILITATION, LLC
015208	04/07/2011	05/12/2011	OZARK HEALTH AND REHABILITATION, LLC

312 BRYAN DRIVE	OZARK	AL	36360	3347742561
312 BRYAN DRIVE	OZARK	AL	36360	3347742561
312 BRYAN DRIVE	OZARK	AL	36360	3347742561
312 BRYAN DRIVE	OZARK	AL	36360	3347742561
312 BRYAN DRIVE	OZARK	AL	36360	3347742561
312 BRYAN DRIVE	OZARK	AL	36360	3347742561
312 BRYAN DRIVE	OZARK	AL	36360	3347742561
312 BRYAN DRIVE	OZARK	AL	36360	3347742561
312 BRYAN DRIVE	OZARK	AL	36360	3347742561
312 BRYAN DRIVE	OZARK	AL	36360	3347742561
312 BRYAN DRIVE	OZARK	AL	36360	3347742561
312 BRYAN DRIVE	OZARK	AL	36360	3347742561

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

Provide housekeeping and maintenance services.	Few	2
Store, cook, and serve food in a safe and clean way.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
corridor and hallway doors that block smoke.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Many	2
exits that are accessible at all times.	Few	2
proper exit design.	Few	2
a fire alarm system that can be heard throughout the facility.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2
properly protected cooking facilities.	Few	2
properly installed electrical wiring and equipment.	Some	2
Make sure menus meet the	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015208	04/07/2011	05/12/2011	OZARK HEALTH AND REHABILITATION, LLC
015208	04/14/2011	04/22/2011	OZARK HEALTH AND REHABILITATION, LLC
015208	04/14/2011	04/20/2011	OZARK HEALTH AND REHABILITATION, LLC
015208	04/14/2011	04/14/2011	OZARK HEALTH AND REHABILITATION, LLC
015208	04/14/2011	04/14/2011	OZARK HEALTH AND REHABILITATION, LLC
015208	04/14/2011	04/20/2011	OZARK HEALTH AND REHABILITATION, LLC
015208	04/14/2011	04/14/2011	OZARK HEALTH AND REHABILITATION, LLC
015208	05/24/2012	06/28/2012	OZARK HEALTH AND REHABILITATION, LLC
015208	06/08/2012	06/08/2012	OZARK HEALTH AND REHABILITATION, LLC

312 BRYAN DRIVE	OZARK	AL	36360	3347742561
312 BRYAN DRIVE	OZARK	AL	36360	3347742561
312 BRYAN DRIVE	OZARK	AL	36360	3347742561
312 BRYAN DRIVE	OZARK	AL	36360	3347742561
312 BRYAN DRIVE	OZARK	AL	36360	3347742561
312 BRYAN DRIVE	OZARK	AL	36360	3347742561
312 BRYAN DRIVE	OZARK	AL	36360	3347742561
312 BRYAN DRIVE	OZARK	AL	36360	3347742561
312 BRYAN DRIVE	OZARK	AL	36360	3347742561

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.		
Store, cook, and serve food in a safe and clean way.	Many	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
proper exit design.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
automatic sprinkler systems that have been maintained in working order.	Some	2
restrictions on the use of flammable curtains.	Some	2
Post nurse staffing information/data on a daily basis.	Many	1
automatic sprinkler systems that have been maintained in working	Many	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015209	06/24/2010	07/24/2010	GOLDEN LIVING CENTER - MEADOWOOD
015209	06/30/2010	07/29/2010	GOLDEN LIVING CENTER - MEADOWOOD
015209	06/30/2010	07/29/2010	GOLDEN LIVING CENTER - MEADOWOOD
015209	06/30/2010	07/29/2010	GOLDEN LIVING CENTER - MEADOWOOD
015209	06/30/2010	07/29/2010	GOLDEN LIVING CENTER - MEADOWOOD
015209	06/30/2010	07/29/2010	GOLDEN LIVING CENTER - MEADOWOOD
015209	06/30/2010	07/29/2010	GOLDEN LIVING CENTER - MEADOWOOD
015209	06/30/2010	07/29/2010	GOLDEN LIVING CENTER - MEADOWOOD
015209	06/30/2010	07/29/2010	GOLDEN LIVING CENTER - MEADOWOOD
015209	06/30/2010	07/29/2010	GOLDEN LIVING CENTER - MEADOWOOD
015209	04/21/2011	05/26/2011	GOLDEN LIVING CENTER - MEADOWOOD

820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE	BESSEMER	AL	35020	2054255241

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies

have been maintained in working order.		
Keep all essential equipment working safely.	Few	2
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
proper backup exit lighting.	Few	2
a fire alarm system that can be heard throughout the facility.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
properly protected cooking facilities.	Few	2
properly installed electrical wiring and equipment.	Few	2
Reasonably accommodate the	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015209	04/21/2011	05/26/2011	GOLDEN LIVING CENTER - MEADOWOOD
015209	04/21/2011	05/26/2011	GOLDEN LIVING CENTER - MEADOWOOD
015209	04/21/2011	05/26/2011	GOLDEN LIVING CENTER - MEADOWOOD
015209	04/21/2011	05/26/2011	GOLDEN LIVING CENTER - MEADOWOOD
015209	04/21/2011	05/26/2011	GOLDEN LIVING CENTER - MEADOWOOD

ROAD				
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

needs and preferences of each resident.		
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
Make sure menus meet the resident's nutritional needs and	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015209	04/21/2011	05/26/2011	GOLDEN LIVING CENTER - MEADOWOOD
015209	04/28/2011	06/02/2011	GOLDEN LIVING CENTER - MEADOWOOD
015209	04/28/2011	06/02/2011	GOLDEN LIVING CENTER - MEADOWOOD
015209	04/28/2011	07/09/2011	GOLDEN LIVING CENTER - MEADOWOOD
015209	04/28/2011	07/09/2011	GOLDEN LIVING CENTER - MEADOWOOD
015209	04/28/2011	07/09/2011	GOLDEN LIVING CENTER - MEADOWOOD
015209	04/28/2011	06/02/2011	GOLDEN LIVING CENTER - MEADOWOOD
015209	04/28/2011	07/09/2011	GOLDEN LIVING CENTER - MEADOWOOD

820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies

that there is a prepared menu by which nutritious meals have been planned for the resident and followed.		
Keep all essential equipment working safely.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Many	2
protected exits that allow the resident to escape the building.	Some	2
exit stairways and towers that are smoke proof.	Many	1
exits that are accessible at all times.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2

015209	04/28/2011	06/02/2011	GOLDEN LIVING CENTER - MEADOWOOD
015209	04/28/2011	06/02/2011	GOLDEN LIVING CENTER - MEADOWOOD
015209	04/28/2011	06/02/2011	GOLDEN LIVING CENTER - MEADOWOOD
015209	04/28/2011	07/09/2011	GOLDEN LIVING CENTER - MEADOWOOD
015209	04/28/2011	06/02/2011	GOLDEN LIVING CENTER - MEADOWOOD
015209	04/28/2011	07/09/2011	GOLDEN LIVING CENTER - MEADOWOOD
015209	06/14/2012	07/19/2012	GOLDEN LIVING CENTER - MEADOWOOD
015209	06/14/2012	07/19/2012	GOLDEN LIVING CENTER - MEADOWOOD
015209	06/27/2012	08/01/2012	GOLDEN LIVING CENTER - MEADOWOOD
015209	06/27/2012	08/01/2012	GOLDEN LIVING CENTER - MEADOWOOD

820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

automatic sprinkler systems that have been maintained in working order.	Some	2
properly protected cooking facilities.	Few	2
restrictions on the use of portable space heaters.	Few	2
exits that are free from obstructions and can be used at all times.	Many	2
other fire safety features required by fire safety codes.	Few	2
properly installed electrical wiring and equipment.	Many	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015209	06/27/2012	08/01/2012	GOLDEN LIVING CENTER - MEADOWOOD
015209	06/27/2012	08/01/2012	GOLDEN LIVING CENTER - MEADOWOOD
015209	06/27/2012	08/01/2012	GOLDEN LIVING CENTER - MEADOWOOD
015209	06/27/2012	08/01/2012	GOLDEN LIVING CENTER - MEADOWOOD
015209	06/27/2012	08/01/2012	GOLDEN LIVING CENTER - MEADOWOOD
015209	06/27/2012	08/01/2012	GOLDEN LIVING CENTER - MEADOWOOD
015209	06/27/2012	08/01/2012	GOLDEN LIVING CENTER - MEADOWOOD
015209	06/27/2012	08/01/2012	GOLDEN LIVING CENTER - MEADOWOOD

ROAD				
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241
820 GOLF COURSE ROAD	BESSEMER	AL	35020	2054255241

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies

smoke from passing through and would resist fire for at least one hour.		
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
protected exits that allow the resident to escape the building.	Few	2
exits that are accessible at all times.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
automatic sprinkler systems that have been maintained in working order.	Some	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Some	2
properly protected cooking facilities.	Few	2
properly installed electrical wiring and equipment.	Some	2

015210	07/02/2009	08/05/2009	OPP HEALTH AND REHABILITATION, LLC
015210	07/02/2009	08/05/2009	OPP HEALTH AND REHABILITATION, LLC
015210	07/02/2009	08/05/2009	OPP HEALTH AND REHABILITATION, LLC
015210	07/02/2009	08/05/2009	OPP HEALTH AND REHABILITATION, LLC
015210	07/07/2009	08/05/2009	OPP HEALTH AND REHABILITATION, LLC
015210	07/07/2009	08/05/2009	OPP HEALTH AND REHABILITATION, LLC
015210	07/07/2009	08/05/2009	OPP HEALTH AND REHABILITATION, LLC
015210	07/07/2009	08/05/2009	OPP HEALTH AND REHABILITATION, LLC
015210	07/07/2009	08/05/2009	OPP HEALTH AND REHABILITATION, LLC
015210	09/02/2010	10/01/2010	OPP HEALTH AND REHABILITATION, LLC

115 PAULK AVENUE P O BOX 730	OPP	AL	36467	3344934558
115 PAULK AVENUE P O BOX 730	OPP	AL	36467	3344934558
115 PAULK AVENUE P O BOX 730	OPP	AL	36467	3344934558
115 PAULK AVENUE P O BOX 730	OPP	AL	36467	3344934558
115 PAULK AVENUE P O BOX 730	OPP	AL	36467	3344934558
115 PAULK AVENUE P O BOX 730	OPP	AL	36467	3344934558
115 PAULK AVENUE P O BOX 730	OPP	AL	36467	3344934558
115 PAULK AVENUE P O BOX 730	OPP	AL	36467	3344934558
115 PAULK AVENUE P O BOX 730	OPP	AL	36467	3344934558
115 PAULK AVENUE P O BOX 730	OPP	AL	36467	3344934558

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Rights Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Resident Rights Deficiencies

Determine if it is safe for the resident to self-administer drugs.	Few	2
Keep each resident free from physical restraints, unless needed for medical treatment.	Some	2
Store, cook, and serve food in a safe and clean way.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	1
record of quarterly fire drills for each shift under varying conditions.	Many	1
a fire alarm system that can be heard throughout the facility.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
an externally vented heating system.	Many	1
Provide care for residents in a way that keeps or builds each	Few	2

015210	09/02/2010	10/01/2010	OPP HEALTH AND REHABILITATION, LLC
015210	09/08/2010	10/06/2010	OPP HEALTH AND REHABILITATION, LLC
015210	09/08/2010	10/06/2010	OPP HEALTH AND REHABILITATION, LLC
015210	09/08/2010	10/06/2010	OPP HEALTH AND REHABILITATION, LLC
015210	09/08/2010	10/06/2010	OPP HEALTH AND REHABILITATION, LLC
015210	09/08/2010	10/06/2010	OPP HEALTH AND REHABILITATION, LLC
015210	09/08/2010	10/06/2010	OPP HEALTH AND REHABILITATION, LLC
015210	09/08/2010	10/06/2010	OPP HEALTH AND REHABILITATION, LLC

O BOX 730				
115 PAULK AVENUE P O BOX 730	OPP	AL	36467	3344934558
115 PAULK AVENUE P O BOX 730	OPP	AL	36467	3344934558
115 PAULK AVENUE P O BOX 730	OPP	AL	36467	3344934558
115 PAULK AVENUE P O BOX 730	OPP	AL	36467	3344934558
115 PAULK AVENUE P O BOX 730	OPP	AL	36467	3344934558
115 PAULK AVENUE P O BOX 730	OPP	AL	36467	3344934558
115 PAULK AVENUE P O BOX 730	OPP	AL	36467	3344934558
115 PAULK AVENUE P O BOX 730	OPP	AL	36467	3344934558
115 PAULK AVENUE P	OPP	AL	36467	3344934558

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

way that keeps or builds each resident's dignity and respect of individuality.		
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
automatic sprinkler systems that	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015210		10/06/2010	OPP HEALTH AND REHABILITATION, LLC
015210	09/08/2010	10/06/2010	OPP HEALTH AND REHABILITATION, LLC
015210	09/08/2010	10/06/2010	OPP HEALTH AND REHABILITATION, LLC
015210	09/08/2010	10/06/2010	OPP HEALTH AND REHABILITATION, LLC
015210	09/08/2010	10/06/2010	OPP HEALTH AND REHABILITATION, LLC
015210	09/08/2010	10/06/2010	OPP HEALTH AND REHABILITATION, LLC
015210	09/08/2010	10/29/2010	OPP HEALTH AND REHABILITATION, LLC
015210	08/04/2011	09/07/2011	OPP HEALTH AND REHABILITATION, LLC
015210	08/04/2011	09/07/2011	OPP HEALTH AND REHABILITATION, LLC
015210	08/04/2011	09/07/2011	OPP HEALTH AND REHABILITATION, LLC

115 PAULK AVENUE P O BOX 730	OPP	AL	36467	3344934558
115 PAULK AVENUE P O BOX 730	OPP	AL	36467	3344934558
115 PAULK AVENUE P O BOX 730	OPP	AL	36467	3344934558
115 PAULK AVENUE P O BOX 730	OPP	AL	36467	3344934558
115 PAULK AVENUE P O BOX 730	OPP	AL	36467	3344934558
115 PAULK AVENUE P O BOX 730	OPP	AL	36467	3344934558
115 PAULK AVENUE P O BOX 730	OPP	AL	36467	3344934558
115 PAULK AVENUE P O BOX 730	OPP	AL	36467	3344934558
115 PAULK AVENUE P O BOX 730	OPP	AL	36467	3344934558

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

automatic sprinkler systems that have been maintained in working order.	Some	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Few	2
properly protected cooking facilities.	Few	2
exits that are free from obstructions and can be used at all times.	Few	2
other fire safety features required by fire safety codes.	Few	2
a separate and independent backup electrical power source.	Few	2
Provide housekeeping and maintenance services.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015210	08/09/2011	09/09/2011	OPP HEALTH AND REHABILITATION, LLC
015211	03/04/2010	04/08/2010	TWIN OAKS NURSING HOME, LLC
015211	03/04/2010	04/08/2010	TWIN OAKS NURSING HOME, LLC
015211	03/04/2010	04/08/2010	TWIN OAKS NURSING HOME, LLC
015211	03/10/2010	04/03/2010	TWIN OAKS NURSING HOME, LLC
015211	03/10/2010	04/03/2010	TWIN OAKS NURSING HOME, LLC
015211	03/10/2010	04/03/2010	TWIN OAKS NURSING HOME, LLC
015211	03/10/2010	04/03/2010	TWIN OAKS NURSING HOME, LLC
015211	02/16/2011	03/23/2011	TWIN OAKS NURSING HOME, LLC

O BOX 730				
115 PAULK AVENUE P O BOX 730	OPP	AL	36467	3344934558
857 CRAWFORD LANE	MOBILE	AL	36617	2514763420
857 CRAWFORD LANE	MOBILE	AL	36617	2514763420
857 CRAWFORD LANE	MOBILE	AL	36617	2514763420
857 CRAWFORD LANE	MOBILE	AL	36617	2514763420
857 CRAWFORD LANE	MOBILE	AL	36617	2514763420
857 CRAWFORD LANE	MOBILE	AL	36617	2514763420
857 CRAWFORD LANE	MOBILE	AL	36617	2514763420
857 CRAWFORD LANE	MOBILE	AL	36617	2514763420

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies

safe and clean way.		
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
Provide housekeeping and maintenance services.	Some	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
protected exits that allow the resident to escape the building.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
properly installed electrical wiring and equipment.	Some	2
corridor and hallway doors that block smoke.	Few	2

015211	02/16/2011	03/23/2011	TWIN OAKS NURSING HOME, LLC
015211	02/16/2011	03/23/2011	TWIN OAKS NURSING HOME, LLC
015211	02/16/2011	03/23/2011	TWIN OAKS NURSING HOME, LLC
015211	02/16/2011	03/23/2011	TWIN OAKS NURSING HOME, LLC
015211	02/16/2011	03/23/2011	TWIN OAKS NURSING HOME, LLC
015211	02/29/2012	04/09/2012	TWIN OAKS NURSING HOME, LLC
015211	02/29/2012	04/09/2012	TWIN OAKS NURSING HOME, LLC
015211	02/29/2012	04/09/2012	TWIN OAKS NURSING HOME, LLC
015211	02/29/2012	04/09/2012	TWIN OAKS NURSING HOME, LLC
015211	02/29/2012	04/09/2012	TWIN OAKS NURSING HOME, LLC
015211	02/29/2012	04/09/2012	TWIN OAKS NURSING HOME, LLC

857 CRAWFORD LANE	MOBILE	AL	36617	2514763420
857 CRAWFORD LANE	MOBILE	AL	36617	2514763420
857 CRAWFORD LANE	MOBILE	AL	36617	2514763420
857 CRAWFORD LANE	MOBILE	AL	36617	2514763420
857 CRAWFORD LANE	MOBILE	AL	36617	2514763420
857 CRAWFORD LANE	MOBILE	AL	36617	2514763420
857 CRAWFORD LANE	MOBILE	AL	36617	2514763420
857 CRAWFORD LANE	MOBILE	AL	36617	2514763420
857 CRAWFORD LANE	MOBILE	AL	36617	2514763420
857 CRAWFORD LANE	MOBILE	AL	36617	2514763420
857 CRAWFORD LANE	MOBILE	AL	36617	2514763420
857 CRAWFORD LANE	MOBILE	AL	36617	2514763420

FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

block smoke.		
proper stairway enclosures and vertical shafts.	Few	2
exits that are accessible at all times.	Some	2
automatic sprinkler systems that have been maintained in working order.	Few	2
other fire safety features required by fire safety codes.	Many	2
properly installed electrical wiring and equipment.	Some	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Some	2
proper backup exit lighting.	Few	2
properly located and lighted "Exit" signs.	Few	2
an approved automatic sprinkler	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015211	02/29/2012	04/09/2012	TWIN OAKS NURSING HOME, LLC
015211	02/29/2012	04/09/2012	TWIN OAKS NURSING HOME, LLC
015211	02/29/2012	04/09/2012	TWIN OAKS NURSING HOME, LLC
015211	03/01/2012	04/05/2012	TWIN OAKS NURSING HOME, LLC
015211	03/01/2012	04/05/2012	TWIN OAKS NURSING HOME, LLC
015211	03/01/2012	04/05/2012	TWIN OAKS NURSING HOME, LLC
015211	03/01/2012	04/05/2012	TWIN OAKS NURSING HOME, LLC

857 CRAWFORD LANE	MOBILE	AL	36617	2514763420
857 CRAWFORD LANE	MOBILE	AL	36617	2514763420
857 CRAWFORD LANE	MOBILE	AL	36617	2514763420
857 CRAWFORD LANE	MOBILE	AL	36617	2514763420
857 CRAWFORD LANE	MOBILE	AL	36617	2514763420
857 CRAWFORD LANE	MOBILE	AL	36617	2514763420
857 CRAWFORD LANE	MOBILE	AL	36617	2514763420
857 CRAWFORD LANE	MOBILE	AL	36617	2514763420

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies

system connected to the fire alarm system.		
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Some	2
exits that are free from obstructions and can be used at all times.	Some	2
other fire safety features required by fire safety codes.	Few	2
Keep each resident's personal and medical records private and confidential.	Some	2
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Few	2
Provide housekeeping and maintenance services.	Few	2
Provide care by qualified persons according to each resident's written plan of care.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015211	03/01/2012	04/05/2012	TWIN OAKS NURSING HOME, LLC
015211	03/01/2012	04/05/2012	TWIN OAKS NURSING HOME, LLC
015211	03/01/2012	04/05/2012	TWIN OAKS NURSING HOME, LLC
015212	02/04/2010	03/10/2010	SELF HEALTH CARE & REHAB CENTER INC
015212	02/09/2010	03/03/2010	SELF HEALTH CARE & REHAB CENTER INC
015212	02/09/2010	03/03/2010	SELF HEALTH CARE & REHAB CENTER INC
015212	02/09/2010	03/03/2010	SELF HEALTH CARE & REHAB CENTER INC

857 CRAWFORD LANE	MOBILE	AL	36617	2514763420
857 CRAWFORD LANE	MOBILE	AL	36617	2514763420
857 CRAWFORD LANE	MOBILE	AL	36617	2514763420
131 EAST CREST ROAD	HUEYTOWN	AL	35023	2054912411
131 EAST CREST ROAD	HUEYTOWN	AL	35023	2054912411
131 EAST CREST ROAD	HUEYTOWN	AL	35023	2054912411
131 EAST CREST ROAD	HUEYTOWN	AL	35023	2054912411

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies

Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
corridor and hallway doors that block smoke.	Some	1
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015212	02/09/2010	03/03/2010	SELF HEALTH CARE & REHAB CENTER INC
015212	11/03/2010	12/03/2010	SELF HEALTH CARE & REHAB CENTER INC
015212	11/03/2010	11/12/2010	SELF HEALTH CARE & REHAB CENTER INC
015212	11/03/2010	11/18/2010	SELF HEALTH CARE & REHAB CENTER INC
015212	11/03/2010	Not Available	SELF HEALTH CARE & REHAB CENTER INC
015212	11/03/2010	12/03/2010	SELF HEALTH CARE & REHAB CENTER INC
015212	11/03/2010	12/01/2010	SELF HEALTH CARE & REHAB CENTER INC
015212	11/03/2010	11/16/2010	SELF HEALTH CARE & REHAB CENTER INC
015212	11/03/2010	12/03/2010	SELF HEALTH CARE & REHAB CENTER INC
015212	11/03/2010	11/04/2010	SELF HEALTH CARE & REHAB CENTER INC

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

131 EAST CREST ROAD	HUEYTOWN	AL	35023	2054912411
131 EAST CREST ROAD	HUEYTOWN	AL	35023	2054912411
131 EAST CREST ROAD	HUEYTOWN	AL	35023	2054912411
131 EAST CREST ROAD	HUEYTOWN	AL	35023	2054912411
131 EAST CREST ROAD	HUEYTOWN	AL	35023	2054912411
131 EAST CREST ROAD	HUEYTOWN	AL	35023	2054912411
131 EAST CREST ROAD	HUEYTOWN	AL	35023	2054912411
131 EAST CREST ROAD	HUEYTOWN	AL	35023	2054912411
131 EAST CREST ROAD	HUEYTOWN	AL	35023	2054912411
131 EAST CREST ROAD	HUEYTOWN	AL	35023	2054912411
131 EAST CREST ROAD	HUEYTOWN	AL	35023	2054912411

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies

extinguishing system.		
properly installed electrical wiring and equipment.	Few	2
signs that state that exit doors are to be kept closed.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Some	2
proper backup exit lighting.	Some	2
record of quarterly fire drills for each shift under varying conditions.	Many	2
portable fire extinguishers.	Few	2
other fire safety features required by fire safety codes.	Many	2
properly installed electrical wiring and equipment.	Few	2

015212	10/20/2011	11/23/2011	SELF HEALTH CARE & REHAB CENTER INC
015212	10/20/2011	11/23/2011	SELF HEALTH CARE & REHAB CENTER INC
015212	10/20/2011	11/23/2011	SELF HEALTH CARE & REHAB CENTER INC
015212	10/27/2011	11/08/2011	SELF HEALTH CARE & REHAB CENTER INC
015213	02/11/2010	03/18/2010	TROY HEALTH & REHABILITATION CENTER
015213	02/11/2010	03/18/2010	TROY HEALTH & REHABILITATION CENTER
015213	02/11/2010	03/18/2010	TROY HEALTH & REHABILITATION CENTER

131 EAST CREST ROAD	HUEYTOWN	AL	35023	2054912411
131 EAST CREST ROAD	HUEYTOWN	AL	35023	2054912411
131 EAST CREST ROAD	HUEYTOWN	AL	35023	2054912411
131 EAST CREST ROAD	HUEYTOWN	AL	35023	2054912411
515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Mistreatment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

Keep each resident free from physical restraints, unless needed for medical treatment.	Few	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
Provide housekeeping and maintenance services.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015213	02/11/2010	03/18/2010	TROY HEALTH & REHABILITATION CENTER
015213	02/11/2010	03/18/2010	TROY HEALTH & REHABILITATION CENTER
015213	02/11/2010	03/18/2010	TROY HEALTH & REHABILITATION CENTER
015213	02/11/2010	03/18/2010	TROY HEALTH & REHABILITATION CENTER
015213	02/18/2010	04/18/2010	TROY HEALTH & REHABILITATION CENTER
015213	02/18/2010	03/18/2010	TROY HEALTH & REHABILITATION CENTER
015213	02/18/2010	03/18/2010	TROY HEALTH & REHABILITATION CENTER
015213	02/18/2010	Not Available	TROY HEALTH & REHABILITATION CENTER

515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

planned for the resident and followed.		
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Some	2
Store, cook, and serve food in a safe and clean way.	Many	2
Make sure that the nursing home area is safe, easy to use, clean and comfortable for residents, staff and the public.	Some	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
an approved automatic sprinkler	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015213		Not Available	TROY HEALTH & REHABILITATION CENTER
015213	02/18/2010	03/18/2010	TROY HEALTH & REHABILITATION CENTER
015213	02/18/2010	03/18/2010	TROY HEALTH & REHABILITATION CENTER
015213	02/18/2010	03/18/2010	TROY HEALTH & REHABILITATION CENTER
015213	02/18/2010	03/18/2010	TROY HEALTH & REHABILITATION CENTER
015213	02/18/2010	03/18/2010	TROY HEALTH & REHABILITATION CENTER
015213	02/10/2011	03/17/2011	TROY HEALTH & REHABILITATION CENTER
015213	02/10/2011	03/17/2011	TROY HEALTH & REHABILITATION CENTER
015213	02/15/2011	03/22/2011	TROY HEALTH & REHABILITATION CENTER

515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

an approved automatic sprinkler system connected to the fire alarm system.	Few	2
automatic sprinkler systems that have been maintained in working order.	Few	2
restrictions on the use of flammable curtains.	Some	2
properly sized and located linen or trash receptacles.	Few	2
other fire safety features required by fire safety codes.	Many	1
properly installed electrical wiring and equipment.	Few	2
Make sure each resident has the right to have a choice over activities, their schedules and health care according to his or her interests, assessment, and plan of care.	Few	2
Put firmly secured handrails on each side of hallways.	Some	2
automatic sprinkler systems that have been maintained in working order.	Many	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015213	02/15/2011	02/16/2011	TROY HEALTH & REHABILITATION CENTER
015213	02/15/2011	02/15/2011	TROY HEALTH & REHABILITATION CENTER
015213	03/08/2012	04/12/2012	TROY HEALTH & REHABILITATION CENTER
015213	03/08/2012	04/12/2012	TROY HEALTH & REHABILITATION CENTER
015213	03/08/2012	04/12/2012	TROY HEALTH & REHABILITATION CENTER
015213	03/08/2012	04/12/2012	TROY HEALTH & REHABILITATION CENTER
015213	03/13/2012	04/17/2012	TROY HEALTH & REHABILITATION CENTER
015213	03/13/2012	04/17/2012	TROY HEALTH & REHABILITATION CENTER
015213	03/13/2012	04/17/2012	TROY HEALTH & REHABILITATION CENTER

515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies

portable fire extinguishers.	Few	2
exits that are free from obstructions and can be used at all times.	Some	2
Reasonably accommodate the needs and preferences of each resident.	Few	2
Assist those residents who need total help with eating/drinking, grooming and personal and oral hygiene.	Few	2
Hire a qualified dietician.	Some	2
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Some	2
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015213	03/13/2012	04/17/2012	TROY HEALTH & REHABILITATION CENTER
015213	03/13/2012	04/17/2012	TROY HEALTH & REHABILITATION CENTER
015213	03/13/2012	04/17/2012	TROY HEALTH & REHABILITATION CENTER
015213	03/13/2012	04/17/2012	TROY HEALTH & REHABILITATION CENTER
015213	03/13/2012	04/17/2012	TROY HEALTH & REHABILITATION CENTER
015214	04/22/2010	05/20/2010	MADISON MANOR NURSING HOME
015214	04/22/2010	05/20/2010	MADISON MANOR NURSING HOME
015214	04/22/2010	05/20/2010	MADISON MANOR NURSING HOME
015214	04/22/2010	05/20/2010	MADISON MANOR NURSING HOME

515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880
515 ELBA HIGHWAY	TROY	AL	36079	3345660880
3891 SULLIVAN ST	MADISON	AL	35758	2567729243
3891 SULLIVAN ST	MADISON	AL	35758	2567729243
3891 SULLIVAN ST	MADISON	AL	35758	2567729243
3891 SULLIVAN ST	MADISON	AL	35758	2567729243

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies

an approved automatic sprinkler system connected to the fire alarm system.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Some	2
restrictions on the use of flammable curtains.	Some	2
properly installed electrical wiring and equipment.	Some	2
corridor and hallway doors that block smoke.	Some	1
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
a fire alarm system that can be heard throughout the facility.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015214	04/22/2010	05/20/2010	MADISON MANOR NURSING HOME
015214	04/13/2011	05/18/2011	MADISON MANOR NURSING HOME
015214	04/13/2011	05/18/2011	MADISON MANOR NURSING HOME
015214	05/17/2012	06/21/2012	MADISON MANOR NURSING HOME
015214	05/17/2012	06/21/2012	MADISON MANOR NURSING HOME
015214	05/17/2012	06/21/2012	MADISON MANOR NURSING HOME
015215	05/06/2010	05/25/2010	BIBB MED CENTER NURSING HOME
015215	05/06/2010	05/25/2010	BIBB MED CENTER NURSING HOME

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

3891 SULLIVAN ST	MADISON	AL	35758	2567729243
3891 SULLIVAN ST	MADISON	AL	35758	2567729243
3891 SULLIVAN ST	MADISON	AL	35758	2567729243
3891 SULLIVAN ST	MADISON	AL	35758	2567729243
3891 SULLIVAN ST	MADISON	AL	35758	2567729243
3891 SULLIVAN ST	MADISON	AL	35758	2567729243
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies

heard throughout the facility.		
properly protected cooking facilities.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
properly installed electrical wiring and equipment.	Some	2
corridor and hallway doors that block smoke.	Some	2
record of quarterly fire drills for each shift under varying conditions.	Many	2
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
Properly hold, secure and manage each resident's personal money which is deposited with the nursing home.	Few	2
Follow policies and procedures to convey the resident's personal funds to the appropriate party responsible after the resident's death.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015215	05/06/2010	05/25/2010	BIBB MED CENTER NURSING HOME
015215	05/06/2010	05/25/2010	BIBB MED CENTER NURSING HOME
015215	05/06/2010	05/25/2010	BIBB MED CENTER NURSING HOME
015215	05/06/2010	05/25/2010	BIBB MED CENTER NURSING HOME
015215	05/20/2010	06/01/2010	BIBB MED CENTER NURSING HOME
015215	05/20/2010	06/01/2010	BIBB MED CENTER NURSING HOME
015215	05/20/2010	06/01/2010	BIBB MED CENTER NURSING HOME
015215	05/20/2010	06/01/2010	BIBB MED CENTER NURSING HOME

208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies

death.		
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Many	1
Have a program that investigates, controls and keeps infection from spreading.	Few	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Many	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015215	05/20/2010	06/01/2010	BIBB MED CENTER NURSING HOME
015215	05/20/2010	06/01/2010	BIBB MED CENTER NURSING HOME
015215	05/20/2010	06/01/2010	BIBB MED CENTER NURSING HOME
015215	05/20/2010	06/01/2010	BIBB MED CENTER NURSING HOME
015215	05/20/2010	06/01/2010	BIBB MED CENTER NURSING HOME
015215	05/20/2010	06/01/2010	BIBB MED CENTER NURSING HOME
015215	03/10/2011	04/13/2011	BIBB MED CENTER NURSING HOME
015215	03/10/2011	04/13/2011	BIBB MED CENTER NURSING HOME
015215	03/10/2011	04/13/2011	BIBB MED CENTER NURSING HOME
015215	03/10/2011	04/13/2011	BIBB MED CENTER NURSING HOME

208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies

an approved installation, maintenance and testing program for fire alarm systems.	Few	2
properly maintained smoke detectors.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
portable fire extinguishers.	Few	2
other fire safety features required by fire safety codes.	Few	2
properly installed electrical wiring and equipment.	Some	2
Provide access to a telephone for resident to use in private.	Some	2
Provide housekeeping and maintenance services.	Some	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015215	03/16/2011	04/15/2011	BIBB MED CENTER NURSING HOME
015215	03/16/2011	04/15/2011	BIBB MED CENTER NURSING HOME
015215	03/16/2011	04/15/2011	BIBB MED CENTER NURSING HOME
015215	03/16/2011	04/15/2011	BIBB MED CENTER NURSING HOME
015215	03/16/2011	04/15/2011	BIBB MED CENTER NURSING HOME
015215	03/16/2011	04/15/2011	BIBB MED CENTER NURSING HOME
015215	03/16/2011	04/15/2011	BIBB MED CENTER NURSING HOME
015215	03/22/2012	04/15/2012	BIBB MED CENTER NURSING HOME
015215	03/28/2012	05/02/2012	BIBB MED CENTER NURSING HOME

208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
a fire alarm system that can be heard throughout the facility.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Some	2
a separate and independent backup electrical power source.	Some	2
properly installed electrical wiring and equipment.	Some	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
walls or barriers that prevent	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015215		05/02/2012	BIBB MED CENTER NURSING HOME
015215	03/28/2012	05/02/2012	BIBB MED CENTER NURSING HOME
015215	03/28/2012	05/02/2012	BIBB MED CENTER NURSING HOME
015215	03/28/2012	05/02/2012	BIBB MED CENTER NURSING HOME
015215	03/28/2012	05/02/2012	BIBB MED CENTER NURSING HOME
015216	08/05/2010	09/09/2010	OAKVIEW MANOR HEALTH CARE CENTER
015216	08/05/2010	09/09/2010	OAKVIEW MANOR HEALTH CARE CENTER
015216	08/05/2010	09/09/2010	OAKVIEW MANOR HEALTH CARE CENTER
015216	08/12/2010	09/09/2010	OAKVIEW MANOR HEALTH CARE CENTER

208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
208 PIERSON AVE	CENTREVILLE	AL	35042	2059263308
929 MIXON SCHOOL ROAD	OZARK	AL	36360	3347742631
929 MIXON SCHOOL ROAD	OZARK	AL	36360	3347742631
929 MIXON SCHOOL ROAD	OZARK	AL	36360	3347742631
929 MIXON SCHOOL ROAD	OZARK	AL	36360	3347742631

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Building Construction Deficiencies

walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
exits that are accessible at all times.	Some	1
record of quarterly fire drills for each shift under varying conditions.	Many	1
a fire alarm system that can be heard throughout the facility.	Few	2
a separate and independent backup electrical power source.	Some	1
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
a two-hour-resistant firewall in common walls.	Some	2

015216	08/12/2010	09/09/2010	OAKVIEW MANOR HEALTH CARE CENTER
015216	08/12/2010	09/09/2010	OAKVIEW MANOR HEALTH CARE CENTER
015216	08/12/2010	09/09/2010	OAKVIEW MANOR HEALTH CARE CENTER
015216	08/12/2010	09/09/2010	OAKVIEW MANOR HEALTH CARE CENTER
015216	08/12/2010	09/09/2010	OAKVIEW MANOR HEALTH CARE CENTER
015216	08/12/2010	09/09/2010	OAKVIEW MANOR HEALTH CARE CENTER
015216	08/12/2010	09/09/2010	OAKVIEW MANOR HEALTH CARE CENTER
015216	08/12/2010	09/09/2010	OAKVIEW MANOR HEALTH CARE CENTER
015216	05/12/2011	06/16/2011	OAKVIEW MANOR HEALTH CARE CENTER
015216	05/17/2011	06/21/2011	OAKVIEW MANOR HEALTH CARE CENTER

929 MIXON SCHOOL ROAD	OZARK	AL	36360	3347742631
929 MIXON SCHOOL ROAD	OZARK	AL	36360	3347742631
929 MIXON SCHOOL ROAD	OZARK	AL	36360	3347742631
929 MIXON SCHOOL ROAD	OZARK	AL	36360	3347742631
929 MIXON SCHOOL ROAD	OZARK	AL	36360	3347742631
929 MIXON SCHOOL ROAD	OZARK	AL	36360	3347742631
929 MIXON SCHOOL ROAD	OZARK	AL	36360	3347742631
929 MIXON SCHOOL ROAD	OZARK	AL	36360	3347742631
929 MIXON SCHOOL ROAD	OZARK	AL	36360	3347742631

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
proper backup exit lighting.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Few	2
properly protected cooking facilities.	Some	2
restrictions on the use of flammable curtains.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015216	05/17/2011	06/21/2011	OAKVIEW MANOR HEALTH CARE CENTER
015216	05/17/2012	06/21/2012	OAKVIEW MANOR HEALTH CARE CENTER
015216	05/17/2012	06/21/2012	OAKVIEW MANOR HEALTH CARE CENTER
015216	05/18/2012	06/22/2012	OAKVIEW MANOR HEALTH CARE CENTER
015216	05/18/2012	06/22/2012	OAKVIEW MANOR HEALTH CARE CENTER
015216	05/18/2012	06/22/2012	OAKVIEW MANOR HEALTH CARE CENTER
015216	05/18/2012	06/22/2012	OAKVIEW MANOR HEALTH CARE CENTER

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

929 MIXON SCHOOL ROAD	OZARK	AL	36360	3347742631
929 MIXON SCHOOL ROAD	OZARK	AL	36360	3347742631
929 MIXON SCHOOL ROAD	OZARK	AL	36360	3347742631
929 MIXON SCHOOL ROAD	OZARK	AL	36360	3347742631
929 MIXON SCHOOL ROAD	OZARK	AL	36360	3347742631
929 MIXON SCHOOL ROAD	OZARK	AL	36360	3347742631
929 MIXON SCHOOL ROAD	OZARK	AL	36360	3347742631

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

would resist fire for at least one hour.		
properly installed electrical wiring and equipment.	Many	1
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
automatic sprinkler systems that have been maintained in working order.	Many	1
Immediately tell the resident, the resident's doctor and a family member of the resident of situations (injury/decline/room, etc.) that affect the resident.	Few	2
Try to resolve each resident's complaints quickly.	Some	2
Provide medically-related social services to help each resident achieve the highest possible quality of life.	Few	2
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Many	2

015216	05/18/2012	06/22/2012	OAKVIEW MANOR HEALTH CARE CENTER
015216	05/18/2012	06/22/2012	OAKVIEW MANOR HEALTH CARE CENTER
015217	05/27/2010	07/01/2010	BIRMINGHAM NURSING AND REHABILITATION CENTER
015217	05/27/2010	07/01/2010	BIRMINGHAM NURSING AND REHABILITATION CENTER
015217	05/27/2010	07/01/2010	BIRMINGHAM NURSING AND REHABILITATION CENTER
015217	05/27/2010	07/01/2010	BIRMINGHAM NURSING AND REHABILITATION CENTER
015217	05/27/2010	07/01/2010	BIRMINGHAM NURSING AND REHABILITATION CENTER

929 MIXON SCHOOL ROAD	OZARK	AL	36360	3347742631
929 MIXON SCHOOL ROAD	OZARK	AL	36360	3347742631
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies

Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Make sure that nurse aides show they have the skills and techniques to be able to care for residents' needs.	Few	2

015217	06/03/2010	07/01/2010	BIRMINGHAM NURSING AND REHABILITATION CENTER
015217	06/03/2010	07/01/2010	BIRMINGHAM NURSING AND REHABILITATION CENTER
015217	06/03/2010	07/01/2010	BIRMINGHAM NURSING AND REHABILITATION CENTER
015217	06/03/2010	07/01/2010	BIRMINGHAM NURSING AND REHABILITATION CENTER
015217	06/03/2010	07/01/2010	BIRMINGHAM NURSING AND REHABILITATION CENTER
015217	06/03/2010	07/01/2010	BIRMINGHAM NURSING AND REHABILITATION CENTER
015217	06/03/2010	07/01/2010	BIRMINGHAM NURSING AND REHABILITATION CENTER
015217	04/21/2011	05/26/2011	BIRMINGHAM NURSING AND REHABILITATION CENTER
015217	04/21/2011	05/26/2011	BIRMINGHAM NURSING AND REHABILITATION CENTER
015217	04/21/2011	05/26/2011	BIRMINGHAM NURSING AND REHABILITATION CENTER
015217	04/21/2011	05/26/2011	BIRMINGHAM NURSING AND REHABILITATION CENTER

1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780

FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies

corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
a fire alarm system that can be heard throughout the facility.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
properly protected cooking facilities.	Few	2
Provide access to a telephone for resident to use in private.	Some	1
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Provide housekeeping and maintenance services.	Few	2
Make sure services provided by the nursing facility meet	Few	2

			REHABILITATION CENTER
015217	04/21/2011	05/26/2011	BIRMINGHAM NURSING AND REHABILITATION CENTER
015217	05/10/2011	06/15/2011	BIRMINGHAM NURSING AND REHABILITATION CENTER
015217	05/10/2011	06/15/2011	BIRMINGHAM NURSING AND REHABILITATION CENTER
015217	05/10/2011	06/15/2011	BIRMINGHAM NURSING AND REHABILITATION CENTER
015217	01/18/2012	02/22/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER
015217	01/18/2012	02/22/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER
015217	01/18/2012	02/22/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER
015217	01/18/2012	02/22/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER

1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Interior Finish Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies

the nursing facility meet professional standards of quality.		
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
corridor and hallway doors that block smoke.	Some	1
automatic sprinkler systems that have been maintained in working order.	Some	1
properly installed electrical wiring and equipment.	Some	1
fire-resistant interior walls.	Many	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Many	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015217	01/18/2012	02/22/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER
015217	01/18/2012	02/22/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER
015217	01/18/2012	02/22/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER
015217	01/18/2012	02/22/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER
015217	01/21/2012	02/22/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER
015217	01/21/2012	02/22/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER
015217	01/21/2012	02/22/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER
015217	01/21/2012	03/16/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER

1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

an approved installation, maintenance and testing program for fire alarm systems.	Some	2
restrictions on the use of flammable curtains.	Many	2
proper medical gas storage and administration areas.	Few	2
properly installed electrical wiring and equipment.	Few	2
Immediately tell the resident, the resident's doctor and a family member of the resident of situations (injury/decline/room, etc.) that affect the resident.	Few	3
Provide necessary care and services to maintain the highest well being of each resident .	Few	3
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015217	01/21/2012	02/22/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER
015217	01/21/2012	03/16/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER
015217	01/21/2012	02/22/2012	BIRMINGHAM NURSING AND REHABILITATION CENTER
015220	05/27/2010	07/01/2010	THOMASVILLE HEALTHCARE AND REHABILITATION CENTER
015220	06/02/2010	07/01/2010	THOMASVILLE HEALTHCARE AND REHABILITATION CENTER
015220	06/02/2010	07/01/2010	THOMASVILLE HEALTHCARE AND REHABILITATION CENTER
015220	06/02/2010	07/01/2010	THOMASVILLE HEALTHCARE AND REHABILITATION CENTER
015220	06/02/2010	07/01/2010	THOMASVILLE HEALTHCARE AND REHABILITATION CENTER

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1000 DUGAN AVENUE	BIRMINGHAM	AL	35214	2057988780
1425 MOSLEY DRIVE	THOMASVILLE	AL	36784	3346365614
1425 MOSLEY DRIVE	THOMASVILLE	AL	36784	3346365614
1425 MOSLEY DRIVE	THOMASVILLE	AL	36784	3346365614
1425 MOSLEY DRIVE	THOMASVILLE	AL	36784	3346365614
1425 MOSLEY DRIVE	THOMASVILLE	AL	36784	3346365614

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies

bladder function.		
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Make sure that nurse aides show they have the skills and techniques to be able to care for residents' needs.	Few	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Few	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Few	2
construction that can resist fire for one hour or an approved fire	Few	2

			REHABILITATION CENTER
015220	06/02/2010	07/25/2010	THOMASVILLE HEALTHCARE AND REHABILITATION CENTER
015220	06/02/2010	07/01/2010	THOMASVILLE HEALTHCARE AND REHABILITATION CENTER
015220	06/02/2010	07/01/2010	THOMASVILLE HEALTHCARE AND REHABILITATION CENTER
015220	06/02/2010	07/01/2010	THOMASVILLE HEALTHCARE AND REHABILITATION CENTER
015220	06/02/2010	07/01/2010	THOMASVILLE HEALTHCARE AND REHABILITATION CENTER
015220	06/02/2010	07/01/2010	THOMASVILLE HEALTHCARE AND REHABILITATION CENTER
015220	03/11/2011	04/15/2011	THOMASVILLE HEALTHCARE AND REHABILITATION CENTER
015220	03/11/2011	04/15/2011	THOMASVILLE HEALTHCARE AND REHABILITATION CENTER

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

1425 MOSLEY DRIVE	THOMASVILLE	AL	36784	3346365614
1425 MOSLEY DRIVE	THOMASVILLE	AL	36784	3346365614
1425 MOSLEY DRIVE	THOMASVILLE	AL	36784	3346365614
1425 MOSLEY DRIVE	THOMASVILLE	AL	36784	3346365614
1425 MOSLEY DRIVE	THOMASVILLE	AL	36784	3346365614
1425 MOSLEY DRIVE	THOMASVILLE	AL	36784	3346365614
1425 MOSLEY DRIVE	THOMASVILLE	AL	36784	3346365614
1425 MOSLEY DRIVE	THOMASVILLE	AL	36784	3346365614

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

for one hour or an approved fire extinguishing system.		
exits that are accessible at all times.	Few	2
proper exit design.	Some	2
a fire alarm system that can be heard throughout the facility.	Few	2
portable fire extinguishers.	Some	2
properly protected cooking facilities.	Some	2
other fire safety features required by fire safety codes.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015220	03/11/2011	04/15/2011	THOMASVILLE HEALTHCARE AND REHABILITATION CENTER
015220	03/11/2011	04/15/2011	THOMASVILLE HEALTHCARE AND REHABILITATION CENTER
015220	03/17/2011	04/21/2011	THOMASVILLE HEALTHCARE AND REHABILITATION CENTER
015220	03/17/2011	04/21/2011	THOMASVILLE HEALTHCARE AND REHABILITATION CENTER
015220	03/17/2011	04/21/2011	THOMASVILLE HEALTHCARE AND REHABILITATION CENTER
015220	03/17/2011	04/21/2011	THOMASVILLE HEALTHCARE AND REHABILITATION CENTER
015220	03/17/2011	04/21/2011	THOMASVILLE HEALTHCARE AND REHABILITATION CENTER
015220	03/17/2011	04/21/2011	THOMASVILLE HEALTHCARE AND REHABILITATION CENTER
015220	03/17/2011	04/21/2011	THOMASVILLE HEALTHCARE AND REHABILITATION CENTER
015220	03/17/2011	04/21/2011	THOMASVILLE HEALTHCARE AND

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

1425 MOSLEY DRIVE	THOMASVILLE	AL	36784	3346365614
1425 MOSLEY DRIVE	THOMASVILLE	AL	36784	3346365614
1425 MOSLEY DRIVE	THOMASVILLE	AL	36784	3346365614
1425 MOSLEY DRIVE	THOMASVILLE	AL	36784	3346365614
1425 MOSLEY DRIVE	THOMASVILLE	AL	36784	3346365614
1425 MOSLEY DRIVE	THOMASVILLE	AL	36784	3346365614
1425 MOSLEY DRIVE	THOMASVILLE	AL	36784	3346365614
1425 MOSLEY DRIVE	THOMASVILLE	AL	36784	3346365614
1425 MOSLEY DRIVE	THOMASVILLE	AL	36784	3346365614
1425 MOSLEY DRIVE	THOMASVILLE	AL	36784	3346365614

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies

planned for the resident and followed.		
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
a two-hour-resistant firewall in common walls.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Some	2
properly protected cooking facilities.	Few	2
restrictions on the use of portable space heaters.	Many	2
other fire safety features required by fire safety codes.	Few	2
properly installed electrical wiring	Many	2

			REHABILITATION CENTER
015220	04/05/2012	05/10/2012	THOMASVILLE HEALTHCARE AND REHABILITATION CENTER
015220	04/05/2012	05/10/2012	THOMASVILLE HEALTHCARE AND REHABILITATION CENTER
015220	04/05/2012	05/10/2012	THOMASVILLE HEALTHCARE AND REHABILITATION CENTER
015220	04/05/2012	05/10/2012	THOMASVILLE HEALTHCARE AND REHABILITATION CENTER
015220	04/12/2012	05/14/2012	THOMASVILLE HEALTHCARE AND REHABILITATION CENTER
015220	04/12/2012	05/14/2012	THOMASVILLE HEALTHCARE AND REHABILITATION CENTER
015220	04/12/2012	05/14/2012	THOMASVILLE HEALTHCARE AND REHABILITATION CENTER
015221	05/20/2010	06/24/2010	CHAPMAN HEALTHCARE CENTER, INC
015221	05/20/2010	06/24/2010	CHAPMAN HEALTHCARE CENTER, INC

1425 MOSLEY DRIVE	THOMASVILLE	AL	36784	3346365614
1425 MOSLEY DRIVE	THOMASVILLE	AL	36784	3346365614
1425 MOSLEY DRIVE	THOMASVILLE	AL	36784	3346365614
1425 MOSLEY DRIVE	THOMASVILLE	AL	36784	3346365614
1425 MOSLEY DRIVE	THOMASVILLE	AL	36784	3346365614
1425 MOSLEY DRIVE	THOMASVILLE	AL	36784	3346365614
1425 MOSLEY DRIVE	THOMASVILLE	AL	36784	3346365614
3701 DADEVILLE ROAD	ALEXANDER CITY	AL	35010	2562346366
3701 DADEVILLE ROAD	ALEXANDER CITY	AL	35010	2562346366

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Mistreatment Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Assessment Deficiencies

and equipment.		
Develop policies that prevent mistreatment, neglect, or abuse of residents or theft of resident property.	Few	2
Provide housekeeping and maintenance services.	Some	1
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
corridor and hallway doors that block smoke.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
properly protected cooking facilities.	Few	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Coordinate assessments with the pre-admission screening and resident review program for	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015221	05/20/2010	06/24/2010	CHAPMAN HEALTHCARE CENTER, INC
015221	05/20/2010	06/24/2010	CHAPMAN HEALTHCARE CENTER, INC
015221	05/20/2010	06/24/2010	CHAPMAN HEALTHCARE CENTER, INC
015221	05/25/2010	06/24/2010	CHAPMAN HEALTHCARE CENTER, INC
015221	05/25/2010	06/24/2010	CHAPMAN HEALTHCARE CENTER, INC
015221	05/25/2010	06/24/2010	CHAPMAN HEALTHCARE CENTER, INC
015221	05/25/2010	06/24/2010	CHAPMAN HEALTHCARE CENTER, INC
015221	03/24/2011	04/28/2011	CHAPMAN HEALTHCARE CENTER, INC

3701 DADEVILLE ROAD	ALEXANDER CITY	AL	35010	2562346366
3701 DADEVILLE ROAD	ALEXANDER CITY	AL	35010	2562346366
3701 DADEVILLE ROAD	ALEXANDER CITY	AL	35010	2562346366
3701 DADEVILLE ROAD	ALEXANDER CITY	AL	35010	2562346366
3701 DADEVILLE ROAD	ALEXANDER CITY	AL	35010	2562346366
3701 DADEVILLE ROAD	ALEXANDER CITY	AL	35010	2562346366
3701 DADEVILLE ROAD	ALEXANDER CITY	AL	35010	2562346366
3701 DADEVILLE ROAD	ALEXANDER CITY	AL	35010	2562346366

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

resident review program for mentally-ill and mentally-retarded patients.		
Assist those residents who need total help with eating/drinking, grooming and personal and oral hygiene.	Few	2
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Some	1
Provide food in a way that meets a resident's needs.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
properly protected cooking facilities.	Few	2
restrictions on the use of flammable curtains.	Many	2
Hire sufficient dietary support personnel.	Many	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015221	03/24/2011	04/28/2011	CHAPMAN HEALTHCARE CENTER, INC
015221	03/24/2011	04/28/2011	CHAPMAN HEALTHCARE CENTER, INC
015221	03/24/2011	04/28/2011	CHAPMAN HEALTHCARE CENTER, INC
015221	03/24/2011	04/28/2011	CHAPMAN HEALTHCARE CENTER, INC
015221	03/29/2011	05/03/2011	CHAPMAN HEALTHCARE CENTER, INC
015221	03/29/2011	05/03/2011	CHAPMAN HEALTHCARE CENTER, INC
015221	03/29/2011	05/03/2011	CHAPMAN HEALTHCARE CENTER, INC
015221	03/29/2011	05/03/2011	CHAPMAN HEALTHCARE CENTER, INC

ROAD				
3701 DADEVILLE ROAD	ALEXANDER CITY	AL	35010	2562346366
3701 DADEVILLE ROAD	ALEXANDER CITY	AL	35010	2562346366
3701 DADEVILLE ROAD	ALEXANDER CITY	AL	35010	2562346366
3701 DADEVILLE ROAD	ALEXANDER CITY	AL	35010	2562346366
3701 DADEVILLE ROAD	ALEXANDER CITY	AL	35010	2562346366
3701 DADEVILLE ROAD	ALEXANDER CITY	AL	35010	2562346366
3701 DADEVILLE ROAD	ALEXANDER CITY	AL	35010	2562346366
3701 DADEVILLE ROAD	ALEXANDER CITY	AL	35010	2562346366
3701 DADEVILLE ROAD	ALEXANDER CITY	AL	35010	2562346366

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies

personnel.		
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Many	1
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Some	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
corridor and hallway doors that block smoke.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Some	2
properly maintained smoke detectors.	Many	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015221	03/29/2011	05/03/2011	CHAPMAN HEALTHCARE CENTER, INC
015221	03/29/2011	05/03/2011	CHAPMAN HEALTHCARE CENTER, INC
015221	04/05/2012	05/10/2012	CHAPMAN HEALTHCARE CENTER, INC
015221	04/05/2012	05/10/2012	CHAPMAN HEALTHCARE CENTER, INC
015221	04/05/2012	05/10/2012	CHAPMAN HEALTHCARE CENTER, INC
015221	04/05/2012	05/10/2012	CHAPMAN HEALTHCARE CENTER, INC
015221	04/05/2012	05/10/2012	CHAPMAN HEALTHCARE CENTER, INC

3701 DADEVILLE ROAD	ALEXANDER CITY	AL	35010	2562346366
3701 DADEVILLE ROAD	ALEXANDER CITY	AL	35010	2562346366
3701 DADEVILLE ROAD	ALEXANDER CITY	AL	35010	2562346366
3701 DADEVILLE ROAD	ALEXANDER CITY	AL	35010	2562346366
3701 DADEVILLE ROAD	ALEXANDER CITY	AL	35010	2562346366
3701 DADEVILLE ROAD	ALEXANDER CITY	AL	35010	2562346366
3701 DADEVILLE	ALEXANDER CITY	AL	35010	2562346366

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies

automatic sprinkler systems that have been maintained in working order.	Some	2
properly installed electrical wiring and equipment.	Some	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Many	1
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.	Few	2
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Many	2
Make sure that the nursing home	Some	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015221	04/12/2012	05/17/2012	CHAPMAN HEALTHCARE CENTER, INC
015221	04/12/2012	05/17/2012	CHAPMAN HEALTHCARE CENTER, INC
015222	05/29/2009	07/03/2009	FAIRHOPE HEALTH & REHAB
015222	05/29/2009	07/03/2009	FAIRHOPE HEALTH & REHAB
015222	05/29/2009	07/03/2009	FAIRHOPE HEALTH & REHAB
015222	05/29/2009	07/03/2009	FAIRHOPE HEALTH & REHAB
015222	05/29/2009	07/03/2009	FAIRHOPE HEALTH & REHAB

ROAD				
3701 DADEVILLE ROAD	ALEXANDER CITY	AL	35010	2562346366
3701 DADEVILLE ROAD	ALEXANDER CITY	AL	35010	2562346366
108 SOUTH CHURCH STREET	FAIRHOPE	AL	36532	2519282153
108 SOUTH CHURCH STREET	FAIRHOPE	AL	36532	2519282153
108 SOUTH CHURCH STREET	FAIRHOPE	AL	36532	2519282153
108 SOUTH CHURCH STREET	FAIRHOPE	AL	36532	2519282153
108 SOUTH CHURCH STREET	FAIRHOPE	AL	36532	2519282153

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies

area is safe, easy to use, clean and comfortable for residents, staff and the public.		
exits that are accessible at all times.	Some	2
portable fire extinguishers.	Some	2
Provide care by qualified persons according to each resident's written plan of care.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Some	2
Make sure that special or therapeutic diets are ordered by the attending doctor.	Few	2
Safely provide drugs and other similar products available, which are needed every day and in	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015222	05/29/2009	07/03/2009	FAIRHOPE HEALTH & REHAB
015222	06/03/2009	07/03/2009	FAIRHOPE HEALTH & REHAB
015222	06/03/2009	07/03/2009	FAIRHOPE HEALTH & REHAB
015222	06/03/2009	07/03/2009	FAIRHOPE HEALTH & REHAB
015222	06/03/2009	07/03/2009	FAIRHOPE HEALTH & REHAB
015222	06/03/2009	07/03/2009	FAIRHOPE HEALTH & REHAB
015222	06/03/2009	07/03/2009	FAIRHOPE HEALTH & REHAB
015222	08/12/2010	09/05/2010	FAIRHOPE HEALTH & REHAB
015222	08/12/2010	09/05/2010	FAIRHOPE HEALTH & REHAB

108 SOUTH CHURCH STREET	FAIRHOPE	AL	36532	2519282153
108 SOUTH CHURCH STREET	FAIRHOPE	AL	36532	2519282153
108 SOUTH CHURCH STREET	FAIRHOPE	AL	36532	2519282153
108 SOUTH CHURCH STREET	FAIRHOPE	AL	36532	2519282153
108 SOUTH CHURCH STREET	FAIRHOPE	AL	36532	2519282153
108 SOUTH CHURCH STREET	FAIRHOPE	AL	36532	2519282153
108 SOUTH CHURCH STREET	FAIRHOPE	AL	36532	2519282153
108 SOUTH CHURCH STREET	FAIRHOPE	AL	36532	2519282153

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies

emergencies, by a licensed pharmacist.		
Have a program that investigates, controls and keeps infection from spreading.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
exits that are accessible at all times.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2
properly installed electrical wiring and equipment.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Some	4

015222	08/12/2010	09/05/2010	FAIRHOPE HEALTH & REHAB
015222	08/18/2010	09/10/2010	FAIRHOPE HEALTH & REHAB
015222	08/18/2010	02/03/2011	FAIRHOPE HEALTH & REHAB
015222	08/18/2010	09/10/2010	FAIRHOPE HEALTH & REHAB
015222	08/18/2010	09/10/2010	FAIRHOPE HEALTH & REHAB
015222	08/18/2010	09/10/2010	FAIRHOPE HEALTH & REHAB
015222	07/28/2011	08/31/2011	FAIRHOPE HEALTH & REHAB
015222	07/28/2011	08/31/2011	FAIRHOPE HEALTH & REHAB
015222	08/04/2011	09/08/2011	FAIRHOPE HEALTH & REHAB

108 SOUTH CHURCH STREET	FAIRHOPE	AL	36532	2519282153
108 SOUTH CHURCH STREET	FAIRHOPE	AL	36532	2519282153
108 SOUTH CHURCH STREET	FAIRHOPE	AL	36532	2519282153
108 SOUTH CHURCH STREET	FAIRHOPE	AL	36532	2519282153
108 SOUTH CHURCH STREET	FAIRHOPE	AL	36532	2519282153
108 SOUTH CHURCH STREET	FAIRHOPE	AL	36532	2519282153
108 SOUTH CHURCH STREET	FAIRHOPE	AL	36532	2519282153
108 SOUTH CHURCH STREET	FAIRHOPE	AL	36532	2519282153
108 SOUTH CHURCH STREET	FAIRHOPE	AL	36532	2519282153
108 SOUTH CHURCH STREET	FAIRHOPE	AL	36532	2519282153

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Administration Deficiencies
FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies

Be administered in an acceptable way that maintains the well-being of each resident .	Some	4
protected exits that allow the resident to escape the building.	Some	2
exit stairways and towers that are smoke proof.	Many	1
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
automatic sprinkler systems that have been maintained in working order.	Many	1
restrictions on the use of flammable curtains.	Many	1
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Few	2
Give or get quality lab services/tests in a timely manner to meet the needs of residents.	Few	2
corridor and hallway doors that block smoke.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015222	08/04/2011	09/08/2011	FAIRHOPE HEALTH & REHAB
015222	08/04/2011	09/08/2011	FAIRHOPE HEALTH & REHAB
015222	08/04/2011	09/08/2011	FAIRHOPE HEALTH & REHAB
015222	08/04/2011	09/08/2011	FAIRHOPE HEALTH & REHAB
015222	08/04/2011	09/08/2011	FAIRHOPE HEALTH & REHAB
015223	06/17/2010	07/22/2010	NORTHSIDE HEALTH CARE
015223	06/17/2010	07/22/2010	NORTHSIDE HEALTH CARE

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

STREET				
108 SOUTH CHURCH STREET	FAIRHOPE	AL	36532	2519282153
108 SOUTH CHURCH STREET	FAIRHOPE	AL	36532	2519282153
108 SOUTH CHURCH STREET	FAIRHOPE	AL	36532	2519282153
108 SOUTH CHURCH STREET	FAIRHOPE	AL	36532	2519282153
108 SOUTH CHURCH STREET	FAIRHOPE	AL	36532	2519282153
700 HUTCHINS AVENUE	GADSDEN	AL	35901	2565437101
700 HUTCHINS AVENUE	GADSDEN	AL	35901	2565437101

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Quality Care Deficiencies

block smoke.		
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Few	2
automatic sprinkler systems that have been maintained in working order.	Some	2
other fire safety features required by fire safety codes.	Few	2
properly installed electrical wiring and equipment.	Some	2
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015223	06/17/2010	07/22/2010	NORTHSIDE HEALTH CARE
015223	06/17/2010	07/22/2010	NORTHSIDE HEALTH CARE
015223	06/17/2010	07/22/2010	NORTHSIDE HEALTH CARE
015223	06/23/2010	07/20/2010	NORTHSIDE HEALTH CARE
015223	06/23/2010	07/20/2010	NORTHSIDE HEALTH CARE
015223	06/23/2010	07/20/2010	NORTHSIDE HEALTH CARE
015223	06/23/2010	07/20/2010	NORTHSIDE HEALTH CARE
015223	06/23/2010	07/20/2010	NORTHSIDE HEALTH CARE
015223	06/23/2011	07/15/2011	NORTHSIDE HEALTH CARE
015223	06/23/2011	07/15/2011	NORTHSIDE HEALTH CARE

700 HUTCHINS AVENUE	GADSDEN	AL	35901	2565437101
700 HUTCHINS AVENUE	GADSDEN	AL	35901	2565437101
700 HUTCHINS AVENUE	GADSDEN	AL	35901	2565437101
700 HUTCHINS AVENUE	GADSDEN	AL	35901	2565437101
700 HUTCHINS AVENUE	GADSDEN	AL	35901	2565437101
700 HUTCHINS AVENUE	GADSDEN	AL	35901	2565437101
700 HUTCHINS AVENUE	GADSDEN	AL	35901	2565437101
700 HUTCHINS AVENUE	GADSDEN	AL	35901	2565437101
700 HUTCHINS	GADSDEN	AL	35901	2565437101

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Quality Care Deficiencies

Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Many	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
a fire alarm system that can be heard throughout the facility.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
restrictions on the use of flammable curtains.	Few	2
Keep each resident free from physical restraints, unless needed for medical treatment.	Few	2
Make sure services provided by	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015223		07/15/2011	NORTHSIDE HEALTH CARE
015223	06/23/2011	07/15/2011	NORTHSIDE HEALTH CARE
015223	06/23/2011	07/15/2011	NORTHSIDE HEALTH CARE
015223	06/29/2011	07/22/2011	NORTHSIDE HEALTH CARE
015223	06/29/2011	07/22/2011	NORTHSIDE HEALTH CARE
015223	06/29/2011	07/22/2011	NORTHSIDE HEALTH CARE
015223	06/29/2011	07/22/2011	NORTHSIDE HEALTH CARE
015223	06/29/2011	07/22/2011	NORTHSIDE HEALTH CARE
015223	06/29/2011	07/22/2011	NORTHSIDE HEALTH CARE
015223	06/29/2011	07/22/2011	NORTHSIDE HEALTH CARE
015223	07/13/2012	08/13/2012	NORTHSIDE HEALTH CARE

700 HUTCHINS AVENUE	GADSDEN	AL	35901	2565437101
700 HUTCHINS AVENUE	GADSDEN	AL	35901	2565437101
700 HUTCHINS AVENUE	GADSDEN	AL	35901	2565437101
700 HUTCHINS AVENUE	GADSDEN	AL	35901	2565437101
700 HUTCHINS AVENUE	GADSDEN	AL	35901	2565437101
700 HUTCHINS AVENUE	GADSDEN	AL	35901	2565437101
700 HUTCHINS AVENUE	GADSDEN	AL	35901	2565437101
700 HUTCHINS AVENUE	GADSDEN	AL	35901	2565437101
700 HUTCHINS AVENUE	GADSDEN	AL	35901	2565437101
700 HUTCHINS AVENUE	GADSDEN	AL	35901	2565437101

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies

Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Provide necessary care and services to maintain the highest well being of each resident .	Few	2
Provide food in a way that meets a resident's needs.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Some	2
automatic sprinkler systems that have been maintained in working order.	Few	2
properly protected cooking facilities.	Few	2
other fire safety features required by fire safety codes.	Few	2
a separate and independent backup electrical power source.	Many	1
Immediately tell the resident, the resident's doctor and a family member of the resident of situations (injury/decline/room,	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015223	07/13/2012	08/13/2012	NORTHSIDE HEALTH CARE
015223	07/13/2012	08/13/2012	NORTHSIDE HEALTH CARE
015223	07/13/2012	08/13/2012	NORTHSIDE HEALTH CARE
015223	07/13/2012	08/13/2012	NORTHSIDE HEALTH CARE
015223	07/24/2012	08/17/2012	NORTHSIDE HEALTH CARE
015223	07/24/2012	08/17/2012	NORTHSIDE HEALTH CARE
015223	07/24/2012	08/17/2012	NORTHSIDE HEALTH CARE
015223	07/24/2012	08/17/2012	NORTHSIDE HEALTH CARE

700 HUTCHINS AVENUE	GADSDEN	AL	35901	2565437101
700 HUTCHINS AVENUE	GADSDEN	AL	35901	2565437101
700 HUTCHINS AVENUE	GADSDEN	AL	35901	2565437101
700 HUTCHINS AVENUE	GADSDEN	AL	35901	2565437101
700 HUTCHINS AVENUE	GADSDEN	AL	35901	2565437101
700 HUTCHINS AVENUE	GADSDEN	AL	35901	2565437101
700 HUTCHINS AVENUE	GADSDEN	AL	35901	2565437101
700 HUTCHINS	GADSDEN	AL	35901	2565437101

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Rights Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Interior Finish Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies

situations (injury/decline/room, etc.) that affect the resident.		
Properly hold, secure and manage each resident's personal money which is deposited with the nursing home.	Few	2
Allow the resident the right to participate in the planning or revision of the resident's care plan.	Few	2
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
fire-resistant room wall surfaces.	Some	2
exits that are accessible at all times.	Few	2
automatic sprinkler systems that have been maintained in working order.	Many	2
proper medical gas storage and	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015223		08/17/2012	NORTHSIDE HEALTH CARE
015223	07/24/2012	08/17/2012	NORTHSIDE HEALTH CARE
015225	06/08/2010	07/06/2010	BARFIELD HEALTH CARE INC
015225	06/08/2010	07/06/2010	BARFIELD HEALTH CARE INC
015225	06/08/2010	07/06/2010	BARFIELD HEALTH CARE INC
015225	06/08/2010	07/06/2010	BARFIELD HEALTH CARE INC
015225	03/17/2011	04/19/2011	BARFIELD HEALTH CARE INC
015225	03/17/2011	04/19/2011	BARFIELD HEALTH CARE INC
015225	03/17/2011	04/19/2011	BARFIELD HEALTH CARE INC

700 HUTCHINS AVENUE	GADSDEN	AL	35901	2565437101
700 HUTCHINS AVENUE	GADSDEN	AL	35901	2565437101
22444 HIGHWAY 431	GUNTERSVILLE	AL	35976	2565823112
22444 HIGHWAY 431	GUNTERSVILLE	AL	35976	2565823112
22444 HIGHWAY 431	GUNTERSVILLE	AL	35976	2565823112
22444 HIGHWAY 431	GUNTERSVILLE	AL	35976	2565823112
22444 HIGHWAY 431	GUNTERSVILLE	AL	35976	2565823112
22444 HIGHWAY 431	GUNTERSVILLE	AL	35976	2565823112
22444 HIGHWAY 431	GUNTERSVILLE	AL	35976	2565823112

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

proper medical gas storage and administration areas.	Few	2
other fire safety features required by fire safety codes.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
automatic sprinkler systems that have been maintained in working order.	Many	2
Provide care by qualified persons according to each resident's written plan of care.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Some	2
Store, cook, and serve food in a safe and clean way.	Many	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015225	03/23/2011	04/27/2011	BARFIELD HEALTH CARE INC
015225	04/19/2012	05/18/2012	BARFIELD HEALTH CARE INC
015225	04/26/2012	05/30/2012	BARFIELD HEALTH CARE INC
015225	04/26/2012	05/30/2012	BARFIELD HEALTH CARE INC
015225	04/26/2012	05/30/2012	BARFIELD HEALTH CARE INC
015227	06/11/2009	07/16/2009	GENERATIONS OF VERNON, LLC
015227	06/11/2009	07/16/2009	GENERATIONS OF VERNON, LLC
015227	06/11/2009	07/16/2009	GENERATIONS OF VERNON, LLC
015227	06/11/2009	07/16/2009	GENERATIONS OF VERNON, LLC

22444 HIGHWAY 431	GUNTERSVILLE	AL	35976	2565823112
22444 HIGHWAY 431	GUNTERSVILLE	AL	35976	2565823112
22444 HIGHWAY 431	GUNTERSVILLE	AL	35976	2565823112
22444 HIGHWAY 431	GUNTERSVILLE	AL	35976	2565823112
22444 HIGHWAY 431	GUNTERSVILLE	AL	35976	2565823112
1050 CONVALESCENT ROAD	VERNON	AL	35592	2056959313
1050 CONVALESCENT ROAD	VERNON	AL	35592	2056959313
1050 CONVALESCENT ROAD	VERNON	AL	35592	2056959313
1050 CONVALESCENT ROAD	VERNON	AL	35592	2056959313

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Fire Alarm Systems Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies

a fire alarm system that can be heard throughout the facility.	Some	2
Store, cook, and serve food in a safe and clean way.	Many	2
proper backup exit lighting.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
properly protected cooking facilities.	Few	2
Provide housekeeping and maintenance services.	Some	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Properly care for residents needing special services,	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015227	06/11/2009	07/16/2009	GENERATIONS OF VERNON, LLC
015227	06/17/2009	07/16/2009	GENERATIONS OF VERNON, LLC
015227	08/05/2010	09/09/2010	GENERATIONS OF VERNON, LLC
015227	08/05/2010	09/09/2010	GENERATIONS OF VERNON, LLC
015227	08/05/2010	09/09/2010	GENERATIONS OF VERNON, LLC
015227	08/05/2010	09/09/2010	GENERATIONS OF VERNON, LLC

ROAD				
1050 CONVALESCENT ROAD	VERNON	AL	35592	2056959313
1050 CONVALESCENT ROAD	VERNON	AL	35592	2056959313
1050 CONVALESCENT ROAD	VERNON	AL	35592	2056959313
1050 CONVALESCENT ROAD	VERNON	AL	35592	2056959313
1050 CONVALESCENT ROAD	VERNON	AL	35592	2056959313
1050 CONVALESCENT ROAD	VERNON	AL	35592	2056959313

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Administration Deficiencies

needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.		
Store, cook, and serve food in a safe and clean way.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
Provide housekeeping and maintenance services.	Some	2
Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Make sure that nurse aides show they have the skills and techniques to be able to care for residents' needs.	Few	2

015227	08/11/2010	09/09/2010	GENERATIONS OF VERNON, LLC
015227	08/11/2010	09/09/2010	GENERATIONS OF VERNON, LLC
015227	08/11/2010	09/09/2010	GENERATIONS OF VERNON, LLC
015227	07/28/2011	09/01/2011	GENERATIONS OF VERNON, LLC
015227	07/28/2011	09/01/2011	GENERATIONS OF VERNON, LLC
015227	07/28/2011	09/01/2011	GENERATIONS OF VERNON, LLC
015227	07/28/2011	09/01/2011	GENERATIONS OF VERNON, LLC
015227	07/28/2011	09/01/2011	GENERATIONS OF VERNON, LLC
015227	07/28/2011	09/01/2011	GENERATIONS OF VERNON, LLC

1050 CONVALESCENT ROAD	VERNON	AL	35592	2056959313
1050 CONVALESCENT ROAD	VERNON	AL	35592	2056959313
1050 CONVALESCENT ROAD	VERNON	AL	35592	2056959313
1050 CONVALESCENT ROAD	VERNON	AL	35592	2056959313
1050 CONVALESCENT ROAD	VERNON	AL	35592	2056959313
1050 CONVALESCENT ROAD	VERNON	AL	35592	2056959313
1050 CONVALESCENT ROAD	VERNON	AL	35592	2056959313
1050 CONVALESCENT ROAD	VERNON	AL	35592	2056959313
1050 CONVALESCENT ROAD	VERNON	AL	35592	2056959313
1050 CONVALESCENT	VERNON	AL	35592	2056959313

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
properly installed electrical wiring and equipment.	Few	2
Try to resolve each resident's complaints quickly.	Some	2
Keep each resident free from physical restraints, unless needed for medical treatment.	Few	2
Reasonably accommodate the needs and preferences of each resident.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Post nurse staffing information/data on a daily basis.	Many	1
Prepare food that is nutritional,	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015227		09/01/2011	GENERATIONS OF VERNON, LLC
015227	07/28/2011	09/01/2011	GENERATIONS OF VERNON, LLC
015227	08/03/2011	09/07/2011	GENERATIONS OF VERNON, LLC
015228	09/28/2010	10/15/2010	CEDAR CREST
015228	09/28/2010	10/15/2010	CEDAR CREST
015228	09/30/2010	11/04/2010	CEDAR CREST
015228	09/30/2010	11/04/2010	CEDAR CREST
015228	09/30/2010	11/04/2010	CEDAR CREST
015228	09/30/2010	11/04/2010	CEDAR CREST

1050 CONVALESCENT ROAD	VERNON	AL	35592	2056959313
1050 CONVALESCENT ROAD	VERNON	AL	35592	2056959313
1050 CONVALESCENT ROAD	VERNON	AL	35592	2056959313
4490 VIRGINIA LOOP ROAD	MONTGOMERY	AL	36116	3342816826
4490 VIRGINIA LOOP ROAD	MONTGOMERY	AL	36116	3342816826
4490 VIRGINIA LOOP ROAD	MONTGOMERY	AL	36116	3342816826
4490 VIRGINIA LOOP ROAD	MONTGOMERY	AL	36116	3342816826
4490 VIRGINIA LOOP ROAD	MONTGOMERY	AL	36116	3342816826
4490 VIRGINIA LOOP ROAD	MONTGOMERY	AL	36116	3342816826

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Resident Assessment Deficiencies

Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Some	2
Make sure that special or therapeutic diets are ordered by the attending doctor.	Few	2
automatic sprinkler systems that have been maintained in working order.	Few	2
proper exit design.	Few	2
a separate and independent backup electrical power source.	Few	2
Properly hold, secure and manage each resident's personal money which is deposited with the nursing home.	Many	2
Keep each resident's personal and medical records private and confidential.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Some	2
Coordinate assessments with the pre-admission screening and	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015228	09/30/2010	11/04/2010	CEDAR CREST
015228	09/30/2010	11/04/2010	CEDAR CREST
015228	09/30/2010	11/04/2010	CEDAR CREST
015228	05/05/2011	06/07/2011	CEDAR CREST

ROAD				
4490 VIRGINIA LOOP ROAD	MONTGOMERY	AL	36116	3342816826
4490 VIRGINIA LOOP ROAD	MONTGOMERY	AL	36116	3342816826
4490 VIRGINIA LOOP ROAD	MONTGOMERY	AL	36116	3342816826
4490 VIRGINIA LOOP ROAD	MONTGOMERY	AL	36116	3342816826

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Quality Care Deficiencies

pre-admission screening and resident review program for mentally-ill and mentally-retarded patients.		
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Few	2
Provide care by qualified persons according to each resident's written plan of care.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015228	05/05/2011	06/07/2011	CEDAR CREST
015228	05/05/2011	06/07/2011	CEDAR CREST
015228	05/05/2011	06/07/2011	CEDAR CREST
015228	05/11/2011	06/27/2011	CEDAR CREST
015228	05/11/2011	06/27/2011	CEDAR CREST
015228	05/11/2011	06/27/2011	CEDAR CREST
015228	02/16/2012	03/16/2012	CEDAR CREST
015228	02/16/2012	03/16/2012	CEDAR CREST

4490 VIRGINIA LOOP ROAD	MONTGOMERY	AL	36116	3342816826
4490 VIRGINIA LOOP ROAD	MONTGOMERY	AL	36116	3342816826
4490 VIRGINIA LOOP ROAD	MONTGOMERY	AL	36116	3342816826
4490 VIRGINIA LOOP ROAD	MONTGOMERY	AL	36116	3342816826
4490 VIRGINIA LOOP ROAD	MONTGOMERY	AL	36116	3342816826
4490 VIRGINIA LOOP ROAD	MONTGOMERY	AL	36116	3342816826
4490 VIRGINIA LOOP ROAD	MONTGOMERY	AL	36116	3342816826
4490 VIRGINIA LOOP ROAD	MONTGOMERY	AL	36116	3342816826
4490 VIRGINIA LOOP ROAD	MONTGOMERY	AL	36116	3342816826

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies

Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Provide food in a way that meets a resident's needs.	Few	2
Store, cook, and serve food in a safe and clean way.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Some	2
properly installed electrical wiring and equipment.	Few	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal	Few	2

015228	02/16/2012	03/16/2012	CEDAR CREST
015228	02/22/2012	03/02/2012	CEDAR CREST
015303	01/06/2010	02/10/2010	FAIRVIEW HEALTH AND REHABILITATION CENTER
015303	01/06/2010	02/10/2010	FAIRVIEW HEALTH AND REHABILITATION CENTER
015303	01/06/2010	02/10/2010	FAIRVIEW HEALTH AND REHABILITATION CENTER
015303	01/06/2010	02/10/2010	FAIRVIEW HEALTH AND REHABILITATION CENTER
015303	01/13/2010	02/10/2010	FAIRVIEW HEALTH AND REHABILITATION CENTER
015303	01/13/2010	02/10/2010	FAIRVIEW HEALTH AND REHABILITATION CENTER
015303	01/13/2010	02/10/2010	FAIRVIEW HEALTH AND REHABILITATION CENTER

4490 VIRGINIA LOOP ROAD	MONTGOMERY	AL	36116	3342816826
4490 VIRGINIA LOOP ROAD	MONTGOMERY	AL	36116	3342816826
1028 BESSEMER RD	BIRMINGHAM	AL	35228	2059231777
1028 BESSEMER RD	BIRMINGHAM	AL	35228	2059231777
1028 BESSEMER RD	BIRMINGHAM	AL	35228	2059231777
1028 BESSEMER RD	BIRMINGHAM	AL	35228	2059231777
1028 BESSEMER RD	BIRMINGHAM	AL	35228	2059231777
1028 BESSEMER RD	BIRMINGHAM	AL	35228	2059231777
1028 BESSEMER RD	BIRMINGHAM	AL	35228	2059231777
1028 BESSEMER RD	BIRMINGHAM	AL	35228	2059231777

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies

bladder function.		
Provide food in a way that meets a resident's needs.	Few	2
corridor and hallway doors that block smoke.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
Make sure that special or therapeutic diets are ordered by the attending doctor.	Few	2
a fire alarm system that can be heard throughout the facility.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
restrictions on the use of flammable curtains.	Few	2

			CENTER
015303	01/13/2010	02/10/2010	FAIRVIEW HEALTH AND REHABILITATION CENTER
015303	01/27/2011	02/18/2011	FAIRVIEW HEALTH AND REHABILITATION CENTER
015303	01/27/2011	02/18/2011	FAIRVIEW HEALTH AND REHABILITATION CENTER
015303	01/27/2011	02/18/2011	FAIRVIEW HEALTH AND REHABILITATION CENTER
015303	01/27/2011	02/18/2011	FAIRVIEW HEALTH AND REHABILITATION CENTER
015303	01/27/2011	02/18/2011	FAIRVIEW HEALTH AND REHABILITATION CENTER
015303	01/27/2011	03/03/2011	FAIRVIEW HEALTH AND REHABILITATION CENTER
015303	01/27/2011	03/03/2011	FAIRVIEW HEALTH AND REHABILITATION CENTER

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

1028 BESSEMER RD	BIRMINGHAM	AL	35228	2059231777
1028 BESSEMER RD	BIRMINGHAM	AL	35228	2059231777
1028 BESSEMER RD	BIRMINGHAM	AL	35228	2059231777
1028 BESSEMER RD	BIRMINGHAM	AL	35228	2059231777
1028 BESSEMER RD	BIRMINGHAM	AL	35228	2059231777
1028 BESSEMER RD	BIRMINGHAM	AL	35228	2059231777
1028 BESSEMER RD	BIRMINGHAM	AL	35228	2059231777
1028 BESSEMER RD	BIRMINGHAM	AL	35228	2059231777

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Quality Care Deficiencies

flammable curtains.		
weekly inspections and monthly testing of generators.	Many	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
a fire alarm system that can be heard throughout the facility.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
portable fire extinguishers.	Few	2
properly installed electrical wiring and equipment.	Some	2
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2

015303	01/27/2011	03/03/2011	FAIRVIEW HEALTH AND REHABILITATION CENTER
015303	01/27/2011	03/03/2011	FAIRVIEW HEALTH AND REHABILITATION CENTER
015303	01/27/2011	03/03/2011	FAIRVIEW HEALTH AND REHABILITATION CENTER
015303	01/27/2011	03/03/2011	FAIRVIEW HEALTH AND REHABILITATION CENTER
015303	01/27/2011	03/03/2011	FAIRVIEW HEALTH AND REHABILITATION CENTER
015303	01/26/2012	02/21/2012	FAIRVIEW HEALTH AND REHABILITATION CENTER

1028 BESSEMER RD	BIRMINGHAM	AL	35228	2059231777
1028 BESSEMER RD	BIRMINGHAM	AL	35228	2059231777
1028 BESSEMER RD	BIRMINGHAM	AL	35228	2059231777
1028 BESSEMER RD	BIRMINGHAM	AL	35228	2059231777
1028 BESSEMER RD	BIRMINGHAM	AL	35228	2059231777
1028 BESSEMER RD	BIRMINGHAM	AL	35228	2059231777

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies

Provide necessary care and services to maintain the highest well being of each resident .	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.	Some	2
Store, cook, and serve food in a safe and clean way.	Many	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
corridor and hallway doors that block smoke.	Few	2

015303	01/26/2012	02/21/2012	FAIRVIEW HEALTH AND REHABILITATION CENTER
015303	01/26/2012	02/21/2012	FAIRVIEW HEALTH AND REHABILITATION CENTER
015303	01/26/2012	02/20/2012	FAIRVIEW HEALTH AND REHABILITATION CENTER
015303	01/26/2012	02/20/2012	FAIRVIEW HEALTH AND REHABILITATION CENTER
015303	01/26/2012	02/20/2012	FAIRVIEW HEALTH AND REHABILITATION CENTER
015303	01/26/2012	02/20/2012	FAIRVIEW HEALTH AND REHABILITATION CENTER
015303	01/26/2012	02/20/2012	FAIRVIEW HEALTH AND REHABILITATION CENTER
015303	01/26/2012	02/20/2012	FAIRVIEW HEALTH AND REHABILITATION CENTER

1028 BESSEMER RD	BIRMINGHAM	AL	35228	2059231777
1028 BESSEMER RD	BIRMINGHAM	AL	35228	2059231777
1028 BESSEMER RD	BIRMINGHAM	AL	35228	2059231777
1028 BESSEMER RD	BIRMINGHAM	AL	35228	2059231777
1028 BESSEMER RD	BIRMINGHAM	AL	35228	2059231777
1028 BESSEMER RD	BIRMINGHAM	AL	35228	2059231777
1028 BESSEMER RD	BIRMINGHAM	AL	35228	2059231777
1028 BESSEMER RD	BIRMINGHAM	AL	35228	2059231777

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies

exits that are accessible at all times.	Many	2
restrictions on the use of flammable curtains.	Many	2
Immediately tell the resident, the resident's doctor and a family member of the resident of situations (injury/decline/room, etc.) that affect the resident.	Few	2
1) Make sure that each resident's drug regimen is free from unnecessary drugs; 2) Each resident's entire drug/medication is managed and monitored to achieve highest well being.	Few	2
Make sure that residents are safe from serious medication errors.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Make sure that the nursing home area is safe, easy to use, clean and comfortable for residents, staff and the public.	Many	1
Keep accurate, complete and organized clinical records on each resident that meet	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015315	10/08/2009	11/02/2009	RIDGEWOOD HEALTH CARE CENTER
015315	10/08/2009	10/20/2009	RIDGEWOOD HEALTH CARE CENTER
015315	10/08/2009	11/02/2009	RIDGEWOOD HEALTH CARE CENTER
015315	10/20/2009	11/02/2009	RIDGEWOOD HEALTH CARE CENTER
015315	10/28/2010	11/22/2010	RIDGEWOOD HEALTH CARE CENTER
015315	10/28/2010	11/22/2010	RIDGEWOOD HEALTH CARE CENTER
015315	10/28/2010	11/22/2010	RIDGEWOOD HEALTH CARE CENTER

201 OAKHILL ROAD	JASPER	AL	35504	2052214862
201 OAKHILL ROAD	JASPER	AL	35504	2052214862
201 OAKHILL ROAD	JASPER	AL	35504	2052214862
201 OAKHILL ROAD	JASPER	AL	35504	2052214862
201 OAKHILL ROAD	JASPER	AL	35504	2052214862
201 OAKHILL ROAD	JASPER	AL	35504	2052214862
201 OAKHILL ROAD	JASPER	AL	35504	2052214862
201 OAKHILL ROAD	JASPER	AL	35504	2052214862

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Assessment Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies

professional standards.		
Allow the resident the right to participate in the planning or revision of the resident's care plan.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	4
Store, cook, and serve food in a safe and clean way.	Many	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
Immediately tell the resident, the resident's doctor and a family member of the resident of situations (injury/decline/room, etc.) that affect the resident.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Provide necessary care and services to maintain the highest	Few	2

015315	10/28/2010	11/22/2010	RIDGEWOOD HEALTH CARE CENTER
015315	11/23/2010	12/13/2010	RIDGEWOOD HEALTH CARE CENTER
015315	11/23/2010	12/13/2010	RIDGEWOOD HEALTH CARE CENTER
015315	11/23/2010	12/13/2010	RIDGEWOOD HEALTH CARE CENTER
015315	11/23/2010	12/13/2010	RIDGEWOOD HEALTH CARE CENTER
015315	11/23/2010	12/13/2010	RIDGEWOOD HEALTH CARE CENTER
015315	11/23/2010	12/13/2010	RIDGEWOOD HEALTH CARE CENTER
015320	07/30/2009	09/03/2009	ENTERPRISE HEALTH & REHABILITATION CENTER
015320	07/30/2009	09/03/2009	ENTERPRISE HEALTH & REHABILITATION CENTER

201 OAKHILL ROAD	JASPER	AL	35504	2052214862
201 OAKHILL ROAD	JASPER	AL	35504	2052214862
201 OAKHILL ROAD	JASPER	AL	35504	2052214862
201 OAKHILL ROAD	JASPER	AL	35504	2052214862
201 OAKHILL ROAD	JASPER	AL	35504	2052214862
201 OAKHILL ROAD	JASPER	AL	35504	2052214862
201 OAKHILL ROAD	JASPER	AL	35504	2052214862
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

well being of each resident .		
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
emergency lighting that can last at least 1 1/2 hours.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2
restrictions on the use of flammable curtains.	Some	2
properly installed electrical wiring and equipment.	Some	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2

nh_quality_deficiency_survey
Based on Nursing Home Compare - Survey Deficiency

			CENTER
015320	08/04/2009	09/03/2009	ENTERPRISE HEALTH & REHABILITATION CENTER
015320	08/04/2009	09/03/2009	ENTERPRISE HEALTH & REHABILITATION CENTER
015320	08/04/2009	09/03/2009	ENTERPRISE HEALTH & REHABILITATION CENTER
015320	08/04/2009	09/03/2009	ENTERPRISE HEALTH & REHABILITATION CENTER
015320	08/04/2009	09/03/2009	ENTERPRISE HEALTH & REHABILITATION CENTER
015320	08/04/2009	09/03/2009	ENTERPRISE HEALTH & REHABILITATION CENTER
015320	08/04/2009	09/03/2009	ENTERPRISE HEALTH & REHABILITATION CENTER
015320	08/04/2009	09/03/2009	ENTERPRISE HEALTH & REHABILITATION CENTER
015320	10/15/2010	11/19/2010	ENTERPRISE HEALTH & REHABILITATION CENTER

BOX 311227				
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Quality Care Deficiencies

safe and clean way.		
a two-hour-resistant firewall in common walls.	Some	2
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Some	2
properly located and lighted "Exit" signs.	Some	2
a fire alarm system that can be heard throughout the facility.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
properly protected cooking facilities.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract	Few	2

015320	10/15/2010	11/19/2010	ENTERPRISE HEALTH & REHABILITATION CENTER
015320	10/20/2010	11/19/2010	ENTERPRISE HEALTH & REHABILITATION CENTER
015320	10/20/2010	11/19/2010	ENTERPRISE HEALTH & REHABILITATION CENTER
015320	10/20/2010	11/19/2010	ENTERPRISE HEALTH & REHABILITATION CENTER
015320	10/20/2010	11/19/2010	ENTERPRISE HEALTH & REHABILITATION CENTER
015320	10/20/2010	11/19/2010	ENTERPRISE HEALTH & REHABILITATION CENTER
015320	10/20/2010	11/19/2010	ENTERPRISE HEALTH & REHABILITATION CENTER
015320	10/20/2010	11/19/2010	ENTERPRISE HEALTH & REHABILITATION CENTER
015320	10/04/2011	11/08/2011	ENTERPRISE HEALTH & REHABILITATION CENTER

300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Administration Deficiencies

services to prevent urinary tract infections and restore normal bladder function.		
Store, cook, and serve food in a safe and clean way.	Many	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
automatic sprinkler systems that have been maintained in working order.	Few	2
properly installed electrical wiring and equipment.	Some	2
Post nurse staffing information/data on a daily basis.	Many	1

			CENTER
015320	10/04/2011	11/08/2011	ENTERPRISE HEALTH & REHABILITATION CENTER
015320	10/04/2011	11/08/2011	ENTERPRISE HEALTH & REHABILITATION CENTER
015320	10/12/2011	11/16/2011	ENTERPRISE HEALTH & REHABILITATION CENTER
015320	10/12/2011	11/16/2011	ENTERPRISE HEALTH & REHABILITATION CENTER
015320	10/12/2011	11/16/2011	ENTERPRISE HEALTH & REHABILITATION CENTER
015320	10/12/2011	11/16/2011	ENTERPRISE HEALTH & REHABILITATION CENTER
015320	10/12/2011	11/16/2011	ENTERPRISE HEALTH & REHABILITATION CENTER
015320	10/12/2011	11/16/2011	ENTERPRISE HEALTH & REHABILITATION CENTER

BOX 311227				
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

information/data on a daily basis.		
Store, cook, and serve food in a safe and clean way.	Many	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2

015320	10/12/2011	11/16/2011	ENTERPRISE HEALTH & REHABILITATION CENTER
015320	10/12/2011	11/16/2011	ENTERPRISE HEALTH & REHABILITATION CENTER
015320	10/12/2011	11/16/2011	ENTERPRISE HEALTH & REHABILITATION CENTER
015320	10/12/2011	11/16/2011	ENTERPRISE HEALTH & REHABILITATION CENTER
015321	08/26/2010	09/30/2010	SOUTH HAVEN HEALTH AND REHABILITATION, LLC
015321	08/26/2010	09/30/2010	SOUTH HAVEN HEALTH AND REHABILITATION, LLC
015321	08/26/2010	09/30/2010	SOUTH HAVEN HEALTH AND REHABILITATION, LLC
015321	08/26/2010	09/30/2010	SOUTH HAVEN HEALTH AND REHABILITATION, LLC
015321	08/26/2010	09/30/2010	SOUTH HAVEN HEALTH AND REHABILITATION, LLC

300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541
300 PLAZA DRIVE P O BOX 311227	ENTERPRISE	AL	36331	3343479541
3141 OLD COLUMBIANA ROAD	BIRMINGHAM	AL	35226	2058221580
3141 OLD COLUMBIANA ROAD	BIRMINGHAM	AL	35226	2058221580
3141 OLD COLUMBIANA ROAD	BIRMINGHAM	AL	35226	2058221580
3141 OLD COLUMBIANA ROAD	BIRMINGHAM	AL	35226	2058221580
3141 OLD COLUMBIANA ROAD	BIRMINGHAM	AL	35226	2058221580

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies

automatic sprinkler systems that have been maintained in working order.	Some	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Some	2
exits that are free from obstructions and can be used at all times.	Some	2
other fire safety features required by fire safety codes.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Many	1
Provide access to a telephone for resident to use in private.	Few	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Provide housekeeping and maintenance services.	Some	2
Assist those residents who need total help with eating/drinking,	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

			REHABILITATION, LLC
015321	08/26/2010	09/30/2010	SOUTH HAVEN HEALTH AND REHABILITATION, LLC
015321	08/26/2010	09/30/2010	SOUTH HAVEN HEALTH AND REHABILITATION, LLC
015321	08/26/2010	09/30/2010	SOUTH HAVEN HEALTH AND REHABILITATION, LLC
015321	06/03/2011	07/08/2011	SOUTH HAVEN HEALTH AND REHABILITATION, LLC
015321	06/10/2011	07/15/2011	SOUTH HAVEN HEALTH AND REHABILITATION, LLC
015321	06/10/2011	07/15/2011	SOUTH HAVEN HEALTH AND REHABILITATION, LLC
015321	06/10/2011	07/15/2011	SOUTH HAVEN HEALTH AND REHABILITATION, LLC
015321	06/28/2012	08/02/2012	SOUTH HAVEN HEALTH AND REHABILITATION, LLC

COLUMBIANA ROAD				
3141 OLD COLUMBIANA ROAD	BIRMINGHAM	AL	35226	2058221580
3141 OLD COLUMBIANA ROAD	BIRMINGHAM	AL	35226	2058221580
3141 OLD COLUMBIANA ROAD	BIRMINGHAM	AL	35226	2058221580
3141 OLD COLUMBIANA ROAD	BIRMINGHAM	AL	35226	2058221580
3141 OLD COLUMBIANA ROAD	BIRMINGHAM	AL	35226	2058221580
3141 OLD COLUMBIANA ROAD	BIRMINGHAM	AL	35226	2058221580
3141 OLD COLUMBIANA ROAD	BIRMINGHAM	AL	35226	2058221580
3141 OLD COLUMBIANA ROAD	BIRMINGHAM	AL	35226	2058221580

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Resident Rights Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Assessment Deficiencies

total help with eating/drinking, grooming and personal and oral hygiene.		
Store, cook, and serve food in a safe and clean way.	Many	2
Dispose of garbage and refuse properly.	Many	1
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Try to resolve each resident's complaints quickly.	Some	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
weekly inspections and monthly testing of generators.	Many	1
Coordinate assessments with the pre-admission screening and resident review program for mentally-ill and mentally-retarded patients.	Few	2

015321	06/28/2012	08/02/2012	SOUTH HAVEN HEALTH AND REHABILITATION, LLC
015321	06/28/2012	08/02/2012	SOUTH HAVEN HEALTH AND REHABILITATION, LLC
015321	06/28/2012	08/02/2012	SOUTH HAVEN HEALTH AND REHABILITATION, LLC
015321	06/28/2012	08/02/2012	SOUTH HAVEN HEALTH AND REHABILITATION, LLC
015321	06/28/2012	08/02/2012	SOUTH HAVEN HEALTH AND REHABILITATION, LLC
015321	06/28/2012	08/02/2012	SOUTH HAVEN HEALTH AND REHABILITATION, LLC

nh_quality_deficiency_survey
Based on Nursing Home Compare - Survey Deficiency

3141 OLD COLUMBIANA ROAD	BIRMINGHAM	AL	35226	2058221580
3141 OLD COLUMBIANA ROAD	BIRMINGHAM	AL	35226	2058221580
3141 OLD COLUMBIANA ROAD	BIRMINGHAM	AL	35226	2058221580
3141 OLD COLUMBIANA ROAD	BIRMINGHAM	AL	35226	2058221580
3141 OLD COLUMBIANA ROAD	BIRMINGHAM	AL	35226	2058221580
3141 OLD COLUMBIANA ROAD	BIRMINGHAM	AL	35226	2058221580

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies

Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Many	2
Store, cook, and serve food in a safe and clean way.	Many	2
Provide bedrooms that don't allow residents to see each other when privacy is needed.	Few	2
Make sure that the nursing home area is safe, easy to use, clean and comfortable for residents, staff and the public.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015321	07/10/2012	08/14/2012	SOUTH HAVEN HEALTH AND REHABILITATION, LLC
015321	07/10/2012	08/14/2012	SOUTH HAVEN HEALTH AND REHABILITATION, LLC
015321	07/10/2012	08/14/2012	SOUTH HAVEN HEALTH AND REHABILITATION, LLC
015321	07/10/2012	08/14/2012	SOUTH HAVEN HEALTH AND REHABILITATION, LLC
015321	07/10/2012	08/14/2012	SOUTH HAVEN HEALTH AND REHABILITATION, LLC
015322	07/06/2010	08/06/2010	ENGLEWOOD HEALTH CARE CENTER
015322	07/06/2010	08/06/2010	ENGLEWOOD HEALTH CARE CENTER
015322	07/06/2010	08/06/2010	ENGLEWOOD HEALTH CARE CENTER
015322	07/06/2010	08/06/2010	ENGLEWOOD HEALTH CARE CENTER
015322	07/06/2010	08/06/2010	ENGLEWOOD HEALTH CARE CENTER

nh_quality_deficiency_survey
Based on Nursing Home Compare - Survey Deficiency

3141 OLD COLUMBIANA ROAD	BIRMINGHAM	AL	35226	2058221580
3141 OLD COLUMBIANA ROAD	BIRMINGHAM	AL	35226	2058221580
3141 OLD COLUMBIANA ROAD	BIRMINGHAM	AL	35226	2058221580
3141 OLD COLUMBIANA ROAD	BIRMINGHAM	AL	35226	2058221580
3141 OLD COLUMBIANA ROAD	BIRMINGHAM	AL	35226	2058221580
2046 SOUTH ALABAMA AVE	MONROEVILLE	AL	36460	2515753285
2046 SOUTH ALABAMA AVE	MONROEVILLE	AL	36460	2515753285
2046 SOUTH ALABAMA AVE	MONROEVILLE	AL	36460	2515753285
2046 SOUTH ALABAMA AVE	MONROEVILLE	AL	36460	2515753285
2046 SOUTH ALABAMA AVE	MONROEVILLE	AL	36460	2515753285

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies

walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
exits that are accessible at all times.	Some	2
proper backup exit lighting.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
a separate and independent backup electrical power source.	Few	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
properly working alarms on sprinkler valves.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2
properly protected cooking facilities.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015322	07/06/2010	08/06/2010	ENGLEWOOD HEALTH CARE CENTER
015322	05/04/2011	05/20/2011	ENGLEWOOD HEALTH CARE CENTER
015322	05/04/2011	05/20/2011	ENGLEWOOD HEALTH CARE CENTER
015322	05/04/2011	05/20/2011	ENGLEWOOD HEALTH CARE CENTER
015322	04/12/2012	05/17/2012	ENGLEWOOD HEALTH CARE CENTER
015322	04/12/2012	05/17/2012	ENGLEWOOD HEALTH CARE CENTER
015322	04/12/2012	05/17/2012	ENGLEWOOD HEALTH CARE CENTER
015322	04/20/2012	05/25/2012	ENGLEWOOD HEALTH CARE CENTER
015322	04/20/2012	05/25/2012	ENGLEWOOD HEALTH CARE CENTER

ALABAMA AVE				
2046 SOUTH ALABAMA AVE	MONROEVILLE	AL	36460	2515753285
2046 SOUTH ALABAMA AVE	MONROEVILLE	AL	36460	2515753285
2046 SOUTH ALABAMA AVE	MONROEVILLE	AL	36460	2515753285
2046 SOUTH ALABAMA AVE	MONROEVILLE	AL	36460	2515753285
2046 SOUTH ALABAMA AVE	MONROEVILLE	AL	36460	2515753285
2046 SOUTH ALABAMA AVE	MONROEVILLE	AL	36460	2515753285
2046 SOUTH ALABAMA AVE	MONROEVILLE	AL	36460	2515753285
2046 SOUTH ALABAMA AVE	MONROEVILLE	AL	36460	2515753285
2046 SOUTH ALABAMA AVE	MONROEVILLE	AL	36460	2515753285
2046 SOUTH ALABAMA AVE	MONROEVILLE	AL	36460	2515753285

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies

facilities.		
weekly inspections and monthly testing of generators.	Many	1
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
automatic sprinkler systems that have been maintained in working order.	Many	1
portable fire extinguishers.	Many	1
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Dispose of garbage and refuse properly.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Some	2

015322	04/20/2012	05/25/2012	ENGLEWOOD HEALTH CARE CENTER
015322	04/20/2012	05/25/2012	ENGLEWOOD HEALTH CARE CENTER
015322	04/20/2012	05/25/2012	ENGLEWOOD HEALTH CARE CENTER
015322	04/20/2012	05/25/2012	ENGLEWOOD HEALTH CARE CENTER
015326	01/22/2010	02/26/2010	PARK MANOR HEALTH AND REHABILITATION, LLC
015326	01/22/2010	02/26/2010	PARK MANOR HEALTH AND REHABILITATION, LLC
015326	01/22/2010	02/26/2010	PARK MANOR HEALTH AND REHABILITATION, LLC

ALABAMA AVE				
2046 SOUTH ALABAMA AVE	MONROEVILLE	AL	36460	2515753285
2046 SOUTH ALABAMA AVE	MONROEVILLE	AL	36460	2515753285
2046 SOUTH ALABAMA AVE	MONROEVILLE	AL	36460	2515753285
2046 SOUTH ALABAMA AVE	MONROEVILLE	AL	36460	2515753285
2201 MCFARLAND BOULEVARD EAST	NORTHPORT	AL	35476	2053395300
2201 MCFARLAND BOULEVARD EAST	NORTHPORT	AL	35476	2053395300
2201 MCFARLAND BOULEVARD EAST	NORTHPORT	AL	35476	2053395300

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies

times.		
automatic sprinkler systems that have been maintained in working order.	Many	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Few	2
proper medical gas storage and administration areas.	Few	2
properly installed electrical wiring and equipment.	Few	2
Follow policies and procedures to convey the resident's personal funds to the appropriate party responsible after the resident's death.	Few	2
Conduct initial and periodic assessments of each resident's functional capacity.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015326	01/22/2010	02/26/2010	PARK MANOR HEALTH AND REHABILITATION, LLC
015326	01/22/2010	02/26/2010	PARK MANOR HEALTH AND REHABILITATION, LLC
015326	01/22/2010	02/26/2010	PARK MANOR HEALTH AND REHABILITATION, LLC
015326	01/22/2010	02/26/2010	PARK MANOR HEALTH AND REHABILITATION, LLC
015326	01/22/2010	02/26/2010	PARK MANOR HEALTH AND REHABILITATION, LLC
015326	01/22/2010	02/26/2010	PARK MANOR HEALTH AND REHABILITATION, LLC
015326	01/22/2010	02/26/2010	PARK MANOR HEALTH AND REHABILITATION, LLC
015326	01/22/2010	02/26/2010	PARK MANOR HEALTH AND

2201 MCFARLAND BOULEVARD EAST	NORTHPORT	AL	35476	2053395300
2201 MCFARLAND BOULEVARD EAST	NORTHPORT	AL	35476	2053395300
2201 MCFARLAND BOULEVARD EAST	NORTHPORT	AL	35476	2053395300
2201 MCFARLAND BOULEVARD EAST	NORTHPORT	AL	35476	2053395300
2201 MCFARLAND BOULEVARD EAST	NORTHPORT	AL	35476	2053395300
2201 MCFARLAND BOULEVARD EAST	NORTHPORT	AL	35476	2053395300
2201 MCFARLAND BOULEVARD EAST	NORTHPORT	AL	35476	2053395300
2201 MCFARLAND	NORTHPORT	AL	35476	2053395300

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Administration Deficiencies

Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Provide care by qualified persons according to each resident's written plan of care.	Few	2
Give each resident enough fluids to keep them healthy and prevent dehydration.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Some	2
Provide food in a way that meets a resident's needs.	Few	2
Offer other nutritional food to each resident who will not eat the food served.	Few	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Few	2
Give or get quality lab	Few	2

			REHABILITATION, LLC
015326	01/27/2010	02/26/2010	PARK MANOR HEALTH AND REHABILITATION, LLC
015326	01/27/2010	02/26/2010	PARK MANOR HEALTH AND REHABILITATION, LLC
015326	01/27/2010	02/26/2010	PARK MANOR HEALTH AND REHABILITATION, LLC
015326	01/27/2010	06/08/2010	PARK MANOR HEALTH AND REHABILITATION, LLC
015326	01/27/2010	02/26/2010	PARK MANOR HEALTH AND REHABILITATION, LLC
015326	01/27/2010	02/26/2010	PARK MANOR HEALTH AND REHABILITATION, LLC
015326	02/09/2011	03/16/2011	PARK MANOR HEALTH AND REHABILITATION, LLC
015326	02/09/2011	03/16/2011	PARK MANOR HEALTH AND REHABILITATION, LLC

BOULEVARD EAST				
2201 MCFARLAND BOULEVARD EAST	NORTHPORT	AL	35476	2053395300
2201 MCFARLAND BOULEVARD EAST	NORTHPORT	AL	35476	2053395300
2201 MCFARLAND BOULEVARD EAST	NORTHPORT	AL	35476	2053395300
2201 MCFARLAND BOULEVARD EAST	NORTHPORT	AL	35476	2053395300
2201 MCFARLAND BOULEVARD EAST	NORTHPORT	AL	35476	2053395300
2201 MCFARLAND BOULEVARD EAST	NORTHPORT	AL	35476	2053395300
2201 MCFARLAND BOULEVARD EAST	NORTHPORT	AL	35476	2053395300
2201 MCFARLAND BOULEVARD EAST	NORTHPORT	AL	35476	2053395300

FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

services/tests in a timely manner to meet the needs of residents.		
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Few	2
properly protected cooking facilities.	Few	2
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015326	02/09/2011	03/16/2011	PARK MANOR HEALTH AND REHABILITATION, LLC
015326	02/09/2011	03/16/2011	PARK MANOR HEALTH AND REHABILITATION, LLC
015326	02/09/2011	03/16/2011	PARK MANOR HEALTH AND REHABILITATION, LLC
015326	02/09/2011	03/16/2011	PARK MANOR HEALTH AND REHABILITATION, LLC
015326	03/06/2012	04/10/2012	PARK MANOR HEALTH AND REHABILITATION, LLC
015326	03/06/2012	04/10/2012	PARK MANOR HEALTH AND REHABILITATION, LLC
015326	03/06/2012	04/10/2012	PARK MANOR HEALTH AND REHABILITATION, LLC
015326	03/06/2012	04/10/2012	PARK MANOR HEALTH AND REHABILITATION, LLC
015326	03/06/2012	04/10/2012	PARK MANOR HEALTH AND REHABILITATION, LLC
015326	03/06/2012	04/10/2012	PARK MANOR HEALTH AND REHABILITATION, LLC

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

2201 MCFARLAND BOULEVARD EAST	NORTHPORT	AL	35476	2053395300
2201 MCFARLAND BOULEVARD EAST	NORTHPORT	AL	35476	2053395300
2201 MCFARLAND BOULEVARD EAST	NORTHPORT	AL	35476	2053395300
2201 MCFARLAND BOULEVARD EAST	NORTHPORT	AL	35476	2053395300
2201 MCFARLAND BOULEVARD EAST	NORTHPORT	AL	35476	2053395300
2201 MCFARLAND BOULEVARD EAST	NORTHPORT	AL	35476	2053395300
2201 MCFARLAND BOULEVARD EAST	NORTHPORT	AL	35476	2053395300
2201 MCFARLAND BOULEVARD EAST	NORTHPORT	AL	35476	2053395300
2201 MCFARLAND BOULEVARD EAST	NORTHPORT	AL	35476	2053395300
2201 MCFARLAND BOULEVARD EAST	NORTHPORT	AL	35476	2053395300

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Interior Finish Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies

would resist fire for at least one hour.		
exits that are accessible at all times.	Some	2
properly located and lighted "Exit" signs.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
properly installed electrical wiring and equipment.	Few	2
fire-resistant interior walls.	Many	1
smoke barrier doors that can resist smoke for at least 20 minutes.	Few	2
exits that are accessible at all times.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	1
portable fire extinguishers.	Many	1
weekly inspections and monthly testing of generators.	Many	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015330	05/20/2010	06/24/2010	MARENGO NURSING HOME
015330	05/20/2010	06/24/2010	MARENGO NURSING HOME
015330	05/20/2010	06/24/2010	MARENGO NURSING HOME
015330	05/20/2010	06/24/2010	MARENGO NURSING HOME
015330	05/20/2010	06/24/2010	MARENGO NURSING HOME
015330	05/20/2010	06/24/2010	MARENGO NURSING HOME
015330	05/20/2010	06/24/2010	MARENGO NURSING HOME
015330	05/20/2010	06/24/2010	MARENGO NURSING HOME
015330	05/20/2010	06/24/2010	MARENGO NURSING HOME

608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
608 NORTH MAIN	LINDEN	AL	36748	3342958631

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Mistreatment Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies

Keep each resident free from physical restraints, unless needed for medical treatment.	Few	2
Provide housekeeping and maintenance services.	Some	2
Conduct initial and periodic assessments of each resident's functional capacity.	Few	2
Allow the resident the right to participate in the planning or revision of the resident's care plan.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Some	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
Have a program that investigates,	Few	2

015330	05/20/2010	06/24/2010	MARENGO NURSING HOME
015330	05/25/2010	06/24/2010	MARENGO NURSING HOME
015330	05/25/2010	06/24/2010	MARENGO NURSING HOME
015330	05/25/2010	06/24/2010	MARENGO NURSING HOME
015330	05/25/2010	06/24/2010	MARENGO NURSING HOME
015330	05/25/2010	06/24/2010	MARENGO NURSING HOME
015330	05/25/2010	06/24/2010	MARENGO NURSING HOME
015330	05/25/2010	08/04/2010	MARENGO NURSING HOME
015330	05/25/2010	06/24/2010	MARENGO NURSING HOME
015330	03/03/2011	04/07/2011	MARENGO NURSING HOME

STREET				
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Administration Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Assessment Deficiencies

controls and keeps infection from spreading.		
Make sure that nurse aides show they have the skills and techniques to be able to care for residents' needs.	Few	2
corridor and hallway doors that block smoke.	Few	2
signs that state that exit doors are to be kept closed.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Few	2
a separate and independent backup electrical power source.	Some	2
properly installed electrical wiring and equipment.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and	Few	2

015330	03/03/2011	04/07/2011	MARENGO NURSING HOME
015330	03/03/2011	04/07/2011	MARENGO NURSING HOME
015330	03/03/2011	04/07/2011	MARENGO NURSING HOME
015330	03/09/2011	04/13/2011	MARENGO NURSING HOME
015330	03/09/2011	04/13/2011	MARENGO NURSING HOME
015330	03/09/2011	04/13/2011	MARENGO NURSING HOME
015330	03/09/2011	04/13/2011	MARENGO NURSING HOME
015330	04/05/2012	05/10/2012	MARENGO NURSING HOME
015330	04/06/2012	05/11/2012	MARENGO NURSING HOME

608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies

needs, with timetables and actions that can be measured.		
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
corridor and hallway doors that block smoke.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
properly protected cooking facilities.	Few	2
exits that are free from obstructions and can be used at all times.	Some	2
Make sure medically necessary lab services/tests are ordered by the attending physician.	Few	2
corridor and hallway doors that block smoke.	Few	2

015330	04/06/2012	05/11/2012	MARENGO NURSING HOME
015330	04/06/2012	05/11/2012	MARENGO NURSING HOME
015330	04/06/2012	05/11/2012	MARENGO NURSING HOME
015330	04/06/2012	05/11/2012	MARENGO NURSING HOME
015330	04/06/2012	05/11/2012	MARENGO NURSING HOME
015331	12/02/2009	12/31/2009	PHENIX CITY HEALTH CARE, INC
015331	12/09/2009	12/10/2009	PHENIX CITY HEALTH CARE, INC
015331	10/28/2010	11/30/2010	PHENIX CITY HEALTH CARE, INC
015331	10/28/2010	11/30/2010	PHENIX CITY HEALTH CARE, INC

STREET				
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
608 NORTH MAIN STREET	LINDEN	AL	36748	3342958631
3900 LAKEWOOD DRIVE	PHENIX CITY	AL	36867	3342988247
3900 LAKEWOOD DRIVE	PHENIX CITY	AL	36867	3342988247
3900 LAKEWOOD DRIVE	PHENIX CITY	AL	36867	3342988247
3900 LAKEWOOD DRIVE	PHENIX CITY	AL	36867	3342988247

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies

block smoke.		
exits that are accessible at all times.	Many	2
a fire alarm system that can be heard throughout the facility.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Few	2
restrictions on the use of flammable curtains.	Many	2
Store, cook, and serve food in a safe and clean way.	Many	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
Reasonably accommodate the needs and preferences of each resident.	Few	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015331	10/28/2010	11/30/2010	PHENIX CITY HEALTH CARE, INC
015331	10/28/2010	11/30/2010	PHENIX CITY HEALTH CARE, INC
015331	10/28/2010	11/30/2010	PHENIX CITY HEALTH CARE, INC
015331	11/02/2010	12/02/2010	PHENIX CITY HEALTH CARE, INC
015331	11/02/2010	12/02/2010	PHENIX CITY HEALTH CARE, INC
015331	11/02/2010	11/29/2010	PHENIX CITY HEALTH CARE, INC
015331	11/02/2010	12/02/2010	PHENIX CITY HEALTH CARE, INC
015331	11/02/2010	12/02/2010	PHENIX CITY HEALTH CARE, INC

3900 LAKEWOOD DRIVE	PHENIX CITY	AL	36867	3342988247
3900 LAKEWOOD DRIVE	PHENIX CITY	AL	36867	3342988247
3900 LAKEWOOD DRIVE	PHENIX CITY	AL	36867	3342988247
3900 LAKEWOOD DRIVE	PHENIX CITY	AL	36867	3342988247
3900 LAKEWOOD DRIVE	PHENIX CITY	AL	36867	3342988247
3900 LAKEWOOD DRIVE	PHENIX CITY	AL	36867	3342988247
3900 LAKEWOOD DRIVE	PHENIX CITY	AL	36867	3342988247
3900 LAKEWOOD DRIVE	PHENIX CITY	AL	36867	3342988247

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Interior Finish Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies

balanced diet, unless it is not possible to do so.		
Give each resident enough fluids to keep them healthy and prevent dehydration.	Few	2
Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.	Few	2
Post nurse staffing information/data on a daily basis.	Many	1
approved construction type or materials.	Many	2
fire-resistant interior walls.	Some	2
corridor and hallway doors that block smoke.	Many	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
proper backup exit lighting.	Some	2

015331	11/02/2010	12/02/2010	PHENIX CITY HEALTH CARE, INC
015331	11/02/2010	12/02/2010	PHENIX CITY HEALTH CARE, INC
015331	11/02/2010	12/02/2010	PHENIX CITY HEALTH CARE, INC
015331	11/02/2010	12/02/2010	PHENIX CITY HEALTH CARE, INC
015331	11/02/2010	12/02/2010	PHENIX CITY HEALTH CARE, INC
015331	11/02/2010	12/02/2010	PHENIX CITY HEALTH CARE, INC
015331	11/02/2010	12/02/2010	PHENIX CITY HEALTH CARE, INC
015331	11/02/2010	12/02/2010	PHENIX CITY HEALTH CARE, INC
015331	11/02/2010	12/02/2010	PHENIX CITY HEALTH CARE, INC
015331	11/02/2010	12/02/2010	PHENIX CITY HEALTH CARE, INC
015331	11/02/2010	12/02/2010	PHENIX CITY HEALTH CARE, INC

3900 LAKEWOOD DRIVE	PHENIX CITY	AL	36867	3342988247
3900 LAKEWOOD DRIVE	PHENIX CITY	AL	36867	3342988247
3900 LAKEWOOD DRIVE	PHENIX CITY	AL	36867	3342988247
3900 LAKEWOOD DRIVE	PHENIX CITY	AL	36867	3342988247
3900 LAKEWOOD DRIVE	PHENIX CITY	AL	36867	3342988247
3900 LAKEWOOD DRIVE	PHENIX CITY	AL	36867	3342988247
3900 LAKEWOOD DRIVE	PHENIX CITY	AL	36867	3342988247
3900 LAKEWOOD DRIVE	PHENIX CITY	AL	36867	3342988247
3900 LAKEWOOD DRIVE	PHENIX CITY	AL	36867	3342988247
3900 LAKEWOOD DRIVE	PHENIX CITY	AL	36867	3342988247
3900 LAKEWOOD DRIVE	PHENIX CITY	AL	36867	3342988247

FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies

emergency lighting that can last at least 1 1/2 hours.	Few	2
properly located and lighted "Exit" signs.	Some	2
did not have a written emergency evacuation plan.	Many	2
record of quarterly fire drills for each shift under varying conditions.	Many	2
an approved automatic sprinkler system connected to the fire alarm system.	Many	2
automatic sprinkler systems that have been maintained in working order.	Few	2
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Many	2
an externally vented heating system.	Some	2
properly protected cooking facilities.	Few	2
exits that are free from obstructions and can be used at all times.	Some	2

015331	11/02/2010	12/02/2010	PHENIX CITY HEALTH CARE, INC
015331	11/02/2010	12/02/2010	PHENIX CITY HEALTH CARE, INC
015331	11/02/2010	12/02/2010	PHENIX CITY HEALTH CARE, INC
015331	11/02/2010	12/02/2010	PHENIX CITY HEALTH CARE, INC
015336	02/11/2010	03/18/2010	LUVERNE HEALTH AND REHABILITATION, LLC
015336	02/11/2010	03/18/2010	LUVERNE HEALTH AND REHABILITATION, LLC
015336	02/11/2010	03/18/2010	LUVERNE HEALTH AND REHABILITATION, LLC
015336	02/18/2010	03/18/2010	LUVERNE HEALTH AND REHABILITATION, LLC
015336	02/18/2010	03/18/2010	LUVERNE HEALTH AND REHABILITATION, LLC

3900 LAKEWOOD DRIVE	PHENIX CITY	AL	36867	3342988247
3900 LAKEWOOD DRIVE	PHENIX CITY	AL	36867	3342988247
3900 LAKEWOOD DRIVE	PHENIX CITY	AL	36867	3342988247
3900 LAKEWOOD DRIVE	PHENIX CITY	AL	36867	3342988247
142 WEST THIRD STREET	LUVERNE	AL	36049	3343356528
142 WEST THIRD STREET	LUVERNE	AL	36049	3343356528
142 WEST THIRD STREET	LUVERNE	AL	36049	3343356528
142 WEST THIRD STREET	LUVERNE	AL	36049	3343356528
142 WEST THIRD STREET	LUVERNE	AL	36049	3343356528

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

all times.		
restrictions on the use of flammable curtains.	Many	2
proper medical gas storage and administration areas.	Few	2
weekly inspections and monthly testing of generators.	Many	2
properly installed electrical wiring and equipment.	Many	2
Store, cook, and serve food in a safe and clean way.	Many	2
Dispose of garbage and refuse properly.	Many	1
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015336	02/18/2010	03/18/2010	LUVERNE HEALTH AND REHABILITATION, LLC
015336	02/18/2010	03/18/2010	LUVERNE HEALTH AND REHABILITATION, LLC
015336	02/18/2010	03/18/2010	LUVERNE HEALTH AND REHABILITATION, LLC
015336	02/18/2010	03/18/2010	LUVERNE HEALTH AND REHABILITATION, LLC
015336	01/27/2011	03/03/2011	LUVERNE HEALTH AND REHABILITATION, LLC
015336	02/01/2011	03/08/2011	LUVERNE HEALTH AND REHABILITATION, LLC
015336	02/01/2011	03/08/2011	LUVERNE HEALTH AND REHABILITATION, LLC
015336	01/12/2012	02/16/2012	LUVERNE HEALTH AND REHABILITATION, LLC
015336	01/12/2012	02/16/2012	LUVERNE HEALTH AND REHABILITATION, LLC
015336	01/12/2012	02/16/2012	LUVERNE HEALTH AND REHABILITATION, LLC

142 WEST THIRD STREET	LUVERNE	AL	36049	3343356528
142 WEST THIRD STREET	LUVERNE	AL	36049	3343356528
142 WEST THIRD STREET	LUVERNE	AL	36049	3343356528
142 WEST THIRD STREET	LUVERNE	AL	36049	3343356528
142 WEST THIRD STREET	LUVERNE	AL	36049	3343356528
142 WEST THIRD STREET	LUVERNE	AL	36049	3343356528
142 WEST THIRD STREET	LUVERNE	AL	36049	3343356528
142 WEST THIRD STREET	LUVERNE	AL	36049	3343356528
142 WEST THIRD STREET	LUVERNE	AL	36049	3343356528
142 WEST THIRD STREET	LUVERNE	AL	36049	3343356528

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies

construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
a fire alarm system that can be heard throughout the facility.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
other fire safety features required by fire safety codes.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
proper stairway enclosures and vertical shafts.	Some	2
proper construction of ducts through walls designed to prevent smoke passage.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
weekly inspections and monthly testing of generators.	Some	2
properly installed electrical wiring and equipment.	Some	2

			LLC
015336	01/12/2012	02/16/2012	LUVERNE HEALTH AND REHABILITATION, LLC
015349	05/27/2010	06/28/2010	JEFFERSON REHABILITATION & HEALTH CENTER
015349	05/27/2010	06/28/2010	JEFFERSON REHABILITATION & HEALTH CENTER
015349	05/27/2010	06/28/2010	JEFFERSON REHABILITATION & HEALTH CENTER
015349	05/27/2010	06/28/2010	JEFFERSON REHABILITATION & HEALTH CENTER
015349	05/27/2010	06/28/2010	JEFFERSON REHABILITATION & HEALTH CENTER
015349	05/27/2010	06/28/2010	JEFFERSON REHABILITATION & HEALTH CENTER
015349	05/27/2010	06/28/2010	JEFFERSON REHABILITATION & HEALTH CENTER
015349	03/31/2011	05/02/2011	JEFFERSON REHABILITATION & HEALTH CENTER

STREET				
142 WEST THIRD STREET	LUVERNE	AL	36049	3343356528
200 NORTH PINE HILL ROAD	BIRMINGHAM	AL	35217	2058492352
200 NORTH PINE HILL ROAD	BIRMINGHAM	AL	35217	2058492352
200 NORTH PINE HILL ROAD	BIRMINGHAM	AL	35217	2058492352
200 NORTH PINE HILL ROAD	BIRMINGHAM	AL	35217	2058492352
200 NORTH PINE HILL ROAD	BIRMINGHAM	AL	35217	2058492352
200 NORTH PINE HILL ROAD	BIRMINGHAM	AL	35217	2058492352
200 NORTH PINE HILL ROAD	BIRMINGHAM	AL	35217	2058492352
200 NORTH PINE HILL ROAD	BIRMINGHAM	AL	35217	2058492352

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies

and equipment.		
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
properly located and lighted "Exit" signs.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	1
automatic sprinkler systems that have been maintained in working order.	Few	2
restrictions on the use of flammable curtains.	Many	2
other fire safety features required by fire safety codes.	Many	2
properly installed electrical wiring and equipment.	Few	2
Honor all of the resident's rights as a resident of the nursing home, free of coercion and reprisal, and as a citizen or resident of the United States.	Few	2

015349	03/31/2011	05/02/2011	JEFFERSON REHABILITATION & HEALTH CENTER
015349	03/31/2011	05/02/2011	JEFFERSON REHABILITATION & HEALTH CENTER
015349	04/05/2011	05/02/2011	JEFFERSON REHABILITATION & HEALTH CENTER
015349	04/05/2011	05/02/2011	JEFFERSON REHABILITATION & HEALTH CENTER
015349	04/05/2011	05/02/2011	JEFFERSON REHABILITATION & HEALTH CENTER
015349	04/05/2011	05/02/2011	JEFFERSON REHABILITATION & HEALTH CENTER
015349	04/05/2011	05/02/2011	JEFFERSON REHABILITATION & HEALTH CENTER
015349	07/11/2012	08/15/2012	JEFFERSON REHABILITATION & HEALTH CENTER
015349	07/19/2012	08/23/2012	JEFFERSON REHABILITATION & HEALTH CENTER

200 NORTH PINE HILL ROAD	BIRMINGHAM	AL	35217	2058492352
200 NORTH PINE HILL ROAD	BIRMINGHAM	AL	35217	2058492352
200 NORTH PINE HILL ROAD	BIRMINGHAM	AL	35217	2058492352
200 NORTH PINE HILL ROAD	BIRMINGHAM	AL	35217	2058492352
200 NORTH PINE HILL ROAD	BIRMINGHAM	AL	35217	2058492352
200 NORTH PINE HILL ROAD	BIRMINGHAM	AL	35217	2058492352
200 NORTH PINE HILL ROAD	BIRMINGHAM	AL	35217	2058492352
200 NORTH PINE HILL ROAD	BIRMINGHAM	AL	35217	2058492352
200 NORTH PINE HILL ROAD	BIRMINGHAM	AL	35217	2058492352

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies

resident of the United States.		
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
Give each resident enough fluids to keep them healthy and prevent dehydration.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
automatic sprinkler systems that have been maintained in working order.	Many	2
portable fire extinguishers.	Some	1
exits that are free from obstructions and can be used at all times.	Some	2
properly installed electrical wiring and equipment.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
did not have a written emergency evacuation plan.	Some	2

			CENTER
015349	07/19/2012	08/23/2012	JEFFERSON REHABILITATION & HEALTH CENTER
015361	07/29/2010	09/01/2010	LAUDERDALE CHRISTIAN NURSING HOME
015361	07/29/2010	09/01/2010	LAUDERDALE CHRISTIAN NURSING HOME
015361	07/29/2010	09/01/2010	LAUDERDALE CHRISTIAN NURSING HOME
015361	08/05/2010	08/10/2010	LAUDERDALE CHRISTIAN NURSING HOME
015361	08/05/2010	08/20/2010	LAUDERDALE CHRISTIAN NURSING HOME
015361	08/05/2010	09/02/2010	LAUDERDALE CHRISTIAN NURSING HOME

ROAD				
200 NORTH PINE HILL ROAD	BIRMINGHAM	AL	35217	2058492352
2019 COUNTY ROAD 394	KILLEN	AL	35645	2567572103
2019 COUNTY ROAD 394	KILLEN	AL	35645	2567572103
2019 COUNTY ROAD 394	KILLEN	AL	35645	2567572103
2019 COUNTY ROAD 394	KILLEN	AL	35645	2567572103
2019 COUNTY ROAD 394	KILLEN	AL	35645	2567572103
2019 COUNTY ROAD 394	KILLEN	AL	35645	2567572103

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Fire Alarm Systems Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies

evacuation plan.		
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
Provide housekeeping and maintenance services.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
a fire alarm system that can be heard throughout the facility.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015361	08/05/2010	08/13/2010	LAUDERDALE CHRISTIAN NURSING HOME
015361	08/05/2010	08/09/2010	LAUDERDALE CHRISTIAN NURSING HOME
015361	06/22/2011	07/26/2011	LAUDERDALE CHRISTIAN NURSING HOME
015361	06/22/2011	07/26/2011	LAUDERDALE CHRISTIAN NURSING HOME
015361	06/22/2011	07/26/2011	LAUDERDALE CHRISTIAN NURSING HOME
015361	06/22/2011	07/26/2011	LAUDERDALE CHRISTIAN NURSING HOME
015361	06/22/2011	07/26/2011	LAUDERDALE CHRISTIAN NURSING HOME
015361	03/15/2012	04/02/2012	LAUDERDALE CHRISTIAN NURSING HOME
015361	03/15/2012	04/02/2012	LAUDERDALE CHRISTIAN NURSING HOME
015361	03/15/2012	04/02/2012	LAUDERDALE CHRISTIAN NURSING HOME

2019 COUNTY ROAD 394	KILLEN	AL	35645	2567572103
2019 COUNTY ROAD 394	KILLEN	AL	35645	2567572103
2019 COUNTY ROAD 394	KILLEN	AL	35645	2567572103
2019 COUNTY ROAD 394	KILLEN	AL	35645	2567572103
2019 COUNTY ROAD 394	KILLEN	AL	35645	2567572103
2019 COUNTY ROAD 394	KILLEN	AL	35645	2567572103
2019 COUNTY ROAD 394	KILLEN	AL	35645	2567572103
2019 COUNTY ROAD 394	KILLEN	AL	35645	2567572103
2019 COUNTY ROAD 394	KILLEN	AL	35645	2567572103
2019 COUNTY ROAD 394	KILLEN	AL	35645	2567572103

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Environmental Deficiencies

proper medical gas storage and administration areas.	Few	2
weekly inspections and monthly testing of generators.	Many	1
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Some	2
a fire alarm system that can be heard throughout the facility.	Few	2
properly protected cooking facilities.	Some	2
Keep each resident's personal and medical records private and confidential.	Few	2
Post nurse staffing information/data on a daily basis.	Many	1
Have a program that investigates, controls and keeps infection from spreading.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015361	03/19/2012	04/24/2012	LAUDERDALE CHRISTIAN NURSING HOME
015361	03/19/2012	04/24/2012	LAUDERDALE CHRISTIAN NURSING HOME
015361	03/19/2012	04/24/2012	LAUDERDALE CHRISTIAN NURSING HOME
015361	03/19/2012	04/24/2012	LAUDERDALE CHRISTIAN NURSING HOME
015361	03/19/2012	04/24/2012	LAUDERDALE CHRISTIAN NURSING HOME
015361	03/19/2012	04/24/2012	LAUDERDALE CHRISTIAN NURSING HOME
015361	03/19/2012	04/24/2012	LAUDERDALE CHRISTIAN NURSING HOME
015361	03/19/2012	04/24/2012	LAUDERDALE CHRISTIAN NURSING HOME
015361	03/19/2012	04/24/2012	LAUDERDALE CHRISTIAN NURSING HOME

2019 COUNTY ROAD 394	KILLEN	AL	35645	2567572103
2019 COUNTY ROAD 394	KILLEN	AL	35645	2567572103
2019 COUNTY ROAD 394	KILLEN	AL	35645	2567572103
2019 COUNTY ROAD 394	KILLEN	AL	35645	2567572103
2019 COUNTY ROAD 394	KILLEN	AL	35645	2567572103
2019 COUNTY ROAD 394	KILLEN	AL	35645	2567572103
2019 COUNTY ROAD 394	KILLEN	AL	35645	2567572103
2019 COUNTY ROAD 394	KILLEN	AL	35645	2567572103
2019 COUNTY ROAD 394	KILLEN	AL	35645	2567572103

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies

walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2
portable fire extinguishers.	Some	1
properly installed electrical wiring and equipment.	Few	2
properly installed hallway dispensers for alcohol-based hand rub.	Some	2

015369	02/02/2009	03/02/2009	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	02/02/2009	03/02/2009	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	02/02/2009	03/02/2009	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	02/02/2009	03/02/2009	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	02/02/2009	03/02/2009	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	02/02/2009	03/02/2009	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	02/02/2009	03/02/2009	OAKS ON PARKWOOD SKILLED NURSING FACILITY

2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Mistreatment Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies

1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Few	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Provide medically-related social services to help each resident achieve the highest possible quality of life.	Few	2
Provide a safe, clean, comfortable and homelike environment.	Few	2
Provide clean bed and bath linens that are in good condition.	Some	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Allow the resident the right to participate in the planning or revision of the resident's care	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015369	02/02/2009	03/02/2009	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	02/02/2009	03/02/2009	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	02/02/2009	03/02/2009	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	02/02/2009	03/02/2009	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	02/02/2009	03/02/2009	OAKS ON PARKWOOD SKILLED NURSING FACILITY

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

plan.		
Provide care by qualified persons according to each resident's written plan of care.	Few	2
Assist those residents who need total help with eating/drinking, grooming and personal and oral hygiene.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2

015369	02/02/2009	03/02/2009	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	02/02/2009	03/02/2009	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	02/02/2009	03/02/2009	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	02/02/2009	03/02/2009	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	02/02/2009	03/02/2009	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	02/02/2009	03/02/2009	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	02/02/2009	03/02/2009	OAKS ON PARKWOOD SKILLED NURSING FACILITY

2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Administration Deficiencies

Give each resident enough fluids to keep them healthy and prevent dehydration.	Few	2
Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.	Few	2
1) Provide 3 meals at regular times; 2) serve breakfast within 14 hours after dinner; or 3) offer a snack at bedtime each day.	Some	2
Store, cook, and serve food in a safe and clean way.	Many	2
Provide bedrooms that don't allow residents to see each other when privacy is needed.	Few	2
Make sure medically necessary lab services/tests are ordered by the attending physician.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2

015369	02/05/2009	02/27/2009	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	02/05/2009	02/27/2009	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	02/05/2009	02/27/2009	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	02/05/2009	02/27/2009	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	06/03/2010	07/09/2010	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	06/03/2010	07/09/2010	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	06/03/2010	07/09/2010	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	06/03/2010	07/09/2010	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	06/03/2010	07/09/2010	OAKS ON PARKWOOD SKILLED NURSING FACILITY

2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
exits that are accessible at all times.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Many	2
portable fire extinguishers.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
record of quarterly fire drills for each shift under varying conditions.	Few	2
a fire alarm system that can be heard throughout the facility.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015369	06/03/2010	07/09/2010	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	06/04/2010	07/09/2010	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	06/04/2010	07/09/2010	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	06/04/2010	07/09/2010	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	06/04/2010	07/09/2010	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	06/04/2010	07/09/2010	OAKS ON PARKWOOD SKILLED NURSING FACILITY

2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

order.		
weekly inspections and monthly testing of generators.	Some	2
Properly hold, secure and manage each resident's personal money which is deposited with the nursing home.	Few	2
Allow residents to easily view the results of the nursing home's most recent survey.	Many	1
Reasonably accommodate the needs and preferences of each resident.	Few	2
Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Few	2

015369	06/04/2010	07/09/2010	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	06/04/2010	07/09/2010	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	06/04/2010	07/09/2010	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	07/08/2011	08/10/2011	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	07/08/2011	08/10/2011	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	07/14/2011	08/17/2011	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015369	07/14/2011	08/17/2011	OAKS ON PARKWOOD SKILLED NURSING FACILITY

2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies

Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Many	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Some	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
corridor and hallway doors that block smoke.	Some	2
construction that can resist fire for one hour or an approved fire	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015369	07/14/2011	08/17/2011	OAKS ON PARKWOOD SKILLED NURSING FACILITY
015371	01/14/2010	03/03/2010	HERITAGE HEALTH CARE & REHAB INC
015371	01/14/2010	03/03/2010	HERITAGE HEALTH CARE & REHAB INC
015371	01/14/2010	03/03/2010	HERITAGE HEALTH CARE & REHAB INC
015371	01/14/2010	03/03/2010	HERITAGE HEALTH CARE & REHAB INC
015371	01/14/2010	03/03/2010	HERITAGE HEALTH CARE & REHAB INC
015371	01/14/2010	03/03/2010	HERITAGE HEALTH CARE & REHAB INC

2625 LAUREL OAK DRIVE	BESSEMER	AL	35022	2054974520
1101 SNOWS MILL AVENUE	TUSCALOOSA	AL	35406	2057595179
1101 SNOWS MILL AVENUE	TUSCALOOSA	AL	35406	2057595179
1101 SNOWS MILL AVENUE	TUSCALOOSA	AL	35406	2057595179
1101 SNOWS MILL AVENUE	TUSCALOOSA	AL	35406	2057595179
1101 SNOWS MILL AVENUE	TUSCALOOSA	AL	35406	2057595179
1101 SNOWS MILL AVENUE	TUSCALOOSA	AL	35406	2057595179

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Fire Alarm Systems Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Administration Deficiencies

extinguishing system.		
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Employ or obtain outside professional resources providing services in the nursing home that meet professional standards.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015371	01/20/2010	02/18/2010	HERITAGE HEALTH CARE & REHAB INC
015371	01/20/2010	02/18/2010	HERITAGE HEALTH CARE & REHAB INC
015371	01/20/2010	02/18/2010	HERITAGE HEALTH CARE & REHAB INC
015371	01/06/2011	02/10/2011	HERITAGE HEALTH CARE & REHAB INC
015371	01/06/2011	02/10/2011	HERITAGE HEALTH CARE & REHAB INC
015371	01/06/2011	02/10/2011	HERITAGE HEALTH CARE & REHAB INC
015371	01/06/2011	02/10/2011	HERITAGE HEALTH CARE & REHAB INC

1101 SNOWS MILL AVENUE	TUSCALOOSA	AL	35406	2057595179
1101 SNOWS MILL AVENUE	TUSCALOOSA	AL	35406	2057595179
1101 SNOWS MILL AVENUE	TUSCALOOSA	AL	35406	2057595179
1101 SNOWS MILL AVENUE	TUSCALOOSA	AL	35406	2057595179
1101 SNOWS MILL AVENUE	TUSCALOOSA	AL	35406	2057595179
1101 SNOWS MILL AVENUE	TUSCALOOSA	AL	35406	2057595179
1101 SNOWS MILL AVENUE	TUSCALOOSA	AL	35406	2057595179

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies

an approved automatic sprinkler system connected to the fire alarm system.	Few	2
automatic sprinkler systems that have been maintained in working order.	Few	2
other fire safety features required by fire safety codes.	Some	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Provide necessary care and services to maintain the highest well being of each resident .	Few	3
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
1) Make sure that each resident's drug regimen is free from unnecessary drugs; 2) Each resident's entire drug/medication	Few	3

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015371	01/06/2011	02/10/2011	HERITAGE HEALTH CARE & REHAB INC
015371	01/12/2011	02/16/2011	HERITAGE HEALTH CARE & REHAB INC
015371	01/12/2011	02/16/2011	HERITAGE HEALTH CARE & REHAB INC
015371	01/12/2011	02/16/2011	HERITAGE HEALTH CARE & REHAB INC
015371	02/16/2012	03/01/2012	HERITAGE HEALTH CARE & REHAB INC
015371	02/16/2012	03/01/2012	HERITAGE HEALTH CARE & REHAB INC
015371	02/16/2012	03/01/2012	HERITAGE HEALTH CARE & REHAB INC
015371	02/16/2012	03/21/2012	HERITAGE HEALTH CARE & REHAB INC

1101 SNOWS MILL AVENUE	TUSCALOOSA	AL	35406	2057595179
1101 SNOWS MILL AVENUE	TUSCALOOSA	AL	35406	2057595179
1101 SNOWS MILL AVENUE	TUSCALOOSA	AL	35406	2057595179
1101 SNOWS MILL AVENUE	TUSCALOOSA	AL	35406	2057595179
1101 SNOWS MILL AVENUE	TUSCALOOSA	AL	35406	2057595179
1101 SNOWS MILL AVENUE	TUSCALOOSA	AL	35406	2057595179
1101 SNOWS MILL AVENUE	TUSCALOOSA	AL	35406	2057595179
1101 SNOWS MILL AVENUE	TUSCALOOSA	AL	35406	2057595179

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Assessment Deficiencies

is managed and monitored to achieve highest well being.		
Make sure that residents are safe from serious medication errors.	Few	3
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
properly protected cooking facilities.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
properly installed electrical wiring and equipment.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015371	02/16/2012	03/21/2012	HERITAGE HEALTH CARE & REHAB INC
015371	02/16/2012	03/21/2012	HERITAGE HEALTH CARE & REHAB INC
015372	07/15/2010	08/18/2010	REGENCY HEALTH CARE AND REHABILITATION CENTER
015372	07/15/2010	08/18/2010	REGENCY HEALTH CARE AND REHABILITATION CENTER
015372	07/15/2010	08/18/2010	REGENCY HEALTH CARE AND REHABILITATION CENTER
015372	07/15/2010	08/18/2010	REGENCY HEALTH CARE AND REHABILITATION CENTER

1101 SNOWS MILL AVENUE	TUSCALOOSA	AL	35406	2057595179
1101 SNOWS MILL AVENUE	TUSCALOOSA	AL	35406	2057595179
2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290
2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290
2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290
2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies

actions that can be measured.		
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
Keep the rate of medication errors (wrong drug, wrong dose,	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015372	07/15/2010	08/18/2010	REGENCY HEALTH CARE AND REHABILITATION CENTER
015372	07/15/2010	08/18/2010	REGENCY HEALTH CARE AND REHABILITATION CENTER
015372	07/15/2010	08/18/2010	REGENCY HEALTH CARE AND REHABILITATION CENTER
015372	07/15/2010	08/18/2010	REGENCY HEALTH CARE AND REHABILITATION CENTER
015372	07/20/2010	08/19/2010	REGENCY HEALTH CARE AND REHABILITATION CENTER
015372	07/20/2010	02/07/2011	REGENCY HEALTH CARE AND REHABILITATION CENTER
015372	07/20/2010	08/19/2010	REGENCY HEALTH CARE AND REHABILITATION CENTER

2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290
2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290
2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290
2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290
2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290
2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290
2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290
2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies

wrong time) to less than 5%.		
Store, cook, and serve food in a safe and clean way.	Many	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Few	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Some	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
a fire alarm system that can be heard throughout the facility.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015372	07/20/2010	08/19/2010	REGENCY HEALTH CARE AND REHABILITATION CENTER
015372	07/20/2010	02/07/2011	REGENCY HEALTH CARE AND REHABILITATION CENTER
015372	07/20/2010	08/19/2010	REGENCY HEALTH CARE AND REHABILITATION CENTER
015372	05/10/2011	05/31/2011	REGENCY HEALTH CARE AND REHABILITATION CENTER
015372	05/10/2011	05/31/2011	REGENCY HEALTH CARE AND REHABILITATION CENTER
015372	05/10/2011	05/31/2011	REGENCY HEALTH CARE AND REHABILITATION CENTER
015372	05/10/2011	05/31/2011	REGENCY HEALTH CARE AND REHABILITATION CENTER
015372	05/10/2011	05/31/2011	REGENCY HEALTH CARE AND REHABILITATION CENTER
015372	05/10/2011	06/01/2011	REGENCY HEALTH CARE AND REHABILITATION CENTER
015372	05/10/2011	06/01/2011	REGENCY HEALTH CARE AND REHABILITATION CENTER

2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290
2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290
2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290
2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290
2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290
2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290
2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290
2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290
2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290
2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies

properly protected cooking facilities.	Few	2
exits that are free from obstructions and can be used at all times.	Many	1
restrictions on the use of flammable curtains.	Few	2
exits that are free from obstructions and can be used at all times.	Few	2
restrictions on the use of flammable curtains.	Few	2
proper medical gas storage and administration areas.	Few	2
weekly inspections and monthly testing of generators.	Many	2
properly installed electrical wiring and equipment.	Few	2
Coordinate assessments with the pre-admission screening and resident review program for mentally-ill and mentally-retarded patients.	Few	2
Give proper treatment to residents with feeding tubes to prevent problems (such as	Few	2

015372	05/10/2011	06/01/2011	REGENCY HEALTH CARE AND REHABILITATION CENTER
015372	05/10/2011	06/01/2011	REGENCY HEALTH CARE AND REHABILITATION CENTER
015372	06/14/2012	07/17/2012	REGENCY HEALTH CARE AND REHABILITATION CENTER
015372	06/14/2012	07/03/2012	REGENCY HEALTH CARE AND REHABILITATION CENTER
015372	06/14/2012	07/03/2012	REGENCY HEALTH CARE AND REHABILITATION CENTER
015372	06/14/2012	07/17/2012	REGENCY HEALTH CARE AND REHABILITATION CENTER
015372	07/03/2012	08/01/2012	REGENCY HEALTH CARE AND REHABILITATION CENTER

2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290
2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290
2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290
2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290
2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290
2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290
2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290
2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290

HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies

prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.		
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Some	2
Keep all essential equipment working safely.	Few	2
Properly hold, secure and manage each resident's personal money which is deposited with the nursing home.	Some	2
Assess the resident when the resident enters the nursing home, in a timely manner.	Few	2
Completely assess the resident at least every twelve months.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
corridor and hallway doors that block smoke.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015372	07/03/2012	08/01/2012	REGENCY HEALTH CARE AND REHABILITATION CENTER
015372	07/03/2012	08/01/2012	REGENCY HEALTH CARE AND REHABILITATION CENTER
015372	07/03/2012	08/01/2012	REGENCY HEALTH CARE AND REHABILITATION CENTER
015372	07/03/2012	08/01/2012	REGENCY HEALTH CARE AND REHABILITATION CENTER
015373	04/15/2010	05/20/2010	HENRY COUNTY HEALTH AND REHABILITATION FACILITY
015373	04/15/2010	05/20/2010	HENRY COUNTY HEALTH AND REHABILITATION FACILITY
015373	04/15/2010	05/20/2010	HENRY COUNTY HEALTH AND REHABILITATION FACILITY
015373	04/15/2010	05/20/2010	HENRY COUNTY HEALTH AND REHABILITATION FACILITY

2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290
2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290
2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290
2004 MAX LUTHER DRIVE	HUNTSVILLE	AL	35810	2568529290
212 DOTHAN ROAD	ABBEVILLE	AL	36310	3345852241
212 DOTHAN ROAD	ABBEVILLE	AL	36310	3345852241
212 DOTHAN ROAD	ABBEVILLE	AL	36310	3345852241
212 DOTHAN ROAD	ABBEVILLE	AL	36310	3345852241

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Few	2
properly protected cooking facilities.	Some	2
properly installed electrical wiring and equipment.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Provide care by qualified persons according to each resident's written plan of care.	Few	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015373	04/15/2010	05/20/2010	HENRY COUNTY HEALTH AND REHABILITATION FACILITY
015373	04/21/2010	04/21/2010	HENRY COUNTY HEALTH AND REHABILITATION FACILITY
015373	04/07/2011	05/12/2011	HENRY COUNTY HEALTH AND REHABILITATION FACILITY
015373	04/07/2011	05/12/2011	HENRY COUNTY HEALTH AND REHABILITATION FACILITY
015373	04/07/2011	05/12/2011	HENRY COUNTY HEALTH AND REHABILITATION FACILITY
015373	04/07/2011	05/12/2011	HENRY COUNTY HEALTH AND REHABILITATION FACILITY
015373	04/14/2011	05/19/2011	HENRY COUNTY HEALTH AND REHABILITATION FACILITY

212 DOTHAN ROAD	ABBEVILLE	AL	36310	3345852241
212 DOTHAN ROAD	ABBEVILLE	AL	36310	3345852241
212 DOTHAN ROAD	ABBEVILLE	AL	36310	3345852241
212 DOTHAN ROAD	ABBEVILLE	AL	36310	3345852241
212 DOTHAN ROAD	ABBEVILLE	AL	36310	3345852241
212 DOTHAN ROAD	ABBEVILLE	AL	36310	3345852241
212 DOTHAN ROAD	ABBEVILLE	AL	36310	3345852241

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Interior Finish Deficiencies

Have a program that investigates, controls and keeps infection from spreading.	Few	2
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Few	2
Give each resident a notice of rights, rules, services and charges. Tell each resident who can get Medicaid benefits about 1) which items and services Medicaid covers and which the resident must pay for.	Some	1
Send and promptly deliver unopened mail to residents.	Many	1
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Many	1
Store, cook, and serve food in a safe and clean way.	Many	2
fire-resistant interior walls.	Some	2

015373	04/14/2011	05/19/2011	HENRY COUNTY HEALTH AND REHABILITATION FACILITY
015373	04/14/2011	05/19/2011	HENRY COUNTY HEALTH AND REHABILITATION FACILITY
015373	04/14/2011	05/19/2011	HENRY COUNTY HEALTH AND REHABILITATION FACILITY
015373	04/14/2011	05/19/2011	HENRY COUNTY HEALTH AND REHABILITATION FACILITY
015373	04/14/2011	05/19/2011	HENRY COUNTY HEALTH AND REHABILITATION FACILITY
015373	04/14/2011	05/19/2011	HENRY COUNTY HEALTH AND REHABILITATION FACILITY
015373	04/14/2011	05/19/2011	HENRY COUNTY HEALTH AND REHABILITATION FACILITY
015373	04/14/2011	05/19/2011	HENRY COUNTY HEALTH AND REHABILITATION FACILITY
015373	05/10/2012	06/14/2012	HENRY COUNTY HEALTH AND

212 DOTHAN ROAD	ABBEVILLE	AL	36310	3345852241
212 DOTHAN ROAD	ABBEVILLE	AL	36310	3345852241
212 DOTHAN ROAD	ABBEVILLE	AL	36310	3345852241
212 DOTHAN ROAD	ABBEVILLE	AL	36310	3345852241
212 DOTHAN ROAD	ABBEVILLE	AL	36310	3345852241
212 DOTHAN ROAD	ABBEVILLE	AL	36310	3345852241
212 DOTHAN ROAD	ABBEVILLE	AL	36310	3345852241
212 DOTHAN ROAD	ABBEVILLE	AL	36310	3345852241
212 DOTHAN ROAD	ABBEVILLE	AL	36310	3345852241
212 DOTHAN ROAD	ABBEVILLE	AL	36310	3345852241

FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
HEALTH	Environmental Deficiencies

corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Some	2
record of quarterly fire drills for each shift under varying conditions.	Many	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Some	1
Make sure that the nursing home	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015373		06/14/2012	HENRY COUNTY HEALTH AND REHABILITATION FACILITY
015373	05/10/2012	06/14/2012	HENRY COUNTY HEALTH AND REHABILITATION FACILITY
015373	05/10/2012	06/14/2012	HENRY COUNTY HEALTH AND REHABILITATION FACILITY
015373	05/16/2012	06/20/2012	HENRY COUNTY HEALTH AND REHABILITATION FACILITY
015373	05/16/2012	06/20/2012	HENRY COUNTY HEALTH AND REHABILITATION FACILITY
015373	05/16/2012	06/20/2012	HENRY COUNTY HEALTH AND REHABILITATION FACILITY
015373	05/16/2012	06/20/2012	HENRY COUNTY HEALTH AND

212 DOTHAN ROAD	ABBEVILLE	AL	36310	3345852241
212 DOTHAN ROAD	ABBEVILLE	AL	36310	3345852241
212 DOTHAN ROAD	ABBEVILLE	AL	36310	3345852241
212 DOTHAN ROAD	ABBEVILLE	AL	36310	3345852241
212 DOTHAN ROAD	ABBEVILLE	AL	36310	3345852241
212 DOTHAN ROAD	ABBEVILLE	AL	36310	3345852241
212 DOTHAN ROAD	ABBEVILLE	AL	36310	3345852241
212 DOTHAN ROAD	ABBEVILLE	AL	36310	3345852241

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies

Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
1) Make sure that each resident's drug regimen is free from unnecessary drugs; 2) Each resident's entire drug/medication is managed and monitored to achieve highest well being.	Few	2
At least once a month, have a licensed pharmacist review each resident's medication(s) and report any irregularities to the attending doctor.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
did not have a written emergency evacuation plan.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
properly protected cooking	Many	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

			REHABILITATION FACILITY
015374	01/22/2010	02/26/2010	CAMDEN NURSING FACILITY INC.
015374	01/22/2010	02/26/2010	CAMDEN NURSING FACILITY INC.
015374	01/22/2010	02/26/2010	CAMDEN NURSING FACILITY INC.
015374	01/22/2010	02/26/2010	CAMDEN NURSING FACILITY INC.
015374	01/22/2010	02/26/2010	CAMDEN NURSING FACILITY INC.
015374	01/22/2010	02/26/2010	CAMDEN NURSING FACILITY INC.
015374	01/27/2010	02/05/2010	CAMDEN NURSING FACILITY INC.

210 PONDEROSA DRIVE	CAMDEN	AL	36726	3346824231
210 PONDEROSA DRIVE	CAMDEN	AL	36726	3346824231
210 PONDEROSA DRIVE	CAMDEN	AL	36726	3346824231
210 PONDEROSA DRIVE	CAMDEN	AL	36726	3346824231
210 PONDEROSA DRIVE	CAMDEN	AL	36726	3346824231
210 PONDEROSA DRIVE	CAMDEN	AL	36726	3346824231
210 PONDEROSA DRIVE	CAMDEN	AL	36726	3346824231

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

facilities.		
Immediately tell the resident, the resident's doctor and a family member of the resident of situations (injury/decline/room, etc.) that affect the resident.	Few	2
Provide housekeeping and maintenance services.	Some	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Some	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015374	01/27/2010	02/10/2010	CAMDEN NURSING FACILITY INC.
015374	01/27/2010	02/26/2010	CAMDEN NURSING FACILITY INC.
015374	01/27/2010	03/11/2010	CAMDEN NURSING FACILITY INC.
015374	12/30/2010	02/03/2011	CAMDEN NURSING FACILITY INC.
015374	12/30/2010	02/03/2011	CAMDEN NURSING FACILITY INC.
015374	01/05/2011	02/09/2011	CAMDEN NURSING FACILITY INC.
015374	01/05/2011	02/09/2011	CAMDEN NURSING FACILITY INC.

210 PONDEROSA DRIVE	CAMDEN	AL	36726	3346824231
210 PONDEROSA DRIVE	CAMDEN	AL	36726	3346824231
210 PONDEROSA DRIVE	CAMDEN	AL	36726	3346824231
210 PONDEROSA DRIVE	CAMDEN	AL	36726	3346824231
210 PONDEROSA DRIVE	CAMDEN	AL	36726	3346824231
210 PONDEROSA DRIVE	CAMDEN	AL	36726	3346824231
210 PONDEROSA	CAMDEN	AL	36726	3346824231

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies

construction that can resist fire for one hour or an approved fire extinguishing system.	Many	1
automatic sprinkler systems that have been maintained in working order.	Some	1
weekly inspections and monthly testing of generators.	Some	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Many	1
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire	Many	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015374	01/05/2011	02/09/2011	CAMDEN NURSING FACILITY INC.
015374	01/05/2011	02/09/2011	CAMDEN NURSING FACILITY INC.
015374	12/01/2011	12/21/2011	CAMDEN NURSING FACILITY INC.
015374	12/01/2011	12/21/2011	CAMDEN NURSING FACILITY INC.
015374	12/01/2011	12/21/2011	CAMDEN NURSING FACILITY INC.
015374	12/01/2011	12/21/2011	CAMDEN NURSING FACILITY INC.
015374	12/01/2011	12/21/2011	CAMDEN NURSING FACILITY INC.
015374	12/01/2011	12/21/2011	CAMDEN NURSING FACILITY INC.
015374	12/01/2011	12/21/2011	CAMDEN NURSING FACILITY INC.
015374	12/01/2011	12/21/2011	CAMDEN NURSING FACILITY INC.

DRIVE				
210 PONDEROSA DRIVE	CAMDEN	AL	36726	3346824231
210 PONDEROSA DRIVE	CAMDEN	AL	36726	3346824231
210 PONDEROSA DRIVE	CAMDEN	AL	36726	3346824231
210 PONDEROSA DRIVE	CAMDEN	AL	36726	3346824231
210 PONDEROSA DRIVE	CAMDEN	AL	36726	3346824231
210 PONDEROSA DRIVE	CAMDEN	AL	36726	3346824231
210 PONDEROSA DRIVE	CAMDEN	AL	36726	3346824231
210 PONDEROSA DRIVE	CAMDEN	AL	36726	3346824231
210 PONDEROSA DRIVE	CAMDEN	AL	36726	3346824231

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies

for one hour or an approved fire extinguishing system.		
record of quarterly fire drills for each shift under varying conditions.	Some	2
properly protected cooking facilities.	Many	1
corridor and hallway doors that block smoke.	Few	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Some	2
exits that are accessible at all times.	Few	2
a fire alarm system that can be heard throughout the facility.	Few	2
automatic sprinkler systems that have been maintained in working order.	Few	2
portable fire extinguishers.	Some	2
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015374	12/01/2011	12/21/2011	CAMDEN NURSING FACILITY INC.
015374	12/01/2011	12/21/2011	CAMDEN NURSING FACILITY INC.
015374	12/01/2011	01/05/2012	CAMDEN NURSING FACILITY INC.
015374	12/01/2011	01/05/2012	CAMDEN NURSING FACILITY INC.
015374	12/01/2011	01/05/2012	CAMDEN NURSING FACILITY INC.
015375	08/18/2010	09/22/2010	BECKWOOD MANOR, INC
015375	08/18/2010	09/22/2010	BECKWOOD MANOR, INC
015375	08/18/2010	09/22/2010	BECKWOOD MANOR, INC
015375	08/18/2010	09/22/2010	BECKWOOD MANOR, INC
015375	08/18/2010	09/22/2010	BECKWOOD MANOR, INC

210 PONDEROSA DRIVE	CAMDEN	AL	36726	3346824231
210 PONDEROSA DRIVE	CAMDEN	AL	36726	3346824231
210 PONDEROSA DRIVE	CAMDEN	AL	36726	3346824231
210 PONDEROSA DRIVE	CAMDEN	AL	36726	3346824231
210 PONDEROSA DRIVE	CAMDEN	AL	36726	3346824231
P.O. BOX 1825	ANNISTON	AL	36207	2562364949
P.O. BOX 1825	ANNISTON	AL	36207	2562364949
P.O. BOX 1825	ANNISTON	AL	36207	2562364949
P.O. BOX 1825	ANNISTON	AL	36207	2562364949
P.O. BOX 1825	ANNISTON	AL	36207	2562364949

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies

other fire safety features required by fire safety codes.	Some	2
weekly inspections and monthly testing of generators.	Some	1
Keep each resident free from physical restraints, unless needed for medical treatment.	Few	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
corridor and hallway doors that block smoke.	Few	2
proper stairway enclosures and vertical shafts.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015375	08/18/2010	09/22/2010	BECKWOOD MANOR, INC
015375	08/18/2010	09/22/2010	BECKWOOD MANOR, INC
015375	08/18/2010	09/22/2010	BECKWOOD MANOR, INC
015375	08/18/2010	09/22/2010	BECKWOOD MANOR, INC
015375	08/18/2010	09/22/2010	BECKWOOD MANOR, INC
015375	08/18/2010	09/22/2010	BECKWOOD MANOR, INC
015375	08/18/2010	09/22/2010	BECKWOOD MANOR, INC

P.O. BOX 1825	ANNISTON	AL	36207	2562364949
P.O. BOX 1825	ANNISTON	AL	36207	2562364949
P.O. BOX 1825	ANNISTON	AL	36207	2562364949
P.O. BOX 1825	ANNISTON	AL	36207	2562364949
P.O. BOX 1825	ANNISTON	AL	36207	2562364949
P.O. BOX 1825	ANNISTON	AL	36207	2562364949
P.O. BOX 1825	ANNISTON	AL	36207	2562364949

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies

proper medical gas storage and administration areas.	Few	2
properly installed electrical wiring and equipment.	Few	2
Notify the resident or provide reasons for a transfer or discharge.	Few	2
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Few	2
Develop policies that prevent mistreatment, neglect, or abuse of residents or theft of resident property.	Few	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015375	08/18/2010	09/22/2010	BECKWOOD MANOR, INC
015375	07/21/2011	08/20/2011	BECKWOOD MANOR, INC
015375	07/21/2011	08/20/2011	BECKWOOD MANOR, INC
015375	07/21/2011	08/20/2011	BECKWOOD MANOR, INC
015375	07/21/2011	08/20/2011	BECKWOOD MANOR, INC
015375	07/21/2011	08/20/2011	BECKWOOD MANOR, INC
015375	07/21/2011	08/20/2011	BECKWOOD MANOR, INC

P.O. BOX 1825	ANNISTON	AL	36207	2562364949
P.O. BOX 1825	ANNISTON	AL	36207	2562364949
P.O. BOX 1825	ANNISTON	AL	36207	2562364949
P.O. BOX 1825	ANNISTON	AL	36207	2562364949
P.O. BOX 1825	ANNISTON	AL	36207	2562364949
P.O. BOX 1825	ANNISTON	AL	36207	2562364949
P.O. BOX 1825	ANNISTON	AL	36207	2562364949

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies

abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.		
Store, cook, and serve food in a safe and clean way.	Many	2
Write and use policies that forbid mistreatment, neglect and abuse of residents and theft of residents' property.	Few	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
Post nurse staffing information/data on a daily basis.	Many	1
Provide food in a way that meets a resident's needs.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Many	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015375	07/27/2011	08/26/2011	BECKWOOD MANOR, INC
015375	07/27/2011	08/26/2011	BECKWOOD MANOR, INC
015375	07/27/2011	08/26/2011	BECKWOOD MANOR, INC
015375	07/27/2011	08/26/2011	BECKWOOD MANOR, INC
015375	07/27/2011	08/26/2011	BECKWOOD MANOR, INC
015375	07/27/2011	08/26/2011	BECKWOOD MANOR, INC
015375	06/21/2012	07/18/2012	BECKWOOD MANOR, INC
015375	06/21/2012	07/18/2012	BECKWOOD MANOR, INC
015375	06/21/2012	07/18/2012	BECKWOOD MANOR, INC
015375	06/21/2012	07/18/2012	BECKWOOD MANOR, INC
015375	06/21/2012	07/18/2012	BECKWOOD MANOR, INC

P.O. BOX 1825	ANNISTON	AL	36207	2562364949
P.O. BOX 1825	ANNISTON	AL	36207	2562364949
P.O. BOX 1825	ANNISTON	AL	36207	2562364949
P.O. BOX 1825	ANNISTON	AL	36207	2562364949
P.O. BOX 1825	ANNISTON	AL	36207	2562364949
P.O. BOX 1825	ANNISTON	AL	36207	2562364949
P.O. BOX 1825	ANNISTON	AL	36207	2562364949
P.O. BOX 1825	ANNISTON	AL	36207	2562364949
P.O. BOX 1825	ANNISTON	AL	36207	2562364949
P.O. BOX 1825	ANNISTON	AL	36207	2562364949
P.O. BOX 1825	ANNISTON	AL	36207	2562364949
P.O. BOX 1825	ANNISTON	AL	36207	2562364949

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Administration Deficiencies

protected exits that allow the resident to escape the building.	Some	2
exits that are accessible at all times.	Few	2
portable fire extinguishers.	Some	2
properly protected cooking facilities.	Few	2
restrictions on the use of flammable curtains.	Many	2
a separate and independent backup electrical power source.	Many	2
Provide activities to meet the interests and needs of each resident.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Provide necessary care and services to maintain the highest well being of each resident .	Few	2
Make sure that residents with reduced range of motion get proper treatment and services to increase range of motion.	Few	2
Post nurse staffing	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015375	06/21/2012	07/18/2012	BECKWOOD MANOR, INC
015375	06/27/2012	07/06/2012	BECKWOOD MANOR, INC
015375	06/27/2012	07/06/2012	BECKWOOD MANOR, INC
015375	06/27/2012	08/01/2012	BECKWOOD MANOR, INC
015376	03/12/2009	04/16/2009	GOLDEN LIVING CENTER - WINFIELD
015376	03/12/2009	04/16/2009	GOLDEN LIVING CENTER - WINFIELD
015376	03/12/2009	04/16/2009	GOLDEN LIVING CENTER - WINFIELD
015376	03/12/2009	04/16/2009	GOLDEN LIVING CENTER - WINFIELD
015376	03/12/2009	04/16/2009	GOLDEN LIVING CENTER - WINFIELD

P.O. BOX 1825	ANNISTON	AL	36207	2562364949
P.O. BOX 1825	ANNISTON	AL	36207	2562364949
P.O. BOX 1825	ANNISTON	AL	36207	2562364949
P.O. BOX 1825	ANNISTON	AL	36207	2562364949
144 COUNTY HWY 14	WINFIELD	AL	35594	2054874211
144 COUNTY HWY 14	WINFIELD	AL	35594	2054874211
144 COUNTY HWY 14	WINFIELD	AL	35594	2054874211
144 COUNTY HWY 14	WINFIELD	AL	35594	2054874211
144 COUNTY HWY 14	WINFIELD	AL	35594	2054874211

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies

information/data on a daily basis.		
Store, cook, and serve food in a safe and clean way.	Many	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
exits that are accessible at all times.	Some	2
weekly inspections and monthly testing of generators.	Some	1
Try to resolve each resident's complaints quickly.	Few	2
Provide medically-related social services to help each resident achieve the highest possible quality of life.	Few	2
Review or revise the resident's care plan after any major change in a resident's physical or mental health.	Few	2
Make sure each resident receives an accurate assessment by a qualified health professional.	Few	2
Develop a complete care plan that meets all of a resident's	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015376	03/12/2009	04/16/2009	GOLDEN LIVING CENTER - WINFIELD
015376	03/12/2009	04/16/2009	GOLDEN LIVING CENTER - WINFIELD
015376	03/12/2009	04/16/2009	GOLDEN LIVING CENTER - WINFIELD
015376	03/19/2009	04/23/2009	GOLDEN LIVING CENTER - WINFIELD
015376	03/19/2009	04/23/2009	GOLDEN LIVING CENTER - WINFIELD
015376	03/19/2009	04/23/2009	GOLDEN LIVING CENTER - WINFIELD
015376	03/19/2009	04/23/2009	GOLDEN LIVING CENTER - WINFIELD
015376	03/19/2009	04/23/2009	GOLDEN LIVING CENTER - WINFIELD

144 COUNTY HWY 14	WINFIELD	AL	35594	2054874211
144 COUNTY HWY 14	WINFIELD	AL	35594	2054874211
144 COUNTY HWY 14	WINFIELD	AL	35594	2054874211
144 COUNTY HWY 14	WINFIELD	AL	35594	2054874211
144 COUNTY HWY 14	WINFIELD	AL	35594	2054874211
144 COUNTY HWY 14	WINFIELD	AL	35594	2054874211
144 COUNTY HWY 14	WINFIELD	AL	35594	2054874211
144 COUNTY HWY 14	WINFIELD	AL	35594	2054874211
144 COUNTY HWY 14	WINFIELD	AL	35594	2054874211

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies

that meets all of a resident's needs, with timetables and actions that can be measured.		
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Some	2
Store, cook, and serve food in a safe and clean way.	Many	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Many	2
automatic sprinkler systems that have been maintained in working order.	Few	2
properly protected cooking facilities.	Few	2
exits that are free from obstructions and can be used at all times.	Many	2
restrictions on the use of highly flammable materials.	Many	2
other fire safety features required by fire safety codes.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015376	07/14/2010	08/13/2010	GOLDEN LIVING CENTER - WINFIELD
015376	07/14/2010	08/13/2010	GOLDEN LIVING CENTER - WINFIELD
015376	07/14/2010	08/13/2010	GOLDEN LIVING CENTER - WINFIELD
015376	07/14/2010	Not Available	GOLDEN LIVING CENTER - WINFIELD
015376	07/14/2011	09/30/2011	GOLDEN LIVING CENTER - WINFIELD
015376	07/14/2011	09/30/2011	GOLDEN LIVING CENTER - WINFIELD
015376	07/14/2011	09/30/2011	GOLDEN LIVING CENTER - WINFIELD
015376	07/14/2011	09/30/2011	GOLDEN LIVING CENTER - WINFIELD
015376	07/14/2011	09/30/2011	GOLDEN LIVING CENTER - WINFIELD
015376	07/14/2011	09/30/2011	GOLDEN LIVING CENTER - WINFIELD

nh_quality_deficiency_survey
Based on Nursing Home Compare - Survey Deficiency

144 COUNTY HWY 14	WINFIELD	AL	35594	2054874211
144 COUNTY HWY 14	WINFIELD	AL	35594	2054874211
144 COUNTY HWY 14	WINFIELD	AL	35594	2054874211
144 COUNTY HWY 14	WINFIELD	AL	35594	2054874211
144 COUNTY HWY 14	WINFIELD	AL	35594	2054874211
144 COUNTY HWY 14	WINFIELD	AL	35594	2054874211
144 COUNTY HWY 14	WINFIELD	AL	35594	2054874211
144 COUNTY HWY 14	WINFIELD	AL	35594	2054874211
144 COUNTY HWY 14	WINFIELD	AL	35594	2054874211
144 COUNTY HWY 14	WINFIELD	AL	35594	2054874211

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies

by fire safety codes.		
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
other fire safety features required by fire safety codes.	Few	2
Make sure each resident receives an accurate assessment by a qualified health professional.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Dispose of garbage and refuse properly.	Many	1
Make sure there is a pest control program to prevent/deal with mice, insects, or other pests.	Many	2
Keep accurate, complete and	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015376	07/21/2011	08/25/2011	GOLDEN LIVING CENTER - WINFIELD
015376	07/21/2011	08/25/2011	GOLDEN LIVING CENTER - WINFIELD
015376	07/21/2011	08/25/2011	GOLDEN LIVING CENTER - WINFIELD
015378	02/03/2010	03/04/2010	MARSHALL MANOR NURSING HOME
015378	02/03/2010	03/04/2010	MARSHALL MANOR NURSING HOME
015378	02/03/2010	03/04/2010	MARSHALL MANOR NURSING HOME
015378	02/03/2010	03/04/2010	MARSHALL MANOR NURSING HOME
015378	02/17/2011	03/24/2011	MARSHALL MANOR NURSING HOME

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

144 COUNTY HWY 14	WINFIELD	AL	35594	2054874211
144 COUNTY HWY 14	WINFIELD	AL	35594	2054874211
144 COUNTY HWY 14	WINFIELD	AL	35594	2054874211
3120 NORTH STREET	GUNTERSVILLE	AL	35976	2565826561
3120 NORTH STREET	GUNTERSVILLE	AL	35976	2565826561
3120 NORTH STREET	GUNTERSVILLE	AL	35976	2565826561
3120 NORTH STREET	GUNTERSVILLE	AL	35976	2565826561
3120 NORTH STREET	GUNTERSVILLE	AL	35976	2565826561

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Quality Care Deficiencies

organized clinical records on each resident that meet professional standards.		
exits that are accessible at all times.	Some	2
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Few	2
weekly inspections and monthly testing of generators.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Many	1
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
did not have a written emergency evacuation plan.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015378	02/17/2011	03/24/2011	MARSHALL MANOR NURSING HOME
015378	02/17/2011	03/24/2011	MARSHALL MANOR NURSING HOME
015378	02/24/2011	03/31/2011	MARSHALL MANOR NURSING HOME
015378	02/24/2011	03/31/2011	MARSHALL MANOR NURSING HOME
015378	03/08/2012	04/12/2012	MARSHALL MANOR NURSING HOME
015378	03/08/2012	04/12/2012	MARSHALL MANOR NURSING HOME
015378	03/15/2012	04/18/2012	MARSHALL MANOR NURSING HOME

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

3120 NORTH STREET	GUNTERSVILLE	AL	35976	2565826561
3120 NORTH STREET	GUNTERSVILLE	AL	35976	2565826561
3120 NORTH STREET	GUNTERSVILLE	AL	35976	2565826561
3120 NORTH STREET	GUNTERSVILLE	AL	35976	2565826561
3120 NORTH STREET	GUNTERSVILLE	AL	35976	2565826561
3120 NORTH STREET	GUNTERSVILLE	AL	35976	2565826561
3120 NORTH STREET	GUNTERSVILLE	AL	35976	2565826561
3120 NORTH STREET	GUNTERSVILLE	AL	35976	2565826561

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

professional standards of quality.		
Offer other nutritional food to each resident who will not eat the food served.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
weekly inspections and monthly testing of generators.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one	Few	2

015378	03/15/2012	04/18/2012	MARSHALL MANOR NURSING HOME
015378	03/15/2012	04/18/2012	MARSHALL MANOR NURSING HOME
015378	03/15/2012	04/18/2012	MARSHALL MANOR NURSING HOME
015379	01/14/2010	02/08/2010	MOBILE NURSING AND REHABILITATION CENTER
015379	01/14/2010	02/02/2010	MOBILE NURSING AND REHABILITATION CENTER
015379	01/21/2010	02/18/2010	MOBILE NURSING AND REHABILITATION CENTER
015379	01/21/2010	02/18/2010	MOBILE NURSING AND REHABILITATION CENTER
015379	01/21/2010	02/18/2010	MOBILE NURSING AND REHABILITATION CENTER

3120 NORTH STREET	GUNTERSVILLE	AL	35976	2565826561
3120 NORTH STREET	GUNTERSVILLE	AL	35976	2565826561
3120 NORTH STREET	GUNTERSVILLE	AL	35976	2565826561
7020 BRUNS DRIVE	MOBILE	AL	36695	2516391588
7020 BRUNS DRIVE	MOBILE	AL	36695	2516391588
7020 BRUNS DRIVE	MOBILE	AL	36695	2516391588
7020 BRUNS DRIVE	MOBILE	AL	36695	2516391588
7020 BRUNS DRIVE	MOBILE	AL	36695	2516391588

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

hour.		
exits that are accessible at all times.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
weekly inspections and monthly testing of generators.	Many	1
Properly hold, secure and manage each resident's personal money which is deposited with the nursing home.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Some	2
corridor and hallway doors that block smoke.	Few	2
exits that are accessible at all times.	Few	2
automatic sprinkler systems that have been maintained in working order.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015379	02/03/2011	03/10/2011	MOBILE NURSING AND REHABILITATION CENTER
015379	02/03/2011	03/10/2011	MOBILE NURSING AND REHABILITATION CENTER
015379	02/04/2011	02/11/2011	MOBILE NURSING AND REHABILITATION CENTER
015379	02/04/2011	02/11/2011	MOBILE NURSING AND REHABILITATION CENTER
015379	04/05/2012	05/10/2012	MOBILE NURSING AND REHABILITATION CENTER
015379	04/05/2012	05/10/2012	MOBILE NURSING AND REHABILITATION CENTER
015379	04/10/2012	05/14/2012	MOBILE NURSING AND REHABILITATION CENTER
015379	04/10/2012	05/14/2012	MOBILE NURSING AND REHABILITATION CENTER

nh_quality_deficiency_survey
Based on Nursing Home Compare - Survey Deficiency

7020 BRUNS DRIVE	MOBILE	AL	36695	2516391588
7020 BRUNS DRIVE	MOBILE	AL	36695	2516391588
7020 BRUNS DRIVE	MOBILE	AL	36695	2516391588
7020 BRUNS DRIVE	MOBILE	AL	36695	2516391588
7020 BRUNS DRIVE	MOBILE	AL	36695	2516391588
7020 BRUNS DRIVE	MOBILE	AL	36695	2516391588
7020 BRUNS DRIVE	MOBILE	AL	36695	2516391588
7020 BRUNS DRIVE	MOBILE	AL	36695	2516391588

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Interior Finish Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

order.		
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Many	1
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
Keep each resident free from physical restraints, unless needed for medical treatment.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
fire-resistant room wall surfaces.	Some	1
walls or barriers that prevent smoke from passing through and	Few	2

			CENTER
015379	04/10/2012	05/14/2012	MOBILE NURSING AND REHABILITATION CENTER
015379	04/10/2012	05/14/2012	MOBILE NURSING AND REHABILITATION CENTER
015379	04/10/2012	05/14/2012	MOBILE NURSING AND REHABILITATION CENTER
015379	04/10/2012	05/14/2012	MOBILE NURSING AND REHABILITATION CENTER
015379	04/10/2012	05/14/2012	MOBILE NURSING AND REHABILITATION CENTER
015379	04/10/2012	05/14/2012	MOBILE NURSING AND REHABILITATION CENTER
015379	04/10/2012	05/14/2012	MOBILE NURSING AND REHABILITATION CENTER
015379	04/10/2012	05/14/2012	MOBILE NURSING AND REHABILITATION CENTER

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

7020 BRUNS DRIVE	MOBILE	AL	36695	2516391588
7020 BRUNS DRIVE	MOBILE	AL	36695	2516391588
7020 BRUNS DRIVE	MOBILE	AL	36695	2516391588
7020 BRUNS DRIVE	MOBILE	AL	36695	2516391588
7020 BRUNS DRIVE	MOBILE	AL	36695	2516391588
7020 BRUNS DRIVE	MOBILE	AL	36695	2516391588
7020 BRUNS DRIVE	MOBILE	AL	36695	2516391588
7020 BRUNS DRIVE	MOBILE	AL	36695	2516391588

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies

smoke from passing through and would resist fire for at least one hour.		
smoke barrier doors that can resist smoke for at least 20 minutes.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
properly working alarms on sprinkler valves.	Few	2
automatic sprinkler systems that have been maintained in working order.	Many	1
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Some	2
restrictions on the use of portable space heaters.	Few	2

			CENTER
015379	04/10/2012	05/14/2012	MOBILE NURSING AND REHABILITATION CENTER
015381	02/25/2010	04/01/2010	WESTMINSTER VILLAGE
015381	02/25/2010	04/01/2010	WESTMINSTER VILLAGE
015381	02/25/2010	04/01/2010	WESTMINSTER VILLAGE
015381	02/25/2010	04/01/2010	WESTMINSTER VILLAGE
015381	03/04/2010	04/01/2010	WESTMINSTER VILLAGE
015381	03/04/2010	04/01/2010	WESTMINSTER VILLAGE
015381	03/04/2010	03/19/2010	WESTMINSTER VILLAGE
015381	03/04/2010	03/23/2010	WESTMINSTER VILLAGE

7020 BRUNS DRIVE	MOBILE	AL	36695	2516391588
500 SPANISH FORT BLVD	SPANISH FORT	AL	36527	2516267007
500 SPANISH FORT BLVD	SPANISH FORT	AL	36527	2516267007
500 SPANISH FORT BLVD	SPANISH FORT	AL	36527	2516267007
500 SPANISH FORT BLVD	SPANISH FORT	AL	36527	2516267007
500 SPANISH FORT BLVD	SPANISH FORT	AL	36527	2516267007
500 SPANISH FORT BLVD	SPANISH FORT	AL	36527	2516267007
500 SPANISH FORT BLVD	SPANISH FORT	AL	36527	2516267007
500 SPANISH FORT BLVD	SPANISH FORT	AL	36527	2516267007
500 SPANISH FORT BLVD	SPANISH FORT	AL	36527	2516267007

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

space heaters.		
properly installed electrical wiring and equipment.	Some	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Keep all essential equipment working safely.	Few	2
Make sure that the nursing home area is safe, easy to use, clean and comfortable for residents, staff and the public.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
record of quarterly fire drills for each shift under varying conditions.	Many	1
automatic sprinkler systems that have been maintained in working	Few	2

015381	03/04/2010	03/05/2010	WESTMINSTER VILLAGE
015381	03/04/2010	03/09/2010	WESTMINSTER VILLAGE
015381	12/15/2010	12/27/2010	WESTMINSTER VILLAGE
015381	12/22/2010	01/10/2011	WESTMINSTER VILLAGE
015381	12/22/2010	01/10/2011	WESTMINSTER VILLAGE
015381	01/26/2012	03/01/2012	WESTMINSTER VILLAGE
015381	01/26/2012	03/01/2012	WESTMINSTER VILLAGE
015381	01/26/2012	03/01/2012	WESTMINSTER VILLAGE
015381	01/26/2012	03/01/2012	WESTMINSTER VILLAGE

BLVD				
500 SPANISH FORT BLVD	SPANISH FORT	AL	36527	2516267007
500 SPANISH FORT BLVD	SPANISH FORT	AL	36527	2516267007
500 SPANISH FORT BLVD	SPANISH FORT	AL	36527	2516267007
500 SPANISH FORT BLVD	SPANISH FORT	AL	36527	2516267007
500 SPANISH FORT BLVD	SPANISH FORT	AL	36527	2516267007
500 SPANISH FORT BLVD	SPANISH FORT	AL	36527	2516267007
500 SPANISH FORT BLVD	SPANISH FORT	AL	36527	2516267007
500 SPANISH FORT BLVD	SPANISH FORT	AL	36527	2516267007
500 SPANISH FORT BLVD	SPANISH FORT	AL	36527	2516267007
500 SPANISH FORT BLVD	SPANISH FORT	AL	36527	2516267007

FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies

have been maintained in working order.		
exits that are free from obstructions and can be used at all times.	Few	2
other fire safety features required by fire safety codes.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
restrictions on the use of portable space heaters.	Some	2
properly installed electrical wiring and equipment.	Few	2
Try to resolve each resident's complaints quickly.	Few	2
Review or revise the resident's care plan after any major change in a resident's physical or mental health.	Few	2
Make sure each resident receives an accurate assessment by a qualified health professional.	Few	2
Give residents proper treatment to prevent new bed (pressure)	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015381	01/26/2012	03/01/2012	WESTMINSTER VILLAGE
015381	01/26/2012	03/01/2012	WESTMINSTER VILLAGE
015381	01/26/2012	03/01/2012	WESTMINSTER VILLAGE
015381	01/31/2012	03/06/2012	WESTMINSTER VILLAGE
015381	01/31/2012	03/06/2012	WESTMINSTER VILLAGE
015381	01/31/2012	03/06/2012	WESTMINSTER VILLAGE
015381	01/31/2012	03/06/2012	WESTMINSTER VILLAGE
015382	09/24/2009	10/13/2009	CANTERBURY HEALTH CARE FACILITY

BLVD				
500 SPANISH FORT BLVD	SPANISH FORT	AL	36527	2516267007
500 SPANISH FORT BLVD	SPANISH FORT	AL	36527	2516267007
500 SPANISH FORT BLVD	SPANISH FORT	AL	36527	2516267007
500 SPANISH FORT BLVD	SPANISH FORT	AL	36527	2516267007
500 SPANISH FORT BLVD	SPANISH FORT	AL	36527	2516267007
500 SPANISH FORT BLVD	SPANISH FORT	AL	36527	2516267007
500 SPANISH FORT BLVD	SPANISH FORT	AL	36527	2516267007
500 SPANISH FORT BLVD	SPANISH FORT	AL	36527	2516267007
1720 KNOWLES ROAD	PHENIX CITY	AL	36869	3342910485

HEALTH	Environmental Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

to prevent new bed (pressure) sores or heal existing bed sores.		
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Few	2
record of quarterly fire drills for each shift under varying conditions.	Some	1
properly installed electrical wiring and equipment.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015382	11/18/2010	12/17/2010	CANTERBURY HEALTH CARE FACILITY
015382	11/18/2010	12/17/2010	CANTERBURY HEALTH CARE FACILITY
015382	11/23/2010	12/21/2010	CANTERBURY HEALTH CARE FACILITY
015382	11/23/2010	12/21/2010	CANTERBURY HEALTH CARE FACILITY
015382	11/23/2010	12/21/2010	CANTERBURY HEALTH CARE FACILITY
015382	11/23/2010	12/21/2010	CANTERBURY HEALTH CARE FACILITY
015382	11/23/2010	12/21/2010	CANTERBURY HEALTH CARE FACILITY

1720 KNOWLES ROAD	PHENIX CITY	AL	36869	3342910485
1720 KNOWLES ROAD	PHENIX CITY	AL	36869	3342910485
1720 KNOWLES ROAD	PHENIX CITY	AL	36869	3342910485
1720 KNOWLES ROAD	PHENIX CITY	AL	36869	3342910485
1720 KNOWLES ROAD	PHENIX CITY	AL	36869	3342910485
1720 KNOWLES ROAD	PHENIX CITY	AL	36869	3342910485
1720 KNOWLES ROAD	PHENIX CITY	AL	36869	3342910485

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

hour.		
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.	Few	2
corridor and hallway doors that block smoke.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
automatic sprinkler systems that have been maintained in working order.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015382	11/23/2010	12/21/2010	CANTERBURY HEALTH CARE FACILITY
015382	11/23/2010	12/21/2010	CANTERBURY HEALTH CARE FACILITY
015382	01/06/2012	02/10/2012	CANTERBURY HEALTH CARE FACILITY
015382	01/06/2012	02/10/2012	CANTERBURY HEALTH CARE FACILITY
015382	01/06/2012	02/10/2012	CANTERBURY HEALTH CARE FACILITY
015382	01/06/2012	02/10/2012	CANTERBURY HEALTH CARE FACILITY
015382	01/06/2012	02/10/2012	CANTERBURY HEALTH CARE FACILITY
015382	01/06/2012	02/10/2012	CANTERBURY HEALTH CARE FACILITY
015382	01/06/2012	02/10/2012	CANTERBURY HEALTH CARE FACILITY

1720 KNOWLES ROAD	PHENIX CITY	AL	36869	3342910485
1720 KNOWLES ROAD	PHENIX CITY	AL	36869	3342910485
1720 KNOWLES ROAD	PHENIX CITY	AL	36869	3342910485
1720 KNOWLES ROAD	PHENIX CITY	AL	36869	3342910485
1720 KNOWLES ROAD	PHENIX CITY	AL	36869	3342910485
1720 KNOWLES ROAD	PHENIX CITY	AL	36869	3342910485
1720 KNOWLES ROAD	PHENIX CITY	AL	36869	3342910485
1720 KNOWLES ROAD	PHENIX CITY	AL	36869	3342910485
1720 KNOWLES ROAD	PHENIX CITY	AL	36869	3342910485

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

proper medical gas storage and administration areas.	Few	2
properly installed electrical wiring and equipment.	Few	2
Assist those residents who need total help with eating/drinking, grooming and personal and oral hygiene.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that residents with reduced range of motion get proper treatment and services to increase range of motion.	Few	2
Provide a tasty and well-balanced diet that meets the nutritional needs of each resident.	Few	2
Hire a qualified dietician.	Many	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Few	2

015382	01/06/2012	02/10/2012	CANTERBURY HEALTH CARE FACILITY
015382	01/06/2012	02/10/2012	CANTERBURY HEALTH CARE FACILITY
015383	10/07/2010	11/05/2010	WOODLAND VILLAGE HEALTH CARE CENTER
015383	10/07/2010	11/05/2010	WOODLAND VILLAGE HEALTH CARE CENTER
015383	10/07/2010	11/05/2010	WOODLAND VILLAGE HEALTH CARE CENTER
015383	10/13/2010	11/10/2010	WOODLAND VILLAGE HEALTH CARE CENTER
015383	10/13/2010	11/10/2010	WOODLAND VILLAGE HEALTH CARE CENTER
015383	10/13/2010	11/10/2010	WOODLAND VILLAGE HEALTH CARE CENTER
015383	10/20/2011	11/14/2011	WOODLAND VILLAGE HEALTH CARE

1720 KNOWLES ROAD	PHENIX CITY	AL	36869	3342910485
1720 KNOWLES ROAD	PHENIX CITY	AL	36869	3342910485
1900 OLIVE STREET	CULLMAN	AL	35055	2567391430
1900 OLIVE STREET	CULLMAN	AL	35055	2567391430
1900 OLIVE STREET	CULLMAN	AL	35055	2567391430
1900 OLIVE STREET	CULLMAN	AL	35055	2567391430
1900 OLIVE STREET	CULLMAN	AL	35055	2567391430
1900 OLIVE STREET	CULLMAN	AL	35055	2567391430
1900 OLIVE STREET	CULLMAN	AL	35055	2567391430
1900 OLIVE STREET	CULLMAN	AL	35055	2567391430

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Quality Care Deficiencies

Store, cook, and serve food in a safe and clean way.	Many	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Some	1
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Provide housekeeping and maintenance services.	Some	1
Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
restrictions on the use of flammable curtains.	Many	2
Make sure services provided by	Few	2

015383		11/14/2011	WOODLAND VILLAGE HEALTH CARE CENTER
015383	10/20/2011	11/14/2011	WOODLAND VILLAGE HEALTH CARE CENTER
015383	10/20/2011	11/14/2011	WOODLAND VILLAGE HEALTH CARE CENTER
015383	10/25/2011	11/23/2011	WOODLAND VILLAGE HEALTH CARE CENTER
015383	10/25/2011	11/23/2011	WOODLAND VILLAGE HEALTH CARE CENTER
015383	10/25/2011	11/23/2011	WOODLAND VILLAGE HEALTH CARE CENTER
015386	01/28/2010	03/04/2010	ADAMS NURSING HOME

1900 OLIVE STREET	CULLMAN	AL	35055	2567391430
1900 OLIVE STREET	CULLMAN	AL	35055	2567391430
1900 OLIVE STREET	CULLMAN	AL	35055	2567391430
1900 OLIVE STREET	CULLMAN	AL	35055	2567391430
1900 OLIVE STREET	CULLMAN	AL	35055	2567391430
1900 OLIVE STREET	CULLMAN	AL	35055	2567391430
1555 HILLABEE STREET	ALEXANDER CITY	AL	35010	2563290847

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies

Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
1) Make sure that each resident's drug regimen is free from unnecessary drugs; 2) Each resident's entire drug/medication is managed and monitored to achieve highest well being.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Few	2
properly installed electrical wiring and equipment.	Few	2
Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015386	01/06/2011	01/28/2011	ADAMS NURSING HOME
015386	01/06/2011	01/28/2011	ADAMS NURSING HOME
015386	01/06/2011	01/28/2011	ADAMS NURSING HOME
015386	01/06/2011	01/28/2011	ADAMS NURSING HOME
015386	01/06/2011	01/28/2011	ADAMS NURSING HOME
015386	01/12/2011	02/01/2011	ADAMS NURSING HOME
015386	01/12/2011	02/01/2011	ADAMS NURSING HOME
015386	01/12/2011	02/01/2011	ADAMS NURSING HOME
015386	01/12/2011	02/01/2011	ADAMS NURSING HOME
015386	01/12/2011	02/01/2011	ADAMS NURSING HOME

1555 HILLABEE STREET	ALEXANDER CITY	AL	35010	2563290847
1555 HILLABEE STREET	ALEXANDER CITY	AL	35010	2563290847
1555 HILLABEE STREET	ALEXANDER CITY	AL	35010	2563290847
1555 HILLABEE STREET	ALEXANDER CITY	AL	35010	2563290847
1555 HILLABEE STREET	ALEXANDER CITY	AL	35010	2563290847
1555 HILLABEE STREET	ALEXANDER CITY	AL	35010	2563290847
1555 HILLABEE STREET	ALEXANDER CITY	AL	35010	2563290847
1555 HILLABEE STREET	ALEXANDER CITY	AL	35010	2563290847
1555 HILLABEE STREET	ALEXANDER CITY	AL	35010	2563290847
1555 HILLABEE	ALEXANDER CITY	AL	35010	2563290847

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies

care, and prostheses.		
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Many	2
Store, cook, and serve food in a safe and clean way.	Many	2
Dispose of garbage and refuse properly.	Many	1
Keep all essential equipment working safely.	Few	2
portable fire extinguishers.	Many	2
properly protected cooking facilities.	Few	2
restrictions on the use of flammable curtains.	Many	2
a separate and independent backup electrical power source.	Many	2
properly installed electrical wiring	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015386	11/03/2011	12/08/2011	ADAMS NURSING HOME
015386	11/03/2011	12/08/2011	ADAMS NURSING HOME
015386	11/03/2011	12/08/2011	ADAMS NURSING HOME
015386	11/03/2011	12/08/2011	ADAMS NURSING HOME
015386	11/03/2011	12/08/2011	ADAMS NURSING HOME
015386	11/03/2011	12/08/2011	ADAMS NURSING HOME
015386	11/03/2011	12/08/2011	ADAMS NURSING HOME

STREET				
1555 HILLABEE STREET	ALEXANDER CITY	AL	35010	2563290847
1555 HILLABEE STREET	ALEXANDER CITY	AL	35010	2563290847
1555 HILLABEE STREET	ALEXANDER CITY	AL	35010	2563290847
1555 HILLABEE STREET	ALEXANDER CITY	AL	35010	2563290847
1555 HILLABEE STREET	ALEXANDER CITY	AL	35010	2563290847
1555 HILLABEE STREET	ALEXANDER CITY	AL	35010	2563290847
1555 HILLABEE STREET	ALEXANDER CITY	AL	35010	2563290847

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Administration Deficiencies

and equipment.		
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Provide necessary care and services to maintain the highest well being of each resident .	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Some	2
Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
Keep accurate, complete and organized clinical records on	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015386	11/08/2011	12/12/2011	ADAMS NURSING HOME
015386	11/08/2011	12/12/2011	ADAMS NURSING HOME
015386	11/08/2011	12/12/2011	ADAMS NURSING HOME
015386	11/08/2011	12/12/2011	ADAMS NURSING HOME
015386	11/08/2011	12/12/2011	ADAMS NURSING HOME
015386	11/08/2011	12/12/2011	ADAMS NURSING HOME
015386	11/08/2011	12/12/2011	ADAMS NURSING HOME
015388	03/25/2010	06/18/2010	EAST GLEN
015388	03/25/2010	04/29/2010	EAST GLEN

1555 HILLABEE STREET	ALEXANDER CITY	AL	35010	2563290847
1555 HILLABEE STREET	ALEXANDER CITY	AL	35010	2563290847
1555 HILLABEE STREET	ALEXANDER CITY	AL	35010	2563290847
1555 HILLABEE STREET	ALEXANDER CITY	AL	35010	2563290847
1555 HILLABEE STREET	ALEXANDER CITY	AL	35010	2563290847
1555 HILLABEE STREET	ALEXANDER CITY	AL	35010	2563290847
1555 HILLABEE STREET	ALEXANDER CITY	AL	35010	2563290847
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777

FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

each resident that meet professional standards.		
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Some	2
a fire alarm system that can be heard throughout the facility.	Some	2
exits that are free from obstructions and can be used at all times.	Some	2
a separate and independent backup electrical power source.	Some	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Many	2

015388	03/25/2010	04/29/2010	EAST GLEN
015388	03/25/2010	04/29/2010	EAST GLEN
015388	03/25/2010	04/29/2010	EAST GLEN
015388	03/25/2010	04/29/2010	EAST GLEN
015388	03/25/2010	04/29/2010	EAST GLEN
015388	03/25/2010	04/29/2010	EAST GLEN
015388	03/25/2010	04/29/2010	EAST GLEN
015388	03/25/2010	04/29/2010	EAST GLEN
015388	03/25/2010	04/29/2010	EAST GLEN

53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Assessment Deficiencies

hour.		
exits that are accessible at all times.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
automatic sprinkler systems that have been maintained in working order.	Some	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Few	2
exits that are free from obstructions and can be used at all times.	Few	2
properly installed electrical wiring and equipment.	Many	2
Immediately tell the resident, the resident's doctor and a family member of the resident of situations (injury/decline/room, etc.) that affect the resident.	Few	2
Conduct initial and periodic assessments of each resident's	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015388	03/25/2010	04/29/2010	EAST GLEN
015388	03/25/2010	04/29/2010	EAST GLEN
015388	03/25/2010	04/29/2010	EAST GLEN
015388	03/25/2010	04/29/2010	EAST GLEN
015388	03/25/2010	04/29/2010	EAST GLEN
015388	03/25/2010	04/29/2010	EAST GLEN
015388	03/25/2010	04/29/2010	EAST GLEN

DRIVE EAST				
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777
53 MEDICAL PARK	BIRMINGHAM	AL	35235	2058331777

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies

assessments of each resident's functional capacity.		
Review or revise the resident's care plan after any major change in a resident's physical or mental health.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Some	2
Make sure services provided by the nursing facility meet professional standards of quality.	Some	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	3
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	3
Keep the rate of medication	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015388	03/25/2010	04/29/2010	EAST GLEN
015388	03/25/2010	04/29/2010	EAST GLEN
015388	03/25/2010	04/29/2010	EAST GLEN
015388	03/03/2011	04/01/2011	EAST GLEN
015388	03/03/2011	04/01/2011	EAST GLEN
015388	03/03/2011	04/01/2011	EAST GLEN
015388	03/03/2011	04/01/2011	EAST GLEN
015388	03/09/2011	04/13/2011	EAST GLEN

DRIVE EAST				
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Building Construction Deficiencies

errors (wrong drug, wrong dose, wrong time) to less than 5%.		
Have a program that investigates, controls and keeps infection from spreading.	Some	2
Keep all essential equipment working safely.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
Provide care for each resident in a way that keeps or builds the resident's quality of life.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Make sure that special or therapeutic diets are ordered by the attending doctor.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
a two-hour-resistant firewall in common walls.	Some	2

015388	03/09/2011	04/13/2011	EAST GLEN
015388	03/28/2012	05/02/2012	EAST GLEN
015388	03/28/2012	05/02/2012	EAST GLEN
015388	03/28/2012	05/02/2012	EAST GLEN
015388	03/29/2012	05/03/2012	EAST GLEN
015388	03/29/2012	05/03/2012	EAST GLEN
015388	03/29/2012	05/03/2012	EAST GLEN
015388	03/29/2012	05/03/2012	EAST GLEN
015390	06/11/2010	07/16/2010	CAPITOL HILL HEALTHCARE CENTER
015390	06/11/2010	07/16/2010	CAPITOL HILL HEALTHCARE CENTER

53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777
53 MEDICAL PARK DRIVE EAST	BIRMINGHAM	AL	35235	2058331777
520 SOUTH HULL STREET	MONTGOMERY	AL	36104	3348342920
520 SOUTH HULL STREET	MONTGOMERY	AL	36104	3348342920

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Assessment Deficiencies

properly protected cooking facilities.	Some	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
record of quarterly fire drills for each shift under varying conditions.	Many	2
a fire alarm system that can be heard throughout the facility.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
automatic sprinkler systems that have been maintained in working order.	Some	2
Determine if it is safe for the resident to self-administer drugs.	Few	2
Review or revise the resident's care plan after any major change	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015390	06/11/2010	07/16/2010	CAPITOL HILL HEALTHCARE CENTER
015390	06/11/2010	07/16/2010	CAPITOL HILL HEALTHCARE CENTER
015390	06/11/2010	07/16/2010	CAPITOL HILL HEALTHCARE CENTER
015390	06/11/2010	07/16/2010	CAPITOL HILL HEALTHCARE CENTER
015390	06/11/2010	07/16/2010	CAPITOL HILL HEALTHCARE CENTER

STREET				
520 SOUTH HULL STREET	MONTGOMERY	AL	36104	3348342920
520 SOUTH HULL STREET	MONTGOMERY	AL	36104	3348342920
520 SOUTH HULL STREET	MONTGOMERY	AL	36104	3348342920
520 SOUTH HULL STREET	MONTGOMERY	AL	36104	3348342920
520 SOUTH HULL STREET	MONTGOMERY	AL	36104	3348342920

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

care plan after any major change in a resident's physical or mental health.		
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.	Few	2
1) Make sure that each resident's drug regimen is free from unnecessary drugs; 2) Each resident's entire drug/medication is managed and monitored to achieve highest well being.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015390	06/15/2010	07/16/2010	CAPITOL HILL HEALTHCARE CENTER
015390	06/15/2010	07/16/2010	CAPITOL HILL HEALTHCARE CENTER
015390	06/15/2010	07/16/2010	CAPITOL HILL HEALTHCARE CENTER
015390	04/14/2011	05/19/2011	CAPITOL HILL HEALTHCARE CENTER
015390	04/14/2011	05/19/2011	CAPITOL HILL HEALTHCARE CENTER
015390	04/14/2011	05/19/2011	CAPITOL HILL HEALTHCARE CENTER
015390	04/14/2011	05/19/2011	CAPITOL HILL HEALTHCARE CENTER
015390	04/14/2011	05/19/2011	CAPITOL HILL HEALTHCARE CENTER

520 SOUTH HULL STREET	MONTGOMERY	AL	36104	3348342920
520 SOUTH HULL STREET	MONTGOMERY	AL	36104	3348342920
520 SOUTH HULL STREET	MONTGOMERY	AL	36104	3348342920
520 SOUTH HULL STREET	MONTGOMERY	AL	36104	3348342920
520 SOUTH HULL STREET	MONTGOMERY	AL	36104	3348342920
520 SOUTH HULL STREET	MONTGOMERY	AL	36104	3348342920
520 SOUTH HULL STREET	MONTGOMERY	AL	36104	3348342920
520 SOUTH HULL STREET	MONTGOMERY	AL	36104	3348342920

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
automatic sprinkler systems that have been maintained in working order.	Few	2
Maintain comfortable and safe temperature levels.	Few	2
Conduct initial and periodic assessments of each resident's functional capacity.	Few	2
Make sure each resident receives an accurate assessment by a qualified health professional.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015390	04/14/2011	05/19/2011	CAPITOL HILL HEALTHCARE CENTER
015390	04/14/2011	05/19/2011	CAPITOL HILL HEALTHCARE CENTER
015390	04/20/2011	05/25/2011	CAPITOL HILL HEALTHCARE CENTER
015390	04/20/2011	05/25/2011	CAPITOL HILL HEALTHCARE CENTER
015390	01/20/2012	02/22/2012	CAPITOL HILL HEALTHCARE CENTER
015390	01/20/2012	02/22/2012	CAPITOL HILL HEALTHCARE CENTER
015390	01/20/2012	02/22/2012	CAPITOL HILL HEALTHCARE CENTER

520 SOUTH HULL STREET	MONTGOMERY	AL	36104	3348342920
520 SOUTH HULL STREET	MONTGOMERY	AL	36104	3348342920
520 SOUTH HULL STREET	MONTGOMERY	AL	36104	3348342920
520 SOUTH HULL STREET	MONTGOMERY	AL	36104	3348342920
520 SOUTH HULL STREET	MONTGOMERY	AL	36104	3348342920
520 SOUTH HULL STREET	MONTGOMERY	AL	36104	3348342920
520 SOUTH HULL STREET	MONTGOMERY	AL	36104	3348342920

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

planned for the resident and followed.		
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Some	2
Store, cook, and serve food in a safe and clean way.	Many	2
exits that are accessible at all times.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
Provide necessary care and services to maintain the highest well being of each resident .	Few	2
Assist those residents who need total help with eating/drinking, grooming and personal and oral hygiene.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal	Few	2

015390	01/20/2012	02/22/2012	CAPITOL HILL HEALTHCARE CENTER
015390	01/20/2012	02/22/2012	CAPITOL HILL HEALTHCARE CENTER
015390	01/27/2012	03/02/2012	CAPITOL HILL HEALTHCARE CENTER
015390	01/27/2012	03/02/2012	CAPITOL HILL HEALTHCARE CENTER
015390	01/27/2012	03/02/2012	CAPITOL HILL HEALTHCARE CENTER
015390	01/27/2012	03/02/2012	CAPITOL HILL HEALTHCARE CENTER
015391	02/04/2010	03/11/2010	JACKSONVILLE HEALTH AND REHABILITATION, LLC

520 SOUTH HULL STREET	MONTGOMERY	AL	36104	3348342920
520 SOUTH HULL STREET	MONTGOMERY	AL	36104	3348342920
520 SOUTH HULL STREET	MONTGOMERY	AL	36104	3348342920
520 SOUTH HULL STREET	MONTGOMERY	AL	36104	3348342920
520 SOUTH HULL STREET	MONTGOMERY	AL	36104	3348342920
520 SOUTH HULL STREET	MONTGOMERY	AL	36104	3348342920
520 SOUTH HULL STREET	MONTGOMERY	AL	36104	3348342920
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Resident Assessment Deficiencies

bladder function.		
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Some	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
automatic sprinkler systems that have been maintained in working order.	Few	2
portable fire extinguishers.	Many	1
properly protected cooking facilities.	Many	1
Develop a complete care plan that meets all of a resident's	Few	2

015391	02/04/2010	03/11/2010	JACKSONVILLE HEALTH AND REHABILITATION, LLC
015391	02/09/2010	03/16/2010	JACKSONVILLE HEALTH AND REHABILITATION, LLC
015391	02/09/2010	03/16/2010	JACKSONVILLE HEALTH AND REHABILITATION, LLC
015391	02/09/2010	03/16/2010	JACKSONVILLE HEALTH AND REHABILITATION, LLC
015391	02/09/2010	03/16/2010	JACKSONVILLE HEALTH AND REHABILITATION, LLC
015391	02/09/2010	03/16/2010	JACKSONVILLE HEALTH AND REHABILITATION, LLC
015391	02/09/2010	03/16/2010	JACKSONVILLE HEALTH AND REHABILITATION, LLC
015391	02/09/2010	04/21/2010	JACKSONVILLE HEALTH AND REHABILITATION, LLC
015391	02/09/2010	03/16/2010	JACKSONVILLE HEALTH AND REHABILITATION, LLC

410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies

needs, with timetables and actions that can be measured.		
1) Make sure that each resident's drug regimen is free from unnecessary drugs; 2) Each resident's entire drug/medication is managed and monitored to achieve highest well being.	Few	2
corridor and hallway doors that block smoke.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
automatic sprinkler systems that have been maintained in working order.	Few	2
restrictions on the use of flammable curtains.	Some	2
other fire safety features required by fire safety codes.	Few	2
properly installed electrical wiring and equipment.	Few	2

015391	02/17/2011	03/24/2011	JACKSONVILLE HEALTH AND REHABILITATION, LLC
015391	02/17/2011	03/24/2011	JACKSONVILLE HEALTH AND REHABILITATION, LLC
015391	02/17/2011	03/24/2011	JACKSONVILLE HEALTH AND REHABILITATION, LLC
015391	02/17/2011	03/24/2011	JACKSONVILLE HEALTH AND REHABILITATION, LLC
015391	02/17/2011	03/24/2011	JACKSONVILLE HEALTH AND REHABILITATION, LLC
015391	02/17/2011	03/24/2011	JACKSONVILLE HEALTH AND REHABILITATION, LLC
015391	02/22/2011	03/24/2011	JACKSONVILLE HEALTH AND REHABILITATION, LLC
015391	03/22/2012	04/26/2012	JACKSONVILLE HEALTH AND REHABILITATION, LLC

410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Mistreatment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies

Develop policies that prevent mistreatment, neglect, or abuse of residents or theft of resident property.	Few	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
Hire sufficient dietary support personnel.	Many	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Many	1
Store, cook, and serve food in a safe and clean way.	Many	2
Operate and provide services according to Federal, State, and local laws and professional standards.	Some	2
properly installed electrical wiring and equipment.	Many	1
Let the resident use stationery, postage, and writing materials at	Many	1

015391	03/22/2012	04/26/2012	JACKSONVILLE HEALTH AND REHABILITATION, LLC
015391	03/22/2012	04/26/2012	JACKSONVILLE HEALTH AND REHABILITATION, LLC
015391	03/22/2012	04/26/2012	JACKSONVILLE HEALTH AND REHABILITATION, LLC
015391	03/22/2012	04/26/2012	JACKSONVILLE HEALTH AND REHABILITATION, LLC
015391	03/22/2012	04/26/2012	JACKSONVILLE HEALTH AND REHABILITATION, LLC
015391	03/22/2012	04/26/2012	JACKSONVILLE HEALTH AND REHABILITATION, LLC
015391	03/29/2012	05/03/2012	JACKSONVILLE HEALTH AND REHABILITATION, LLC
015391	03/29/2012	05/03/2012	JACKSONVILLE HEALTH AND REHABILITATION, LLC

410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Interior Finish Deficiencies
FIRE SAFETY	Interior Finish Deficiencies

the resident's own expense.		
Provide housekeeping and maintenance services.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Some	2
Provide food in a way that meets a resident's needs.	Some	2
Store, cook, and serve food in a safe and clean way.	Many	2
Make sure that nurse aides show they have the skills and techniques to be able to care for residents' needs.	Few	2
Make sure medically necessary lab services/tests are ordered by the attending physician.	Few	2
fire-resistant interior walls.	Few	2
fire-resistant room wall surfaces.	Few	2

015391	03/29/2012	05/03/2012	JACKSONVILLE HEALTH AND REHABILITATION, LLC
015391	03/29/2012	05/03/2012	JACKSONVILLE HEALTH AND REHABILITATION, LLC
015391	03/29/2012	05/03/2012	JACKSONVILLE HEALTH AND REHABILITATION, LLC
015391	03/29/2012	05/03/2012	JACKSONVILLE HEALTH AND REHABILITATION, LLC
015391	03/29/2012	05/03/2012	JACKSONVILLE HEALTH AND REHABILITATION, LLC
015391	03/29/2012	05/03/2012	JACKSONVILLE HEALTH AND REHABILITATION, LLC
015391	03/29/2012	05/03/2012	JACKSONVILLE HEALTH AND REHABILITATION, LLC
015391	03/29/2012	05/03/2012	JACKSONVILLE HEALTH AND REHABILITATION, LLC
015392	07/29/2010	08/20/2010	CYPRESS COVE CARE AND REHABILITATION CENTER

410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
410 WILSON DRIVE SOUTHWEST	JACKSONVILLE	AL	36265	2564357704
200 ALABAMA AVENUE	MUSCLE SHOALS	AL	35661	2563814330

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies

corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
proper medical gas storage and administration areas.	Few	2
other fire safety features required by fire safety codes.	Few	2
properly installed electrical wiring and equipment.	Some	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015392	07/29/2010	08/20/2010	CYPRESS COVE CARE AND REHABILITATION CENTER
015392	07/29/2010	08/20/2010	CYPRESS COVE CARE AND REHABILITATION CENTER
015392	07/29/2010	08/20/2010	CYPRESS COVE CARE AND REHABILITATION CENTER
015392	08/04/2010	08/31/2010	CYPRESS COVE CARE AND REHABILITATION CENTER
015392	08/04/2010	08/31/2010	CYPRESS COVE CARE AND REHABILITATION CENTER
015392	08/04/2010	08/31/2010	CYPRESS COVE CARE AND REHABILITATION CENTER
015392	06/16/2011	07/15/2011	CYPRESS COVE CARE AND REHABILITATION CENTER

200 ALABAMA AVENUE	MUSCLE SHOALS	AL	35661	2563814330
200 ALABAMA AVENUE	MUSCLE SHOALS	AL	35661	2563814330
200 ALABAMA AVENUE	MUSCLE SHOALS	AL	35661	2563814330
200 ALABAMA AVENUE	MUSCLE SHOALS	AL	35661	2563814330
200 ALABAMA AVENUE	MUSCLE SHOALS	AL	35661	2563814330
200 ALABAMA AVENUE	MUSCLE SHOALS	AL	35661	2563814330
200 ALABAMA AVENUE	MUSCLE SHOALS	AL	35661	2563814330

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Quality Care Deficiencies

Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
automatic sprinkler systems that have been maintained in working order.	Many	1
restrictions on the use of flammable curtains.	Many	1
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2

015392	06/23/2011	07/28/2011	CYPRESS COVE CARE AND REHABILITATION CENTER
015392	06/23/2011	07/28/2011	CYPRESS COVE CARE AND REHABILITATION CENTER
015392	06/23/2011	07/28/2011	CYPRESS COVE CARE AND REHABILITATION CENTER
015392	06/23/2011	07/28/2011	CYPRESS COVE CARE AND REHABILITATION CENTER
015392	06/23/2011	07/28/2011	CYPRESS COVE CARE AND REHABILITATION CENTER
015392	06/23/2011	07/28/2011	CYPRESS COVE CARE AND REHABILITATION CENTER
015392	06/23/2011	07/28/2011	CYPRESS COVE CARE AND REHABILITATION CENTER
015392	06/23/2011	07/28/2011	CYPRESS COVE CARE AND REHABILITATION CENTER
015392	06/23/2011	07/28/2011	CYPRESS COVE CARE AND REHABILITATION CENTER
015392	04/26/2012	05/16/2012	CYPRESS COVE CARE AND REHABILITATION CENTER

200 ALABAMA AVENUE	MUSCLE SHOALS	AL	35661	2563814330
200 ALABAMA AVENUE	MUSCLE SHOALS	AL	35661	2563814330
200 ALABAMA AVENUE	MUSCLE SHOALS	AL	35661	2563814330
200 ALABAMA AVENUE	MUSCLE SHOALS	AL	35661	2563814330
200 ALABAMA AVENUE	MUSCLE SHOALS	AL	35661	2563814330
200 ALABAMA AVENUE	MUSCLE SHOALS	AL	35661	2563814330
200 ALABAMA AVENUE	MUSCLE SHOALS	AL	35661	2563814330
200 ALABAMA AVENUE	MUSCLE SHOALS	AL	35661	2563814330
200 ALABAMA AVENUE	MUSCLE SHOALS	AL	35661	2563814330

FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

corridor and hallway doors that block smoke.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Few	2
restrictions on the use of portable space heaters.	Few	2
exits that are free from obstructions and can be used at all times.	Many	1
properly installed electrical wiring and equipment.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015392	04/26/2012	05/16/2012	CYPRESS COVE CARE AND REHABILITATION CENTER
015393	02/25/2010	04/01/2010	CROWNE HEALTH CARE OF MONTGOMERY
015393	03/02/2010	04/01/2010	CROWNE HEALTH CARE OF MONTGOMERY
015393	03/02/2010	04/01/2010	CROWNE HEALTH CARE OF MONTGOMERY
015393	03/02/2010	04/01/2010	CROWNE HEALTH CARE OF MONTGOMERY
015393	03/02/2010	04/01/2010	CROWNE HEALTH CARE OF MONTGOMERY
015393	03/02/2010	04/01/2010	CROWNE HEALTH CARE OF MONTGOMERY
015393	03/02/2010	04/01/2010	CROWNE HEALTH CARE OF MONTGOMERY
015393	03/02/2010	04/01/2010	CROWNE HEALTH CARE OF MONTGOMERY

200 ALABAMA AVENUE	MUSCLE SHOALS	AL	35661	2563814330
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies

hour.		
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Many	1
Provide housekeeping and maintenance services.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Some	2
record of quarterly fire drills for each shift under varying conditions.	Many	1
an approved installation, maintenance and testing program for fire alarm systems.	Few	2

015393	03/02/2010	04/01/2010	CROWNE HEALTH CARE OF MONTGOMERY
015393	03/02/2010	04/01/2010	CROWNE HEALTH CARE OF MONTGOMERY
015393	03/02/2010	04/01/2010	CROWNE HEALTH CARE OF MONTGOMERY
015393	03/02/2010	04/01/2010	CROWNE HEALTH CARE OF MONTGOMERY
015393	03/02/2010	04/01/2010	CROWNE HEALTH CARE OF MONTGOMERY
015393	03/02/2010	04/01/2010	CROWNE HEALTH CARE OF MONTGOMERY
015393	01/13/2011	02/17/2011	CROWNE HEALTH CARE OF MONTGOMERY
015393	01/13/2011	02/17/2011	CROWNE HEALTH CARE OF MONTGOMERY
015393	01/13/2011	02/17/2011	CROWNE HEALTH CARE OF MONTGOMERY

1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

an approved automatic sprinkler system connected to the fire alarm system.	Few	2
portable fire extinguishers.	Some	2
properly protected cooking facilities.	Many	1
other fire safety features required by fire safety codes.	Few	2
weekly inspections and monthly testing of generators.	Few	2
properly installed electrical wiring and equipment.	Some	2
Give each resident a notice of rights, rules, services and charges. Tell each resident who can get Medicaid benefits about 1) which items and services Medicaid covers and which the resident must pay for.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Give proper treatment to residents with feeding tubes to prevent problems (such as	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015393	01/13/2011	02/17/2011	CROWNE HEALTH CARE OF MONTGOMERY
015393	01/13/2011	02/17/2011	CROWNE HEALTH CARE OF MONTGOMERY
015393	01/13/2011	02/17/2011	CROWNE HEALTH CARE OF MONTGOMERY
015393	01/13/2011	02/17/2011	CROWNE HEALTH CARE OF MONTGOMERY
015393	01/13/2011	02/17/2011	CROWNE HEALTH CARE OF MONTGOMERY

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.		
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Some	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Some	2
Provide special eating equipment and utensils for each resident who needs them.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2

015393	01/13/2011	02/17/2011	CROWNE HEALTH CARE OF MONTGOMERY
015393	01/20/2011	02/24/2011	CROWNE HEALTH CARE OF MONTGOMERY
015393	01/20/2011	02/24/2011	CROWNE HEALTH CARE OF MONTGOMERY
015393	01/20/2011	02/24/2011	CROWNE HEALTH CARE OF MONTGOMERY
015393	01/26/2012	03/01/2012	CROWNE HEALTH CARE OF MONTGOMERY
015393	01/26/2012	03/01/2012	CROWNE HEALTH CARE OF MONTGOMERY
015393	01/26/2012	03/01/2012	CROWNE HEALTH CARE OF MONTGOMERY
015393	01/26/2012	03/01/2012	CROWNE HEALTH CARE OF MONTGOMERY
015393	01/31/2012	03/06/2012	CROWNE HEALTH CARE OF MONTGOMERY

1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER	MONTGOMERY	AL	36107	3342648416

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Interior Finish Deficiencies

Provide at least one room set aside to use as a resident dining room and for activities, that is a good size, with good lighting, air flow and furniture.	Some	2
exits that are accessible at all times.	Many	2
automatic sprinkler systems that have been maintained in working order.	Some	2
proper medical gas storage and administration areas.	Some	2
Provide access to a telephone for resident to use in private.	Some	1
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Post nurse staffing information/data on a daily basis.	Many	1
Store, cook, and serve food in a safe and clean way.	Many	2
fire-resistant interior walls.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015393		03/06/2012	CROWNE HEALTH CARE OF MONTGOMERY
015393	01/31/2012	03/06/2012	CROWNE HEALTH CARE OF MONTGOMERY
015393	01/31/2012	03/06/2012	CROWNE HEALTH CARE OF MONTGOMERY
015393	01/31/2012	03/06/2012	CROWNE HEALTH CARE OF MONTGOMERY
015393	01/31/2012	03/06/2012	CROWNE HEALTH CARE OF MONTGOMERY
015393	01/31/2012	03/06/2012	CROWNE HEALTH CARE OF MONTGOMERY
015393	01/31/2012	03/06/2012	CROWNE HEALTH CARE OF MONTGOMERY
015393	01/31/2012	03/06/2012	CROWNE HEALTH CARE OF MONTGOMERY
015393	01/31/2012	03/06/2012	CROWNE HEALTH CARE OF MONTGOMERY

1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416
1837 UPPER WETUMPKA ROAD	MONTGOMERY	AL	36107	3342648416

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Interior Finish Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies

fire-resistant interior walls.	Some	2
corridor and hallway doors that block smoke.	Few	2
signs that state that exit doors are to be kept closed.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
exits that are accessible at all times.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Few	2
exits that are free from obstructions and can be used at all times.	Some	2
other fire safety features required by fire safety codes.	Some	2

015396	11/05/2009	12/07/2009	COLONIAL HAVEN CARE & REHABILITATION CENTER
015396	11/05/2009	12/07/2009	COLONIAL HAVEN CARE & REHABILITATION CENTER
015396	11/05/2009	12/07/2009	COLONIAL HAVEN CARE & REHABILITATION CENTER
015396	11/05/2009	12/07/2009	COLONIAL HAVEN CARE & REHABILITATION CENTER
015396	11/05/2009	12/07/2009	COLONIAL HAVEN CARE & REHABILITATION CENTER
015396	11/05/2009	12/07/2009	COLONIAL HAVEN CARE & REHABILITATION CENTER
015396	12/17/2009	01/13/2010	COLONIAL HAVEN CARE & REHABILITATION CENTER
015396	12/17/2009	01/13/2010	COLONIAL HAVEN CARE & REHABILITATION

616 ARMORY STREET	GREENSBORO	AL	36744	3346243054
616 ARMORY STREET	GREENSBORO	AL	36744	3346243054
616 ARMORY STREET	GREENSBORO	AL	36744	3346243054
616 ARMORY STREET	GREENSBORO	AL	36744	3346243054
616 ARMORY STREET	GREENSBORO	AL	36744	3346243054
616 ARMORY STREET	GREENSBORO	AL	36744	3346243054
616 ARMORY STREET	GREENSBORO	AL	36744	3346243054
616 ARMORY STREET	GREENSBORO	AL	36744	3346243054
616 ARMORY STREET	GREENSBORO	AL	36744	3346243054

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies

Reasonably accommodate the needs and preferences of each resident.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Make sure that the nursing home area is safe, easy to use, clean and comfortable for residents, staff and the public.	Few	2
Give or get quality lab services/tests in a timely manner to meet the needs of residents.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire	Some	2

			CENTER
015396	12/17/2009	01/13/2010	COLONIAL HAVEN CARE & REHABILITATION CENTER
015396	12/09/2010	01/13/2011	COLONIAL HAVEN CARE & REHABILITATION CENTER
015396	12/09/2010	01/13/2011	COLONIAL HAVEN CARE & REHABILITATION CENTER
015396	12/09/2010	01/13/2011	COLONIAL HAVEN CARE & REHABILITATION CENTER
015396	12/09/2010	01/13/2011	COLONIAL HAVEN CARE & REHABILITATION CENTER

616 ARMORY STREET	GREENSBORO	AL	36744	3346243054
616 ARMORY STREET	GREENSBORO	AL	36744	3346243054
616 ARMORY STREET	GREENSBORO	AL	36744	3346243054
616 ARMORY STREET	GREENSBORO	AL	36744	3346243054
616 ARMORY STREET	GREENSBORO	AL	36744	3346243054

FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies

for one hour or an approved fire extinguishing system.		
exits that are free from obstructions and can be used at all times.	Some	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Many	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
Make sure that residents are safe from serious medication errors.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015396	12/09/2010	01/13/2011	COLONIAL HAVEN CARE & REHABILITATION CENTER
015396	12/09/2010	01/13/2011	COLONIAL HAVEN CARE & REHABILITATION CENTER
015396	12/16/2010	06/27/2011	COLONIAL HAVEN CARE & REHABILITATION CENTER
015396	11/17/2011	12/08/2011	COLONIAL HAVEN CARE & REHABILITATION CENTER
015396	11/17/2011	12/08/2011	COLONIAL HAVEN CARE & REHABILITATION CENTER
015396	11/17/2011	12/08/2011	COLONIAL HAVEN CARE & REHABILITATION CENTER
015396	11/17/2011	12/08/2011	COLONIAL HAVEN CARE & REHABILITATION CENTER

616 ARMORY STREET	GREENSBORO	AL	36744	3346243054
616 ARMORY STREET	GREENSBORO	AL	36744	3346243054
616 ARMORY STREET	GREENSBORO	AL	36744	3346243054
616 ARMORY STREET	GREENSBORO	AL	36744	3346243054
616 ARMORY STREET	GREENSBORO	AL	36744	3346243054
616 ARMORY STREET	GREENSBORO	AL	36744	3346243054
616 ARMORY STREET	GREENSBORO	AL	36744	3346243054

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Pharmacy Service Deficiencies

At least once a month, have a licensed pharmacist review each resident's medication(s) and report any irregularities to the attending doctor.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
Allow residents to easily view the results of the nursing home's most recent survey.	Many	1
Keep each resident free from physical restraints, unless needed for medical treatment.	Few	2
Make sure each resident has the right to have a choice over activities, their schedules and health care according to his or her interests, assessment, and plan of care.	Few	2
1) Make sure that each resident's drug regimen is free from unnecessary drugs; 2) Each	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015396	11/17/2011	12/08/2011	COLONIAL HAVEN CARE & REHABILITATION CENTER
015396	11/17/2011	12/08/2011	COLONIAL HAVEN CARE & REHABILITATION CENTER
015396	11/21/2011	12/26/2011	COLONIAL HAVEN CARE & REHABILITATION CENTER
015396	11/21/2011	12/26/2011	COLONIAL HAVEN CARE & REHABILITATION CENTER
015396	11/21/2011	12/26/2011	COLONIAL HAVEN CARE & REHABILITATION CENTER
015396	11/21/2011	12/26/2011	COLONIAL HAVEN CARE & REHABILITATION CENTER
015396	11/21/2011	12/26/2011	COLONIAL HAVEN CARE & REHABILITATION CENTER
015396	11/21/2011	12/26/2011	COLONIAL HAVEN CARE & REHABILITATION CENTER
015396	11/21/2011	12/26/2011	COLONIAL HAVEN CARE & REHABILITATION CENTER
015397	08/20/2009	09/24/2009	WINDSOR HOUSE

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

616 ARMORY STREET	GREENSBORO	AL	36744	3346243054
616 ARMORY STREET	GREENSBORO	AL	36744	3346243054
616 ARMORY STREET	GREENSBORO	AL	36744	3346243054
616 ARMORY STREET	GREENSBORO	AL	36744	3346243054
616 ARMORY STREET	GREENSBORO	AL	36744	3346243054
616 ARMORY STREET	GREENSBORO	AL	36744	3346243054
616 ARMORY STREET	GREENSBORO	AL	36744	3346243054
616 ARMORY STREET	GREENSBORO	AL	36744	3346243054
4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Mistreatment Deficiencies

resident's entire drug/medication is managed and monitored to achieve highest well being.		
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Some	2
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
exits that are accessible at all times.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
properly installed electrical wiring and equipment.	Some	2
Keep each resident free from physical restraints, unless	Few	2

015397	08/20/2009	09/24/2009	WINDSOR HOUSE
015397	08/20/2009	09/24/2009	WINDSOR HOUSE
015397	07/29/2010	09/02/2010	WINDSOR HOUSE
015397	07/29/2010	10/08/2010	WINDSOR HOUSE
015397	07/29/2010	09/02/2010	WINDSOR HOUSE
015397	07/29/2010	09/02/2010	WINDSOR HOUSE
015397	07/29/2010	09/02/2010	WINDSOR HOUSE
015397	07/29/2010	09/02/2010	WINDSOR HOUSE

DRIVE				
4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585
4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585
4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585
4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585
4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585
4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585
4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585
4411 MCALLISTER	HUNTSVILLE	AL	35805	2568378585

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies

physical restraints, unless needed for medical treatment.		
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Send and promptly deliver unopened mail to residents.	Many	1
Reasonably accommodate the needs and preferences of each resident.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Provide care by qualified persons according to each resident's written plan of care.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Keep accurate, complete and	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015397		09/02/2010	WINDSOR HOUSE
015397	08/04/2010	09/02/2010	WINDSOR HOUSE
015397	08/04/2010	09/02/2010	WINDSOR HOUSE
015397	08/04/2010	09/02/2010	WINDSOR HOUSE
015397	08/04/2010	09/02/2010	WINDSOR HOUSE
015397	08/04/2010	04/04/2011	WINDSOR HOUSE
015397	07/01/2011	08/05/2011	WINDSOR HOUSE
015397	07/01/2011	08/05/2011	WINDSOR HOUSE
015397	07/01/2011	08/05/2011	WINDSOR HOUSE

4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585
4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585
4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585
4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585
4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585
4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585
4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585
4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585
4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Administration Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Mistreatment Deficiencies

Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Some	2
a fire alarm system that can be heard throughout the facility.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
Keep each resident's personal and medical records private and confidential.	Few	2
Try to resolve each resident's complaints quickly.	Many	1
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015397	07/01/2011	08/05/2011	WINDSOR HOUSE
015397	07/01/2011	08/05/2011	WINDSOR HOUSE
015397	07/01/2011	08/05/2011	WINDSOR HOUSE
015397	07/01/2011	08/05/2011	WINDSOR HOUSE
015397	07/01/2011	08/05/2011	WINDSOR HOUSE
015397	07/01/2011	08/05/2011	WINDSOR HOUSE
015397	07/01/2011	08/05/2011	WINDSOR HOUSE

4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585
4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585
4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585
4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585
4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585
4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585
4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Mistreatment Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.		
Develop policies that prevent mistreatment, neglect, or abuse of residents or theft of resident property.	Few	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Provide activities to meet the interests and needs of each resident.	Few	2
Ensure the activities program is directed by a qualified professional.	Many	1
Provide housekeeping and maintenance services.	Some	1
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015397	07/01/2011	08/05/2011	WINDSOR HOUSE
015397	07/06/2011	07/31/2011	WINDSOR HOUSE
015397	07/06/2011	07/20/2011	WINDSOR HOUSE
015397	07/06/2011	07/20/2011	WINDSOR HOUSE
015397	07/06/2011	07/20/2011	WINDSOR HOUSE
015397	07/06/2011	07/20/2011	WINDSOR HOUSE
015397	07/06/2011	07/20/2011	WINDSOR HOUSE
015398	03/18/2010	04/22/2010	MONROE MANOR NURSING HOME, LLC
015398	03/24/2010	04/22/2010	MONROE MANOR NURSING HOME, LLC

4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585
4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585
4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585
4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585
4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585
4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585
4411 MCALLISTER DRIVE	HUNTSVILLE	AL	35805	2568378585
236 WEST CLAIBORNE STREET	MONROEVILLE	AL	36460	2515752648
236 WEST CLAIBORNE STREET	MONROEVILLE	AL	36460	2515752648

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
exits that are accessible at all times.	Some	2
a fire alarm system that can be heard throughout the facility.	Some	2
automatic sprinkler systems that have been maintained in working order.	Few	2
properly protected cooking facilities.	Some	2
"No-smoking" signs where oxygen is used.	Few	2
Store, cook, and serve food in a safe and clean way.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015398	03/24/2010	04/22/2010	MONROE MANOR NURSING HOME, LLC
015398	03/24/2010	04/22/2010	MONROE MANOR NURSING HOME, LLC
015398	03/24/2010	04/22/2010	MONROE MANOR NURSING HOME, LLC
015398	02/10/2011	03/17/2011	MONROE MANOR NURSING HOME, LLC
015398	02/10/2011	03/17/2011	MONROE MANOR NURSING HOME, LLC
015398	02/14/2011	03/21/2011	MONROE MANOR NURSING HOME, LLC
015398	02/14/2011	03/21/2011	MONROE MANOR NURSING HOME, LLC
015398	02/14/2011	03/21/2011	MONROE MANOR NURSING HOME, LLC
015398	02/14/2011	03/21/2011	MONROE MANOR NURSING HOME, LLC

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

236 WEST CLAIBORNE STREET	MONROEVILLE	AL	36460	2515752648
236 WEST CLAIBORNE STREET	MONROEVILLE	AL	36460	2515752648
236 WEST CLAIBORNE STREET	MONROEVILLE	AL	36460	2515752648
236 WEST CLAIBORNE STREET	MONROEVILLE	AL	36460	2515752648
236 WEST CLAIBORNE STREET	MONROEVILLE	AL	36460	2515752648
236 WEST CLAIBORNE STREET	MONROEVILLE	AL	36460	2515752648
236 WEST CLAIBORNE STREET	MONROEVILLE	AL	36460	2515752648
236 WEST CLAIBORNE STREET	MONROEVILLE	AL	36460	2515752648
236 WEST CLAIBORNE STREET	MONROEVILLE	AL	36460	2515752648
236 WEST CLAIBORNE STREET	MONROEVILLE	AL	36460	2515752648

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies

hour.		
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
automatic sprinkler systems that have been maintained in working order.	Many	1
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Some	2
approved construction type or materials.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Some	2
an approved installation, maintenance and testing program	Many	1

015398	02/14/2011	03/21/2011	MONROE MANOR NURSING HOME, LLC
015398	02/14/2011	03/21/2011	MONROE MANOR NURSING HOME, LLC
015398	02/14/2011	03/21/2011	MONROE MANOR NURSING HOME, LLC
015398	01/05/2012	02/09/2012	MONROE MANOR NURSING HOME, LLC
015398	01/05/2012	02/09/2012	MONROE MANOR NURSING HOME, LLC
015398	01/05/2012	02/09/2012	MONROE MANOR NURSING HOME, LLC
015398	01/05/2012	02/09/2012	MONROE MANOR NURSING HOME, LLC
015400	05/03/2010	06/04/2010	MEADOWVIEW NURSING CENTER
015400	05/03/2010	06/04/2010	MEADOWVIEW NURSING CENTER

STREET				
236 WEST CLAIBORNE STREET	MONROEVILLE	AL	36460	2515752648
236 WEST CLAIBORNE STREET	MONROEVILLE	AL	36460	2515752648
236 WEST CLAIBORNE STREET	MONROEVILLE	AL	36460	2515752648
236 WEST CLAIBORNE STREET	MONROEVILLE	AL	36460	2515752648
236 WEST CLAIBORNE STREET	MONROEVILLE	AL	36460	2515752648
236 WEST CLAIBORNE STREET	MONROEVILLE	AL	36460	2515752648
236 WEST CLAIBORNE STREET	MONROEVILLE	AL	36460	2515752648
236 WEST CLAIBORNE STREET	MONROEVILLE	AL	36460	2515752648
7300 OLD HIGHWAY 78 EAST	PELL CITY	AL	35128	2056405212
7300 OLD HIGHWAY 78 EAST	PELL CITY	AL	35128	2056405212

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies

maintenance and testing program for fire alarm systems.		
automatic sprinkler systems that have been maintained in working order.	Some	1
properly protected cooking facilities.	Few	2
properly installed electrical wiring and equipment.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
protected exits that allow the resident to escape the building.	Few	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Few	2
properly protected cooking facilities.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015400	05/03/2010	06/04/2010	MEADOWVIEW NURSING CENTER
015400	05/03/2010	06/04/2010	MEADOWVIEW NURSING CENTER
015400	03/17/2011	04/21/2011	MEADOWVIEW NURSING CENTER
015400	03/17/2011	04/21/2011	MEADOWVIEW NURSING CENTER
015400	03/24/2011	04/28/2011	MEADOWVIEW NURSING CENTER
015400	03/24/2011	04/28/2011	MEADOWVIEW NURSING CENTER
015400	04/19/2012	05/24/2012	MEADOWVIEW NURSING CENTER
015400	04/25/2012	05/30/2012	MEADOWVIEW NURSING CENTER
015400	04/25/2012	05/30/2012	MEADOWVIEW NURSING CENTER
015400	04/25/2012	05/30/2012	MEADOWVIEW NURSING CENTER

78 EAST				
7300 OLD HIGHWAY 78 EAST	PELL CITY	AL	35128	2056405212
7300 OLD HIGHWAY 78 EAST	PELL CITY	AL	35128	2056405212
7300 OLD HIGHWAY 78 EAST	PELL CITY	AL	35128	2056405212
7300 OLD HIGHWAY 78 EAST	PELL CITY	AL	35128	2056405212
7300 OLD HIGHWAY 78 EAST	PELL CITY	AL	35128	2056405212
7300 OLD HIGHWAY 78 EAST	PELL CITY	AL	35128	2056405212
7300 OLD HIGHWAY 78 EAST	PELL CITY	AL	35128	2056405212
7300 OLD HIGHWAY 78 EAST	PELL CITY	AL	35128	2056405212
7300 OLD HIGHWAY 78 EAST	PELL CITY	AL	35128	2056405212
7300 OLD HIGHWAY 78 EAST	PELL CITY	AL	35128	2056405212
7300 OLD HIGHWAY	PELL CITY	AL	35128	2056405212

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies

times.		
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
proper medical gas storage and administration areas.	Few	2
Keep each resident free from physical restraints, unless needed for medical treatment.	Few	2
Keep all essential equipment working safely.	Few	2
a fire alarm system that can be heard throughout the facility.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2
Store, cook, and serve food in a safe and clean way.	Many	2
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
exits that are accessible at all	Many	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015400	04/25/2012	05/30/2012	MEADOWVIEW NURSING CENTER
015400	04/25/2012	05/30/2012	MEADOWVIEW NURSING CENTER
015402	07/29/2010	08/20/2010	EL REPOSO NURSING FACILITY
015402	07/29/2010	08/20/2010	EL REPOSO NURSING FACILITY
015402	07/29/2010	08/20/2010	EL REPOSO NURSING FACILITY
015402	07/29/2010	08/20/2010	EL REPOSO NURSING FACILITY
015402	07/29/2010	08/20/2010	EL REPOSO NURSING FACILITY
015402	07/29/2010	08/20/2010	EL REPOSO NURSING FACILITY

78 EAST				
7300 OLD HIGHWAY 78 EAST	PELL CITY	AL	35128	2056405212
7300 OLD HIGHWAY 78 EAST	PELL CITY	AL	35128	2056405212
260 MILNER CHAPEL ROAD	FLORENCE	AL	35634	2567572143
260 MILNER CHAPEL ROAD	FLORENCE	AL	35634	2567572143
260 MILNER CHAPEL ROAD	FLORENCE	AL	35634	2567572143
260 MILNER CHAPEL ROAD	FLORENCE	AL	35634	2567572143
260 MILNER CHAPEL ROAD	FLORENCE	AL	35634	2567572143
260 MILNER CHAPEL ROAD	FLORENCE	AL	35634	2567572143

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Administration Deficiencies

times.		
proper backup exit lighting.	Some	2
record of quarterly fire drills for each shift under varying conditions.	Some	2
Provide access to a telephone for resident to use in private.	Some	1
Coordinate assessments with the pre-admission screening and resident review program for mentally-ill and mentally-retarded patients.	Few	2
Offer other nutritional food to each resident who will not eat the food served.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Some	1
Make sure that nurse aides show they have the skills and techniques to be able to care for	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015402	08/05/2010	09/02/2010	EL REPOSO NURSING FACILITY
015402	08/05/2010	09/02/2010	EL REPOSO NURSING FACILITY
015402	08/05/2010	09/02/2010	EL REPOSO NURSING FACILITY
015402	03/21/2012	04/20/2012	EL REPOSO NURSING FACILITY
015402	03/21/2012	04/20/2012	EL REPOSO NURSING FACILITY
015403	05/21/2009	06/25/2009	COGBURN NURSING CENTER-MIDTOWN, INC
015403	05/21/2009	06/25/2009	COGBURN NURSING CENTER-MIDTOWN, INC
015403	06/04/2009	07/02/2009	COGBURN NURSING CENTER-MIDTOWN, INC

260 MILNER CHAPEL ROAD	FLORENCE	AL	35634	2567572143
260 MILNER CHAPEL ROAD	FLORENCE	AL	35634	2567572143
260 MILNER CHAPEL ROAD	FLORENCE	AL	35634	2567572143
260 MILNER CHAPEL ROAD	FLORENCE	AL	35634	2567572143
260 MILNER CHAPEL ROAD	FLORENCE	AL	35634	2567572143
3104 DAUPHIN SQUARE CONNECTOR	MOBILE	AL	36607	2514502800
3104 DAUPHIN SQUARE CONNECTOR	MOBILE	AL	36607	2514502800
3104 DAUPHIN SQUARE CONNECTOR	MOBILE	AL	36607	2514502800

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

techniques to be able to care for residents' needs.		
smoke barrier doors that can resist smoke for at least 20 minutes.	Many	1
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
other fire safety features required by fire safety codes.	Some	2
corridors that are separated from common areas by walls constructed to limit the passage of smoke.	Few	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Few	2
Store, cook, and serve food in a safe and clean way.	Some	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015403	06/04/2009	07/02/2009	COGBURN NURSING CENTER-MIDTOWN, INC
015403	06/04/2009	07/02/2009	COGBURN NURSING CENTER-MIDTOWN, INC
015403	06/04/2009	07/02/2009	COGBURN NURSING CENTER-MIDTOWN, INC
015403	07/29/2010	09/02/2010	COGBURN NURSING CENTER-MIDTOWN, INC
015403	08/04/2010	09/02/2010	COGBURN NURSING CENTER-MIDTOWN, INC
015403	08/04/2010	09/02/2010	COGBURN NURSING CENTER-MIDTOWN, INC
015403	08/04/2010	09/02/2010	COGBURN NURSING CENTER-MIDTOWN, INC
015403	08/04/2010	09/02/2010	COGBURN NURSING CENTER-MIDTOWN, INC

3104 DAUPHIN SQUARE CONNECTOR	MOBILE	AL	36607	2514502800
3104 DAUPHIN SQUARE CONNECTOR	MOBILE	AL	36607	2514502800
3104 DAUPHIN SQUARE CONNECTOR	MOBILE	AL	36607	2514502800
3104 DAUPHIN SQUARE CONNECTOR	MOBILE	AL	36607	2514502800
3104 DAUPHIN SQUARE CONNECTOR	MOBILE	AL	36607	2514502800
3104 DAUPHIN SQUARE CONNECTOR	MOBILE	AL	36607	2514502800
3104 DAUPHIN SQUARE CONNECTOR	MOBILE	AL	36607	2514502800
3104 DAUPHIN	MOBILE	AL	36607	2514502800

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Quality Care Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies

would resist fire for at least one hour.		
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2
properly protected cooking facilities.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
corridor and hallway doors that block smoke.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
properly maintained smoke	Many	1

015403		09/02/2010	COGBURN NURSING CENTER-MIDTOWN, INC
015403	08/04/2010	09/02/2010	COGBURN NURSING CENTER-MIDTOWN, INC
015403	06/03/2011	07/22/2011	COGBURN NURSING CENTER-MIDTOWN, INC
015403	06/03/2011	07/08/2011	COGBURN NURSING CENTER-MIDTOWN, INC
015403	06/03/2011	07/08/2011	COGBURN NURSING CENTER-MIDTOWN, INC
015403	06/09/2011	07/14/2011	COGBURN NURSING CENTER-MIDTOWN, INC
015403	06/09/2011	07/14/2011	COGBURN NURSING CENTER-MIDTOWN, INC
015403	06/09/2011	07/14/2011	COGBURN NURSING CENTER-MIDTOWN, INC

3104 DAUPHIN SQUARE CONNECTOR	MOBILE	AL	36607	2514502800
3104 DAUPHIN SQUARE CONNECTOR	MOBILE	AL	36607	2514502800
3104 DAUPHIN SQUARE CONNECTOR	MOBILE	AL	36607	2514502800
3104 DAUPHIN SQUARE CONNECTOR	MOBILE	AL	36607	2514502800
3104 DAUPHIN SQUARE CONNECTOR	MOBILE	AL	36607	2514502800
3104 DAUPHIN SQUARE CONNECTOR	MOBILE	AL	36607	2514502800
3104 DAUPHIN SQUARE CONNECTOR	MOBILE	AL	36607	2514502800
3104 DAUPHIN SQUARE CONNECTOR	MOBILE	AL	36607	2514502800

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies

properly maintained smoke detectors.	Many	1
properly installed electrical wiring and equipment.	Few	2
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
approved construction type or materials.	Few	2
restrictions on the use of flammable curtains.	Some	1
properly installed electrical wiring and equipment.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015404	05/13/2010	06/11/2010	GOLDEN LIVING CENTER - HUEYTOWN
015404	05/19/2010	06/17/2010	GOLDEN LIVING CENTER - HUEYTOWN
015404	05/19/2010	06/17/2010	GOLDEN LIVING CENTER - HUEYTOWN
015404	05/19/2010	06/17/2010	GOLDEN LIVING CENTER - HUEYTOWN
015404	05/19/2010	06/17/2010	GOLDEN LIVING CENTER - HUEYTOWN
015404	05/19/2010	06/17/2010	GOLDEN LIVING CENTER - HUEYTOWN
015404	02/24/2011	03/24/2011	GOLDEN LIVING CENTER - HUEYTOWN
015404	02/24/2011	03/24/2011	GOLDEN LIVING CENTER - HUEYTOWN

190 BROOKLANE DRIVE	HUEYTOWN	AL	35023	2054912905
190 BROOKLANE DRIVE	HUEYTOWN	AL	35023	2054912905
190 BROOKLANE DRIVE	HUEYTOWN	AL	35023	2054912905
190 BROOKLANE DRIVE	HUEYTOWN	AL	35023	2054912905
190 BROOKLANE DRIVE	HUEYTOWN	AL	35023	2054912905
190 BROOKLANE DRIVE	HUEYTOWN	AL	35023	2054912905
190 BROOKLANE DRIVE	HUEYTOWN	AL	35023	2054912905
190 BROOKLANE DRIVE	HUEYTOWN	AL	35023	2054912905

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies

Dispose of garbage and refuse properly.	Many	1
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
a fire alarm system that can be heard throughout the facility.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Some	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015404	03/02/2011	04/06/2011	GOLDEN LIVING CENTER - HUEYTOWN
015404	03/02/2011	04/06/2011	GOLDEN LIVING CENTER - HUEYTOWN
015404	03/02/2011	04/06/2011	GOLDEN LIVING CENTER - HUEYTOWN
015404	01/20/2012	02/24/2012	GOLDEN LIVING CENTER - HUEYTOWN
015404	01/25/2012	02/24/2012	GOLDEN LIVING CENTER - HUEYTOWN
015404	01/25/2012	02/24/2012	GOLDEN LIVING CENTER - HUEYTOWN
015404	01/25/2012	02/24/2012	GOLDEN LIVING CENTER - HUEYTOWN
015404	01/25/2012	02/24/2012	GOLDEN LIVING CENTER - HUEYTOWN
015404	01/25/2012	02/24/2012	GOLDEN LIVING CENTER - HUEYTOWN

190 BROOKLANE DRIVE	HUEYTOWN	AL	35023	2054912905
190 BROOKLANE DRIVE	HUEYTOWN	AL	35023	2054912905
190 BROOKLANE DRIVE	HUEYTOWN	AL	35023	2054912905
190 BROOKLANE DRIVE	HUEYTOWN	AL	35023	2054912905
190 BROOKLANE DRIVE	HUEYTOWN	AL	35023	2054912905
190 BROOKLANE DRIVE	HUEYTOWN	AL	35023	2054912905
190 BROOKLANE DRIVE	HUEYTOWN	AL	35023	2054912905
190 BROOKLANE DRIVE	HUEYTOWN	AL	35023	2054912905
190 BROOKLANE DRIVE	HUEYTOWN	AL	35023	2054912905
190 BROOKLANE DRIVE	HUEYTOWN	AL	35023	2054912905

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Mistreatment Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies

standards.		
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
portable fire extinguishers.	Many	1
properly protected cooking facilities.	Some	2
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Few	2
properly located and lighted "Exit" signs.	Some	2
a fire alarm system that can be heard throughout the facility.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2
properly protected cooking facilities.	Few	2
a separate and independent backup electrical power source.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015406	07/03/2009	08/07/2009	GRAND BAY CONVALESCENT HOME, INC.
015406	07/03/2009	08/07/2009	GRAND BAY CONVALESCENT HOME, INC.
015406	07/03/2009	08/07/2009	GRAND BAY CONVALESCENT HOME, INC.
015406	07/03/2009	08/07/2009	GRAND BAY CONVALESCENT HOME, INC.
015406	07/09/2009	08/06/2009	GRAND BAY CONVALESCENT HOME, INC.
015406	07/09/2009	08/06/2009	GRAND BAY CONVALESCENT HOME, INC.
015406	07/22/2010	08/26/2010	GRAND BAY CONVALESCENT HOME, INC.

DRIVE				
13750 HIGHWAY 90 WEST P.O. BOX 328	GRAND BAY	AL	36541	2518656443
13750 HIGHWAY 90 WEST P.O. BOX 328	GRAND BAY	AL	36541	2518656443
13750 HIGHWAY 90 WEST P.O. BOX 328	GRAND BAY	AL	36541	2518656443
13750 HIGHWAY 90 WEST P.O. BOX 328	GRAND BAY	AL	36541	2518656443
13750 HIGHWAY 90 WEST P.O. BOX 328	GRAND BAY	AL	36541	2518656443
13750 HIGHWAY 90 WEST P.O. BOX 328	GRAND BAY	AL	36541	2518656443
13750 HIGHWAY 90 WEST P.O. BOX 328	GRAND BAY	AL	36541	2518656443
13750 HIGHWAY 90 WEST P.O. BOX 328	GRAND BAY	AL	36541	2518656443

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Mistreatment Deficiencies

backup electrical power source.		
Check and assess each resident's assessment at least every 3 months.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Store, cook, and serve food in a safe and clean way.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
automatic sprinkler systems that have been maintained in working order.	Some	1
Keep each resident free from physical restraints, unless needed for medical treatment.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015406	07/22/2010	08/26/2010	GRAND BAY CONVALESCENT HOME, INC.
015406	07/27/2010	08/26/2010	GRAND BAY CONVALESCENT HOME, INC.
015406	07/27/2010	08/26/2010	GRAND BAY CONVALESCENT HOME, INC.
015406	07/27/2010	08/26/2010	GRAND BAY CONVALESCENT HOME, INC.
015406	07/27/2010	08/26/2010	GRAND BAY CONVALESCENT HOME, INC.
015406	07/27/2010	08/26/2010	GRAND BAY CONVALESCENT HOME, INC.
015406	07/27/2010	08/26/2010	GRAND BAY CONVALESCENT HOME, INC.
015406	07/27/2010	08/26/2010	GRAND BAY CONVALESCENT HOME, INC.
015406	06/21/2011	07/26/2011	GRAND BAY CONVALESCENT HOME, INC.

13750 HIGHWAY 90 WEST P.O. BOX 328	GRAND BAY	AL	36541	2518656443
13750 HIGHWAY 90 WEST P.O. BOX 328	GRAND BAY	AL	36541	2518656443
13750 HIGHWAY 90 WEST P.O. BOX 328	GRAND BAY	AL	36541	2518656443
13750 HIGHWAY 90 WEST P.O. BOX 328	GRAND BAY	AL	36541	2518656443
13750 HIGHWAY 90 WEST P.O. BOX 328	GRAND BAY	AL	36541	2518656443
13750 HIGHWAY 90 WEST P.O. BOX 328	GRAND BAY	AL	36541	2518656443
13750 HIGHWAY 90 WEST P.O. BOX 328	GRAND BAY	AL	36541	2518656443
13750 HIGHWAY 90 WEST P.O. BOX 328	GRAND BAY	AL	36541	2518656443
13750 HIGHWAY 90 WEST P.O. BOX 328	GRAND BAY	AL	36541	2518656443

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Assessment Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies

Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
a fire alarm system that can be heard throughout the facility.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
automatic sprinkler systems that have been maintained in working order.	Some	2
properly protected cooking facilities.	Few	2
restrictions on the use of flammable curtains.	Few	2
exits that are accessible at all times.	Some	2

015406	06/21/2011	07/26/2011	GRAND BAY CONVALESCENT HOME, INC.
015406	06/21/2011	07/26/2011	GRAND BAY CONVALESCENT HOME, INC.
015406	06/23/2011	07/28/2011	GRAND BAY CONVALESCENT HOME, INC.
015406	06/23/2011	07/28/2011	GRAND BAY CONVALESCENT HOME, INC.
015407	06/03/2010	07/08/2010	HEALTH CARE INC
015407	06/03/2010	07/08/2010	HEALTH CARE INC
015407	06/03/2010	07/08/2010	HEALTH CARE INC
015407	06/03/2010	07/08/2010	HEALTH CARE INC
015407	06/09/2010	07/02/2010	HEALTH CARE INC

13750 HIGHWAY 90 WEST P.O. BOX 328	GRAND BAY	AL	36541	2518656443
13750 HIGHWAY 90 WEST P.O. BOX 328	GRAND BAY	AL	36541	2518656443
13750 HIGHWAY 90 WEST P.O. BOX 328	GRAND BAY	AL	36541	2518656443
13750 HIGHWAY 90 WEST P.O. BOX 328	GRAND BAY	AL	36541	2518656443
P O BOX 130	ASHVILLE	AL	35953	2055945148
P O BOX 130	ASHVILLE	AL	35953	2055945148
P O BOX 130	ASHVILLE	AL	35953	2055945148
P O BOX 130	ASHVILLE	AL	35953	2055945148
P O BOX 130	ASHVILLE	AL	35953	2055945148

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

properly protected cooking facilities.	Few	2
a separate and independent backup electrical power source.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Some	2
Review or revise the resident's care plan after any major change in a resident's physical or mental health.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Many	1
Store, cook, and serve food in a safe and clean way.	Many	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Many	1
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015407	06/09/2010	07/02/2010	HEALTH CARE INC
015407	06/09/2010	07/02/2010	HEALTH CARE INC
015407	06/09/2010	07/02/2010	HEALTH CARE INC
015407	04/14/2011	05/03/2011	HEALTH CARE INC
015407	04/14/2011	05/03/2011	HEALTH CARE INC
015407	04/14/2011	05/03/2011	HEALTH CARE INC
015407	04/20/2011	04/29/2011	HEALTH CARE INC
015407	04/20/2011	04/29/2011	HEALTH CARE INC

P O BOX 130	ASHVILLE	AL	35953	2055945148
P O BOX 130	ASHVILLE	AL	35953	2055945148
P O BOX 130	ASHVILLE	AL	35953	2055945148
P O BOX 130	ASHVILLE	AL	35953	2055945148
P O BOX 130	ASHVILLE	AL	35953	2055945148
P O BOX 130	ASHVILLE	AL	35953	2055945148
P O BOX 130	ASHVILLE	AL	35953	2055945148
P O BOX 130	ASHVILLE	AL	35953	2055945148

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies

hour.		
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
a fire alarm system that can be heard throughout the facility.	Few	2
automatic sprinkler systems that have been maintained in working order.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
a two-hour-resistant firewall in common walls.	Few	2
corridor and hallway doors that block smoke.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015407	04/20/2011	04/29/2011	HEALTH CARE INC
015407	04/20/2011	04/29/2011	HEALTH CARE INC
015407	05/24/2012	06/15/2012	HEALTH CARE INC
015407	05/24/2012	06/15/2012	HEALTH CARE INC
015407	05/24/2012	06/15/2012	HEALTH CARE INC
015407	05/24/2012	06/15/2012	HEALTH CARE INC
015407	05/30/2012	06/08/2012	HEALTH CARE INC
015407	05/30/2012	06/08/2012	HEALTH CARE INC
015407	05/30/2012	06/08/2012	HEALTH CARE INC

P O BOX 130	ASHVILLE	AL	35953	2055945148
P O BOX 130	ASHVILLE	AL	35953	2055945148
P O BOX 130	ASHVILLE	AL	35953	2055945148
P O BOX 130	ASHVILLE	AL	35953	2055945148
P O BOX 130	ASHVILLE	AL	35953	2055945148
P O BOX 130	ASHVILLE	AL	35953	2055945148
P O BOX 130	ASHVILLE	AL	35953	2055945148
P O BOX 130	ASHVILLE	AL	35953	2055945148
P O BOX 130	ASHVILLE	AL	35953	2055945148

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Electrical Deficiencies

block smoke.		
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2
Provide housekeeping and maintenance services.	Few	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
Keep all essential equipment working safely.	Few	2
Make sure there is a pest control program to prevent/deal with mice, insects, or other pests.	Many	2
corridor and hallway doors that block smoke.	Few	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Few	2
properly installed electrical wiring and equipment.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015408	05/06/2010	06/09/2010	WALKER REHABILITATION CENTER, INC
015408	05/19/2010	06/10/2010	WALKER REHABILITATION CENTER, INC
015408	05/19/2010	06/10/2010	WALKER REHABILITATION CENTER, INC
015408	05/19/2010	06/10/2010	WALKER REHABILITATION CENTER, INC
015408	05/19/2010	06/10/2010	WALKER REHABILITATION CENTER, INC
015408	05/19/2010	06/10/2010	WALKER REHABILITATION CENTER, INC
015408	03/10/2011	04/08/2011	WALKER REHABILITATION CENTER, INC
015408	03/15/2011	04/04/2011	WALKER REHABILITATION CENTER, INC
015408	03/15/2011	04/04/2011	WALKER REHABILITATION CENTER, INC

350 NORTHEAST 4TH STREET P O BOX 30	CARBON HILL	AL	35549	2059244404
350 NORTHEAST 4TH STREET P O BOX 30	CARBON HILL	AL	35549	2059244404
350 NORTHEAST 4TH STREET P O BOX 30	CARBON HILL	AL	35549	2059244404
350 NORTHEAST 4TH STREET P O BOX 30	CARBON HILL	AL	35549	2059244404
350 NORTHEAST 4TH STREET P O BOX 30	CARBON HILL	AL	35549	2059244404
350 NORTHEAST 4TH STREET P O BOX 30	CARBON HILL	AL	35549	2059244404
350 NORTHEAST 4TH STREET P O BOX 30	CARBON HILL	AL	35549	2059244404
350 NORTHEAST 4TH STREET P O BOX 30	CARBON HILL	AL	35549	2059244404
350 NORTHEAST 4TH STREET P O BOX 30	CARBON HILL	AL	35549	2059244404
350 NORTHEAST 4TH STREET P O BOX 30	CARBON HILL	AL	35549	2059244404

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Mistreatment Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies

and equipment.		
Provide care by qualified persons according to each resident's written plan of care.	Few	2
corridor and hallway doors that block smoke.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Few	2
restrictions on the use of flammable curtains.	Many	2
properly installed electrical wiring and equipment.	Many	2
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
properly protected cooking facilities.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015408	03/15/2011	04/04/2011	WALKER REHABILITATION CENTER, INC
015408	01/20/2012	02/08/2012	WALKER REHABILITATION CENTER, INC
015408	01/20/2012	02/08/2012	WALKER REHABILITATION CENTER, INC
015408	01/20/2012	02/08/2012	WALKER REHABILITATION CENTER, INC
015408	01/20/2012	02/08/2012	WALKER REHABILITATION CENTER, INC
015408	01/24/2012	02/28/2012	WALKER REHABILITATION CENTER, INC
015408	01/24/2012	02/28/2012	WALKER REHABILITATION CENTER, INC
015408	01/24/2012	02/28/2012	WALKER REHABILITATION CENTER, INC

STREET P O BOX 30				
350 NORTHEAST 4TH STREET P O BOX 30	CARBON HILL	AL	35549	2059244404
350 NORTHEAST 4TH STREET P O BOX 30	CARBON HILL	AL	35549	2059244404
350 NORTHEAST 4TH STREET P O BOX 30	CARBON HILL	AL	35549	2059244404
350 NORTHEAST 4TH STREET P O BOX 30	CARBON HILL	AL	35549	2059244404
350 NORTHEAST 4TH STREET P O BOX 30	CARBON HILL	AL	35549	2059244404
350 NORTHEAST 4TH STREET P O BOX 30	CARBON HILL	AL	35549	2059244404
350 NORTHEAST 4TH STREET P O BOX 30	CARBON HILL	AL	35549	2059244404
350 NORTHEAST 4TH STREET P O BOX 30	CARBON HILL	AL	35549	2059244404

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies

facilities.		
a separate and independent backup electrical power source.	Some	2
Reasonably accommodate the needs and preferences of each resident.	Few	2
Provide housekeeping and maintenance services.	Some	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
exits that are accessible at all times.	Some	2
record of quarterly fire drills for each shift under varying conditions.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015408	01/24/2012	02/28/2012	WALKER REHABILITATION CENTER, INC
015408	01/24/2012	02/28/2012	WALKER REHABILITATION CENTER, INC
015408	01/24/2012	02/28/2012	WALKER REHABILITATION CENTER, INC
015410	12/10/2009	01/14/2010	EAST ALABAMA MEDICAL CENTER SKILLED NURSING FACILI
015410	12/15/2009	12/17/2009	EAST ALABAMA MEDICAL CENTER SKILLED NURSING FACILI
015410	11/17/2010	12/31/2010	EAST ALABAMA MEDICAL CENTER SKILLED NURSING FACILI
015410	11/22/2010	12/23/2010	EAST ALABAMA MEDICAL CENTER SKILLED NURSING FACILI
015410	11/22/2010	12/23/2010	EAST ALABAMA MEDICAL CENTER SKILLED NURSING FACILI
015410	11/22/2010	12/23/2010	EAST ALABAMA MEDICAL CENTER SKILLED NURSING FACILI

350 NORTHEAST 4TH STREET P O BOX 30	CARBON HILL	AL	35549	2059244404
350 NORTHEAST 4TH STREET P O BOX 30	CARBON HILL	AL	35549	2059244404
350 NORTHEAST 4TH STREET P O BOX 30	CARBON HILL	AL	35549	2059244404
2000 PEPPERELL PARKWAY	OPELIKA	AL	36802	3347054181
2000 PEPPERELL PARKWAY	OPELIKA	AL	36802	3347054181
2000 PEPPERELL PARKWAY	OPELIKA	AL	36802	3347054181
2000 PEPPERELL PARKWAY	OPELIKA	AL	36802	3347054181
2000 PEPPERELL PARKWAY	OPELIKA	AL	36802	3347054181
2000 PEPPERELL PARKWAY	OPELIKA	AL	36802	3347054181

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
HEALTH	Mistreatment Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies

conditions.		
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
portable fire extinguishers.	Some	2
properly protected cooking facilities.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
proper backup exit lighting.	Few	2
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Few	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Many	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Few	2

			NURSING FACILI
015410	10/26/2011	11/30/2011	EAST ALABAMA MEDICAL CENTER SKILLED NURSING FACILI
015410	10/26/2011	11/30/2011	EAST ALABAMA MEDICAL CENTER SKILLED NURSING FACILI
015410	10/27/2011	12/01/2011	EAST ALABAMA MEDICAL CENTER SKILLED NURSING FACILI
015410	10/27/2011	12/01/2011	EAST ALABAMA MEDICAL CENTER SKILLED NURSING FACILI
015410	10/27/2011	12/01/2011	EAST ALABAMA MEDICAL CENTER SKILLED NURSING FACILI
015411	01/25/2010	02/26/2010	SHELBY RIDGE NURSING HOME
015411	01/25/2010	02/26/2010	SHELBY RIDGE NURSING HOME
015411	02/04/2011	03/11/2011	SHELBY RIDGE NURSING HOME
015411	02/04/2011	03/11/2011	SHELBY RIDGE NURSING HOME

PARKWAY				
2000 PEPPERELL PARKWAY	OPELIKA	AL	36802	3347054181
2000 PEPPERELL PARKWAY	OPELIKA	AL	36802	3347054181
2000 PEPPERELL PARKWAY	OPELIKA	AL	36802	3347054181
2000 PEPPERELL PARKWAY	OPELIKA	AL	36802	3347054181
2000 PEPPERELL PARKWAY	OPELIKA	AL	36802	3347054181
881 3RD STREET NORTHEAST	ALABASTER	AL	35007	2056208500
881 3RD STREET NORTHEAST	ALABASTER	AL	35007	2056208500
881 3RD STREET NORTHEAST	ALABASTER	AL	35007	2056208500
881 3RD STREET NORTHEAST	ALABASTER	AL	35007	2056208500

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Administration Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Quality Care Deficiencies

times.		
Post nurse staffing information/data on a daily basis.	Many	1
Make sure that special or therapeutic diets are ordered by the attending doctor.	Some	2
a two-hour-resistant firewall in common walls.	Some	2
exits that are accessible at all times.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
corridor and hallway doors that block smoke.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Few	2
Make sure that residents receive treatment/services to not only	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015411	02/09/2011	03/16/2011	SHELBY RIDGE NURSING HOME
015411	02/09/2011	03/16/2011	SHELBY RIDGE NURSING HOME
015411	01/19/2012	02/23/2012	SHELBY RIDGE NURSING HOME
015411	01/19/2012	02/23/2012	SHELBY RIDGE NURSING HOME
015411	01/19/2012	02/23/2012	SHELBY RIDGE NURSING HOME
015411	01/19/2012	02/23/2012	SHELBY RIDGE NURSING HOME
015411	01/19/2012	02/23/2012	SHELBY RIDGE NURSING HOME
015411	01/20/2012	02/18/2012	SHELBY RIDGE NURSING HOME
015411	01/20/2012	02/18/2012	SHELBY RIDGE NURSING HOME

NORTHEAST				
881 3RD STREET NORTHEAST	ALABASTER	AL	35007	2056208500
881 3RD STREET NORTHEAST	ALABASTER	AL	35007	2056208500
881 3RD STREET NORTHEAST	ALABASTER	AL	35007	2056208500
881 3RD STREET NORTHEAST	ALABASTER	AL	35007	2056208500
881 3RD STREET NORTHEAST	ALABASTER	AL	35007	2056208500
881 3RD STREET NORTHEAST	ALABASTER	AL	35007	2056208500
881 3RD STREET NORTHEAST	ALABASTER	AL	35007	2056208500
881 3RD STREET NORTHEAST	ALABASTER	AL	35007	2056208500

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies

treatment/services to not only continue, but improve the ability to care for themselves.		
properly working alarms on sprinkler valves.	Few	2
properly installed electrical wiring and equipment.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
proper backup exit lighting.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
properly protected cooking facilities.	Few	2
Provide care by qualified persons according to each resident's written plan of care.	Few	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015411	01/20/2012	02/18/2012	SHELBY RIDGE NURSING HOME
015413	06/18/2010	09/02/2010	LIGHTHOUSE REHABILITATION & HEALTHCARE CENTER
015413	06/18/2010	09/02/2010	LIGHTHOUSE REHABILITATION & HEALTHCARE CENTER
015413	06/18/2010	09/02/2010	LIGHTHOUSE REHABILITATION & HEALTHCARE CENTER
015413	06/18/2010	09/02/2010	LIGHTHOUSE REHABILITATION & HEALTHCARE CENTER
015413	06/18/2010	09/02/2010	LIGHTHOUSE REHABILITATION & HEALTHCARE CENTER
015413	06/18/2010	09/02/2010	LIGHTHOUSE REHABILITATION & HEALTHCARE CENTER

881 3RD STREET NORTHEAST	ALABASTER	AL	35007	2056208500
2911 EARL GOODWIN PARKWAY	SELMA	AL	36703	3348751868
2911 EARL GOODWIN PARKWAY	SELMA	AL	36703	3348751868
2911 EARL GOODWIN PARKWAY	SELMA	AL	36703	3348751868
2911 EARL GOODWIN PARKWAY	SELMA	AL	36703	3348751868
2911 EARL GOODWIN PARKWAY	SELMA	AL	36703	3348751868
2911 EARL GOODWIN PARKWAY	SELMA	AL	36703	3348751868
2911 EARL GOODWIN PARKWAY	SELMA	AL	36703	3348751868

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies

standards.		
Have a program that investigates, controls and keeps infection from spreading.	Some	2
Keep each resident free from physical restraints, unless needed for medical treatment.	Some	2
Provide medically-related social services to help each resident achieve the highest possible quality of life.	Few	2
Provide necessary care and services to maintain the highest well being of each resident .	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	3
Make sure that a working call system is available in each resident's room or bathroom and	Many	2

015413	06/21/2010	07/22/2010	LIGHTHOUSE REHABILITATION & HEALTHCARE CENTER
015413	06/21/2010	07/22/2010	LIGHTHOUSE REHABILITATION & HEALTHCARE CENTER
015413	06/21/2010	07/22/2010	LIGHTHOUSE REHABILITATION & HEALTHCARE CENTER
015413	04/12/2011	05/17/2011	LIGHTHOUSE REHABILITATION & HEALTHCARE CENTER
015413	04/12/2011	05/17/2011	LIGHTHOUSE REHABILITATION & HEALTHCARE CENTER
015413	03/08/2012	04/11/2012	LIGHTHOUSE REHABILITATION & HEALTHCARE CENTER
015413	03/08/2012	04/11/2012	LIGHTHOUSE REHABILITATION & HEALTHCARE CENTER

2911 EARL GOODWIN PARKWAY	SELMA	AL	36703	3348751868
2911 EARL GOODWIN PARKWAY	SELMA	AL	36703	3348751868
2911 EARL GOODWIN PARKWAY	SELMA	AL	36703	3348751868
2911 EARL GOODWIN PARKWAY	SELMA	AL	36703	3348751868
2911 EARL GOODWIN PARKWAY	SELMA	AL	36703	3348751868
2911 EARL GOODWIN PARKWAY	SELMA	AL	36703	3348751868
2911 EARL GOODWIN PARKWAY	SELMA	AL	36703	3348751868

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

bathing area.		
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Many	2
automatic sprinkler systems that have been maintained in working order.	Many	1
smoke barrier doors that can resist smoke for at least 20 minutes.	Some	2
portable fire extinguishers.	Few	2
Assist those residents who need total help with eating/drinking, grooming and personal and oral hygiene.	Few	2
Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot	Few	2

015413	03/08/2012	04/11/2012	LIGHTHOUSE REHABILITATION & HEALTHCARE CENTER
015413	03/08/2012	04/11/2012	LIGHTHOUSE REHABILITATION & HEALTHCARE CENTER
015413	03/15/2012	04/18/2012	LIGHTHOUSE REHABILITATION & HEALTHCARE CENTER
015413	03/15/2012	04/18/2012	LIGHTHOUSE REHABILITATION & HEALTHCARE CENTER
015413	03/15/2012	04/18/2012	LIGHTHOUSE REHABILITATION & HEALTHCARE CENTER
015414	03/11/2010	04/10/2010	LAFAYETTE NURSING HOME
015414	03/11/2010	04/10/2010	LAFAYETTE NURSING HOME
015414	03/11/2010	04/10/2010	LAFAYETTE NURSING HOME

2911 EARL GOODWIN PARKWAY	SELMA	AL	36703	3348751868
2911 EARL GOODWIN PARKWAY	SELMA	AL	36703	3348751868
2911 EARL GOODWIN PARKWAY	SELMA	AL	36703	3348751868
2911 EARL GOODWIN PARKWAY	SELMA	AL	36703	3348751868
2911 EARL GOODWIN PARKWAY	SELMA	AL	36703	3348751868
555 B STREET SW	LAFAYETTE	AL	36862	3348649371
555 B STREET SW	LAFAYETTE	AL	36862	3348649371
555 B STREET SW	LAFAYETTE	AL	36862	3348649371

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies

care, and prostheses.		
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
automatic sprinkler systems that have been maintained in working order.	Few	2
properly protected cooking facilities.	Some	2
properly installed electrical wiring and equipment.	Few	2
Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Few	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
Have a program that investigates, controls and keeps infection from	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015414	03/11/2010	04/10/2010	LAFAYETTE NURSING HOME
015414	03/16/2010	03/23/2010	LAFAYETTE NURSING HOME
015414	03/16/2010	03/23/2010	LAFAYETTE NURSING HOME
015414	03/16/2010	03/30/2010	LAFAYETTE NURSING HOME
015414	03/16/2010	04/09/2010	LAFAYETTE NURSING HOME
015414	02/17/2011	03/23/2011	LAFAYETTE NURSING HOME
015414	02/17/2011	03/23/2011	LAFAYETTE NURSING HOME

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

555 B STREET SW	LAFAYETTE	AL	36862	3348649371
555 B STREET SW	LAFAYETTE	AL	36862	3348649371
555 B STREET SW	LAFAYETTE	AL	36862	3348649371
555 B STREET SW	LAFAYETTE	AL	36862	3348649371
555 B STREET SW	LAFAYETTE	AL	36862	3348649371
555 B STREET SW	LAFAYETTE	AL	36862	3348649371
555 B STREET SW	LAFAYETTE	AL	36862	3348649371

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Administration Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies

controls and keeps infection from spreading.		
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
proper medical gas storage and administration areas.	Few	2
Immediately tell the resident, the resident's doctor and a family member of the resident of situations (injury/decline/room, etc.) that affect the resident.	Few	2
Provide necessary care and services to maintain the highest well being of each resident .	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015414	02/17/2011	03/23/2011	LAFAYETTE NURSING HOME
015414	02/17/2011	03/23/2011	LAFAYETTE NURSING HOME
015414	02/17/2011	03/23/2011	LAFAYETTE NURSING HOME
015414	02/17/2011	03/23/2011	LAFAYETTE NURSING HOME
015414	02/23/2011	03/10/2011	LAFAYETTE NURSING HOME
015414	02/23/2011	03/10/2011	LAFAYETTE NURSING HOME
015414	02/23/2011	03/10/2011	LAFAYETTE NURSING HOME
015414	02/23/2011	03/10/2011	LAFAYETTE NURSING HOME

555 B STREET SW	LAFAYETTE	AL	36862	3348649371
555 B STREET SW	LAFAYETTE	AL	36862	3348649371
555 B STREET SW	LAFAYETTE	AL	36862	3348649371
555 B STREET SW	LAFAYETTE	AL	36862	3348649371
555 B STREET SW	LAFAYETTE	AL	36862	3348649371
555 B STREET SW	LAFAYETTE	AL	36862	3348649371
555 B STREET SW	LAFAYETTE	AL	36862	3348649371
555 B STREET SW	LAFAYETTE	AL	36862	3348649371
555 B STREET SW	LAFAYETTE	AL	36862	3348649371

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies

Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Make sure that nurse aides show they have the skills and techniques to be able to care for residents' needs.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
properly protected cooking	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015414	02/23/2011	03/10/2011	LAFAYETTE NURSING HOME
015414	02/23/2012	03/13/2012	LAFAYETTE NURSING HOME
015414	02/23/2012	03/13/2012	LAFAYETTE NURSING HOME
015414	02/23/2012	03/13/2012	LAFAYETTE NURSING HOME
015414	02/24/2012	03/30/2012	LAFAYETTE NURSING HOME
015415	06/17/2010	07/08/2010	SPRINGHILL MANOR NURSING HOME
015415	06/17/2010	07/08/2010	SPRINGHILL MANOR NURSING HOME
015415	06/17/2010	07/08/2010	SPRINGHILL MANOR NURSING HOME
015415	06/24/2010	07/13/2010	SPRINGHILL MANOR NURSING HOME

555 B STREET SW	LAFAYETTE	AL	36862	3348649371
555 B STREET SW	LAFAYETTE	AL	36862	3348649371
555 B STREET SW	LAFAYETTE	AL	36862	3348649371
555 B STREET SW	LAFAYETTE	AL	36862	3348649371
555 B STREET SW	LAFAYETTE	AL	36862	3348649371
3900 OLD SHELL ROAD	MOBILE	AL	36608	2513425623
3900 OLD SHELL ROAD	MOBILE	AL	36608	2513425623
3900 OLD SHELL ROAD	MOBILE	AL	36608	2513425623
3900 OLD SHELL ROAD	MOBILE	AL	36608	2513425623

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies

facilities.		
properly installed electrical wiring and equipment.	Some	2
exits that are accessible at all times.	Some	1
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
portable fire extinguishers.	Many	1
Store, cook, and serve food in a safe and clean way.	Many	2
Make sure each resident receives an accurate assessment by a qualified health professional.	Few	2
Allow the resident the right to participate in the planning or revision of the resident's care plan.	Few	2
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015415	06/24/2010	07/13/2010	SPRINGHILL MANOR NURSING HOME
015415	06/24/2010	07/13/2010	SPRINGHILL MANOR NURSING HOME
015415	06/24/2010	07/13/2010	SPRINGHILL MANOR NURSING HOME
015415	06/24/2010	07/13/2010	SPRINGHILL MANOR NURSING HOME
015415	06/24/2010	07/13/2010	SPRINGHILL MANOR NURSING HOME
015415	04/14/2011	05/15/2011	SPRINGHILL MANOR NURSING HOME
015415	04/14/2011	05/15/2011	SPRINGHILL MANOR NURSING HOME
015415	04/14/2011	05/15/2011	SPRINGHILL MANOR NURSING HOME
015415	04/21/2011	05/26/2011	SPRINGHILL MANOR NURSING HOME
015415	02/16/2012	03/22/2012	SPRINGHILL MANOR NURSING HOME
015415	02/16/2012	03/22/2012	SPRINGHILL MANOR NURSING HOME

3900 OLD SHELL ROAD	MOBILE	AL	36608	2513425623
3900 OLD SHELL ROAD	MOBILE	AL	36608	2513425623
3900 OLD SHELL ROAD	MOBILE	AL	36608	2513425623
3900 OLD SHELL ROAD	MOBILE	AL	36608	2513425623
3900 OLD SHELL ROAD	MOBILE	AL	36608	2513425623
3900 OLD SHELL ROAD	MOBILE	AL	36608	2513425623
3900 OLD SHELL ROAD	MOBILE	AL	36608	2513425623
3900 OLD SHELL ROAD	MOBILE	AL	36608	2513425623
3900 OLD SHELL ROAD	MOBILE	AL	36608	2513425623
3900 OLD SHELL ROAD	MOBILE	AL	36608	2513425623
3900 OLD SHELL	MOBILE	AL	36608	2513425623

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies

automatic sprinkler systems that have been maintained in working order.	Many	1
properly protected cooking facilities.	Many	1
other fire safety features required by fire safety codes.	Many	1
weekly inspections and monthly testing of generators.	Some	2
properly installed electrical wiring and equipment.	Few	2
Post nurse staffing information/data on a daily basis.	Many	1
Store, cook, and serve food in a safe and clean way.	Some	2
Keep all essential equipment working safely.	Many	1
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
exits that are accessible at all	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015415	02/16/2012	03/22/2012	SPRINGHILL MANOR NURSING HOME
015415	02/16/2012	03/22/2012	SPRINGHILL MANOR NURSING HOME
015415	02/16/2012	03/22/2012	SPRINGHILL MANOR NURSING HOME
015416	10/15/2009	11/19/2009	ANDALUSIA MANOR
015416	10/15/2009	11/19/2009	ANDALUSIA MANOR
015416	10/15/2009	11/19/2009	ANDALUSIA MANOR
015416	10/15/2009	11/19/2009	ANDALUSIA MANOR

ROAD				
3900 OLD SHELL ROAD	MOBILE	AL	36608	2513425623
3900 OLD SHELL ROAD	MOBILE	AL	36608	2513425623
3900 OLD SHELL ROAD	MOBILE	AL	36608	2513425623
670 MOORE RD	ANDALUSIA	AL	36420	3342224544
670 MOORE RD	ANDALUSIA	AL	36420	3342224544
670 MOORE RD	ANDALUSIA	AL	36420	3342224544
670 MOORE RD	ANDALUSIA	AL	36420	3342224544

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Assessment Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies

times.		
Allow the resident the right to participate in the planning or revision of the resident's care plan.	Few	2
Store, cook, and serve food in a safe and clean way.	Some	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Some	2
Reasonably accommodate the needs and preferences of each resident.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Assist those residents who need total help with eating/drinking, grooming and personal and oral hygiene.	Few	2
Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea,	Few	2

015416	10/15/2009	11/19/2009	ANDALUSIA MANOR
015416	10/20/2009	11/19/2009	ANDALUSIA MANOR
015416	10/20/2009	11/19/2009	ANDALUSIA MANOR
015416	10/20/2009	11/19/2009	ANDALUSIA MANOR
015416	12/02/2010	01/04/2011	ANDALUSIA MANOR
015416	12/02/2010	01/04/2011	ANDALUSIA MANOR
015416	12/02/2010	01/04/2011	ANDALUSIA MANOR

670 MOORE RD	ANDALUSIA	AL	36420	3342224544
670 MOORE RD	ANDALUSIA	AL	36420	3342224544
670 MOORE RD	ANDALUSIA	AL	36420	3342224544
670 MOORE RD	ANDALUSIA	AL	36420	3342224544
670 MOORE RD	ANDALUSIA	AL	36420	3342224544
670 MOORE RD	ANDALUSIA	AL	36420	3342224544
670 MOORE RD	ANDALUSIA	AL	36420	3342224544
670 MOORE RD	ANDALUSIA	AL	36420	3342224544

HEALTH	Pharmacy Service Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies

vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.		
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
Provide housekeeping and maintenance services.	Few	2
Assist those residents who need total help with eating/drinking, grooming and personal and oral hygiene.	Few	2
Make sure that the nursing home	Few	2

015416	12/02/2010	01/04/2011	ANDALUSIA MANOR
015416	12/07/2010	01/18/2011	ANDALUSIA MANOR
015416	01/12/2012	02/16/2012	ANDALUSIA MANOR
015416	01/19/2012	02/22/2012	ANDALUSIA MANOR
015416	01/19/2012	02/22/2012	ANDALUSIA MANOR
015417	07/09/2010	08/13/2010	OAKWOOD-NORTH BALDWIN'S CENTER FOR LIVING
015417	07/13/2010	08/12/2010	OAKWOOD-NORTH BALDWIN'S CENTER FOR LIVING
015417	07/13/2010	08/12/2010	OAKWOOD-NORTH BALDWIN'S CENTER FOR LIVING

670 MOORE RD	ANDALUSIA	AL	36420	3342224544
670 MOORE RD	ANDALUSIA	AL	36420	3342224544
670 MOORE RD	ANDALUSIA	AL	36420	3342224544
670 MOORE RD	ANDALUSIA	AL	36420	3342224544
670 MOORE RD	ANDALUSIA	AL	36420	3342224544
2010 MEDICAL CENTER DRIVE	BAY MINETTE	AL	36507	2513493735
2010 MEDICAL CENTER DRIVE	BAY MINETTE	AL	36507	2513493735
2010 MEDICAL CENTER DRIVE	BAY MINETTE	AL	36507	2513493735

HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Interior Finish Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.		
Store, cook, and serve food in a safe and clean way.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Some	2
fire-resistant interior walls.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2
Store, cook, and serve food in a safe and clean way.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
portable fire extinguishers.	Many	1

			LIVING
015417	07/13/2010	08/12/2010	OAKWOOD-NORTH BALDWIN'S CENTER FOR LIVING
015417	07/13/2010	08/12/2010	OAKWOOD-NORTH BALDWIN'S CENTER FOR LIVING
015417	05/06/2011	06/10/2011	OAKWOOD-NORTH BALDWIN'S CENTER FOR LIVING
015417	05/06/2011	06/10/2011	OAKWOOD-NORTH BALDWIN'S CENTER FOR LIVING
015417	05/06/2011	06/10/2011	OAKWOOD-NORTH BALDWIN'S CENTER FOR LIVING
015417	05/06/2011	06/10/2011	OAKWOOD-NORTH BALDWIN'S CENTER FOR LIVING
015417	05/06/2011	06/10/2011	OAKWOOD-NORTH BALDWIN'S CENTER FOR LIVING
015417	05/12/2011	06/16/2011	OAKWOOD-NORTH BALDWIN'S CENTER FOR LIVING
015417	05/12/2011	06/16/2011	OAKWOOD-NORTH BALDWIN'S CENTER FOR LIVING

CENTER DRIVE				
2010 MEDICAL CENTER DRIVE	BAY MINETTE	AL	36507	2513493735
2010 MEDICAL CENTER DRIVE	BAY MINETTE	AL	36507	2513493735
2010 MEDICAL CENTER DRIVE	BAY MINETTE	AL	36507	2513493735
2010 MEDICAL CENTER DRIVE	BAY MINETTE	AL	36507	2513493735
2010 MEDICAL CENTER DRIVE	BAY MINETTE	AL	36507	2513493735
2010 MEDICAL CENTER DRIVE	BAY MINETTE	AL	36507	2513493735
2010 MEDICAL CENTER DRIVE	BAY MINETTE	AL	36507	2513493735
2010 MEDICAL CENTER DRIVE	BAY MINETTE	AL	36507	2513493735
2010 MEDICAL CENTER DRIVE	BAY MINETTE	AL	36507	2513493735
2010 MEDICAL CENTER DRIVE	BAY MINETTE	AL	36507	2513493735

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

restrictions on the use of flammable curtains.	Many	1
weekly inspections and monthly testing of generators.	Some	2
Try to resolve each resident's complaints quickly.	Few	2
Provide clean bed and bath linens that are in good condition.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and	Some	2

			LIVING
015417	05/12/2011	06/16/2011	OAKWOOD-NORTH BALDWIN'S CENTER FOR LIVING
015417	05/12/2011	06/16/2011	OAKWOOD-NORTH BALDWIN'S CENTER FOR LIVING
015417	06/15/2012	07/20/2012	OAKWOOD-NORTH BALDWIN'S CENTER FOR LIVING
015417	06/15/2012	07/20/2012	OAKWOOD-NORTH BALDWIN'S CENTER FOR LIVING
015417	06/15/2012	07/20/2012	OAKWOOD-NORTH BALDWIN'S CENTER FOR LIVING
015417	06/15/2012	07/20/2012	OAKWOOD-NORTH BALDWIN'S CENTER FOR LIVING
015417	06/15/2012	07/20/2012	OAKWOOD-NORTH BALDWIN'S CENTER FOR LIVING
015417	06/15/2012	07/20/2012	OAKWOOD-NORTH BALDWIN'S CENTER FOR LIVING
015417	06/20/2012	07/25/2012	OAKWOOD-NORTH BALDWIN'S CENTER FOR LIVING

CENTER DRIVE				
2010 MEDICAL CENTER DRIVE	BAY MINETTE	AL	36507	2513493735
2010 MEDICAL CENTER DRIVE	BAY MINETTE	AL	36507	2513493735
2010 MEDICAL CENTER DRIVE	BAY MINETTE	AL	36507	2513493735
2010 MEDICAL CENTER DRIVE	BAY MINETTE	AL	36507	2513493735
2010 MEDICAL CENTER DRIVE	BAY MINETTE	AL	36507	2513493735
2010 MEDICAL CENTER DRIVE	BAY MINETTE	AL	36507	2513493735
2010 MEDICAL CENTER DRIVE	BAY MINETTE	AL	36507	2513493735
2010 MEDICAL CENTER DRIVE	BAY MINETTE	AL	36507	2513493735

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

smoke from passing through and would resist fire for at least one hour.		
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Few	2
exits that are free from obstructions and can be used at all times.	Few	2
Provide housekeeping and maintenance services.	Few	2
Allow the resident the right to participate in the planning or revision of the resident's care plan.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	3
Post nurse staffing information/data on a daily basis.	Many	1
Store, cook, and serve food in a safe and clean way.	Many	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015417	06/20/2012	07/25/2012	OAKWOOD-NORTH BALDWIN'S CENTER FOR LIVING
015417	06/20/2012	07/25/2012	OAKWOOD-NORTH BALDWIN'S CENTER FOR LIVING
015417	06/20/2012	07/25/2012	OAKWOOD-NORTH BALDWIN'S CENTER FOR LIVING
015419	08/13/2009	09/17/2009	HARTFORD HEALTH CARE
015419	08/13/2009	09/17/2009	HARTFORD HEALTH CARE
015419	08/13/2009	09/17/2009	HARTFORD HEALTH CARE
015419	08/26/2009	08/27/2009	HARTFORD HEALTH CARE
015419	10/15/2010	11/19/2010	HARTFORD HEALTH CARE

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

2010 MEDICAL CENTER DRIVE	BAY MINETTE	AL	36507	2513493735
2010 MEDICAL CENTER DRIVE	BAY MINETTE	AL	36507	2513493735
2010 MEDICAL CENTER DRIVE	BAY MINETTE	AL	36507	2513493735
217 TORO ROAD	HARTFORD	AL	36344	3345883842
217 TORO ROAD	HARTFORD	AL	36344	3345883842
217 TORO ROAD	HARTFORD	AL	36344	3345883842
217 TORO ROAD	HARTFORD	AL	36344	3345883842
217 TORO ROAD	HARTFORD	AL	36344	3345883842

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

would resist fire for at least one hour.		
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
restrictions on the use of flammable curtains.	Few	2
properly installed electrical wiring and equipment.	Some	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
properly protected cooking facilities.	Many	1
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by	Many	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015419	10/15/2010	11/19/2010	HARTFORD HEALTH CARE
015419	10/15/2010	11/19/2010	HARTFORD HEALTH CARE
015419	10/21/2010	11/19/2010	HARTFORD HEALTH CARE
015419	10/21/2010	11/19/2010	HARTFORD HEALTH CARE
015419	10/21/2010	11/19/2010	HARTFORD HEALTH CARE
015419	10/21/2010	11/19/2010	HARTFORD HEALTH CARE
015419	10/21/2010	11/19/2010	HARTFORD HEALTH CARE
015419	10/06/2011	11/10/2011	HARTFORD HEALTH CARE

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

217 TORO ROAD	HARTFORD	AL	36344	3345883842
217 TORO ROAD	HARTFORD	AL	36344	3345883842
217 TORO ROAD	HARTFORD	AL	36344	3345883842
217 TORO ROAD	HARTFORD	AL	36344	3345883842
217 TORO ROAD	HARTFORD	AL	36344	3345883842
217 TORO ROAD	HARTFORD	AL	36344	3345883842
217 TORO ROAD	HARTFORD	AL	36344	3345883842
217 TORO ROAD	HARTFORD	AL	36344	3345883842

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
HEALTH	Quality Care Deficiencies

that there is a prepared menu by which nutritious meals have been planned for the resident and followed.		
Store, cook, and serve food in a safe and clean way.	Many	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Some	1
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
properly working alarms on sprinkler valves.	Few	2
automatic sprinkler systems that have been maintained in working order.	Many	1
properly protected cooking facilities.	Few	2
proper medical gas storage and administration areas.	Few	2
Make sure that residents with reduced range of motion get proper treatment and services to increase range of motion.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015419	10/06/2011	11/10/2011	HARTFORD HEALTH CARE
015419	10/06/2011	11/10/2011	HARTFORD HEALTH CARE
015419	10/06/2011	11/10/2011	HARTFORD HEALTH CARE
015419	10/18/2011	11/18/2011	HARTFORD HEALTH CARE
015419	10/18/2011	11/18/2011	HARTFORD HEALTH CARE
015419	10/18/2011	11/18/2011	HARTFORD HEALTH CARE
015420	01/14/2010	02/18/2010	CUMBERLAND HEALTH AND REHAB

nh_quality_deficiency_survey
Based on Nursing Home Compare - Survey Deficiency

217 TORO ROAD	HARTFORD	AL	36344	3345883842
217 TORO ROAD	HARTFORD	AL	36344	3345883842
217 TORO ROAD	HARTFORD	AL	36344	3345883842
217 TORO ROAD	HARTFORD	AL	36344	3345883842
217 TORO ROAD	HARTFORD	AL	36344	3345883842
217 TORO ROAD	HARTFORD	AL	36344	3345883842
47065 AL HIGHWAY 277	BRIDGEPORT	AL	35740	2564377260

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Mistreatment Deficiencies

increase range of motion.		
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Some	2
Provide special eating equipment and utensils for each resident who needs them.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
properly installed electrical wiring and equipment.	Few	2
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015420	01/14/2010	02/18/2010	CUMBERLAND HEALTH AND REHAB
015420	01/14/2010	02/18/2010	CUMBERLAND HEALTH AND REHAB
015420	01/20/2010	02/18/2010	CUMBERLAND HEALTH AND REHAB
015420	01/20/2010	02/18/2010	CUMBERLAND HEALTH AND REHAB
015420	01/20/2010	02/18/2010	CUMBERLAND HEALTH AND REHAB
015420	01/20/2010	02/18/2010	CUMBERLAND HEALTH AND REHAB
015420	01/20/2010	02/18/2010	CUMBERLAND HEALTH AND REHAB
015420	01/20/2010	02/18/2010	CUMBERLAND HEALTH AND REHAB
015420	01/20/2010	02/18/2010	CUMBERLAND HEALTH AND REHAB

47065 AL HIGHWAY 277	BRIDGEPORT	AL	35740	2564377260
47065 AL HIGHWAY 277	BRIDGEPORT	AL	35740	2564377260
47065 AL HIGHWAY 277	BRIDGEPORT	AL	35740	2564377260
47065 AL HIGHWAY 277	BRIDGEPORT	AL	35740	2564377260
47065 AL HIGHWAY 277	BRIDGEPORT	AL	35740	2564377260
47065 AL HIGHWAY 277	BRIDGEPORT	AL	35740	2564377260
47065 AL HIGHWAY 277	BRIDGEPORT	AL	35740	2564377260
47065 AL HIGHWAY 277	BRIDGEPORT	AL	35740	2564377260
47065 AL HIGHWAY 277	BRIDGEPORT	AL	35740	2564377260

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies

Provide necessary care and services to maintain the highest well being of each resident .	Few	3
Make sure that residents with reduced range of motion get proper treatment and services to increase range of motion.	Few	2
corridor and hallway doors that block smoke.	Few	2
exit doors that are held open by devices that will automatically close on the activation of a fire alarm or smoke detectors.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
exits that are free from obstructions and can be used at all times.	Few	2
restrictions on the use of flammable curtains.	Some	2
other fire safety features required by fire safety codes.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015420	02/17/2011	03/24/2011	CUMBERLAND HEALTH AND REHAB
015420	03/30/2012	05/04/2012	CUMBERLAND HEALTH AND REHAB
015420	03/30/2012	05/04/2012	CUMBERLAND HEALTH AND REHAB
015420	03/30/2012	05/04/2012	CUMBERLAND HEALTH AND REHAB
015420	03/30/2012	05/04/2012	CUMBERLAND HEALTH AND REHAB
015420	03/30/2012	05/04/2012	CUMBERLAND HEALTH AND REHAB
015420	04/04/2012	05/09/2012	CUMBERLAND HEALTH AND REHAB

277				
47065 AL HIGHWAY 277	BRIDGEPORT	AL	35740	2564377260
47065 AL HIGHWAY 277	BRIDGEPORT	AL	35740	2564377260
47065 AL HIGHWAY 277	BRIDGEPORT	AL	35740	2564377260
47065 AL HIGHWAY 277	BRIDGEPORT	AL	35740	2564377260
47065 AL HIGHWAY 277	BRIDGEPORT	AL	35740	2564377260
47065 AL HIGHWAY 277	BRIDGEPORT	AL	35740	2564377260
47065 AL HIGHWAY 277	BRIDGEPORT	AL	35740	2564377260

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

by fire safety codes.		
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Maintain comfortable sound levels.	Some	1
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Give or get quality lab services/tests in a timely manner to meet the needs of residents.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015420	04/04/2012	05/09/2012	CUMBERLAND HEALTH AND REHAB
015420	04/04/2012	05/09/2012	CUMBERLAND HEALTH AND REHAB
015420	04/04/2012	05/09/2012	CUMBERLAND HEALTH AND REHAB
015420	04/04/2012	05/09/2012	CUMBERLAND HEALTH AND REHAB
015420	04/04/2012	05/09/2012	CUMBERLAND HEALTH AND REHAB
015420	04/04/2012	05/09/2012	CUMBERLAND HEALTH AND REHAB
015420	04/04/2012	05/09/2012	CUMBERLAND HEALTH AND REHAB
015420	04/04/2012	05/09/2012	CUMBERLAND HEALTH AND REHAB
015420	04/04/2012	05/09/2012	CUMBERLAND HEALTH AND REHAB
015422	05/26/2010	06/24/2010	TLC NURSING CENTER

47065 AL HIGHWAY 277	BRIDGEPORT	AL	35740	2564377260
47065 AL HIGHWAY 277	BRIDGEPORT	AL	35740	2564377260
47065 AL HIGHWAY 277	BRIDGEPORT	AL	35740	2564377260
47065 AL HIGHWAY 277	BRIDGEPORT	AL	35740	2564377260
47065 AL HIGHWAY 277	BRIDGEPORT	AL	35740	2564377260
47065 AL HIGHWAY 277	BRIDGEPORT	AL	35740	2564377260
47065 AL HIGHWAY 277	BRIDGEPORT	AL	35740	2564377260
47065 AL HIGHWAY 277	BRIDGEPORT	AL	35740	2564377260
212 ELLEN STREET	ONEONTA	AL	35121	2056253520

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Few	2
properly located and lighted "Exit" signs.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
automatic sprinkler systems that have been maintained in working order.	Many	1
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Few	2
properly sized and located linen or trash receptacles.	Few	2
properly installed electrical wiring and equipment.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015422	05/26/2010	06/24/2010	TLC NURSING CENTER
015422	05/26/2010	06/24/2010	TLC NURSING CENTER
015422	05/26/2010	06/24/2010	TLC NURSING CENTER
015422	05/26/2010	06/24/2010	TLC NURSING CENTER
015422	05/26/2010	06/24/2010	TLC NURSING CENTER
015422	05/20/2011	06/24/2011	TLC NURSING CENTER
015422	05/20/2011	06/24/2011	TLC NURSING CENTER
015422	05/20/2011	06/24/2011	TLC NURSING CENTER
015422	05/20/2011	06/24/2011	TLC NURSING CENTER

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

212 ELLEN STREET	ONEONTA	AL	35121	2056253520
212 ELLEN STREET	ONEONTA	AL	35121	2056253520
212 ELLEN STREET	ONEONTA	AL	35121	2056253520
212 ELLEN STREET	ONEONTA	AL	35121	2056253520
212 ELLEN STREET	ONEONTA	AL	35121	2056253520
212 ELLEN STREET	ONEONTA	AL	35121	2056253520
212 ELLEN STREET	ONEONTA	AL	35121	2056253520
212 ELLEN STREET	ONEONTA	AL	35121	2056253520
212 ELLEN STREET	ONEONTA	AL	35121	2056253520

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies

hour.		
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
restrictions on the use of flammable curtains.	Some	2
properly installed electrical wiring and equipment.	Some	2
Provide housekeeping and maintenance services.	Few	2
Make sure each resident receives an accurate assessment by a qualified health professional.	Few	2
Allow the resident the right to participate in the planning or revision of the resident's care plan.	Few	3
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper	Few	2

015422	05/20/2011	06/24/2011	TLC NURSING CENTER
015422	05/20/2011	06/24/2011	TLC NURSING CENTER
015422	05/20/2011	06/24/2011	TLC NURSING CENTER
015422	05/20/2011	06/24/2011	TLC NURSING CENTER
015422	05/20/2011	06/24/2011	TLC NURSING CENTER
015422	05/20/2011	06/24/2011	TLC NURSING CENTER

212 ELLEN STREET	ONEONTA	AL	35121	2056253520
212 ELLEN STREET	ONEONTA	AL	35121	2056253520
212 ELLEN STREET	ONEONTA	AL	35121	2056253520
212 ELLEN STREET	ONEONTA	AL	35121	2056253520
212 ELLEN STREET	ONEONTA	AL	35121	2056253520
212 ELLEN STREET	ONEONTA	AL	35121	2056253520

HEALTH	Environmental Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies

catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.		
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	3
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Some	2
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right temperature.	Many	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Some	2
Make sure that nurse aides show they have the skills and	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015422	05/25/2011	06/15/2011	TLC NURSING CENTER
015422	05/25/2011	06/15/2011	TLC NURSING CENTER
015422	05/25/2011	06/15/2011	TLC NURSING CENTER
015422	05/25/2011	06/15/2011	TLC NURSING CENTER
015422	05/25/2011	06/15/2011	TLC NURSING CENTER
015422	05/25/2011	06/15/2011	TLC NURSING CENTER
015422	08/01/2012	08/06/2012	TLC NURSING CENTER
015422	08/01/2012	08/06/2012	TLC NURSING CENTER
015422	08/01/2012	08/06/2012	TLC NURSING CENTER
015423	04/10/2010	05/12/2010	HANOVER HEALTH AND REHABILITATION AT BIRMINGHAM

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

212 ELLEN STREET	ONEONTA	AL	35121	2056253520
212 ELLEN STREET	ONEONTA	AL	35121	2056253520
212 ELLEN STREET	ONEONTA	AL	35121	2056253520
212 ELLEN STREET	ONEONTA	AL	35121	2056253520
212 ELLEN STREET	ONEONTA	AL	35121	2056253520
212 ELLEN STREET	ONEONTA	AL	35121	2056253520
212 ELLEN STREET	ONEONTA	AL	35121	2056253520
212 ELLEN STREET	ONEONTA	AL	35121	2056253520
212 ELLEN STREET	ONEONTA	AL	35121	2056253520
39 HANOVER CIRCLE S	BIRMINGHAM	AL	35205	2059331828

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Mistreatment Deficiencies

techniques to be able to care for residents' needs.		
corridor and hallway doors that block smoke.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Many	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
other fire safety features required by fire safety codes.	Many	2
properly installed electrical wiring and equipment.	Some	2
record of quarterly fire drills for each shift under varying conditions.	Some	2
properly protected cooking facilities.	Few	2
properly installed electrical wiring and equipment.	Few	2
1) Hire only people with no legal history of abusing, neglecting or	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015423	04/10/2010	05/12/2010	HANOVER HEALTH AND REHABILITATION AT BIRMINGHAM
015423	04/10/2010	05/12/2010	HANOVER HEALTH AND REHABILITATION AT BIRMINGHAM
015423	04/10/2010	05/12/2010	HANOVER HEALTH AND REHABILITATION AT BIRMINGHAM
015423	04/10/2010	05/12/2010	HANOVER HEALTH AND REHABILITATION AT BIRMINGHAM
015423	04/29/2010	05/25/2010	HANOVER HEALTH AND REHABILITATION AT BIRMINGHAM
015423	04/29/2010	05/25/2010	HANOVER HEALTH AND REHABILITATION AT BIRMINGHAM

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

39 HANOVER CIRCLE S	BIRMINGHAM	AL	35205	2059331828
39 HANOVER CIRCLE S	BIRMINGHAM	AL	35205	2059331828
39 HANOVER CIRCLE S	BIRMINGHAM	AL	35205	2059331828
39 HANOVER CIRCLE S	BIRMINGHAM	AL	35205	2059331828
39 HANOVER CIRCLE S	BIRMINGHAM	AL	35205	2059331828
39 HANOVER CIRCLE S	BIRMINGHAM	AL	35205	2059331828

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Mistreatment Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies

mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.		
Develop policies that prevent mistreatment, neglect, or abuse of residents or theft of resident property.	Few	2
Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Few	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2

015423	04/29/2010	05/25/2010	HANOVER HEALTH AND REHABILITATION AT BIRMINGHAM
015423	04/29/2010	05/25/2010	HANOVER HEALTH AND REHABILITATION AT BIRMINGHAM
015423	04/29/2010	05/25/2010	HANOVER HEALTH AND REHABILITATION AT BIRMINGHAM
015423	04/29/2010	05/25/2010	HANOVER HEALTH AND REHABILITATION AT BIRMINGHAM
015423	04/29/2010	05/25/2010	HANOVER HEALTH AND REHABILITATION AT BIRMINGHAM
015423	04/29/2010	05/25/2010	HANOVER HEALTH AND REHABILITATION AT BIRMINGHAM
015423	04/29/2010	05/25/2010	HANOVER HEALTH AND REHABILITATION AT BIRMINGHAM
015423	03/03/2011	04/07/2011	HANOVER HEALTH AND REHABILITATION AT BIRMINGHAM
015423	03/03/2011	04/07/2011	HANOVER HEALTH AND REHABILITATION AT BIRMINGHAM
015423	03/03/2011	04/07/2011	HANOVER HEALTH AND REHABILITATION AT BIRMINGHAM
015423	03/03/2011	04/07/2011	HANOVER HEALTH AND REHABILITATION AT BIRMINGHAM

39 HANOVER CIRCLE S	BIRMINGHAM	AL	35205	2059331828
39 HANOVER CIRCLE S	BIRMINGHAM	AL	35205	2059331828
39 HANOVER CIRCLE S	BIRMINGHAM	AL	35205	2059331828
39 HANOVER CIRCLE S	BIRMINGHAM	AL	35205	2059331828
39 HANOVER CIRCLE S	BIRMINGHAM	AL	35205	2059331828
39 HANOVER CIRCLE S	BIRMINGHAM	AL	35205	2059331828
39 HANOVER CIRCLE S	BIRMINGHAM	AL	35205	2059331828
39 HANOVER CIRCLE S	BIRMINGHAM	AL	35205	2059331828
39 HANOVER CIRCLE S	BIRMINGHAM	AL	35205	2059331828
39 HANOVER CIRCLE S	BIRMINGHAM	AL	35205	2059331828
39 HANOVER CIRCLE S	BIRMINGHAM	AL	35205	2059331828

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies

protected exits that allow the resident to escape the building.	Few	2
exits that are accessible at all times.	Few	2
proper backup exit lighting.	Some	1
automatic sprinkler systems that have been maintained in working order.	Many	2
proper medical gas storage and administration areas.	Few	2
properly installed electrical wiring and equipment.	Few	2
an approved back-up procedure for a faulty fire alarm system.	Many	1
Make sure services provided by the nursing facility meet professional standards of quality.	Some	2
Provide necessary care and services to maintain the highest well being of each resident .	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Maintain drug records and properly mark/label drugs and	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015423	03/03/2011	04/07/2011	HANOVER HEALTH AND REHABILITATION AT BIRMINGHAM
015423	03/08/2011	04/20/2011	HANOVER HEALTH AND REHABILITATION AT BIRMINGHAM
015423	03/08/2011	04/20/2011	HANOVER HEALTH AND REHABILITATION AT BIRMINGHAM
015423	03/08/2011	04/20/2011	HANOVER HEALTH AND REHABILITATION AT BIRMINGHAM
015423	03/08/2011	04/20/2011	HANOVER HEALTH AND REHABILITATION AT BIRMINGHAM
015423	02/09/2012	03/15/2012	HANOVER HEALTH AND REHABILITATION AT BIRMINGHAM
015423	02/09/2012	03/15/2012	HANOVER HEALTH AND REHABILITATION AT BIRMINGHAM
015423	02/09/2012	03/15/2012	HANOVER HEALTH AND REHABILITATION AT BIRMINGHAM

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

39 HANOVER CIRCLE S	BIRMINGHAM	AL	35205	2059331828
39 HANOVER CIRCLE S	BIRMINGHAM	AL	35205	2059331828
39 HANOVER CIRCLE S	BIRMINGHAM	AL	35205	2059331828
39 HANOVER CIRCLE S	BIRMINGHAM	AL	35205	2059331828
39 HANOVER CIRCLE S	BIRMINGHAM	AL	35205	2059331828
39 HANOVER CIRCLE S	BIRMINGHAM	AL	35205	2059331828
39 HANOVER CIRCLE S	BIRMINGHAM	AL	35205	2059331828
39 HANOVER CIRCLE S	BIRMINGHAM	AL	35205	2059331828

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Administration Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Pharmacy Service Deficiencies

other similar products according to accepted professional standards.		
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
corridor and hallway doors that block smoke.	Some	2
exits that are accessible at all times.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
properly installed electrical wiring and equipment.	Few	2
corridor and hallway doors that block smoke.	Few	2
automatic sprinkler systems that have been maintained in working order.	Some	2
At least once a month, have a licensed pharmacist review each resident's medication(s) and report any irregularities to the attending doctor.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015424	02/25/2010	03/29/2010	ROANOKE HEALTH CARE CENTER, LLC
015424	02/25/2010	03/29/2010	ROANOKE HEALTH CARE CENTER, LLC
015424	02/25/2010	03/29/2010	ROANOKE HEALTH CARE CENTER, LLC
015424	02/25/2010	03/29/2010	ROANOKE HEALTH CARE CENTER, LLC
015424	02/25/2010	03/29/2010	ROANOKE HEALTH CARE CENTER, LLC
015424	02/25/2010	03/29/2010	ROANOKE HEALTH CARE CENTER, LLC
015424	03/03/2010	03/29/2010	ROANOKE HEALTH CARE CENTER, LLC
015424	03/03/2010	03/29/2010	ROANOKE HEALTH CARE CENTER, LLC

680 SEYMOUR DRIVE	ROANOKE	AL	36274	3348636151
680 SEYMOUR DRIVE	ROANOKE	AL	36274	3348636151
680 SEYMOUR DRIVE	ROANOKE	AL	36274	3348636151
680 SEYMOUR DRIVE	ROANOKE	AL	36274	3348636151
680 SEYMOUR DRIVE	ROANOKE	AL	36274	3348636151
680 SEYMOUR DRIVE	ROANOKE	AL	36274	3348636151
680 SEYMOUR DRIVE	ROANOKE	AL	36274	3348636151
680 SEYMOUR DRIVE	ROANOKE	AL	36274	3348636151

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

attending doctor.		
Make sure each resident receives an accurate assessment by a qualified health professional.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Assist those residents who need total help with eating/drinking, grooming and personal and oral hygiene.	Few	2
Give each resident enough fluids to keep them healthy and prevent dehydration.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015424	03/03/2010	03/29/2010	ROANOKE HEALTH CARE CENTER, LLC
015424	03/03/2010	03/29/2010	ROANOKE HEALTH CARE CENTER, LLC
015424	03/03/2010	03/29/2010	ROANOKE HEALTH CARE CENTER, LLC
015424	03/03/2010	03/29/2010	ROANOKE HEALTH CARE CENTER, LLC
015424	03/03/2010	03/29/2010	ROANOKE HEALTH CARE CENTER, LLC
015424	03/03/2010	03/29/2010	ROANOKE HEALTH CARE CENTER, LLC
015424	02/03/2011	03/10/2011	ROANOKE HEALTH CARE CENTER, LLC
015424	02/03/2011	03/10/2011	ROANOKE HEALTH CARE CENTER, LLC

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

680 SEYMOUR DRIVE	ROANOKE	AL	36274	3348636151
680 SEYMOUR DRIVE	ROANOKE	AL	36274	3348636151
680 SEYMOUR DRIVE	ROANOKE	AL	36274	3348636151
680 SEYMOUR DRIVE	ROANOKE	AL	36274	3348636151
680 SEYMOUR DRIVE	ROANOKE	AL	36274	3348636151
680 SEYMOUR DRIVE	ROANOKE	AL	36274	3348636151
680 SEYMOUR DRIVE	ROANOKE	AL	36274	3348636151
680 SEYMOUR DRIVE	ROANOKE	AL	36274	3348636151

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Resident Assessment Deficiencies

hour.		
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
a fire alarm system that can be heard throughout the facility.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Few	2
exits that are free from obstructions and can be used at all times.	Some	2
properly installed electrical wiring and equipment.	Few	2
Provide housekeeping and maintenance services.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2

015424	02/03/2011	03/10/2011	ROANOKE HEALTH CARE CENTER, LLC
015424	02/03/2011	03/10/2011	ROANOKE HEALTH CARE CENTER, LLC
015424	02/03/2011	03/10/2011	ROANOKE HEALTH CARE CENTER, LLC
015424	02/10/2011	03/17/2011	ROANOKE HEALTH CARE CENTER, LLC
015424	02/10/2011	03/17/2011	ROANOKE HEALTH CARE CENTER, LLC
015424	02/10/2011	03/17/2011	ROANOKE HEALTH CARE CENTER, LLC
015424	02/10/2011	03/17/2011	ROANOKE HEALTH CARE CENTER, LLC
015424	02/22/2012	03/28/2012	ROANOKE HEALTH CARE CENTER, LLC
015424	02/22/2012	03/28/2012	ROANOKE HEALTH CARE CENTER, LLC

680 SEYMOUR DRIVE	ROANOKE	AL	36274	3348636151
680 SEYMOUR DRIVE	ROANOKE	AL	36274	3348636151
680 SEYMOUR DRIVE	ROANOKE	AL	36274	3348636151
680 SEYMOUR DRIVE	ROANOKE	AL	36274	3348636151
680 SEYMOUR DRIVE	ROANOKE	AL	36274	3348636151
680 SEYMOUR DRIVE	ROANOKE	AL	36274	3348636151
680 SEYMOUR DRIVE	ROANOKE	AL	36274	3348636151
680 SEYMOUR DRIVE	ROANOKE	AL	36274	3348636151
680 SEYMOUR DRIVE	ROANOKE	AL	36274	3348636151
680 SEYMOUR DRIVE	ROANOKE	AL	36274	3348636151

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Interior Finish Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies

Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
proper exit design.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
exits that are free from obstructions and can be used at all times.	Many	2
weekly inspections and monthly testing of generators.	Many	1
fire-resistant room wall surfaces.	Some	1
corridor and hallway doors that block smoke.	Few	2

015424	02/22/2012	03/28/2012	ROANOKE HEALTH CARE CENTER, LLC
015424	02/22/2012	03/28/2012	ROANOKE HEALTH CARE CENTER, LLC
015424	02/24/2012	03/30/2012	ROANOKE HEALTH CARE CENTER, LLC
015424	02/24/2012	03/30/2012	ROANOKE HEALTH CARE CENTER, LLC
015425	06/30/2009	07/17/2009	WESTSIDE TERRACE HEALTH & REHABILITATION CENTER
015425	08/17/2010	09/21/2010	WESTSIDE TERRACE HEALTH & REHABILITATION CENTER
015425	08/24/2010	09/21/2010	WESTSIDE TERRACE HEALTH & REHABILITATION CENTER
015425	08/24/2010	09/21/2010	WESTSIDE TERRACE HEALTH &

680 SEYMOUR DRIVE	ROANOKE	AL	36274	3348636151
680 SEYMOUR DRIVE	ROANOKE	AL	36274	3348636151
680 SEYMOUR DRIVE	ROANOKE	AL	36274	3348636151
680 SEYMOUR DRIVE	ROANOKE	AL	36274	3348636151
501 NORTH WOODBURN DRIVE	DOTHAN	AL	36303	3347941000
501 NORTH WOODBURN DRIVE	DOTHAN	AL	36303	3347941000
501 NORTH WOODBURN DRIVE	DOTHAN	AL	36303	3347941000
501 NORTH	DOTHAN	AL	36303	3347941000

FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

exits that are accessible at all times.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Many	1
Keep each resident free from physical restraints, unless needed for medical treatment.	Some	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	3
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
an approved automatic sprinkler	Some	2

			REHABILITATION CENTER
015425	08/24/2010	09/21/2010	WESTSIDE TERRACE HEALTH & REHABILITATION CENTER
015425	08/24/2010	09/21/2010	WESTSIDE TERRACE HEALTH & REHABILITATION CENTER
015425	07/28/2011	08/26/2011	WESTSIDE TERRACE HEALTH & REHABILITATION CENTER
015425	08/03/2011	09/07/2011	WESTSIDE TERRACE HEALTH & REHABILITATION CENTER
015425	08/03/2011	09/07/2011	WESTSIDE TERRACE HEALTH & REHABILITATION CENTER
015425	08/03/2011	09/07/2011	WESTSIDE TERRACE HEALTH & REHABILITATION CENTER
015425	08/03/2011	09/07/2011	WESTSIDE TERRACE HEALTH & REHABILITATION CENTER
015426	04/28/2010	05/13/2010	CROWNE HEALTH CARE OF SPRINGHILL

WOODBURN DRIVE				
501 NORTH WOODBURN DRIVE	DOTHAN	AL	36303	3347941000
501 NORTH WOODBURN DRIVE	DOTHAN	AL	36303	3347941000
501 NORTH WOODBURN DRIVE	DOTHAN	AL	36303	3347941000
501 NORTH WOODBURN DRIVE	DOTHAN	AL	36303	3347941000
501 NORTH WOODBURN DRIVE	DOTHAN	AL	36303	3347941000
501 NORTH WOODBURN DRIVE	DOTHAN	AL	36303	3347941000
501 NORTH WOODBURN DRIVE	DOTHAN	AL	36303	3347941000
501 NORTH WOODBURN DRIVE	DOTHAN	AL	36303	3347941000
3712 DAUPHIN ST	MOBILE	AL	36608	2513043013

FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

system connected to the fire alarm system.		
automatic sprinkler systems that have been maintained in working order.	Many	1
a separate and independent backup electrical power source.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Many	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
record of quarterly fire drills for each shift under varying conditions.	Some	2
properly installed electrical wiring and equipment.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015426	04/28/2010	05/13/2010	CROWNE HEALTH CARE OF SPRINGHILL
015426	04/28/2010	05/13/2010	CROWNE HEALTH CARE OF SPRINGHILL
015426	04/28/2010	05/13/2010	CROWNE HEALTH CARE OF SPRINGHILL
015426	03/03/2011	03/30/2011	CROWNE HEALTH CARE OF SPRINGHILL
015426	03/03/2011	03/30/2011	CROWNE HEALTH CARE OF SPRINGHILL
015426	03/03/2011	03/30/2011	CROWNE HEALTH CARE OF SPRINGHILL
015426	03/03/2011	03/30/2011	CROWNE HEALTH CARE OF SPRINGHILL
015426	03/03/2011	03/30/2011	CROWNE HEALTH CARE OF SPRINGHILL
015426	03/03/2011	03/30/2011	CROWNE HEALTH CARE OF SPRINGHILL
015426	03/03/2011	03/30/2011	CROWNE HEALTH CARE OF SPRINGHILL
015426	03/03/2011	03/30/2011	CROWNE HEALTH CARE OF SPRINGHILL

3712 DAUPHIN ST	MOBILE	AL	36608	2513043013
3712 DAUPHIN ST	MOBILE	AL	36608	2513043013
3712 DAUPHIN ST	MOBILE	AL	36608	2513043013
3712 DAUPHIN ST	MOBILE	AL	36608	2513043013
3712 DAUPHIN ST	MOBILE	AL	36608	2513043013
3712 DAUPHIN ST	MOBILE	AL	36608	2513043013
3712 DAUPHIN ST	MOBILE	AL	36608	2513043013
3712 DAUPHIN ST	MOBILE	AL	36608	2513043013
3712 DAUPHIN ST	MOBILE	AL	36608	2513043013
3712 DAUPHIN ST	MOBILE	AL	36608	2513043013

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies

hour.		
smoke barrier doors that can resist smoke for at least 20 minutes.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
proper backup exit lighting.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Many	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
proper exit design.	Few	2
record of quarterly fire drills for each shift under varying conditions.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Many	1
properly working alarms on sprinkler valves.	Many	2
posted "No-smoking" signs in	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015426	03/03/2011	03/30/2011	CROWNE HEALTH CARE OF SPRINGHILL
015426	03/03/2011	03/30/2011	CROWNE HEALTH CARE OF SPRINGHILL
015426	01/25/2012	02/29/2012	CROWNE HEALTH CARE OF SPRINGHILL
015426	01/31/2012	03/05/2012	CROWNE HEALTH CARE OF SPRINGHILL
015426	01/31/2012	03/05/2012	CROWNE HEALTH CARE OF SPRINGHILL
015426	01/31/2012	03/05/2012	CROWNE HEALTH CARE OF SPRINGHILL
015426	01/31/2012	03/05/2012	CROWNE HEALTH CARE OF SPRINGHILL
015426	01/31/2012	03/05/2012	CROWNE HEALTH CARE OF SPRINGHILL

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

3712 DAUPHIN ST	MOBILE	AL	36608	2513043013
3712 DAUPHIN ST	MOBILE	AL	36608	2513043013
3712 DAUPHIN ST	MOBILE	AL	36608	2513043013
3712 DAUPHIN ST	MOBILE	AL	36608	2513043013
3712 DAUPHIN ST	MOBILE	AL	36608	2513043013
3712 DAUPHIN ST	MOBILE	AL	36608	2513043013
3712 DAUPHIN ST	MOBILE	AL	36608	2513043013
3712 DAUPHIN ST	MOBILE	AL	36608	2513043013

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies

areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.		
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Many	1
properly protected cooking facilities.	Many	1
Store, cook, and serve food in a safe and clean way.	Many	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
proper exit design.	Many	2
automatic sprinkler systems that have been maintained in working order.	Few	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide	Many	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015426	01/31/2012	03/05/2012	CROWNE HEALTH CARE OF SPRINGHILL
015426	01/31/2012	03/05/2012	CROWNE HEALTH CARE OF SPRINGHILL
015429	06/16/2010	07/16/2010	SEA BREEZE HEALTH CARE CENTER
015429	06/16/2010	07/16/2010	SEA BREEZE HEALTH CARE CENTER
015429	06/16/2010	07/16/2010	SEA BREEZE HEALTH CARE CENTER
015429	06/16/2010	07/16/2010	SEA BREEZE HEALTH CARE CENTER
015429	04/07/2011	05/05/2011	SEA BREEZE HEALTH CARE CENTER
015429	04/07/2011	05/12/2011	SEA BREEZE HEALTH CARE CENTER
015429	04/07/2011	05/12/2011	SEA BREEZE HEALTH CARE CENTER

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

3712 DAUPHIN ST	MOBILE	AL	36608	2513043013
3712 DAUPHIN ST	MOBILE	AL	36608	2513043013
550 CONGRESS STREET	MOBILE	AL	36603	2514335471
550 CONGRESS STREET	MOBILE	AL	36603	2514335471
550 CONGRESS STREET	MOBILE	AL	36603	2514335471
550 CONGRESS STREET	MOBILE	AL	36603	2514335471
550 CONGRESS STREET	MOBILE	AL	36603	2514335471
550 CONGRESS STREET	MOBILE	AL	36603	2514335471
550 CONGRESS STREET	MOBILE	AL	36603	2514335471
550 CONGRESS STREET	MOBILE	AL	36603	2514335471

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Interior Finish Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies

permitted or did not provide ashtrays where smoking was allowed.		
restrictions on the use of flammable curtains.	Many	2
other fire safety features required by fire safety codes.	Few	2
signs that state that exit doors are to be kept closed.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
properly installed electrical wiring and equipment.	Some	2
a properly installed and maintained dumbwaiter or escalator.	Few	2
fire-resistant interior walls.	Many	1
corridor and hallway doors that block smoke.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2

015429	04/07/2011	05/12/2011	SEA BREEZE HEALTH CARE CENTER
015429	04/07/2011	05/12/2011	SEA BREEZE HEALTH CARE CENTER
015429	04/07/2011	05/12/2011	SEA BREEZE HEALTH CARE CENTER
015429	04/07/2011	05/12/2011	SEA BREEZE HEALTH CARE CENTER
015429	04/07/2011	05/12/2011	SEA BREEZE HEALTH CARE CENTER
015429	04/07/2011	05/12/2011	SEA BREEZE HEALTH CARE CENTER
015429	04/07/2011	05/12/2011	SEA BREEZE HEALTH CARE CENTER
015429	04/07/2011	05/12/2011	SEA BREEZE HEALTH CARE CENTER
015429	04/07/2011	05/12/2011	SEA BREEZE HEALTH CARE CENTER
015429	04/07/2011	05/12/2011	SEA BREEZE HEALTH CARE CENTER
015429	04/07/2011	05/12/2011	SEA BREEZE HEALTH CARE CENTER

nh_quality_deficiency_survey
Based on Nursing Home Compare - Survey Deficiency

550 CONGRESS STREET	MOBILE	AL	36603	2514335471
550 CONGRESS STREET	MOBILE	AL	36603	2514335471
550 CONGRESS STREET	MOBILE	AL	36603	2514335471
550 CONGRESS STREET	MOBILE	AL	36603	2514335471
550 CONGRESS STREET	MOBILE	AL	36603	2514335471
550 CONGRESS STREET	MOBILE	AL	36603	2514335471
550 CONGRESS STREET	MOBILE	AL	36603	2514335471
550 CONGRESS STREET	MOBILE	AL	36603	2514335471
550 CONGRESS STREET	MOBILE	AL	36603	2514335471
550 CONGRESS STREET	MOBILE	AL	36603	2514335471
550 CONGRESS	MOBILE	AL	36603	2514335471

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Environmental Deficiencies

protected exits that allow the resident to escape the building.	Few	2
properly located and lighted "Exit" signs.	Many	1
did not have a written emergency evacuation plan.	Some	2
automatic sprinkler systems that have been maintained in working order.	Many	1
portable fire extinguishers.	Some	2
properly protected cooking facilities.	Few	2
exits that are free from obstructions and can be used at all times.	Some	2
weekly inspections and monthly testing of generators.	Many	1
Provide housekeeping and maintenance services.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Make sure that the nursing home	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015429	05/10/2012	06/01/2012	SEA BREEZE HEALTH CARE CENTER
015429	05/10/2012	06/01/2012	SEA BREEZE HEALTH CARE CENTER
015429	05/10/2012	06/01/2012	SEA BREEZE HEALTH CARE CENTER
015429	05/17/2012	06/12/2012	SEA BREEZE HEALTH CARE CENTER
015429	05/17/2012	06/12/2012	SEA BREEZE HEALTH CARE CENTER
015429	05/17/2012	06/12/2012	SEA BREEZE HEALTH CARE CENTER
015429	05/17/2012	06/12/2012	SEA BREEZE HEALTH CARE CENTER

STREET				
550 CONGRESS STREET	MOBILE	AL	36603	2514335471
550 CONGRESS STREET	MOBILE	AL	36603	2514335471
550 CONGRESS STREET	MOBILE	AL	36603	2514335471
550 CONGRESS STREET	MOBILE	AL	36603	2514335471
550 CONGRESS STREET	MOBILE	AL	36603	2514335471
550 CONGRESS STREET	MOBILE	AL	36603	2514335471
550 CONGRESS STREET	MOBILE	AL	36603	2514335471

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Vertical Openings Deficiencies

area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.		
Provide care by qualified persons according to each resident's written plan of care.	Few	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
approved construction type or materials.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
protected exits that allow the resident to escape the building.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015429	05/17/2012	06/12/2012	SEA BREEZE HEALTH CARE CENTER
015429	05/17/2012	06/12/2012	SEA BREEZE HEALTH CARE CENTER
015429	05/17/2012	06/12/2012	SEA BREEZE HEALTH CARE CENTER
015429	05/17/2012	06/12/2012	SEA BREEZE HEALTH CARE CENTER
015429	05/17/2012	06/12/2012	SEA BREEZE HEALTH CARE CENTER
015429	05/17/2012	06/12/2012	SEA BREEZE HEALTH CARE CENTER
015429	05/17/2012	06/12/2012	SEA BREEZE HEALTH CARE CENTER
015429	05/17/2012	06/12/2012	SEA BREEZE HEALTH CARE CENTER
015431	05/27/2010	07/01/2010	VALLEY VIEW HEALTH AND REHABILITATION, LLC

550 CONGRESS STREET	MOBILE	AL	36603	2514335471
550 CONGRESS STREET	MOBILE	AL	36603	2514335471
550 CONGRESS STREET	MOBILE	AL	36603	2514335471
550 CONGRESS STREET	MOBILE	AL	36603	2514335471
550 CONGRESS STREET	MOBILE	AL	36603	2514335471
550 CONGRESS STREET	MOBILE	AL	36603	2514335471
550 CONGRESS STREET	MOBILE	AL	36603	2514335471
550 CONGRESS STREET	MOBILE	AL	36603	2514335471
5968 WALL TRIANA HIGHWAY	MADISON	AL	35758	2568302316

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Assessment Deficiencies

exits that are accessible at all times.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	1
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Some	2
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Many	1
properly sized and located linen or trash receptacles.	Few	2
a separate and independent backup electrical power source.	Many	2
properly installed electrical wiring and equipment.	Many	2
Develop a complete care plan that meets all of a resident's needs, with timetables and	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015431	05/27/2010	07/01/2010	VALLEY VIEW HEALTH AND REHABILITATION, LLC
015431	05/27/2010	07/01/2010	VALLEY VIEW HEALTH AND REHABILITATION, LLC
015431	06/03/2010	07/01/2010	VALLEY VIEW HEALTH AND REHABILITATION, LLC
015431	06/03/2010	07/01/2010	VALLEY VIEW HEALTH AND REHABILITATION, LLC
015431	06/03/2010	07/01/2010	VALLEY VIEW HEALTH AND REHABILITATION, LLC
015431	06/03/2010	07/01/2010	VALLEY VIEW HEALTH AND REHABILITATION, LLC
015431	06/03/2010	07/01/2010	VALLEY VIEW HEALTH AND REHABILITATION, LLC
015431	06/03/2010	07/01/2010	VALLEY VIEW HEALTH AND REHABILITATION, LLC
015431	06/03/2010	07/01/2010	VALLEY VIEW HEALTH AND REHABILITATION, LLC

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

5968 WALL TRIANA HIGHWAY	MADISON	AL	35758	2568302316
5968 WALL TRIANA HIGHWAY	MADISON	AL	35758	2568302316
5968 WALL TRIANA HIGHWAY	MADISON	AL	35758	2568302316
5968 WALL TRIANA HIGHWAY	MADISON	AL	35758	2568302316
5968 WALL TRIANA HIGHWAY	MADISON	AL	35758	2568302316
5968 WALL TRIANA HIGHWAY	MADISON	AL	35758	2568302316
5968 WALL TRIANA HIGHWAY	MADISON	AL	35758	2568302316
5968 WALL TRIANA HIGHWAY	MADISON	AL	35758	2568302316
5968 WALL TRIANA HIGHWAY	MADISON	AL	35758	2568302316

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Building Construction Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

needs, with timetables and actions that can be measured.		
Store, cook, and serve food in a safe and clean way.	Many	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Some	2
approved construction type or materials.	Some	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Few	2
automatic sprinkler systems that have been maintained in working	Few	2

			REHABILITATION, LLC
015431	06/03/2010	07/01/2010	VALLEY VIEW HEALTH AND REHABILITATION, LLC
015431	06/03/2010	07/01/2010	VALLEY VIEW HEALTH AND REHABILITATION, LLC
015431	03/31/2011	05/05/2011	VALLEY VIEW HEALTH AND REHABILITATION, LLC
015431	04/05/2011	05/10/2011	VALLEY VIEW HEALTH AND REHABILITATION, LLC
015431	04/05/2011	05/10/2011	VALLEY VIEW HEALTH AND REHABILITATION, LLC
015431	04/05/2011	05/10/2011	VALLEY VIEW HEALTH AND REHABILITATION, LLC
015431	04/05/2011	05/10/2011	VALLEY VIEW HEALTH AND REHABILITATION, LLC
015431	05/24/2012	06/28/2012	VALLEY VIEW HEALTH AND REHABILITATION, LLC

HIGHWAY				
5968 WALL TRIANA HIGHWAY	MADISON	AL	35758	2568302316
5968 WALL TRIANA HIGHWAY	MADISON	AL	35758	2568302316
5968 WALL TRIANA HIGHWAY	MADISON	AL	35758	2568302316
5968 WALL TRIANA HIGHWAY	MADISON	AL	35758	2568302316
5968 WALL TRIANA HIGHWAY	MADISON	AL	35758	2568302316
5968 WALL TRIANA HIGHWAY	MADISON	AL	35758	2568302316
5968 WALL TRIANA HIGHWAY	MADISON	AL	35758	2568302316
5968 WALL TRIANA HIGHWAY	MADISON	AL	35758	2568302316

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
HEALTH	Quality Care Deficiencies

have been maintained in working order.		
properly protected cooking facilities.	Few	2
properly installed electrical wiring and equipment.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
a fire alarm system that can be heard throughout the facility.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
automatic sprinkler systems that have been maintained in working order.	Few	2
Make sure that residents receive treatment/services to not only continue, but improve the ability to care for themselves.	Few	2

015431	05/24/2012	06/28/2012	VALLEY VIEW HEALTH AND REHABILITATION, LLC
015431	05/24/2012	06/28/2012	VALLEY VIEW HEALTH AND REHABILITATION, LLC
015431	05/29/2012	07/03/2012	VALLEY VIEW HEALTH AND REHABILITATION, LLC
015431	05/29/2012	07/03/2012	VALLEY VIEW HEALTH AND REHABILITATION, LLC
015431	05/29/2012	07/03/2012	VALLEY VIEW HEALTH AND REHABILITATION, LLC
015431	05/29/2012	07/03/2012	VALLEY VIEW HEALTH AND REHABILITATION, LLC
015433	05/21/2009	06/25/2009	ST MARTIN'S IN THE PINES
015433	05/21/2009	06/25/2009	ST MARTIN'S IN THE PINES

5968 WALL TRIANA HIGHWAY	MADISON	AL	35758	2568302316
5968 WALL TRIANA HIGHWAY	MADISON	AL	35758	2568302316
5968 WALL TRIANA HIGHWAY	MADISON	AL	35758	2568302316
5968 WALL TRIANA HIGHWAY	MADISON	AL	35758	2568302316
5968 WALL TRIANA HIGHWAY	MADISON	AL	35758	2568302316
5968 WALL TRIANA HIGHWAY	MADISON	AL	35758	2568302316
5968 WALL TRIANA HIGHWAY	MADISON	AL	35758	2568302316
5968 WALL TRIANA HIGHWAY	MADISON	AL	35758	2568302316
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies

Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
automatic sprinkler systems that have been maintained in working order.	Some	2
properly protected cooking facilities.	Few	2
properly installed electrical wiring and equipment.	Some	2
Try to resolve each resident's complaints quickly.	Some	2
Make sure each resident has the right to have a choice over activities, their schedules and health care according to his or her interests, assessment, and	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015433	05/21/2009	06/25/2009	ST MARTIN'S IN THE PINES
015433	05/21/2009	06/25/2009	ST MARTIN'S IN THE PINES
015433	05/21/2009	06/25/2009	ST MARTIN'S IN THE PINES
015433	05/21/2009	06/25/2009	ST MARTIN'S IN THE PINES
015433	05/21/2009	06/25/2009	ST MARTIN'S IN THE PINES
015433	05/21/2009	06/25/2009	ST MARTIN'S IN THE PINES
015433	05/21/2009	06/25/2009	ST MARTIN'S IN THE PINES
015433	05/21/2009	06/25/2009	ST MARTIN'S IN THE PINES

4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Pharmacy Service Deficiencies

plan of care.		
Provide housekeeping and maintenance services.	Few	2
Completely assess the resident at least every twelve months.	Few	2
Maintain 15 months of resident assessments in the resident's active clinical record.	Few	2
Make sure that residents receive treatment/services to not only continue, but improve the ability to care for themselves.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
1) Make sure that each resident's drug regimen is free from unnecessary drugs; 2) Each resident's entire drug/medication is managed and monitored to achieve highest well being.	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015433	05/21/2009	06/25/2009	ST MARTIN'S IN THE PINES
015433	05/21/2009	06/25/2009	ST MARTIN'S IN THE PINES
015433	05/21/2009	06/25/2009	ST MARTIN'S IN THE PINES
015433	05/21/2009	06/25/2009	ST MARTIN'S IN THE PINES
015433	05/28/2009	06/25/2009	ST MARTIN'S IN THE PINES
015433	05/28/2009	06/25/2009	ST MARTIN'S IN THE PINES
015433	05/28/2009	06/25/2009	ST MARTIN'S IN THE PINES
015433	05/28/2009	06/25/2009	ST MARTIN'S IN THE PINES

4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Vertical Openings Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

Store, cook, and serve food in a safe and clean way.	Many	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
corridor and hallway doors that block smoke.	Few	2
proper stairway enclosures and vertical shafts.	Few	2
exit doors that are held open by devices that will automatically close on the activation of a fire alarm or smoke detectors.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015433	05/28/2009	06/25/2009	ST MARTIN'S IN THE PINES
015433	05/28/2009	06/25/2009	ST MARTIN'S IN THE PINES
015433	05/28/2009	06/25/2009	ST MARTIN'S IN THE PINES
015433	05/28/2009	06/25/2009	ST MARTIN'S IN THE PINES
015433	05/28/2009	06/25/2009	ST MARTIN'S IN THE PINES
015433	05/28/2009	06/25/2009	ST MARTIN'S IN THE PINES
015433	05/28/2009	06/25/2009	ST MARTIN'S IN THE PINES
015433	05/28/2009	06/25/2009	ST MARTIN'S IN THE PINES
015433	05/28/2009	06/25/2009	ST MARTIN'S IN THE PINES
015433	05/28/2009	06/25/2009	ST MARTIN'S IN THE PINES

4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Medical Gases and Anesthetizing Areas Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies

enough space near smoke barriers to protect residents.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Many	2
record of quarterly fire drills for each shift under varying conditions.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
automatic sprinkler systems that have been maintained in working order.	Many	2
portable fire extinguishers.	Few	2
properly protected cooking facilities.	Many	2
proper medical gas storage and administration areas.	Few	2
other fire safety features required by fire safety codes.	Many	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015433	05/28/2009	06/25/2009	ST MARTIN'S IN THE PINES
015433	07/15/2010	08/26/2010	ST MARTIN'S IN THE PINES
015433	07/15/2010	08/26/2010	ST MARTIN'S IN THE PINES
015433	07/15/2010	08/26/2010	ST MARTIN'S IN THE PINES
015433	07/15/2010	08/26/2010	ST MARTIN'S IN THE PINES
015433	07/15/2010	08/26/2010	ST MARTIN'S IN THE PINES

4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

weekly inspections and monthly testing of generators.	Few	2
Provide proper discharge planning and communication, of the resident's health status and summary of the resident's stay.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
1) Make sure that each resident's drug regimen is free from unnecessary drugs; 2) Each resident's entire drug/medication is managed and monitored to achieve highest well being.	Few	2
Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015433	07/22/2010	08/19/2010	ST MARTIN'S IN THE PINES
015433	07/22/2010	08/19/2010	ST MARTIN'S IN THE PINES
015433	07/22/2010	09/10/2010	ST MARTIN'S IN THE PINES
015433	07/22/2010	08/19/2010	ST MARTIN'S IN THE PINES
015433	07/22/2010	08/19/2010	ST MARTIN'S IN THE PINES
015433	07/22/2010	08/19/2010	ST MARTIN'S IN THE PINES
015433	07/22/2010	08/19/2010	ST MARTIN'S IN THE PINES
015433	07/22/2010	09/10/2010	ST MARTIN'S IN THE PINES
015433	07/22/2010	08/19/2010	ST MARTIN'S IN THE PINES
015433	07/22/2010	08/19/2010	ST MARTIN'S IN THE PINES

4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831

FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Illumination and Emergency Power Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

followed.		
corridor and hallway doors that block smoke.	Some	2
signs that state that exit doors are to be kept closed.	Few	2
enough space near smoke barriers to protect residents.	Many	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Many	2
exits that are accessible at all times.	Few	2
proper backup exit lighting.	Many	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
properly maintained smoke detectors.	Many	2
automatic sprinkler systems that have been maintained in working order.	Some	2

015433	07/22/2010	08/19/2010	ST MARTIN'S IN THE PINES
015433	07/22/2010	09/10/2010	ST MARTIN'S IN THE PINES
015433	07/22/2010	08/19/2010	ST MARTIN'S IN THE PINES
015433	05/20/2011	06/24/2011	ST MARTIN'S IN THE PINES
015433	05/20/2011	06/24/2011	ST MARTIN'S IN THE PINES
015433	05/20/2011	06/24/2011	ST MARTIN'S IN THE PINES
015433	05/20/2011	06/24/2011	ST MARTIN'S IN THE PINES
015433	05/20/2011	06/24/2011	ST MARTIN'S IN THE PINES
015433	05/20/2011	06/24/2011	ST MARTIN'S IN THE PINES

4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO	BIRMINGHAM	AL	35210	2059561831

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies

heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Few	2
properly protected cooking facilities.	Many	2
properly installed electrical wiring and equipment.	Few	2
Allow the resident the right to participate in the planning or revision of the resident's care plan.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Provide care by qualified persons according to each resident's written plan of care.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Make sure that the nursing home	Some	2

015433	05/20/2011	06/24/2011	ST MARTIN'S IN THE PINES
015433	05/20/2011	06/24/2011	ST MARTIN'S IN THE PINES
015433	05/20/2011	06/24/2011	ST MARTIN'S IN THE PINES
015433	05/20/2011	06/24/2011	ST MARTIN'S IN THE PINES
015433	05/20/2011	06/24/2011	ST MARTIN'S IN THE PINES
015433	05/20/2011	06/24/2011	ST MARTIN'S IN THE PINES
015433	05/20/2011	06/24/2011	ST MARTIN'S IN THE PINES
015433	05/20/2011	06/24/2011	ST MARTIN'S IN THE PINES

ROAD				
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831

HEALTH	Pharmacy Service Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Pharmacy Service Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Administration Deficiencies

area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.		
1) Make sure that each resident's drug regimen is free from unnecessary drugs; 2) Each resident's entire drug/medication is managed and monitored to achieve highest well being.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Many	1
Keep all essential equipment working safely.	Few	2
Give or get quality lab services/tests in a timely manner to meet the needs of residents.	Few	2
Quickly tell the resident's doctor the results of lab tests.	Few	2
Keep accurate, complete and organized clinical records on	Few	2

015433	05/25/2011	06/29/2011	ST MARTIN'S IN THE PINES
015433	05/25/2011	06/29/2011	ST MARTIN'S IN THE PINES
015433	05/25/2011	06/29/2011	ST MARTIN'S IN THE PINES
015433	05/25/2011	06/29/2011	ST MARTIN'S IN THE PINES
015433	05/25/2011	06/29/2011	ST MARTIN'S IN THE PINES
015433	05/25/2011	06/29/2011	ST MARTIN'S IN THE PINES
015433	05/25/2011	06/29/2011	ST MARTIN'S IN THE PINES
015433	05/25/2011	06/29/2011	ST MARTIN'S IN THE PINES

4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies

each resident that meet professional standards.		
corridor and hallway doors that block smoke.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Many	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2

015433	05/25/2011	06/29/2011	ST MARTIN'S IN THE PINES
015433	05/25/2011	06/29/2011	ST MARTIN'S IN THE PINES
015433	05/25/2011	06/29/2011	ST MARTIN'S IN THE PINES
015433	05/25/2011	06/29/2011	ST MARTIN'S IN THE PINES
015434	05/07/2009	06/11/2009	LYNWOOD NURSING HOME
015434	05/07/2009	06/11/2009	LYNWOOD NURSING HOME
015434	05/07/2009	06/11/2009	LYNWOOD NURSING HOME
015434	05/07/2009	06/11/2009	LYNWOOD NURSING HOME
015434	05/07/2009	06/11/2009	LYNWOOD NURSING HOME

4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4941 MONTEVALLO ROAD	BIRMINGHAM	AL	35210	2059561831
4164 HALLS MILL ROAD	MOBILE	AL	36693	2516615404
4164 HALLS MILL ROAD	MOBILE	AL	36693	2516615404
4164 HALLS MILL ROAD	MOBILE	AL	36693	2516615404
4164 HALLS MILL ROAD	MOBILE	AL	36693	2516615404
4164 HALLS MILL ROAD	MOBILE	AL	36693	2516615404

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies

properly protected cooking facilities.	Few	2
restrictions on the use of portable space heaters.	Few	2
a separate and independent backup electrical power source.	Some	2
properly installed electrical wiring and equipment.	Some	2
Provide housekeeping and maintenance services.	Few	2
Make sure each resident receives an accurate assessment by a qualified health professional.	Few	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Coordinate assessments with the pre-admission screening and resident review program for mentally-ill and mentally-retarded patients.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper	Few	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015434	05/07/2009	06/11/2009	LYNWOOD NURSING HOME
015434	05/07/2009	06/11/2009	LYNWOOD NURSING HOME
015434	05/13/2009	06/11/2009	LYNWOOD NURSING HOME
015434	05/13/2009	06/11/2009	LYNWOOD NURSING HOME
015434	05/13/2009	06/11/2009	LYNWOOD NURSING HOME
015434	05/13/2009	06/11/2009	LYNWOOD NURSING HOME
015434	08/10/2010	09/09/2010	LYNWOOD NURSING HOME
015434	08/10/2010	09/09/2010	LYNWOOD NURSING HOME

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

4164 HALLS MILL ROAD	MOBILE	AL	36693	2516615404
4164 HALLS MILL ROAD	MOBILE	AL	36693	2516615404
4164 HALLS MILL ROAD	MOBILE	AL	36693	2516615404
4164 HALLS MILL ROAD	MOBILE	AL	36693	2516615404
4164 HALLS MILL ROAD	MOBILE	AL	36693	2516615404
4164 HALLS MILL ROAD	MOBILE	AL	36693	2516615404
4164 HALLS MILL ROAD	MOBILE	AL	36693	2516615404
4164 HALLS MILL ROAD	MOBILE	AL	36693	2516615404

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies

catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.		
Store, cook, and serve food in a safe and clean way.	Some	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
automatic sprinkler systems that have been maintained in working order.	Some	2
other fire safety features required by fire safety codes.	Some	2
properly installed electrical wiring and equipment.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Few	2
a fire alarm system that can be heard throughout the facility.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015434	08/10/2010	09/09/2010	LYNWOOD NURSING HOME
015434	08/10/2010	09/09/2010	LYNWOOD NURSING HOME
015434	08/10/2010	09/09/2010	LYNWOOD NURSING HOME
015434	07/14/2011	08/19/2011	LYNWOOD NURSING HOME
015434	07/19/2011	08/23/2011	LYNWOOD NURSING HOME
015434	07/19/2011	08/23/2011	LYNWOOD NURSING HOME
015434	07/19/2011	08/23/2011	LYNWOOD NURSING HOME
015434	07/19/2011	08/23/2011	LYNWOOD NURSING HOME
015434	07/19/2011	08/23/2011	LYNWOOD NURSING HOME
015434	07/19/2011	08/23/2011	LYNWOOD NURSING HOME
015434	07/19/2011	08/23/2011	LYNWOOD NURSING HOME
015435	04/10/2010	04/28/2010	SPRINGHILL SENIOR RESIDENCE

ROAD				
4164 HALLS MILL ROAD	MOBILE	AL	36693	2516615404
4164 HALLS MILL ROAD	MOBILE	AL	36693	2516615404
4164 HALLS MILL ROAD	MOBILE	AL	36693	2516615404
4164 HALLS MILL ROAD	MOBILE	AL	36693	2516615404
4164 HALLS MILL ROAD	MOBILE	AL	36693	2516615404
4164 HALLS MILL ROAD	MOBILE	AL	36693	2516615404
4164 HALLS MILL ROAD	MOBILE	AL	36693	2516615404
4164 HALLS MILL ROAD	MOBILE	AL	36693	2516615404
4164 HALLS MILL ROAD	MOBILE	AL	36693	2516615404
4164 HALLS MILL ROAD	MOBILE	AL	36693	2516615404
4164 HALLS MILL ROAD	MOBILE	AL	36693	2516615404
3717 DAUPHIN	MOBILE	AL	36608	2513430909

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies

heard throughout the facility.		
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
a separate and independent backup electrical power source.	Few	2
properly installed electrical wiring and equipment.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
smoke barrier doors that can resist smoke for at least 20 minutes.	Few	2
exits that are accessible at all times.	Some	2
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
properly maintained smoke detectors.	Many	2
restrictions on the use of portable space heaters.	Few	2
properly installed electrical wiring and equipment.	Some	2
Properly hold, secure and	Few	2

015435	04/10/2010	04/28/2010	SPRINGHILL SENIOR RESIDENCE
015435	04/10/2010	04/28/2010	SPRINGHILL SENIOR RESIDENCE
015435	04/10/2010	04/28/2010	SPRINGHILL SENIOR RESIDENCE
015435	04/10/2010	04/28/2010	SPRINGHILL SENIOR RESIDENCE
015435	04/10/2010	04/28/2010	SPRINGHILL SENIOR RESIDENCE
015435	04/13/2010	05/13/2010	SPRINGHILL SENIOR RESIDENCE
015435	04/13/2010	05/13/2010	SPRINGHILL SENIOR RESIDENCE
015435	04/13/2010	05/13/2010	SPRINGHILL SENIOR RESIDENCE

STREET				
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN	MOBILE	AL	36608	2513430909

HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Administration Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Miscellaneous Deficiencies

manage each resident's personal money which is deposited with the nursing home.		
Follow policies and procedures to convey the resident's personal funds to the appropriate party responsible after the resident's death.	Few	2
Dispose of garbage and refuse properly.	Some	2
Have a program that investigates, controls and keeps infection from spreading.	Some	4
Be administered in an acceptable way that maintains the well-being of each resident .	Some	4
Choose a doctor to serve as the medical director to create resident care policies and coordinate medical care in the facility.	Some	4
a fire alarm system that can be heard throughout the facility.	Many	2
properly protected cooking facilities.	Few	2
other fire safety features required	Few	2

015435		05/13/2010	SPRINGHILL SENIOR RESIDENCE
015435	02/17/2011	03/24/2011	SPRINGHILL SENIOR RESIDENCE
015435	02/17/2011	03/24/2011	SPRINGHILL SENIOR RESIDENCE
015435	02/17/2011	03/24/2011	SPRINGHILL SENIOR RESIDENCE
015435	02/17/2011	03/24/2011	SPRINGHILL SENIOR RESIDENCE
015435	02/17/2011	03/24/2011	SPRINGHILL SENIOR RESIDENCE
015435	02/17/2011	03/24/2011	SPRINGHILL SENIOR RESIDENCE
015435	02/17/2011	03/24/2011	SPRINGHILL SENIOR RESIDENCE
015435	02/23/2011	03/27/2011	SPRINGHILL SENIOR RESIDENCE

3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN	MOBILE	AL	36608	2513430909

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Miscellaneous Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies

other fire safety features required by fire safety codes.	Few	2
Immediately tell the resident, the resident's doctor and a family member of the resident of situations (injury/decline/room, etc.) that affect the resident.	Few	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
corridor and hallway doors that	Many	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015435	02/23/2011	03/27/2011	SPRINGHILL SENIOR RESIDENCE
015435	02/23/2011	03/27/2011	SPRINGHILL SENIOR RESIDENCE
015435	02/23/2011	03/27/2011	SPRINGHILL SENIOR RESIDENCE
015435	02/23/2011	03/27/2011	SPRINGHILL SENIOR RESIDENCE
015435	02/23/2011	03/27/2011	SPRINGHILL SENIOR RESIDENCE
015435	02/23/2011	03/27/2011	SPRINGHILL SENIOR RESIDENCE
015435	02/23/2011	02/25/2011	SPRINGHILL SENIOR RESIDENCE
015435	02/23/2011	03/27/2011	SPRINGHILL SENIOR RESIDENCE
015435	01/26/2012	02/29/2012	SPRINGHILL SENIOR RESIDENCE

STREET				
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909

FIRE SAFETY	Smoke Compartmentation and Control Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies

block smoke.		
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Few	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
automatic sprinkler systems that have been maintained in working order.	Some	2
exits that are free from obstructions and can be used at all times.	Many	2
restrictions on the use of flammable curtains.	Few	2
properly installed electrical wiring and equipment.	Many	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of	Few	2

015435	01/26/2012	02/29/2012	SPRINGHILL SENIOR RESIDENCE
015435	01/26/2012	02/29/2012	SPRINGHILL SENIOR RESIDENCE
015435	01/26/2012	02/29/2012	SPRINGHILL SENIOR RESIDENCE
015435	01/26/2012	02/29/2012	SPRINGHILL SENIOR RESIDENCE
015435	01/26/2012	02/29/2012	SPRINGHILL SENIOR RESIDENCE
015435	01/26/2012	02/29/2012	SPRINGHILL SENIOR RESIDENCE
015435	02/01/2012	02/10/2012	SPRINGHILL SENIOR RESIDENCE
015435	02/01/2012	02/10/2012	SPRINGHILL SENIOR RESIDENCE

3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

resident's dignity and respect of individuality.		
Provide housekeeping and maintenance services.	Few	2
Assist those residents who need total help with eating/drinking, grooming and personal and oral hygiene.	Few	2
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, and receive proper services to prevent urinary tract infections and restore normal bladder function.	Few	2
Hire sufficient dietary support personnel.	Many	2
Store, cook, and serve food in a safe and clean way.	Many	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
corridor and hallway doors that block smoke.	Few	2
walls or barriers that prevent smoke from passing through and	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015435	02/01/2012	02/10/2012	SPRINGHILL SENIOR RESIDENCE
015435	02/01/2012	02/10/2012	SPRINGHILL SENIOR RESIDENCE
015435	02/01/2012	02/10/2012	SPRINGHILL SENIOR RESIDENCE
015435	02/01/2012	02/10/2012	SPRINGHILL SENIOR RESIDENCE
015435	02/01/2012	02/10/2012	SPRINGHILL SENIOR RESIDENCE
015435	02/01/2012	02/10/2012	SPRINGHILL SENIOR RESIDENCE
015436	02/26/2010	04/02/2010	HILLVIEW TERRACE
015436	02/26/2010	04/02/2010	HILLVIEW TERRACE

STREET				
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
3717 DAUPHIN STREET	MOBILE	AL	36608	2513430909
100 PERRY HILL RD	MONTGOMERY	AL	36109	3342720171
100 PERRY HILL RD	MONTGOMERY	AL	36109	3342720171

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Smoking Regulations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Nutrition and Dietary Deficiencies

smoke from passing through and would resist fire for at least one hour.		
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Many	2
record of quarterly fire drills for each shift under varying conditions.	Some	1
automatic sprinkler systems that have been maintained in working order.	Few	2
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Some	2
properly installed electrical wiring and equipment.	Some	2
Try to resolve each resident's complaints quickly.	Few	2
Prepare food that is nutritional, appetizing, tasty, attractive, well-cooked, and at the right	Some	1

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015436	02/26/2010	04/02/2010	HILLVIEW TERRACE
015436	02/26/2010	04/02/2010	HILLVIEW TERRACE
015436	03/03/2010	04/02/2010	HILLVIEW TERRACE
015436	03/03/2010	04/02/2010	HILLVIEW TERRACE
015436	03/03/2010	04/02/2010	HILLVIEW TERRACE
015436	03/03/2010	04/02/2010	HILLVIEW TERRACE
015436	03/03/2010	04/02/2010	HILLVIEW TERRACE
015436	01/21/2011	02/25/2011	HILLVIEW TERRACE

100 PERRY HILL RD	MONTGOMERY	AL	36109	3342720171
100 PERRY HILL RD	MONTGOMERY	AL	36109	3342720171
100 PERRY HILL RD	MONTGOMERY	AL	36109	3342720171
100 PERRY HILL RD	MONTGOMERY	AL	36109	3342720171
100 PERRY HILL RD	MONTGOMERY	AL	36109	3342720171
100 PERRY HILL RD	MONTGOMERY	AL	36109	3342720171
100 PERRY HILL RD	MONTGOMERY	AL	36109	3342720171
100 PERRY HILL RD	MONTGOMERY	AL	36109	3342720171

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

HEALTH	Administration Deficiencies
HEALTH	Administration Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Fire Alarm Systems Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Electrical Deficiencies
FIRE SAFETY	Smoke Compartmentation and Control Deficiencies

cooked, and at the right temperature.		
Make sure that nurse aides show they have the skills and techniques to be able to care for residents' needs.	Few	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Few	2
exits that are accessible at all times.	Few	2
a fire alarm system that can be heard throughout the facility.	Few	2
an approved automatic sprinkler system connected to the fire alarm system.	Few	2
properly installed electrical wiring and equipment.	Few	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

015436	01/21/2011	02/25/2011	HILLVIEW TERRACE
015436	01/21/2011	02/25/2011	HILLVIEW TERRACE
015436	01/21/2011	02/25/2011	HILLVIEW TERRACE
015436	01/21/2011	02/25/2011	HILLVIEW TERRACE
015436	01/21/2011	02/25/2011	HILLVIEW TERRACE
015436	01/21/2011	02/25/2011	HILLVIEW TERRACE
015436	01/21/2011	02/25/2011	HILLVIEW TERRACE
015436	01/21/2011	02/25/2011	HILLVIEW TERRACE
015436	12/17/2011	01/15/2012	HILLVIEW TERRACE

100 PERRY HILL RD	MONTGOMERY	AL	36109	3342720171
100 PERRY HILL RD	MONTGOMERY	AL	36109	3342720171
100 PERRY HILL RD	MONTGOMERY	AL	36109	3342720171
100 PERRY HILL RD	MONTGOMERY	AL	36109	3342720171
100 PERRY HILL RD	MONTGOMERY	AL	36109	3342720171
100 PERRY HILL RD	MONTGOMERY	AL	36109	3342720171
100 PERRY HILL RD	MONTGOMERY	AL	36109	3342720171
100 PERRY HILL RD	MONTGOMERY	AL	36109	3342720171
100 PERRY HILL RD	MONTGOMERY	AL	36109	3342720171

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Automatic Sprinkler Systems Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
HEALTH	Resident Assessment Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies

hour.		
record of quarterly fire drills for each shift under varying conditions.	Some	2
portable fire extinguishers.	Few	2
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Some	2
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Make sure that each resident gets a nutritional and well balanced diet, unless it is not possible to do so.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Make sure that the nursing home area is safe, easy to use, clean and comfortable for residents, staff and the public.	Many	2

nh_quality_deficiency_survey

Based on Nursing Home Compare - Survey Deficiency

(Results truncated. Use CSV format for all records.)