paul

Based on Nursing Home Compare - Quality Measures (Q3)

Provider Number	Nursing Home Name	Street

paul

Based on Nursing Home Compare - Quality Measures (Q3)

City	State	ZIP Code	Phone Number

paul

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents whose need for help with daily activities has increased	Footnote-1

Percent of long-stay residents who self-report moderate to severe pain	Footnote-2

paul

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay high-risk residents with pressure ulcers	Footnote-3

paul

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents who lose too much weight	Footnote-4

Percent of long-stay low-risk residents who lose control of their bowels or bladder

Footnote-5

Percent of long-stay residents who have had a catheter inserted and left in their bladder

Footnote-6	Percent of long-stay residents with a urinary tract infection

Footnote-7	Percent of long-stay residents who have depressive symptoms

Footnote-8	Percent of long-stay residents who were physically restrained

Footnote-9	Percent of long-stay residents experiencing one or more falls with major injury

Footnote-10

Percent of long-stay residents assessed and given, appropriately, the seasonal influenza vaccine

Footnote-11

Percent of long-stay residents assessed and given, appropriately, the pneumococcal vaccine

Footnote-12	Percent of short-stay residents who self-report moderate to severe pain

Footnote-13	Percent of short-stay residents with Pressure ulcers that are new or worsened

Footnote-14

Percent of short-stay residents assessed and given, appropriately, the seasonal influenza vaccine

Footnote-15

Percent of short-stay residents assessed and given, appropriately, the pneumococcal vaccine

Footnote-16	Percent of short-stay residents who newly received an antipsychotic medication

Footnote-17	Percent of long-stay residents who received an antipsychotic medication

Footnote-18