Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Provider Number	Hospital Name
330013	ALBANY MEDICAL CENTER HOSPITAL
330003	ALBANY MEMORIAL HOSPITAL
330094	COLUMBIA MEMORIAL HOSPITAL
330153	ELLIS HOSPITAL
330191	GLENS FALLS HOSPITAL
330180	SAMARITAN HOSPITAL
330222	SARATOGA HOSPITAL
330232	SETON HEALTH SYSTEM-ST MARY'S CAMPUS
330057	ST PETER'S HOSPITAL

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Death from serious treatable complications after surgery
Worse than U.S. National Rate
Number of Cases Too Small
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
Number of Cases Too Small
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Footnote - Death from serious treatable complications after surgery

Medicare requires hospitals to have at least 25 qualifying cases to have their results reported. This hospital had less than 25 cases.

Medicare requires hospitals to have at least 25 qualifying cases to have their results reported. This hospital had less than 25 cases.

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Collapsed lung due to medical treatment
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Footnote - Collapsed lung due to medical treatment

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Breathing failure after surgery
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
Worse than U.S. National Rate
Worse than U.S. National Rate
No Different than U.S. National Rate

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Footnote - Breathing failure after surgery

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Serious blood clots after surgery
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Footnote - Serious blood clots after surgery

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

A wound that splits open after surgery
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Footnote - A wound that splits open after surgery

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Accidental cuts and tears from medical treatment
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Footnote - Accidental cuts and tears from medical treatment

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Serious Complications
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Footnote - Serious Complications

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Death after surgery to repair a weakness in the abdominal aorta
No Different than U.S. National Rate
Not Available
Not Available
Number of Cases Too Small
Number of Cases Too Small
Not Available
Number of Cases Too Small
Not Available
Number of Cases Too Small

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Footnote - Death after surgery to repair a weakness in the abdominal aorta

No data are available from the hospital for this measure.
No data are available from the hospital for this measure.
Medicare requires hospitals to have at least 25 qualifying cases to have their results reported. This hospital had less than 25 cases.
Medicare requires hospitals to have at least 25 qualifying cases to have their results reported. This hospital had less than 25 cases.
No data are available from the hospital for this measure.
Medicare requires hospitals to have at least 25 qualifying cases to have their results reported. This hospital had less than 25 cases.
No data are available from the hospital for this measure.
Medicare requires hospitals to have at least 25 qualifying cases to have their results reported. This hospital had less than 25 cases.

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Deaths after admission for broken hip
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Footnote - Deaths after admission for broken hip

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Deaths from Certain Conditions
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
No Different than U.S. National Rate
Better than U.S. National Rate

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Footnote - Deaths from Certain Conditions

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Death from serious treatable complications after surgery
210
19
41
66
72
23
57
44
142

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Rate - Death from serious treatable complications after surgery
154.97
Not Available
113.08
144.46
122.51
Not Available
153.3
113.24
123.02

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Death from serious treatable complications after surgery
124.83
Not Available
65.67
100.69
79.86
Not Available
104.38
65.73
84.9

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Death from serious treatable complications after surgery
185.11
Not Available
160.49
188.23
165.16
Not Available
202.22
160.75
161.14

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Collapsed lung due to medical treatment
11902
3334
4584
9324
9158
3610
5417
4510
11532

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Rate - Collapsed lung due to medical treatment
0.22
0.47
0.62
0.41
0.33
0.56
0.32
0.4
0.59

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Collapsed lung due to medical treatment
0
0.02
0.19
0.1
0
0.11
0
0
0.32

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Collapsed lung due to medical treatment
0.49
0.92
1.05
0.72
0.68
1.01
0.69
0.83
0.86

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Breathing failure after surgery
1839
508
228
920
692
222
577
376
1789

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Rate - Breathing failure after surgery
10.03
8.91
8.36
9.9
6.96
14.3
17.02
17.07
11.76

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Breathing failure after surgery
7.09
3.19
0.95
5
1.55
7.01
11
10.41
8.21

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Breathing failure after surgery
12.97
14.63
15.77
14.8
12.37
21.59
23.04
23.73
15.31

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Serious blood clots after surgery
5076
876
649
2520
1763
547
1046
784
4160

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Rate - Serious blood clots after surgery
4.72
6.88
6.71
3.19
6.42
4.96
11.09
4.87
4.61

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Serious blood clots after surgery
2.39
1.24
0.79
0
2.4
0
5.82
0
1.96

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Serious blood clots after surgery
7.05
12.52
12.63
6.64
10.44
11.6
16.36
10.81
7.26

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - A wound that splits open after surgery
683
173
136
333
228
117
173
121
568

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Rate - A wound that splits open after surgery
1.72
2.46
2.94
2.13
1.8
2.01
2.92
2.46
1.55

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - A wound that splits open after surgery
0
0.36
0.84
0.17
0
0
0.84
0.36
0

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - A wound that splits open after surgery
3.48
4.56
5.04
4.09
3.84
4.15
5
4.56
3.43

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Accidental cuts and tears from medical treatment
12637
3313
4828
9918
9571
3795
5489
4577
13022

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Rate - Accidental cuts and tears from medical treatment
1.37
1.18
3.21
1.86
1.88
0.57
2.37
1.27
1.72

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Accidental cuts and tears from medical treatment
0.61
0
1.58
0.82
0.72
0
0.94
0
0.92

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Accidental cuts and tears from medical treatment
2.13
2.81
4.84
2.9
3.04
2.29
3.8
2.96
2.52

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Serious Complications
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Rate - Serious Complications
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Serious Complications
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Serious Complications
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Death after surgery to repair a weakness in the abdominal aorta
206
Not Available
Not Available
6
10
Not Available
3
Not Available
14

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Rate - Death after surgery to repair a weakness in the abdominal aorta
3.28
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Death after surgery to repair a weakness in the abdominal aorta
1.44
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Death after surgery to repair a weakness in the abdominal aorta
5.12
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Deaths after admission for broken hip
88
100
102
232
176
79
127
70
248

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Rate - Deaths after admission for broken hip
2.67
2.92
3.73
2.44
2.22
2.67
3.5
3.12
2.86

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Deaths after admission for broken hip
1.3
1.43
2.16
1.05
0.87
1.12
2.03
1.49
1.68

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Deaths after admission for broken hip
4.04
4.41
5.3
3.83
3.57
4.22
4.97
4.75
4.04

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Deaths from Certain Conditions
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Rate - Deaths from Certain Conditions
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Deaths from Certain Conditions
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available

Comparative Facilities- AHRQ

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Deaths from Certain Conditions
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available
Not Available