SCL AHRQ

Based on Agency For Healthcare Research And Quality Measures

Provider Number	Hospital Name
050071	KAISER FOUNDATION HOSPITAL-SANTA CLARA

SCL AHRQ

Based on Agency For Healthcare Research And Quality Measures

Address 1	Address 2	Address 3
700 LAWRENCE EXPRESSWAY		

SCL AHRQ

Based on Agency For Healthcare Research And Quality Measures

City	State	ZIP Code
SANTA CLARA	CA	95051

SCL AHRQ

Based on Agency For Healthcare Research And Quality Measures

County Name	Phone Number
SANTA CLARA	4082366400

Death from serious treatable complications after surgery

Number of Cases Too Small

Footnote - Death from serious treatable complications after surgery

Medicare requires hospitals to have at least 25 qualifying cases to have their results reported. This hospital had less than 25 cases.

Collapsed lung due to medical treatment

No Different than U.S. National Rate

Footnote - Collapsed lung due to medical treatment

SCL AHRQ

Based on Agency For Healthcare Research And Quality Measures

Breathing failure after surgery

No Different than U.S. National Rate

Footnote - Breathing failure after surgery

SCL AHRQ

Based on Agency For Healthcare Research And Quality Measures

Serious blood clots after surgery

No Different than U.S. National Rate

Footnote - Serious blood clots after surgery

A wound that splits open after surgery

Number of Cases Too Small

Footnote - A wound that splits open after surgery

Medicare requires hospitals to have at least 25 qualifying cases to have their results reported. This hospital had less than 25 cases.

Accidental cuts and tears from medical treatment

No Different than U.S. National Rate

Footnote - Accidental cuts and tears from medical treatment

SCL AHRQ

Based on Agency For Healthcare Research And Quality Measures

Serious Complications

No Different than U.S. National Rate

Footnote - Serious Complications

Death after surgery to repair a weakness in the abdominal aorta

Not Available

Footnote - Death after surgery to repair a weakness in the abdominal aorta

No data are available from the hospital for this measure.

SCL AHRQ

Based on Agency For Healthcare Research And Quality Measures

Deaths after admission for broken hip

Number of Cases Too Small

Footnote - Deaths after admission for broken hip

Medicare requires hospitals to have at least 25 qualifying cases to have their results reported. This hospital had less than 25 cases.

SCL AHRQ

Based on Agency For Healthcare Research And Quality Measures

Deaths from Certain Conditions

No Different than U.S. National Rate

Footnote - Deaths from Certain Conditions

Number of Patients - Death from serious treatable complications after surgery

13

Rate - Death from serious treatable complications after surgery

Not Available

Lower Estimate - Death from serious treatable complications after surgery

Not Available

Higher Estimate - Death from serious treatable complications after surgery

Not Available

Number of Patients - Collapsed lung due to medical treatment

623

Rate - Collapsed lung due to medical treatment

0.51

Lower Estimate - Collapsed lung due to medical treatment

0.00

Higher Estimate - Collapsed lung due to medical treatment

1.06

Number of Patients - Breathing failure after surgery

54

Rate - Breathing failure after surgery

8.65

Lower Estimate - Breathing failure after surgery

0.00

Higher Estimate - Breathing failure after surgery

18.27

Number of Patients - Serious blood clots after surgery

184

Rate - Serious blood clots after surgery

7.91

Lower Estimate - Serious blood clots after surgery

0.00

Higher Estimate - Serious blood clots after surgery

17.51

Number of Patients - A wound that splits open after surgery

11

Rate - A wound that splits open after surgery

Not Available

Lower Estimate - A wound that splits open after surgery

Not Available

Higher Estimate - A wound that splits open after surgery

Not Available

Number of Patients - Accidental cuts and tears from medical treatment

674

Rate - Accidental cuts and tears from medical treatment

2.53

Lower Estimate - Accidental cuts and tears from medical treatment

0.00

Higher Estimate - Accidental cuts and tears from medical treatment

5.18

Number of Patients - Serious Complications

Not Available

SCL AHRQ

Based on Agency For Healthcare Research And Quality Measures

Rate - Serious Complications

Not Available

Lower Estimate - Serious Complications

Not Available

Higher Estimate - Serious Complications

Not Available

Number of Patients - Death after surgery to repair a weakness in the abdominal aorta

Not Available

Rate - Death after surgery to repair a weakness in the abdominal aorta

Not Available

Lower Estimate - Death after surgery to repair a weakness in the abdominal aorta

Not Available

Higher Estimate - Death after surgery to repair a weakness in the abdominal aorta

Not Available

Number of Patients - Deaths after admission for broken hip

8

Rate - Deaths after admission for broken hip

Not Available

Lower Estimate - Deaths after admission for broken hip

Not Available

Higher Estimate - Deaths after admission for broken hip

Not Available

Number of Patients - Deaths from Certain Conditions

Not Available

SCL AHRQ

Based on Agency For Healthcare Research And Quality Measures

Rate - Deaths from Certain Conditions

Not Available

Lower Estimate - Deaths from Certain Conditions

Not Available

Higher Estimate - Deaths from Certain Conditions

Not Available