PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Provider Number	Hospital Name
170137	LAWRENCE MEMORIAL HOSPITAL

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Address 1	Address 2	Address 3
325 MAINE ST		

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

City	State	ZIP Code
LAWRENCE	KS	66044

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

County Name	Phone Number
DOUGLAS	9135056100

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Death from serious treatable complications after surgery

No Different than U.S. National Rate

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Footnote - Death from serious treatable complications after surgery

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Collapsed lung due to medical treatment

No Different than U.S. National Rate

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Footnote - Collapsed lung due to medical treatment

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Breathing failure after surgery

No Different than U.S. National Rate

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Footnote - Breathing failure after surgery

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Serious blood clots after surgery

No Different than U.S. National Rate

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Footnote - Serious blood clots after surgery

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

A wound that splits open after surgery

No Different than U.S. National Rate

Footnote - A wound that splits open after surgery

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Accidental cuts and tears from medical treatment

No Different than U.S. National Rate

Footnote - Accidental cuts and tears from medical treatment

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Serious Complications

No Different than U.S. National Rate

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Footnote - Serious Complications

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Death after surgery to repair a weakness in the abdominal aorta

Not Available

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Footnote - Death after surgery to repair a weakness in the abdominal aorta

Suppressed for one or more quarters by CMS.

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Deaths after admission for broken hip

Not Available

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Footnote - Deaths after admission for broken hip

Suppressed for one or more quarters by CMS.

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Deaths from Certain Conditions

Not Available

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Footnote - Deaths from Certain Conditions

Suppressed for one or more quarters by CMS.

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Death from serious treatable complications after surgery

37

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Rate - Death from serious treatable complications after surgery

109.78

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Death from serious treatable complications after surgery
66.29

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Death from serious treatable complications after surgery
153.27

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Collapsed lung due to medical treatment

4595

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Rate - Collapsed lung due to medical treatment

0.41

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Collapsed lung due to medical treatment
0.08

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Collapsed lung due to medical treatment
0.74

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Breathing failure after surgery

Not Available

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Rate - Breathing failure after surgery

Not Available

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Breathing failure after surgery

Not Available

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Breathing failure after surgery

Not Available

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Serious blood clots after surgery
1134

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Rate - Serious blood clots after surgery

2.21

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Serious blood clots after surgery
0.00

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Serious blood clots after surgery
4.97

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - A wound that splits open after surgery
179

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Rate - A wound that splits open after surgery
1.30

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - A wound that splits open after surgery
0.00

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - A wound that splits open after surgery
3.06

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Accidental cuts and tears from medical treatment

4764

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Rate - Accidental cuts and tears from medical treatment

1.89

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Accidental cuts and tears from medical treatment
0.60

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Accidental cuts and tears from medical treatment

3.18

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Serious Complications

Not Available

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Rate - Serious Complications

Not Available

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Serious Complications

Not Available

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Serious Complications

Not Available

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Death after surgery to repair a weakness in the abdominal aorta

Not Available

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Rate - Death after surgery to repair a weakness in the abdominal aorta

Not Available

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Death after surgery to repair a weakness in the abdominal aorta

Not Available

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Death after surgery to repair a weakness in the abdominal aorta

Not Available

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Deaths after admission for broken hip

Not Available

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Rate - Deaths after admission for broken hip

Not Available

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Deaths after admission for broken hip

Not Available

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Deaths after admission for broken hip

Not Available

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Deaths from Certain Conditions

Not Available

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Rate - Deaths from Certain Conditions

Not Available

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Deaths from Certain Conditions

Not Available

PSI LMH 2 SS

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Deaths from Certain Conditions

Not Available