ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Provider Number	Hospital Name
390225	EPHRATA COMMUNITY HOSPITAL

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Address 1	Address 2	Address 3
169 MARTIN AVENUE		

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

City	State	ZIP Code
EPHRATA	PA	17522

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

County Name	Phone Number
LANCASTER	7177330311

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Death from serious treatable complications after surgery

No Different than U.S. National Rate

Footnote - Death from serious treatable complications after surgery

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Collapsed lung due to medical treatment

No Different than U.S. National Rate

Footnote - Collapsed lung due to medical treatment

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Breathing failure after surgery

No Different than U.S. National Rate

Footnote - Breathing failure after surgery

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Serious blood clots after surgery

No Different than U.S. National Rate

Footnote - Serious blood clots after surgery

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

A wound that splits open after surgery

No Different than U.S. National Rate

Footnote - A wound that splits open after surgery

Accidental cuts and tears from medical treatment

No Different than U.S. National Rate

Footnote - Accidental cuts and tears from medical treatment

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Serious Complications

No Different than U.S. National Rate

Footnote - Serious Complications

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Death after surgery to repair a weakness in the abdominal aorta

Not Available

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Footnote - Death after surgery to repair a weakness in the abdominal aorta

Suppressed for one or more quarters by CMS.

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Deaths after admission for broken hip

Not Available

Footnote - Deaths after admission for broken hip

Suppressed for one or more quarters by CMS.

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Deaths from Certain Conditions

Not Available

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Footnote - Deaths from Certain Conditions

Suppressed for one or more quarters by CMS.

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Death from serious treatable complications after surgery

53

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Rate - Death from serious treatable complications after surgery

102.99

Lower Estimate - Death from serious treatable complications after surgery

57.62

Higher Estimate - Death from serious treatable complications after surgery

148.36

Number of Patients - Collapsed lung due to medical treatment

4458

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Rate - Collapsed lung due to medical treatment

0.36

Lower Estimate - Collapsed lung due to medical treatment

0.01

Higher Estimate - Collapsed lung due to medical treatment

0.71

Number of Patients - Breathing failure after surgery

Not Available

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Rate - Breathing failure after surgery

Not Available

Lower Estimate - Breathing failure after surgery

Not Available

Higher Estimate - Breathing failure after surgery

Not Available

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Serious blood clots after surgery

1021

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Rate - Serious blood clots after surgery

7.63

Lower Estimate - Serious blood clots after surgery

4.63

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Serious blood clots after surgery
10.63

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - A wound that splits open after surgery

123

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Rate - A wound that splits open after surgery

2.46

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - A wound that splits open after surgery
0.52

Higher Estimate - A wound that splits open after surgery

4.40

Number of Patients - Accidental cuts and tears from medical treatment

4531

Rate - Accidental cuts and tears from medical treatment

2.20

Lower Estimate - Accidental cuts and tears from medical treatment

0.73

Higher Estimate - Accidental cuts and tears from medical treatment

3.67

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Serious Complications

Not Available

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Rate - Serious Complications

Not Available

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Serious Complications

Not Available

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Serious Complications

Not Available

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Death after surgery to repair a weakness in the abdominal aorta

Not Available

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Rate - Death after surgery to repair a weakness in the abdominal aorta

Not Available

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Death after surgery to repair a weakness in the abdominal aorta

Not Available

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Death after surgery to repair a weakness in the abdominal aorta

Not Available

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Deaths after admission for broken hip

Not Available

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Rate - Deaths after admission for broken hip

Not Available

Lower Estimate - Deaths after admission for broken hip

Not Available

Higher Estimate - Deaths after admission for broken hip

Not Available

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Deaths from Certain Conditions

Not Available

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Rate - Deaths from Certain Conditions

Not Available

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Deaths from Certain Conditions

Not Available

ECH-AAA

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Deaths from Certain Conditions

Not Available